




















11AX20SISO_Ant6_6535_52Tone_RU37



11AX20SISO_Ant6_6535_106Tone_RU53









Maximum power spectral density


Test Result



Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20SI SO	Ant4	5955	26Tone	RU0	1.6	≤4.10	-5.1	-3.5	≤-1.00	PASS
			52Tone	RU37	1.62	≤4.10	-5.1	-3.48	≤-1.00	PASS
			106Tone	RU53	1.69	≤4.10	-5.1	-3.41	≤-1.00	PASS
		6435	26Tone	RU0	2.3	≤4.90	-5.9	-3.6	≤-1.00	PASS
			52Tone	RU37	2.41	≤4.90	-5.9	-3.49	≤-1.00	PASS
			106Tone	RU53	2.36	≤4.90	-5.9	-3.54	≤-1.00	PASS
		6535	26Tone	RU0	1.78	≤4.50	-5.5	-3.72	≤-1.00	PASS
			52Tone	RU37	1.78	≤4.50	-5.5	-3.72	≤-1.00	PASS
			106Tone	RU53	1.87	≤4.50	-5.5	-3.63	≤-1.00	PASS
		7095	26Tone	RU8	3.02	≤5.30	-6.3	-3.28	≤-1.00	PASS
			52Tone	RU40	2.99	≤5.30	-6.3	-3.31	≤-1.00	PASS
			106Tone	RU54	2.79	≤5.30	-6.3	-3.51	≤-1.00	PASS
	Ant6	5955	26Tone	RU0	3.01	≤5.60	-6.6	-3.59	≤-1.00	PASS
			52Tone	RU37	2.93	≤5.60	-6.6	-3.67	≤-1.00	PASS
			106Tone	RU53	3.18	≤5.60	-6.6	-3.42	≤-1.00	PASS
		6435	26Tone	RU0	3.11	≤5.80	-6.8	-3.69	≤-1.00	PASS
			52Tone	RU37	3.05	≤5.80	-6.8	-3.75	≤-1.00	PASS
			106Tone	RU53	3.04	≤5.80	-6.8	-3.76	≤-1.00	PASS
		6535	26Tone	RU0	3.39	≤5.70	-6.7	-3.31	≤-1.00	PASS
			52Tone	RU37	2.79	≤5.70	-6.7	-3.91	≤-1.00	PASS
			106Tone	RU53	2.85	≤5.70	-6.7	-3.85	≤-1.00	PASS
		7095	26Tone	RU8	3.95	≤6.30	-7.3	-3.35	≤-1.00	PASS
			52Tone	RU40	4.09	≤6.30	-7.3	-3.21	≤-1.00	PASS
			106Tone	RU54	3.9	≤6.30	-7.3	-3.4	≤-1.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.






Test Graphs












































Appendix B. AC Conducted Emission Test Results


Test Engineer :	Amos Zahng	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.207	40.92	-22.40	63.32	30.20	0.26	10.46	QP
2	0.207	31.92	-21.40	53.32	21.20	0.26	10.46	Average
3 *	0.510	41.97	-14.03	56.00	31.20	0.36	10.41	QP
4	0.510	28.97	-17.03	46.00	18.20	0.36	10.41	Average
5	0.621	38.94	-17.06	56.00	28.21	0.37	10.36	QP
6	0.621	26.94	-19.06	46.00	16.21	0.37	10.36	Average
7	1.426	39.16	-16.84	56.00	28.50	0.41	10.25	QP
8	1.426	27.56	-18.44	46.00	16.90	0.41	10.25	Average
9	5.683	44.79	-16.21	60.00	34.20	0.40	10.19	QP
10	5.683	32.79	-17.21	50.00	22.20	0.40	10.19	Average
11	7.566	43.91	-16.09	60.00	33.30	0.41	10.20	QP
12	7.566	30.41	-19.59	50.00	19.80	0.41	10.20	Average

Test Engineer :	Amos Zahng	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.204	34.60	-28.85	63.45	23.90	0.24	10.46	QP
2	0.204	23.20	-30.25	53.45	12.50	0.24	10.46	Average
3	0.510	38.25	-17.75	56.00	27.50	0.34	10.41	QP
4 *	0.510	28.95	-17.05	46.00	18.20	0.34	10.41	Average
5	0.614	38.93	-17.07	56.00	28.20	0.36	10.37	QP
6	0.614	28.23	-17.77	46.00	17.50	0.36	10.37	Average
7	1.005	35.82	-20.18	56.00	25.20	0.35	10.27	QP
8	1.005	22.82	-23.18	46.00	12.20	0.35	10.27	Average
9	5.058	36.90	-23.10	60.00	26.30	0.40	10.20	QP
10	5.058	24.10	-25.90	50.00	13.50	0.40	10.20	Average
11	6.878	38.10	-21.90	60.00	27.50	0.41	10.19	QP
12	6.878	24.20	-25.80	50.00	13.60	0.41	10.19	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41 ~ 43 %
		Temperature :	20.2 ~ 21.5 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	UNII-5	5925-6425	4	802.11a	1	5955	6Mbps	-	-
Mode 2	UNII-5	5925-6425	4	802.11a	49	6195	6Mbps	-	-
Mode 3	UNII-5	5925-6425	4	802.11a	93	6415	6Mbps	-	-
Mode 4	UNII-6	6425-6525	4	802.11a	97	6435	6Mbps	-	-
Mode 5	UNII-6	6425-6525	4	802.11a	105	6475	6Mbps	-	-
Mode 6	UNII-6	6425-6525	4	802.11a	113	6515	6Mbps	-	-
Mode 7	UNII-7	6525-6875	4	802.11a	117	6535	6Mbps	-	-
Mode 8	UNII-7	6525-6875	4	802.11a	149	6695	6Mbps	-	-
Mode 9	UNII-7	6525-6875	4	802.11a	181	6855	6Mbps	-	-
Mode 10	UNII-7-8	6525-7125	4	802.11a	185	6875	6Mbps	-	-
Mode 11	UNII-8	6875-7125	4	802.11a	189	6895	6Mbps	-	-
Mode 12	UNII-8	6875-7125	4	802.11a	209	6995	6Mbps	-	-
Mode 13	UNII-8	6875-7125	4	802.11a	229	7095	6Mbps	-	-
Mode 14	UNII-5	5925-6425	4	802.11ax HE20	1	5955	MCS0	Full	-
Mode 15	UNII-5	5925-6425	4	802.11ax HE20	1	5955	MCS0	RU26/0	-
Mode 16	UNII-5	5925-6425	4	802.11ax HE20	1	5955	MCS0	RU52/37	-
Mode 17	UNII-5	5925-6425	4	802.11ax HE20	1	5955	MCS0	RU106/53	-
Mode 18	UNII-5	5925-6425	4	802.11ax HE20	45	6175	MCS0	Full	-
Mode 19	UNII-5	5925-6425	4	802.11ax HE20	93	6415	MCS0	Full	-
Mode 20	UNII-5	5925-6425	4	802.11ax HE40	3	5965	MCS0	Full	-
Mode 21	UNII-5	5925-6425	4	802.11ax HE40	43	6165	MCS0	Full	-
Mode 22	UNII-5	5925-6425	4	802.11ax HE40	91	6405	MCS0	Full	-
Mode 23	UNII-5	5925-6425	4	802.11ax HE80	7	5985	MCS0	Full	-
Mode 24	UNII-5	5925-6425	4	802.11ax HE80	39	6145	MCS0	Full	-
Mode 25	UNII-5	5925-6425	4	802.11ax HE80	87	6385	MCS0	Full	-
Mode 26	UNII-6	6425-6525	4	802.11ax HE20	97	6435	MCS0	Full	-
Mode 27	UNII-6	6425-6525	4	802.11ax HE20	105	6475	MCS0	Full	-
Mode 28	UNII-6	6425-6525	4	802.11ax HE20	113	6515	MCS0	Full	-
Mode 29	UNII-6	6425-6525	4	802.11ax HE40	99	6445	MCS0	Full	-
Mode 30	UNII-6	6425-6525	4	802.11ax HE40	107	6485	MCS0	Full	-
Mode 31	UNII-6	6425-6525	4	802.11ax HE80	103	6465	MCS0	Full	-
Mode 32	UNII-6~7	6425-6875	4	802.11ax HE40	115	6525	MCS0	Full	-
Mode 33	UNII-6~7	6425-6875	4	802.11ax HE80	119	6545	MCS0	Full	-
Mode 34	UNII-7	6525-6875	4	802.11ax HE20	117	6535	MCS0	Full	-
Mode 35	UNII-7	6525-6875	4	802.11ax HE20	149	6695	MCS0	Full	-
Mode 36	UNII-7	6525-6875	4	802.11ax HE20	181	6855	MCS0	Full	-
Mode 37	UNII-7	6525-6875	4	802.11ax HE40	123	6565	MCS0	Full	-



Mode 38	UNII-7	6525-6875	4	802.11ax HE40	147	6685	MCS0	Full	-
Mode 39	UNII-7	6525-6875	4	802.11ax HE40	179	6845	MCS0	Full	-
Mode 40	UNII-7	6525-6875	4	802.11ax HE80	135	6625	MCS0	Full	-
Mode 41	UNII-7	6525-6875	4	802.11ax HE80	151	6705	MCS0	Full	-
Mode 42	UNII-7~8	6525-7125	4	802.11ax HE20	185	6875	MCS0	Full	-
Mode 43	UNII-7~8	6875-7125	4	802.11ax HE40	187	6885	MCS0	Full	-
Mode 44	UNII-7~8	6525-7125	4	802.11ax HE80	183	6865	MCS0	Full	-
Mode 45	UNII-8	6875-7125	4	802.11ax HE20	189	6895	MCS0	Full	-
Mode 46	UNII-8	6875-7125	4	802.11ax HE20	209	6995	MCS0	Full	-
Mode 47	UNII-8	6875-7125	4	802.11ax HE20	229	7095	MCS0	Full	-
Mode 48	UNII-8	6875-7125	4	802.11ax HE20	229	7095	MCS0	RU26/8	-
Mode 49	UNII-8	6875-7125	4	802.11ax HE20	229	7095	MCS0	RU52/40	-
Mode 50	UNII-8	6875-7125	4	802.11ax HE20	229	7095	MCS0	RU106/54	-
Mode 51	UNII-8	6875-7125	4	802.11ax HE40	195	6925	MCS0	Full	-
Mode 52	UNII-8	6875-7125	4	802.11ax HE40	203	6965	MCS0	Full	-
Mode 53	UNII-8	6875-7125	4	802.11ax HE40	227	7085	MCS0	Full	-
Mode 54	UNII-8	6875-7125	4	802.11ax HE80	199	6945	MCS0	Full	-
Mode 55	UNII-8	6875-7125	4	802.11ax HE80	215	7025	MCS0	Full	-
Mode 57	UNII-5	5925-6425	6	802.11a	1	5955	6Mbps	-	-
Mode 58	UNII-5	5925-6425	6	802.11a	49	6195	6Mbps	-	-
Mode 59	UNII-5	5925-6425	6	802.11a	93	6415	6Mbps	-	-
Mode 60	UNII-6	6425-6525	6	802.11a	97	6435	6Mbps	-	-
Mode 61	UNII-6	6425-6525	6	802.11a	105	6475	6Mbps	-	-
Mode 62	UNII-6	6425-6525	6	802.11a	113	6515	6Mbps	-	-
Mode 63	UNII-7	6525-6875	6	802.11a	117	6535	6Mbps	-	-
Mode 64	UNII-7	6525-6875	6	802.11a	149	6695	6Mbps	-	-
Mode 65	UNII-7	6525-6875	6	802.11a	181	6855	6Mbps	-	-
Mode 66	UNII-7-8	6525-7125	6	802.11a	185	6875	6Mbps	-	-
Mode 67	UNII-8	6875-7125	6	802.11a	189	6895	6Mbps	-	-
Mode 68	UNII-8	6875-7125	6	802.11a	209	6995	6Mbps	-	-
Mode 69	UNII-8	6875-7125	6	802.11a	229	7095	6Mbps	-	-
Mode 70	UNII-5	5925-6425	6	802.11ax HE20	1	5955	MCS0	Full	-
Mode 71	UNII-5	5925-6425	6	802.11ax HE20	1	5955	MCS0	RU26/0	-
Mode 72	UNII-5	5925-6425	6	802.11ax HE20	1	5955	MCS0	RU52/37	-
Mode 73	UNII-5	5925-6425	6	802.11ax HE20	1	5955	MCS0	RU106/53	-
Mode 74	UNII-5	5925-6425	6	802.11ax HE20	45	6175	MCS0	Full	-
Mode 75	UNII-5	5925-6425	6	802.11ax HE20	93	6415	MCS0	Full	-
Mode 76	UNII-5	5925-6425	6	802.11ax HE40	3	5965	MCS0	Full	-
Mode 77	UNII-5	5925-6425	6	802.11ax HE40	43	6165	MCS0	Full	-
Mode 78	UNII-5	5925-6425	6	802.11ax HE40	91	6405	MCS0	Full	-
Mode 79	UNII-5	5925-6425	6	802.11ax HE80	7	5985	MCS0	Full	-
Mode 80	UNII-5	5925-6425	6	802.11ax HE80	39	6145	MCS0	Full	-
Mode 81	UNII-5	5925-6425	6	802.11ax HE80	87	6385	MCS0	Full	-
Mode 82	UNII-6	6425-6525	6	802.11ax HE20	97	6435	MCS0	Full	-
Mode 83	UNII-6	6425-6525	6	802.11ax HE20	105	6475	MCS0	Full	-
Mode 84	UNII-6	6425-6525	6	802.11ax HE20	113	6515	MCS0	Full	-
Mode 85	UNII-6	6425-6525	6	802.11ax HE40	99	6445	MCS0	Full	-



Mode 86	UNII-6	6425-6525	6	802.11ax HE40	107	6485	MCS0	Full	-
Mode 87	UNII-6	6425-6525	6	802.11ax HE80	103	6465	MCS0	Full	-
Mode 88	UNII-6~7	6425-6875	6	802.11ax HE40	115	6525	MCS0	Full	-
Mode 89	UNII-6~7	6425-6875	6	802.11ax HE80	119	6545	MCS0	Full	-
Mode 90	UNII-7	6525-6875	6	802.11ax HE20	117	6535	MCS0	Full	-
Mode 91	UNII-7	6525-6875	6	802.11ax HE20	149	6695	MCS0	Full	-
Mode 92	UNII-7	6525-6875	6	802.11ax HE20	181	6855	MCS0	Full	-
Mode 93	UNII-7	6525-6875	6	802.11ax HE40	123	6565	MCS0	Full	-
Mode 94	UNII-7	6525-6875	6	802.11ax HE40	147	6685	MCS0	Full	-
Mode 95	UNII-7	6525-6875	6	802.11ax HE40	179	6845	MCS0	Full	-
Mode 96	UNII-7	6525-6875	6	802.11ax HE80	135	6625	MCS0	Full	-
Mode 97	UNII-7	6525-6875	6	802.11ax HE80	151	6705	MCS0	Full	-
Mode 98	UNII-7~8	6525-7125	6	802.11ax HE20	185	6875	MCS0	Full	-
Mode 99	UNII-7~8	6875-7125	6	802.11ax HE40	187	6885	MCS0	Full	-
Mode 100	UNII-7~8	6525-7125	6	802.11ax HE80	183	6865	MCS0	Full	-
Mode 101	UNII-8	6875-7125	6	802.11ax HE20	189	6895	MCS0	Full	-
Mode 102	UNII-8	6875-7125	6	802.11ax HE20	209	6995	MCS0	Full	-
Mode 103	UNII-8	6875-7125	6	802.11ax HE20	229	7095	MCS0	Full	-
Mode 104	UNII-8	6875-7125	6	802.11ax HE20	229	7095	MCS0	RU26/8	-
Mode 105	UNII-8	6875-7125	6	802.11ax HE20	229	7095	MCS0	RU52/40	-
Mode 106	UNII-8	6875-7125	6	802.11ax HE20	229	7095	MCS0	RU106/54	-
Mode 107	UNII-8	6875-7125	6	802.11ax HE40	195	6925	MCS0	Full	-
Mode 108	UNII-8	6875-7125	6	802.11ax HE40	203	6965	MCS0	Full	-
Mode 109	UNII-8	6875-7125	6	802.11ax HE40	227	7085	MCS0	Full	-
Mode 110	UNII-8	6875-7125	6	802.11ax HE80	199	6945	MCS0	Full	-
Mode 111	UNII-8	6875-7125	6	802.11ax HE80	215	7025	MCS0	Full	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	57.76	68.20	-10.44	V	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	45.94	74.00	-28.06	V	PEAK	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	40.86	54.00	-13.14	H	AVERAGE	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	45.04	88.20	-43.16	H	PEAK	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	46.53	88.20	-41.67	V	PEAK	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	46.72	88.20	-41.48	V	PEAK	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	45.26	88.20	-42.94	H	PEAK	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	45.74	88.20	-42.46	V	PEAK	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	38.03	54.00	-15.97	V	AVERAGE	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	46.79	88.20	-41.41	V	PEAK	Pass	Harmonic
10	802.11a	185	-	-	-	-	-	-	-	Band Edge
10	802.11a	185	13750.00	47.31	88.20	-40.89	V	PEAK	Pass	Harmonic
11	802.11a	189	-	-	-	-	-	-	-	Band Edge
11	802.11a	189	13790.00	48.00	88.20	-40.20	V	PEAK	Pass	Harmonic
12	802.11a	209	-	-	-	-	-	-	-	Band Edge
12	802.11a	209	13990.00	47.27	88.20	-40.93	H	PEAK	Pass	Harmonic
13	802.11a	229	7125.00	54.16	68.20	-14.04	H	AVERAGE	Pass	Band Edge
13	802.11a	229	14190.00	47.31	88.20	-40.89	V	PEAK	Pass	Harmonic
14	802.11ax HE20	1	4762.00	47.43	54.00	-6.57	H	AVERAGE	Pass	Band Edge
14	802.11ax HE20	1	11910.00	46.25	74.00	-27.75	H	PEAK	Pass	Harmonic
15	802.11ax HE20	1	5899.36	41.08	68.20	-27.12	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
16	802.11ax HE20	1	5900.66	41.16	68.20	-27.04	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
17	802.11ax HE20	1	5904.95	41.22	68.20	-26.98	H	AVERAGE	Pass	Band Edge
17	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	45	12350.00	42.99	54.00	-11.01	V	AVERAGE	Pass	Harmonic
19	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	93	12830.00	45.91	88.20	-42.29	V	PEAK	Pass	Harmonic
20	802.11ax HE40	3	5924.82	64.51	68.20	-3.69	H	AVERAGE	Pass	Band Edge
20	802.11ax HE40	3	11930.00	45.37	74.00	-28.63	H	PEAK	Pass	Harmonic
21	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE40	43	12330.00	46.83	74.00	-27.17	H	PEAK	Pass	Harmonic
22	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge



22	802.11ax HE40	91	12810.00	45.80	88.20	-42.40	H	PEAK	Pass	Harmonic
23	802.11ax HE80	7	4789.00	45.91	54.00	-8.09	H	AVERAGE	Pass	Band Edge
23	802.11ax HE80	7	11970.00	45.32	74.00	-28.68	H	PEAK	Pass	Harmonic
24	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE80	39	12290.00	46.69	74.00	-27.31	V	PEAK	Pass	Harmonic
25	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE80	87	12770.00	44.86	88.20	-43.34	H	PEAK	Pass	Harmonic
26	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE20	97	12870.00	45.51	88.20	-42.69	H	PEAK	Pass	Harmonic
27	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE20	105	12950.00	45.49	88.20	-42.71	V	PEAK	Pass	Harmonic
28	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE20	113	13030.00	45.16	88.20	-43.04	V	PEAK	Pass	Harmonic
29	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE40	99	12890.00	45.44	88.20	-42.76	V	PEAK	Pass	Harmonic
30	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE40	107	12970.00	45.51	88.20	-42.69	H	PEAK	Pass	Harmonic
31	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE80	103	12930.00	45.07	88.20	-43.13	V	PEAK	Pass	Harmonic
32	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	115	13050.00	44.36	88.20	-43.84	V	PEAK	Pass	Harmonic
33	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE80	119	13090.00	45.10	88.20	-43.10	V	PEAK	Pass	Harmonic
34	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE20	117	13070.00	45.54	88.20	-42.66	V	PEAK	Pass	Harmonic
35	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	149	13390.00	45.68	74.00	-28.32	V	PEAK	Pass	Harmonic
36	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	181	13710.00	46.21	88.20	-41.99	H	PEAK	Pass	Harmonic
37	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE40	123	13130.00	45.25	88.20	-42.95	H	PEAK	Pass	Harmonic
38	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE40	147	13370.00	46.06	74.00	-27.94	H	PEAK	Pass	Harmonic
39	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	179	13690.00	46.20	88.20	-42.00	H	PEAK	Pass	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	135	13250.00	45.23	74.00	-28.77	H	PEAK	Pass	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	151	13410.00	44.93	88.20	-43.27	H	PEAK	Pass	Harmonic
42	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE20	185	13750.00	45.93	88.20	-42.27	V	PEAK	Pass	Harmonic
43	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE40	187	13770.00	46.17	88.20	-42.03	V	PEAK	Pass	Harmonic
44	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	183	13730.00	45.32	88.20	-42.88	V	PEAK	Pass	Harmonic
45	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE20	189	13790.00	46.62	88.20	-41.58	V	PEAK	Pass	Harmonic



46	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE20	209	13990.00	46.51	88.20	-41.69	V	PEAK	Pass	Harmonic
47	802.11ax HE20	229	7125.00	57.16	68.20	-11.04	H	AVERAGE	Pass	Band Edge
47	802.11ax HE20	229	14190.00	46.54	88.20	-41.66	V	PEAK	Pass	Harmonic
48	802.11ax HE20	229	7151.72	42.28	68.20	-25.92	H	AVERAGE	Pass	Band Edge
48	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
49	802.11ax HE20	229	7177.00	42.30	68.20	-25.90	H	AVERAGE	Pass	Band Edge
49	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
50	802.11ax HE20	229	7129.00	50.61	68.20	-17.59	H	AVERAGE	Pass	Band Edge
50	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
51	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE40	195	13850.00	45.89	88.20	-42.31	H	PEAK	Pass	Harmonic
52	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE40	203	13930.00	45.84	88.20	-42.36	H	PEAK	Pass	Harmonic
53	802.11ax HE40	227	7125.00	64.25	68.20	-3.95	H	AVERAGE	Pass	Band Edge
53	802.11ax HE40	227	14170.00	46.79	88.20	-41.41	V	PEAK	Pass	Harmonic
54	802.11ax HE80	199	7127.30	45.80	68.20	-22.40	H	AVERAGE	Pass	Band Edge
54	802.11ax HE80	199	13890.00	45.67	88.20	-42.53	V	PEAK	Pass	Harmonic
55	802.11ax HE80	215	7125.10	49.43	68.20	-18.77	H	AVERAGE	Pass	Band Edge
55	802.11ax HE80	215	14050.00	46.30	88.20	-41.90	V	PEAK	Pass	Harmonic
57	802.11a	1	5924.97	55.82	68.20	-12.38	H	AVERAGE	Pass	Band Edge
57	802.11a	1	11910.00	43.42	54.00	-10.58	H	AVERAGE	Pass	Harmonic
58	802.11a	49	-	-	-	-	-	-	-	Band Edge
58	802.11a	49	12390.00	44.59	54.00	-9.41	H	AVERAGE	Pass	Harmonic
59	802.11a	93	-	-	-	-	-	-	-	Band Edge
59	802.11a	93	12830.00	49.10	68.20	-19.10	H	AVERAGE	Pass	Harmonic
60	802.11a	97	-	-	-	-	-	-	-	Band Edge
60	802.11a	97	12870.00	48.54	68.20	-19.66	H	AVERAGE	Pass	Harmonic
61	802.11a	105	-	-	-	-	-	-	-	Band Edge
61	802.11a	105	12950.00	48.87	68.20	-19.33	H	AVERAGE	Pass	Harmonic
62	802.11a	113	-	-	-	-	-	-	-	Band Edge
62	802.11a	113	13030.00	48.12	68.20	-20.08	H	AVERAGE	Pass	Harmonic
63	802.11a	117	-	-	-	-	-	-	-	Band Edge
63	802.11a	117	13070.00	47.83	68.20	-20.37	H	AVERAGE	Pass	Harmonic
64	802.11a	149	-	-	-	-	-	-	-	Band Edge
64	802.11a	149	13390.00	43.84	54.00	-10.16	H	AVERAGE	Pass	Harmonic
65	802.11a	181	-	-	-	-	-	-	-	Band Edge
65	802.11a	181	13710.00	41.49	68.20	-26.71	H	AVERAGE	Pass	Harmonic
66	802.11a	185	-	-	-	-	-	-	-	Band Edge
66	802.11a	185	13750.00	41.15	68.20	-27.05	H	AVERAGE	Pass	Harmonic
67	802.11a	189	-	-	-	-	-	-	-	Band Edge
67	802.11a	189	13790.00	49.44	88.20	-38.76	H	PEAK	Pass	Harmonic
68	802.11a	209	-	-	-	-	-	-	-	Band Edge
68	802.11a	209	13990.00	38.15	68.20	-30.05	H	AVERAGE	Pass	Harmonic
69	802.11a	229	7125.00	55.96	68.20	-12.24	H	AVERAGE	Pass	Band Edge
69	802.11a	229	14190.00	39.99	68.20	-28.21	H	AVERAGE	Pass	Harmonic
70	802.11ax HE20	1	5924.71	56.15	68.20	-12.05	H	AVERAGE	Pass	Band Edge







70	802.11ax HE20	1	11910.00	46.02	74.00	-27.98	V	PEAK	Pass	Harmonic
71	802.11ax HE20	1	5898.58	41.19	68.20	-27.01	H	AVERAGE	Pass	Band Edge
71	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
72	802.11ax HE20	1	5900.66	41.52	68.20	-26.68	H	AVERAGE	Pass	Band Edge
72	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
73	802.11ax HE20	1	5924.84	41.93	68.20	-26.27	H	AVERAGE	Pass	Band Edge
73	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
74	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
74	802.11ax HE20	45	12350.00	44.00	54.00	-10.00	H	AVERAGE	Pass	Harmonic
75	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
75	802.11ax HE20	93	12830.00	48.80	68.20	-19.40	H	AVERAGE	Pass	Harmonic
76	802.11ax HE40	3	5924.54	63.71	68.20	-4.49	H	AVERAGE	Pass	Band Edge
76	802.11ax HE40	3	11930.00	45.65	74.00	-28.35	H	PEAK	Pass	Harmonic
77	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
77	802.11ax HE40	43	12330.00	46.26	74.00	-27.74	V	PEAK	Pass	Harmonic
78	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
78	802.11ax HE40	91	12810.00	45.38	68.20	-22.82	H	AVERAGE	Pass	Harmonic
79	802.11ax HE80	7	5922.12	58.16	68.20	-10.04	H	AVERAGE	Pass	Band Edge
79	802.11ax HE80	7	11970.00	43.67	74.00	-30.33	H	PEAK	Pass	Harmonic
80	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
80	802.11ax HE80	39	12290.00	43.83	74.00	-30.17	H	PEAK	Pass	Harmonic
81	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
81	802.11ax HE80	87	12770.00	48.12	88.20	-40.08	H	PEAK	Pass	Harmonic
82	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
82	802.11ax HE20	97	12870.00	48.02	68.20	-20.18	H	AVERAGE	Pass	Harmonic
83	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
83	802.11ax HE20	105	12950.00	47.95	68.20	-20.25	H	AVERAGE	Pass	Harmonic
84	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
84	802.11ax HE20	113	13030.00	47.49	68.20	-20.71	H	AVERAGE	Pass	Harmonic
85	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
85	802.11ax HE40	99	12890.00	45.94	68.20	-22.26	H	AVERAGE	Pass	Harmonic
86	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
86	802.11ax HE40	107	12970.00	41.41	68.20	-26.79	H	AVERAGE	Pass	Harmonic
87	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
87	802.11ax HE80	103	12930.00	44.16	88.20	-44.04	H	PEAK	Pass	Harmonic
88	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
88	802.11ax HE40	115	13050.00	41.72	68.20	-26.48	H	AVERAGE	Pass	Harmonic
89	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
89	802.11ax HE80	119	13090.00	46.11	88.20	-42.09	H	PEAK	Pass	Harmonic
90	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
90	802.11ax HE20	117	13070.00	43.65	68.20	-24.55	H	AVERAGE	Pass	Harmonic
91	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
91	802.11ax HE20	149	13390.00	42.17	54.00	-11.83	H	AVERAGE	Pass	Harmonic
92	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
92	802.11ax HE20	181	13710.00	40.81	68.20	-27.39	H	AVERAGE	Pass	Harmonic
93	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
93	802.11ax HE40	123	13130.00	41.04	68.20	-27.16	H	AVERAGE	Pass	Harmonic







94	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
94	802.11ax HE40	147	13370.00	40.44	54.00	-13.56	H	AVERAGE	Pass	Harmonic
95	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
95	802.11ax HE40	179	13690.00	47.05	88.20	-41.15	H	PEAK	Pass	Harmonic
96	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
96	802.11ax HE80	135	13250.00	43.65	74.00	-30.35	V	PEAK	Pass	Harmonic
97	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
97	802.11ax HE80	151	13410.00	42.98	88.20	-45.22	H	PEAK	Pass	Harmonic
98	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
98	802.11ax HE20	185	13750.00	45.48	88.20	-42.72	V	PEAK	Pass	Harmonic
99	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
99	802.11ax HE40	187	13770.00	44.49	88.20	-43.71	V	PEAK	Pass	Harmonic
100	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
100	802.11ax HE80	183	13730.00	42.85	88.20	-45.35	H	PEAK	Pass	Harmonic
101	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
101	802.11ax HE20	189	13790.00	45.13	88.20	-43.07	H	PEAK	Pass	Harmonic
102	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
102	802.11ax HE20	209	13990.00	45.85	88.20	-42.35	H	PEAK	Pass	Harmonic
103	802.11ax HE20	229	7125.00	53.35	68.20	-14.85	H	AVERAGE	Pass	Band Edge
103	802.11ax HE20	229	14190.00	46.30	88.20	-41.90	H	PEAK	Pass	Harmonic
104	802.11ax HE20	229	7149.80	42.20	68.20	-26.00	V	AVERAGE	Pass	Band Edge
104	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
105	802.11ax HE20	229	7142.28	42.22	68.20	-25.98	H	AVERAGE	Pass	Band Edge
105	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
106	802.11ax HE20	229	7127.08	68.10	88.20	-20.10	H	PEAK	Pass	Band Edge
106	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
107	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
107	802.11ax HE40	195	13850.00	44.46	88.20	-43.74	H	PEAK	Pass	Harmonic
108	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
108	802.11ax HE40	203	13930.00	44.07	88.20	-44.13	H	PEAK	Pass	Harmonic
109	802.11ax HE40	227	7125.00	62.90	68.20	-5.30	H	AVERAGE	Pass	Band Edge
109	802.11ax HE40	227	14170.00	44.88	88.20	-43.32	H	PEAK	Pass	Harmonic
110	802.11ax HE80	199	7127.30	45.60	68.20	-22.60	H	AVERAGE	Pass	Band Edge
110	802.11ax HE80	199	13890.00	41.47	88.20	-46.73	H	PEAK	Pass	Harmonic
111	802.11ax HE80	215	5617.00	55.17	68.20	-13.03	H	AVERAGE	Pass	Band Edge
111	802.11ax HE80	215	14050.00	43.18	88.20	-45.02	V	PEAK	Pass	Harmonic





Mode	1																																																																																																				
	Band Edge																																																																																																				
	UNII-5_5925-6425_802.11a_CH1_5955MHz																																																																																																				
ANT	4																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.15</td><td>69.07</td><td>88.20</td><td>-19.13</td><td>55.51</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.15	69.07	88.20	-19.13	55.51	35.05	10.70	32.19	0.00	100	113 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.70</td><td>-----</td><td>-----</td><td>93.98</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.70	-----	-----	93.98	35.14	10.74	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5923.15	69.07	88.20	-19.13	55.51	35.05	10.70	32.19	0.00	100	113 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	107.70	-----	-----	93.98	35.14	10.74	32.16	0.00	100	113 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>56.93</td><td>68.20</td><td>-11.27</td><td>43.37</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>113 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	56.93	68.20	-11.27	43.37	35.05	10.70	32.19	0.00	100	113 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.56</td><td>-----</td><td>-----</td><td>85.84</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>100</td><td>113 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.56	-----	-----	85.84	35.14	10.74	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.97	56.93	68.20	-11.27	43.37	35.05	10.70	32.19	0.00	100	113 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	99.56	-----	-----	85.84	35.14	10.74	32.16	0.00	100	113 AVERAGE																																																																																										





Mode	1																																																																																																			
	Band Edge																																																																																																			
	UNII-5_5925-6425_802.11a_CH1_5955MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.02</td><td>68.68</td><td>88.20</td><td>-19.52</td><td>55.12</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>324</td><td>52 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.02	68.68	88.20	-19.52	55.12	35.05	10.70	32.19	0.00	324	52 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.55</td><td>-----</td><td>-----</td><td>94.83</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>324</td><td>52 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.55	-----	-----	94.83	35.14	10.74	32.16	0.00	324
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.02	68.68	88.20	-19.52	55.12	35.05	10.70	32.19	0.00	324	52 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	108.55	-----	-----	94.83	35.14	10.74	32.16	0.00	324	52 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>57.76</td><td>68.20</td><td>-10.44</td><td>44.20</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>324</td><td>52 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	57.76	68.20	-10.44	44.20	35.05	10.70	32.19	0.00	324	52 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.17</td><td>-----</td><td>-----</td><td>86.45</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>324</td><td>52 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.17	-----	-----	86.45	35.14	10.74	32.16	0.00	324
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.97	57.76	68.20	-10.44	44.20	35.05	10.70	32.19	0.00	324	52 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	100.17	-----	-----	86.45	35.14	10.74	32.16	0.00	324	52 AVERAGE																																																																																									





Mode	1																																																																																																									
	Harmonic																																																																																																									
	UNII-5_5925-6425_802.11a_CH1_5955MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>45.53</td><td>74.00</td><td>-28.47</td><td>57.64</td><td>38.70</td><td>15.42</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.53	74.00	-28.47	57.64	38.70	15.42	66.23	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11910.00</td><td>45.94</td><td>74.00</td><td>-28.06</td><td>58.05</td><td>38.70</td><td>15.42</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.94	74.00	-28.06	58.05	38.70	15.42	66.23	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11910.00	45.53	74.00	-28.47	57.64	38.70	15.42	66.23	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11910.00	45.94	74.00	-28.06	58.05	38.70	15.42	66.23	0.00	---	---	PEAK																																																																																														





Mode	2																																																																																																																													
	Harmonic																																																																																																																													
	UNII-5_5925-6425_802.11a_CH49_6195MHz																																																																																																																													
ANT	4																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>51.11</td><td>74.00</td><td>-22.89</td><td>62.12</td><td>38.90</td><td>15.71</td><td>65.62</td><td>0.00</td><td>100</td><td>66</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>40.86</td><td>54.00</td><td>-13.14</td><td>51.87</td><td>38.90</td><td>15.71</td><td>65.62</td><td>0.00</td><td>100</td><td>66</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	51.11	74.00	-22.89	62.12	38.90	15.71	65.62	0.00	100	66	PEAK	2	12390.00	40.86	54.00	-13.14	51.87	38.90	15.71	65.62	0.00	100	66	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>48.65</td><td>74.00</td><td>-25.35</td><td>59.66</td><td>38.90</td><td>15.71</td><td>65.62</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>38.60</td><td>54.00</td><td>-15.40</td><td>49.61</td><td>38.90</td><td>15.71</td><td>65.62</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	48.65	74.00	-25.35	59.66	38.90	15.71	65.62	0.00	300	0	PEAK	2	12390.00	38.60	54.00	-15.40	49.61	38.90	15.71	65.62	0.00	300	0	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12390.00	51.11	74.00	-22.89	62.12	38.90	15.71	65.62	0.00	100	66	PEAK																																																																																																																		
2	12390.00	40.86	54.00	-13.14	51.87	38.90	15.71	65.62	0.00	100	66	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12390.00	48.65	74.00	-25.35	59.66	38.90	15.71	65.62	0.00	300	0	PEAK																																																																																																																		
2	12390.00	38.60	54.00	-15.40	49.61	38.90	15.71	65.62	0.00	300	0	AVERAGE																																																																																																																		





Mode	3																																																																																																					
	Harmonic																																																																																																					
	UNII-5_5925-6425_802.11a_CH93_6415MHz																																																																																																					
ANT	4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12830.00</td><td>45.04</td><td>88.20</td><td>-43.16</td><td>56.04</td><td>39.40</td><td>15.96</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12830.00	45.04	88.20	-43.16	56.04	39.40	15.96	66.36	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12830.00</td><td>44.96</td><td>88.20</td><td>-43.24</td><td>55.96</td><td>39.40</td><td>15.96</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12830.00	44.96	88.20	-43.24	55.96	39.40	15.96	66.36	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 12830.00	45.04	88.20	-43.16	56.04	39.40	15.96	66.36	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 12830.00	44.96	88.20	-43.24	55.96	39.40	15.96	66.36	0.00	---	---	PEAK																																																																																											





Mode	4																																																																																																									
	Harmonic																																																																																																									
	UNII-6_6425-6525_802.11a_CH97_6435MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>45.38</td><td>88.20</td><td>-42.82</td><td>56.47</td><td>39.40</td><td>15.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	45.38	88.20	-42.82	56.47	39.40	15.98	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.53</td><td>88.20</td><td>-41.67</td><td>57.62</td><td>39.40</td><td>15.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	46.53	88.20	-41.67	57.62	39.40	15.98	66.47	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12870.00	45.38	88.20	-42.82	56.47	39.40	15.98	66.47	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12870.00	46.53	88.20	-41.67	57.62	39.40	15.98	66.47	0.00	---	---	PEAK																																																																																														





Mode	5																																																																																																									
	Harmonic																																																																																																									
	UNII-6_6425-6525_802.11a_CH105_6475MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>45.83</td><td>88.20</td><td>-42.37</td><td>57.09</td><td>39.40</td><td>16.02</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12950.00	45.83	88.20	-42.37	57.09	39.40	16.02	66.68	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.72</td><td>88.20</td><td>-41.48</td><td>57.98</td><td>39.40</td><td>16.02</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12950.00	46.72	88.20	-41.48	57.98	39.40	16.02	66.68	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12950.00	45.83	88.20	-42.37	57.09	39.40	16.02	66.68	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12950.00	46.72	88.20	-41.48	57.98	39.40	16.02	66.68	0.00	---	---	PEAK																																																																																														





Mode	6																																																																																																						
	Harmonic																																																																																																						
	UNII-6_6425-6525_802.11a_CH113_6515MHz																																																																																																						
ANT	4																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 13030.00</td><td>45.26</td><td>88.20</td><td>-42.94</td><td>56.58</td><td>39.34</td><td>16.07</td><td>66.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13030.00	45.26	88.20	-42.94	56.58	39.34	16.07	66.73	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 13030.00</td><td>44.90</td><td>88.20</td><td>-43.30</td><td>56.22</td><td>39.34</td><td>16.07</td><td>66.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 13030.00	44.90	88.20	-43.30	56.22	39.34	16.07	66.73	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 13030.00	45.26	88.20	-42.94	56.58	39.34	16.07	66.73	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																												
1 13030.00	44.90	88.20	-43.30	56.22	39.34	16.07	66.73	0.00	---	---	PEAK																																																																																												





Mode	7																																																																																																									
	Harmonic																																																																																																									
	UNII-7_6525-6875_802.11a_CH117_6535MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>44.79</td><td>88.20</td><td>-43.41</td><td>56.04</td><td>39.26</td><td>16.11</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	44.79	88.20	-43.41	56.04	39.26	16.11	66.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>45.74</td><td>88.20</td><td>-42.46</td><td>56.99</td><td>39.26</td><td>16.11</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	45.74	88.20	-42.46	56.99	39.26	16.11	66.62	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13070.00	44.79	88.20	-43.41	56.04	39.26	16.11	66.62	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13070.00	45.74	88.20	-42.46	56.99	39.26	16.11	66.62	0.00	---	---	PEAK																																																																																														





Mode	8																																																																																																																						
	Harmonic																																																																																																																						
	UNII-7_6525-6875_802.11a_CH149_6695MHz																																																																																																																						
ANT	4																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>56.02</td><td>39.01</td><td>16.36</td><td>65.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13390.00	45.71	74.00	-28.29	56.02	39.01	16.36	65.68	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>58.64</td><td>39.01</td><td>16.36</td><td>65.68</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>38.03</td><td>54.00</td><td>-15.97</td><td>48.34</td><td>39.01</td><td>16.36</td><td>65.68</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13390.00	48.33	74.00	-25.67	58.64	39.01	16.36	65.68	0.00	300	0	PEAK	2	13390.00	38.03	54.00	-15.97	48.34	39.01	16.36	65.68	0.00	300	0	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	13390.00	45.71	74.00	-28.29	56.02	39.01	16.36	65.68	0.00	---	---	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	13390.00	48.33	74.00	-25.67	58.64	39.01	16.36	65.68	0.00	300	0	PEAK																																																																																																											
2	13390.00	38.03	54.00	-15.97	48.34	39.01	16.36	65.68	0.00	300	0	AVERAGE																																																																																																											





Mode	9																																																																																																				
	Harmonic																																																																																																				
	UNII-7_6525-6875_802.11a_CH181_6855MHz																																																																																																				
ANT	4																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 13710.00</td><td>46.24</td><td>88.20</td><td>-41.96</td><td>56.08</td><td>38.70</td><td>16.61</td><td>65.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13710.00	46.24	88.20	-41.96	56.08	38.70	16.61	65.15	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 13710.00</td><td>46.79</td><td>88.20</td><td>-41.41</td><td>56.63</td><td>38.70</td><td>16.61</td><td>65.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13710.00	46.79	88.20	-41.41	56.63	38.70	16.61	65.15	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 13710.00	46.24	88.20	-41.96	56.08	38.70	16.61	65.15	0.00	---	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 13710.00	46.79	88.20	-41.41	56.63	38.70	16.61	65.15	0.00	---	---	PEAK																																																																																										





Mode	10																																																																																																								
	Harmonic																																																																																																								
	UNII-7-8_6525-7125_802.11a_CH185_6875MHz																																																																																																								
ANT	4																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13750.00</td><td>46.46</td><td>88.20</td><td>-41.74</td><td>56.23</td><td>38.70</td><td>16.64</td><td>65.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	46.46	88.20	-41.74	56.23	38.70	16.64	65.11	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13750.00</td><td>47.31</td><td>88.20</td><td>-40.89</td><td>57.08</td><td>38.70</td><td>16.64</td><td>65.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13750.00	47.31	88.20	-40.89	57.08	38.70	16.64	65.11	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13750.00	46.46	88.20	-41.74	56.23	38.70	16.64	65.11	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13750.00	47.31	88.20	-40.89	57.08	38.70	16.64	65.11	0.00	---	---	PEAK																																																																																													







Mode	11																																																																																																								
	Harmonic																																																																																																								
	UNII-8_6875-7125_802.11a_CH189_6895MHz																																																																																																								
ANT	4																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>46.89</td><td>88.20</td><td>-41.31</td><td>56.59</td><td>38.70</td><td>16.67</td><td>65.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	46.89	88.20	-41.31	56.59	38.70	16.67	65.07	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>48.00</td><td>88.20</td><td>-40.20</td><td>57.70</td><td>38.70</td><td>16.67</td><td>65.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	48.00	88.20	-40.20	57.70	38.70	16.67	65.07	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13790.00	46.89	88.20	-41.31	56.59	38.70	16.67	65.07	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13790.00	48.00	88.20	-40.20	57.70	38.70	16.67	65.07	0.00	---	---	PEAK																																																																																													







Mode	12																																																																																																								
	Harmonic																																																																																																								
	UNII-8_6875-7125_802.11a_CH209_6995MHz																																																																																																								
ANT	4																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>56.52</td><td>38.79</td><td>16.83</td><td>64.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13990.00	47.27	88.20	-40.93	56.52	38.79	16.83	64.87	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>46.81</td><td>88.20</td><td>-41.39</td><td>56.06</td><td>38.79</td><td>16.83</td><td>64.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13990.00	46.81	88.20	-41.39	56.06	38.79	16.83	64.87	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13990.00	47.27	88.20	-40.93	56.52	38.79	16.83	64.87	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13990.00	46.81	88.20	-41.39	56.06	38.79	16.83	64.87	0.00	---	---	PEAK																																																																																													





Mode	13																																																																																																		
	Band Edge																																																																																																		
	UNII-8_6875-7125_802.11a_CH229_7095MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.32</td><td>64.84</td><td>88.20</td><td>-23.36</td><td>50.34</td><td>35.65</td><td>11.78</td><td>32.93</td><td>0.00</td><td>102</td><td>272 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.32	64.84	88.20	-23.36	50.34	35.65	11.78	32.93	0.00	102	272 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>104.12</td><td>-----</td><td>-----</td><td>89.60</td><td>35.69</td><td>11.74</td><td>32.91</td><td>0.00</td><td>102</td><td>272 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	104.12	-----	-----	89.60	35.69	11.74	32.91	0.00	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.32	64.84	88.20	-23.36	50.34	35.65	11.78	32.93	0.00	102	272 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7095.00	104.12	-----	-----	89.60	35.69	11.74	32.91	0.00	102	272 PEAK																																																																																								
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>54.16</td><td>68.20</td><td>-14.04</td><td>39.66</td><td>35.65</td><td>11.78</td><td>32.93</td><td>0.00</td><td>102</td><td>272 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	54.16	68.20	-14.04	39.66	35.65	11.78	32.93	0.00	102	272 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>95.87</td><td>-----</td><td>-----</td><td>81.35</td><td>35.69</td><td>11.74</td><td>32.91</td><td>0.00</td><td>102</td><td>272 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	95.87	-----	-----	81.35	35.69	11.74	32.91	0.00	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.00	54.16	68.20	-14.04	39.66	35.65	11.78	32.93	0.00	102	272 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7095.00	95.87	-----	-----	81.35	35.69	11.74	32.91	0.00	102	272 AVERAGE																																																																																								



Mode	13																																																																																																			
	Band Edge																																																																																																			
	UNII-8_6875-7125_802.11a_CH229_7095MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>61.68</td><td>88.20</td><td>-26.52</td><td>47.18</td><td>35.65</td><td>11.78</td><td>32.93</td><td>0.00</td><td>100</td><td>291 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	61.68	88.20	-26.52	47.18	35.65	11.78	32.93	0.00	100	291 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>101.48</td><td>-----</td><td>-----</td><td>86.96</td><td>35.69</td><td>11.74</td><td>32.91</td><td>0.00</td><td>100</td><td>291 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	101.48	-----	-----	86.96	35.69	11.74	32.91	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.00	61.68	88.20	-26.52	47.18	35.65	11.78	32.93	0.00	100	291 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	101.48	-----	-----	86.96	35.69	11.74	32.91	0.00	100	291 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>50.35</td><td>68.20</td><td>-17.85</td><td>35.85</td><td>35.65</td><td>11.78</td><td>32.93</td><td>0.00</td><td>100</td><td>291 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	50.35	68.20	-17.85	35.85	35.65	11.78	32.93	0.00	100	291 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>92.66</td><td>-----</td><td>-----</td><td>78.14</td><td>35.69</td><td>11.74</td><td>32.91</td><td>0.00</td><td>100</td><td>291 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	92.66	-----	-----	78.14	35.69	11.74	32.91	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.00	50.35	68.20	-17.85	35.85	35.65	11.78	32.93	0.00	100	291 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	92.66	-----	-----	78.14	35.69	11.74	32.91	0.00	100	291 AVERAGE																																																																																									







Mode	13																																																																																																									
	Harmonic																																																																																																									
	UNII-8_6875-7125_802.11a_CH229_7095MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>47.29</td><td>88.20</td><td>-40.91</td><td>56.33</td><td>38.99</td><td>16.95</td><td>64.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14190.00	47.29	88.20	-40.91	56.33	38.99	16.95	64.98	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>47.31</td><td>88.20</td><td>-40.89</td><td>56.35</td><td>38.99</td><td>16.95</td><td>64.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14190.00	47.31	88.20	-40.89	56.35	38.99	16.95	64.98	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	14190.00	47.29	88.20	-40.91	56.33	38.99	16.95	64.98	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	14190.00	47.31	88.20	-40.89	56.35	38.99	16.95	64.98	0.00	---	---	PEAK																																																																																														





Mode	14																																																																																																														
	Band Edge																																																																																																														
	UNII-5_5925-6425_802.11ax HE20_CH1_Full_5955MHz																																																																																																														
ANT	4																																																																																																														
Pol.	Horizontal					Fundamental																																																																																																									
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.93</td><td>73.16</td><td>88.20</td><td>-15.04</td><td>59.60</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>294 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.93	73.16	88.20	-15.04	59.60	35.05	10.70	32.19	0.00	100	294 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.17</td><td>-----</td><td>-----</td><td>95.45</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>100</td><td>294 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.17	-----	-----	95.45	35.14	10.74	32.16	0.00	100	294 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5923.93	73.16	88.20	-15.04	59.60	35.05	10.70	32.19	0.00	100	294 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	109.17	-----	-----	95.45	35.14	10.74	32.16	0.00	100	294 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>60.07</td><td>68.20</td><td>-8.13</td><td>46.51</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>294 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	60.07	68.20	-8.13	46.51	35.05	10.70	32.19	0.00	100	294 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4762.00</td><td>47.43</td><td>54.00</td><td>-6.57</td><td>35.79</td><td>34.18</td><td>9.57</td><td>32.11</td><td>0.00</td><td>100</td><td>294 AVERAGE</td></tr><tr><td>2</td><td>5955.00</td><td>100.10</td><td>-----</td><td>-----</td><td>86.38</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>100</td><td>294 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4762.00	47.43	54.00	-6.57	35.79	34.18	9.57	32.11	0.00	100	294 AVERAGE	2	5955.00	100.10	-----	-----	86.38	35.14	10.74	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.97	60.07	68.20	-8.13	46.51	35.05	10.70	32.19	0.00	100	294 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4762.00	47.43	54.00	-6.57	35.79	34.18	9.57	32.11	0.00	100	294 AVERAGE																																																																																																				
2	5955.00	100.10	-----	-----	86.38	35.14	10.74	32.16	0.00	100	294 AVERAGE																																																																																																				







Mode	14																																																																																																
	Band Edge																																																																																																
	UNII-5_5925-6425_802.11ax HE20_CH1_Full_5955MHz																																																																																																
ANT	4																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak	 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK					 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.06</td><td>72.42</td><td>88.20</td><td>-15.78</td><td>58.86</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>305 232 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.06	72.42	88.20	-15.78	58.86	35.05	10.70	32.19	0.00	305 232 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.03</td><td>-----</td><td>-----</td><td>95.31</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>305 232 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.03	-----	-----	95.31	35.14	10.74	32.16	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.06	72.42	88.20	-15.78	58.86	35.05	10.70	32.19	0.00	305 232 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	109.03	-----	-----	95.31	35.14	10.74	32.16	0.00	305 232 PEAK																																																																																							
Avg	 Level (dBuV/m) Frequency (MHz) WIFI 6E(AVG)					 Level (dBuV/m) Frequency (MHz) WIFI 6E(AVG)																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.71</td><td>60.64</td><td>68.20</td><td>-7.56</td><td>47.00</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>305 232 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.71	60.64	68.20	-7.56	47.00	35.05	10.70	32.19	0.00	305 232 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.72</td><td>-----</td><td>-----</td><td>87.00</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>305 232 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.72	-----	-----	87.00	35.14	10.74	32.16	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.71	60.64	68.20	-7.56	47.00	35.05	10.70	32.19	0.00	305 232 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	100.72	-----	-----	87.00	35.14	10.74	32.16	0.00	305 232 AVERAGE																																																																																							



Mode	14																																																										
	Harmonic																																																										
	UNII-5_5925-6425_802.11ax HE20_CH1_Full_5955MHz																																																										
ANT	4																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>58.36</td><td>38.70</td><td>15.42</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	46.25	74.00	-27.75	58.36	38.70	15.42	66.23	0.00	---	---	PEAK	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.53</td><td>74.00</td><td>-28.47</td><td>57.64</td><td>38.70</td><td>15.42</td><td>66.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.53	74.00	-28.47	57.64	38.70	15.42	66.23	0.00	---	---	PEAK
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11910.00	46.25	74.00	-27.75	58.36	38.70	15.42	66.23	0.00	---	---	PEAK																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11910.00	45.53	74.00	-28.47	57.64	38.70	15.42	66.23	0.00	---	---	PEAK																																															







Mode	15																																																																																																			
	Band Edge																																																																																																			
	UNII-5_5925-6425_802.11ax HE20_CH1_RU26/0_5955MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.11</td><td>52.92</td><td>88.20</td><td>-35.28</td><td>41.78</td><td>35.30</td><td>12.65</td><td>36.81</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.11	52.92	88.20	-35.28	41.78	35.30	12.65	36.81	0.00	100	112 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.40</td><td>-----</td><td>-----</td><td>91.35</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.40	-----	-----	91.35	35.30	12.69	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5922.11	52.92	88.20	-35.28	41.78	35.30	12.65	36.81	0.00	100	112 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	102.40	-----	-----	91.35	35.30	12.69	36.94	0.00	100	112 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5899.36</td><td>41.08</td><td>68.20</td><td>-27.12</td><td>29.87</td><td>35.30</td><td>12.62</td><td>36.71</td><td>0.00</td><td>100</td><td>112 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5899.36	41.08	68.20	-27.12	29.87	35.30	12.62	36.71	0.00	100	112 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.15</td><td>-----</td><td>-----</td><td>83.10</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>100</td><td>112 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.15	-----	-----	83.10	35.30	12.69	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5899.36	41.08	68.20	-27.12	29.87	35.30	12.62	36.71	0.00	100	112 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	94.15	-----	-----	83.10	35.30	12.69	36.94	0.00	100	112 AVERAGE																																																																																									







		15																																																																																													
Mode		Band Edge																																																																																													
		UNII-5_5925-6425_802.11ax HE20_CH1_RU26/0_5955MHz																																																																																													
ANT		4																																																																																													
Pol.		Vertical					Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5901.96</td><td>52.58</td><td>88.20</td><td>-35.62</td><td>41.37</td><td>35.30</td><td>12.63</td><td>36.72</td><td>0.00</td><td>357</td><td>57 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5901.96	52.58	88.20	-35.62	41.37	35.30	12.63	36.72	0.00	357	57 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.39</td><td>-----</td><td>-----</td><td>91.34</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>357</td><td>57 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	102.39	-----	-----	91.34	35.30	12.69	36.94	0.00	357
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5901.96	52.58	88.20	-35.62	41.37	35.30	12.63	36.72	0.00	357	57 PEAK																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5955.00	102.39	-----	-----	91.34	35.30	12.69	36.94	0.00	357	57 PEAK																																																																																				
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5898.84</td><td>41.00</td><td>68.20</td><td>-27.20</td><td>29.79</td><td>35.30</td><td>12.62</td><td>36.71</td><td>0.00</td><td>357</td><td>57 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5898.84	41.00	68.20	-27.20	29.79	35.30	12.62	36.71	0.00	357	57 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.40</td><td>-----</td><td>-----</td><td>83.35</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>357</td><td>57 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	94.40	-----	-----	83.35	35.30	12.69	36.94	0.00	357
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5898.84	41.00	68.20	-27.20	29.79	35.30	12.62	36.71	0.00	357	57 AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5955.00	94.40	-----	-----	83.35	35.30	12.69	36.94	0.00	357	57 AVERAGE																																																																																				







Mode	16																																																																																																			
	Band Edge																																																																																																			
	UNII-5_5925-6425_802.11ax HE20_CH1_RU52/37_5955MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.50</td><td>53.03</td><td>88.20</td><td>-35.17</td><td>41.88</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.50	53.03	88.20	-35.17	41.88	35.30	12.66	36.81	0.00	100	109 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.47</td><td>-----</td><td>-----</td><td>93.42</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>100</td><td>109 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.47	-----	-----	93.42	35.30	12.69	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5922.50	53.03	88.20	-35.17	41.88	35.30	12.66	36.81	0.00	100	109 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	104.47	-----	-----	93.42	35.30	12.69	36.94	0.00	100	109 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5900.66</td><td>41.16</td><td>68.20</td><td>-27.04</td><td>29.94</td><td>35.30</td><td>12.63</td><td>36.71</td><td>0.00</td><td>100</td><td>109 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5900.66	41.16	68.20	-27.04	29.94	35.30	12.63	36.71	0.00	100	109 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>92.80</td><td>-----</td><td>-----</td><td>81.75</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>100</td><td>109 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.80	-----	-----	81.75	35.30	12.69	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5900.66	41.16	68.20	-27.04	29.94	35.30	12.63	36.71	0.00	100	109 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	92.80	-----	-----	81.75	35.30	12.69	36.94	0.00	100	109 AVERAGE																																																																																									







Mode	16																																																																																																				
	Band Edge																																																																																																				
	UNII-5_5925-6425_802.11ax HE20_CH1_RU52/37_5955MHz																																																																																																				
ANT	4																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5874.92</td><td>52.96</td><td>88.20</td><td>-35.24</td><td>41.83</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>356</td><td>57 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5874.92	52.96	88.20	-35.24	41.83	35.20	12.59	36.66	0.00	356	57 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.85</td><td>-----</td><td>-----</td><td>91.80</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>356</td><td>57 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.85	-----	-----	91.80	35.30	12.69	36.94	0.00	356
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5874.92	52.96	88.20	-35.24	41.83	35.20	12.59	36.66	0.00	356	57 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	102.85	-----	-----	91.80	35.30	12.69	36.94	0.00	356	57 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5897.15</td><td>41.06</td><td>68.20</td><td>-27.14</td><td>29.85</td><td>35.29</td><td>12.62</td><td>36.70</td><td>0.00</td><td>356</td><td>57 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5897.15	41.06	68.20	-27.14	29.85	35.29	12.62	36.70	0.00	356	57 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.13</td><td>-----</td><td>-----</td><td>83.08</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>356</td><td>57 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.13	-----	-----	83.08	35.30	12.69	36.94	0.00	356
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5897.15	41.06	68.20	-27.14	29.85	35.29	12.62	36.70	0.00	356	57 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	94.13	-----	-----	83.08	35.30	12.69	36.94	0.00	356	57 AVERAGE																																																																																										





Mode	17																																																																																																						
	Band Edge																																																																																																						
	UNII-5_5925-6425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																						
ANT	4																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.55</td><td>52.79</td><td>88.20</td><td>-35.41</td><td>41.59</td><td>35.30</td><td>12.64</td><td>36.74</td><td>0.00</td><td>102</td><td>111</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.55	52.79	88.20	-35.41	41.59	35.30	12.64	36.74	0.00	102	111	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.13</td><td>-----</td><td>-----</td><td>92.08</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>102</td><td>111</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.13	-----	-----	92.08	35.30	12.69	36.94	0.00	102	111
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5907.55	52.79	88.20	-35.41	41.59	35.30	12.64	36.74	0.00	102	111	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	103.13	-----	-----	92.08	35.30	12.69	36.94	0.00	102	111	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5904.95</td><td>41.22</td><td>68.20</td><td>-26.98</td><td>30.02</td><td>35.30</td><td>12.63</td><td>36.73</td><td>0.00</td><td>102</td><td>111</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5904.95	41.22	68.20	-26.98	30.02	35.30	12.63	36.73	0.00	102	111	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.13</td><td>-----</td><td>-----</td><td>83.08</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>102</td><td>111</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.13	-----	-----	83.08	35.30	12.69	36.94	0.00	102	111
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5904.95	41.22	68.20	-26.98	30.02	35.30	12.63	36.73	0.00	102	111	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	94.13	-----	-----	83.08	35.30	12.69	36.94	0.00	102	111	AVERAGE																																																																																											





Mode	17																																																																																																			
	Band Edge																																																																																																			
	UNII-5_5925-6425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5860.75</td><td>53.16</td><td>88.20</td><td>-35.04</td><td>42.09</td><td>35.14</td><td>12.57</td><td>36.64</td><td>0.00</td><td>358</td><td>57 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5860.75	53.16	88.20	-35.04	42.09	35.14	12.57	36.64	0.00	358	57 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.71</td><td>-----</td><td>-----</td><td>93.66</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>358</td><td>57 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.71	-----	-----	93.66	35.30	12.69	36.94	0.00	358
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5860.75	53.16	88.20	-35.04	42.09	35.14	12.57	36.64	0.00	358	57 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	104.71	-----	-----	93.66	35.30	12.69	36.94	0.00	358	57 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.32</td><td>41.15</td><td>68.20</td><td>-27.05</td><td>30.01</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>358</td><td>57 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	41.15	68.20	-27.05	30.01	35.30	12.66	36.82	0.00	358	57 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.55</td><td>-----</td><td>-----</td><td>83.50</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>358</td><td>57 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.55	-----	-----	83.50	35.30	12.69	36.94	0.00	358
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.32	41.15	68.20	-27.05	30.01	35.30	12.66	36.82	0.00	358	57 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	94.55	-----	-----	83.50	35.30	12.69	36.94	0.00	358	57 AVERAGE																																																																																									







Mode	18																																																																																																																													
	Harmonic																																																																																																																													
	UNII-5_5925-6425_802.11ax HE20_CH45_Full_6175MHz																																																																																																																													
ANT	4																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>49.10</td><td>74.00</td><td>-24.90</td><td>60.18</td><td>38.90</td><td>15.69</td><td>65.67</td><td>0.00</td><td>217</td><td>349</td><td>PEAK</td></tr><tr><td>2</td><td>12350.00</td><td>38.81</td><td>54.00</td><td>-15.19</td><td>49.89</td><td>38.90</td><td>15.69</td><td>65.67</td><td>0.00</td><td>217</td><td>349</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	49.10	74.00	-24.90	60.18	38.90	15.69	65.67	0.00	217	349	PEAK	2	12350.00	38.81	54.00	-15.19	49.89	38.90	15.69	65.67	0.00	217	349	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>63.63</td><td>38.90</td><td>15.69</td><td>65.67</td><td>0.00</td><td>294</td><td>43</td><td>PEAK</td></tr><tr><td>2</td><td>12350.00</td><td>42.99</td><td>54.00</td><td>-11.01</td><td>54.07</td><td>38.90</td><td>15.69</td><td>65.67</td><td>0.00</td><td>294</td><td>43</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	52.55	74.00	-21.45	63.63	38.90	15.69	65.67	0.00	294	43	PEAK	2	12350.00	42.99	54.00	-11.01	54.07	38.90	15.69	65.67	0.00	294	43	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12350.00	49.10	74.00	-24.90	60.18	38.90	15.69	65.67	0.00	217	349	PEAK																																																																																																																		
2	12350.00	38.81	54.00	-15.19	49.89	38.90	15.69	65.67	0.00	217	349	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12350.00	52.55	74.00	-21.45	63.63	38.90	15.69	65.67	0.00	294	43	PEAK																																																																																																																		
2	12350.00	42.99	54.00	-11.01	54.07	38.90	15.69	65.67	0.00	294	43	AVERAGE																																																																																																																		







Mode	19																																																																																																								
	Harmonic																																																																																																								
	UNII-5_5925-6425_802.11ax HE20_CH93_Full_6415MHz																																																																																																								
ANT	4																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.28</td><td>88.20</td><td>-42.92</td><td>56.28</td><td>39.40</td><td>15.96</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	45.28	88.20	-42.92	56.28	39.40	15.96	66.36	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.91</td><td>88.20</td><td>-42.29</td><td>56.91</td><td>39.40</td><td>15.96</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	45.91	88.20	-42.29	56.91	39.40	15.96	66.36	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12830.00	45.28	88.20	-42.92	56.28	39.40	15.96	66.36	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12830.00	45.91	88.20	-42.29	56.91	39.40	15.96	66.36	0.00	---	---	PEAK																																																																																													





		20																																																																																													
Mode		Band Edge																																																																																													
		UNII-5_5925-6425_802.11ax HE40_CH3_Full_5965MHz																																																																																													
ANT		4																																																																																													
Pol.		Horizontal																																																																																													
Peak		 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.26</td><td>75.10</td><td>88.20</td><td>-13.10</td><td>61.54</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.26	75.10	88.20	-13.10	61.54	35.05	10.70	32.19	0.00	100	110	PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.22</td><td>-----</td><td>-----</td><td>91.45</td><td>35.17</td><td>10.75</td><td>32.15</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.22	-----	-----	91.45	35.17	10.75	32.15	0.00	100	110	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5924.26	75.10	88.20	-13.10	61.54	35.05	10.70	32.19	0.00	100	110	PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5965.00	105.22	-----	-----	91.45	35.17	10.75	32.15	0.00	100	110	PEAK																																																																																			
Avg		 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>64.51</td><td>68.20</td><td>-3.69</td><td>50.95</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>110</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	64.51	68.20	-3.69	50.95	35.05	10.70	32.19	0.00	100	110	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>96.89</td><td>-----</td><td>-----</td><td>83.12</td><td>35.17</td><td>10.75</td><td>32.15</td><td>0.00</td><td>100</td><td>110</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.89	-----	-----	83.12	35.17	10.75	32.15	0.00	100	110	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5924.82	64.51	68.20	-3.69	50.95	35.05	10.70	32.19	0.00	100	110	AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5965.00	96.89	-----	-----	83.12	35.17	10.75	32.15	0.00	100	110	AVERAGE																																																																																			





Mode	20																																																																																																			
	Band Edge																																																																																																			
	UNII-5_5925-6425_802.11ax HE40_CH3_Full_5965MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.58</td><td>74.05</td><td>88.20</td><td>-14.15</td><td>60.50</td><td>35.05</td><td>10.70</td><td>32.20</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.58	74.05	88.20	-14.15	60.50	35.05	10.70	32.20	0.00	100	276 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>104.63</td><td>-----</td><td>-----</td><td>90.91</td><td>35.14</td><td>10.74</td><td>32.16</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.63	-----	-----	90.91	35.14	10.74	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5922.58	74.05	88.20	-14.15	60.50	35.05	10.70	32.20	0.00	100	276 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	104.63	-----	-----	90.91	35.14	10.74	32.16	0.00	100	276 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>62.13</td><td>68.20</td><td>-6.07</td><td>48.57</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>276 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	62.13	68.20	-6.07	48.57	35.05	10.70	32.19	0.00	100	276 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>95.50</td><td>-----</td><td>-----</td><td>81.73</td><td>35.17</td><td>10.75</td><td>32.15</td><td>0.00</td><td>100</td><td>276 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	95.50	-----	-----	81.73	35.17	10.75	32.15	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.96	62.13	68.20	-6.07	48.57	35.05	10.70	32.19	0.00	100	276 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	95.50	-----	-----	81.73	35.17	10.75	32.15	0.00	100	276 AVERAGE																																																																																									





Mode	20																																																																																																									
	Harmonic																																																																																																									
	UNII-5_5925-6425_802.11ax HE40_CH3_Full_5965MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>57.44</td><td>38.70</td><td>15.44</td><td>66.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	45.37	74.00	-28.63	57.44	38.70	15.44	66.21	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>45.24</td><td>74.00</td><td>-28.76</td><td>57.31</td><td>38.70</td><td>15.44</td><td>66.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	45.24	74.00	-28.76	57.31	38.70	15.44	66.21	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11930.00	45.37	74.00	-28.63	57.44	38.70	15.44	66.21	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11930.00	45.24	74.00	-28.76	57.31	38.70	15.44	66.21	0.00	---	---	PEAK																																																																																														







Mode	21																																																																																																									
	Harmonic																																																																																																									
	UNII-5_5925-6425_802.11ax HE40_CH43_Full_6165MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>46.83</td><td>74.00</td><td>-27.17</td><td>57.95</td><td>38.90</td><td>15.68</td><td>65.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12330.00	46.83	74.00	-27.17	57.95	38.90	15.68	65.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>46.70</td><td>74.00</td><td>-27.30</td><td>57.82</td><td>38.90</td><td>15.68</td><td>65.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12330.00	46.70	74.00	-27.30	57.82	38.90	15.68	65.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12330.00	46.83	74.00	-27.17	57.95	38.90	15.68	65.70	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12330.00	46.70	74.00	-27.30	57.82	38.90	15.68	65.70	0.00	---	---	PEAK																																																																																														







Mode	22																																																																																																									
	Harmonic																																																																																																									
	UNII-5_5925-6425_802.11ax HE40_CH91_Full_6405MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>45.80</td><td>88.20</td><td>-42.40</td><td>56.76</td><td>39.40</td><td>15.95</td><td>66.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	45.80	88.20	-42.40	56.76	39.40	15.95	66.31	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>45.44</td><td>88.20</td><td>-42.76</td><td>56.40</td><td>39.40</td><td>15.95</td><td>66.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	45.44	88.20	-42.76	56.40	39.40	15.95	66.31	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12810.00	45.80	88.20	-42.40	56.76	39.40	15.95	66.31	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12810.00	45.44	88.20	-42.76	56.40	39.40	15.95	66.31	0.00	---	---	PEAK																																																																																														





Mode	23																																																																																																															
	Band Edge																																																																																																															
	UNII-5_5925-6425_802.11ax HE80_CH7_Full_5985MHz																																																																																																															
ANT	4																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.28</td><td>70.11</td><td>88.20</td><td>-18.09</td><td>56.57</td><td>35.04</td><td>10.70</td><td>32.20</td><td>0.00</td><td>100</td><td>293 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.28	70.11	88.20	-18.09	56.57	35.04	10.70	32.20	0.00	100	293 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>100.15</td><td>-----</td><td>-----</td><td>86.27</td><td>35.24</td><td>10.77</td><td>32.13</td><td>0.00</td><td>100</td><td>293 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.15	-----	-----	86.27	35.24	10.77	32.13	0.00	100	293 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5922.28	70.11	88.20	-18.09	56.57	35.04	10.70	32.20	0.00	100	293 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5985.00	100.15	-----	-----	86.27	35.24	10.77	32.13	0.00	100	293 PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.20</td><td>57.35</td><td>68.20</td><td>-10.85</td><td>43.79</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>293 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.20	57.35	68.20	-10.85	43.79	35.05	10.70	32.19	0.00	100	293 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4789.00</td><td>45.91</td><td>54.00</td><td>-8.09</td><td>34.24</td><td>34.12</td><td>9.61</td><td>32.06</td><td>0.00</td><td>100</td><td>293 AVERAGE</td></tr><tr><td>2</td><td>5985.00</td><td>91.35</td><td>-----</td><td>-----</td><td>77.47</td><td>35.24</td><td>10.77</td><td>32.13</td><td>0.00</td><td>100</td><td>293 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4789.00	45.91	54.00	-8.09	34.24	34.12	9.61	32.06	0.00	100	293 AVERAGE	2	5985.00	91.35	-----	-----	77.47	35.24	10.77	32.13	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5924.20	57.35	68.20	-10.85	43.79	35.05	10.70	32.19	0.00	100	293 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4789.00	45.91	54.00	-8.09	34.24	34.12	9.61	32.06	0.00	100	293 AVERAGE																																																																																																					
2	5985.00	91.35	-----	-----	77.47	35.24	10.77	32.13	0.00	100	293 AVERAGE																																																																																																					





Mode	23																																																																																																						
	Band Edge																																																																																																						
	UNII-5_5925-6425_802.11ax HE80_CH7_Full_5985MHz																																																																																																						
ANT	4																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5908.20</td><td>68.82</td><td>88.20</td><td>-19.38</td><td>55.33</td><td>35.02</td><td>10.68</td><td>32.21</td><td>0.00</td><td>350</td><td>234</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5908.20	68.82	88.20	-19.38	55.33	35.02	10.68	32.21	0.00	350	234	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>103.77</td><td>-----</td><td>-----</td><td>89.83</td><td>35.28</td><td>10.78</td><td>32.12</td><td>0.00</td><td>350</td><td>234</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	103.77	-----	-----	89.83	35.28	10.78	32.12	0.00	350	234
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5908.20	68.82	88.20	-19.38	55.33	35.02	10.68	32.21	0.00	350	234	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5985.00	103.77	-----	-----	89.83	35.28	10.78	32.12	0.00	350	234	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>57.21</td><td>68.20</td><td>-10.99</td><td>43.65</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>350</td><td>234</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	57.21	68.20	-10.99	43.65	35.05	10.70	32.19	0.00	350	234	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>94.19</td><td>-----</td><td>-----</td><td>80.31</td><td>35.24</td><td>10.77</td><td>32.13</td><td>0.00</td><td>350</td><td>234</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	94.19	-----	-----	80.31	35.24	10.77	32.13	0.00	350	234
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5925.00	57.21	68.20	-10.99	43.65	35.05	10.70	32.19	0.00	350	234	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5985.00	94.19	-----	-----	80.31	35.24	10.77	32.13	0.00	350	234	AVERAGE																																																																																											





Mode	23																																																																																																					
	Harmonic																																																																																																					
	UNII-5_5925-6425_802.11ax HE80_CH7_Full_5985MHz																																																																																																					
ANT	4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11970.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>57.32</td><td>38.70</td><td>15.47</td><td>66.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11970.00	45.32	74.00	-28.68	57.32	38.70	15.47	66.17	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11970.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>57.14</td><td>38.70</td><td>15.47</td><td>66.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11970.00	45.14	74.00	-28.86	57.14	38.70	15.47	66.17	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11970.00	45.32	74.00	-28.68	57.32	38.70	15.47	66.17	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11970.00	45.14	74.00	-28.86	57.14	38.70	15.47	66.17	0.00	---	---	PEAK																																																																																											





Mode	24																																																																																																							
	Harmonic																																																																																																							
	UNII-5_5925-6425_802.11ax HE80_CH39_Full_6145MHz																																																																																																							
ANT	4																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>57.44</td><td>38.89</td><td>15.66</td><td>65.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	46.24	74.00	-27.76	57.44	38.89	15.66	65.75	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>57.89</td><td>38.89</td><td>15.66</td><td>65.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	46.69	74.00	-27.31	57.89	38.89	15.66	65.75	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12290.00	46.24	74.00	-27.76	57.44	38.89	15.66	65.75	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12290.00	46.69	74.00	-27.31	57.89	38.89	15.66	65.75	0.00	---	---	PEAK																																																																																												





Mode	25																																																																																																									
	Harmonic																																																																																																									
	UNII-5_5925-6425_802.11ax HE80_CH87_Full_6385MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>44.86</td><td>88.20</td><td>-43.34</td><td>55.77</td><td>39.37</td><td>15.92</td><td>66.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12770.00	44.86	88.20	-43.34	55.77	39.37	15.92	66.20	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>44.36</td><td>88.20</td><td>-43.84</td><td>55.27</td><td>39.37</td><td>15.92</td><td>66.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12770.00	44.36	88.20	-43.84	55.27	39.37	15.92	66.20	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12770.00	44.86	88.20	-43.34	55.77	39.37	15.92	66.20	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12770.00	44.36	88.20	-43.84	55.27	39.37	15.92	66.20	0.00	---	---	PEAK																																																																																														





Mode	26																																																																																																					
	Harmonic																																																																																																					
	UNII-6_6425-6525_802.11ax HE20_CH97_Full_6435MHz																																																																																																					
ANT	4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12870.00</td><td>45.51</td><td>88.20</td><td>-42.69</td><td>56.60</td><td>39.40</td><td>15.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	45.51	88.20	-42.69	56.60	39.40	15.98	66.47	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12870.00</td><td>44.62</td><td>88.20</td><td>-43.58</td><td>55.71</td><td>39.40</td><td>15.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	44.62	88.20	-43.58	55.71	39.40	15.98	66.47	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 12870.00	45.51	88.20	-42.69	56.60	39.40	15.98	66.47	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 12870.00	44.62	88.20	-43.58	55.71	39.40	15.98	66.47	0.00	---	---	PEAK																																																																																											





Mode	27																																																																																																									
	Harmonic																																																																																																									
	UNII-6_6425-6525_802.11ax HE20_CH105_Full_6475MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>44.92</td><td>88.20</td><td>-43.28</td><td>56.18</td><td>39.40</td><td>16.02</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12950.00	44.92	88.20	-43.28	56.18	39.40	16.02	66.68	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>45.49</td><td>88.20</td><td>-42.71</td><td>56.75</td><td>39.40</td><td>16.02</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12950.00	45.49	88.20	-42.71	56.75	39.40	16.02	66.68	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12950.00	44.92	88.20	-43.28	56.18	39.40	16.02	66.68	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12950.00	45.49	88.20	-42.71	56.75	39.40	16.02	66.68	0.00	---	---	PEAK																																																																																														





Mode	28																																																																																																																															
	Harmonic																																																																																																																															
	UNII-6_6425-6525_802.11ax HE20_CH113_Full_6515MHz																																																																																																																															
ANT	4																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>43.92</td><td>88.20</td><td>-44.28</td><td>55.24</td><td>39.34</td><td>16.07</td><td>66.73</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13030.00	43.92	88.20	-44.28	55.24	39.34	16.07	66.73	0.00	---	---												PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>45.16</td><td>88.20</td><td>-43.04</td><td>56.48</td><td>39.34</td><td>16.07</td><td>66.73</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13030.00	45.16	88.20	-43.04	56.48	39.34	16.07	66.73	0.00	---	---												PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	13030.00	43.92	88.20	-44.28	55.24	39.34	16.07	66.73	0.00	---	---																																																																																																																					
											PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	13030.00	45.16	88.20	-43.04	56.48	39.34	16.07	66.73	0.00	---	---																																																																																																																					
											PEAK																																																																																																																					





Mode	29																																																										
	Harmonic																																																										
	UNII-6_6425-6525_802.11ax HE40_CH99_Full_6445MHz																																																										
ANT	4																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>44.60</td><td>88.20</td><td>-43.60</td><td>55.73</td><td>39.40</td><td>15.99</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12890.00	44.60	88.20	-43.60	55.73	39.40	15.99	66.52	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	12890.00	44.60	88.20	-43.60	55.73	39.40	15.99	66.52	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>45.44</td><td>88.20</td><td>-42.76</td><td>56.57</td><td>39.40</td><td>15.99</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12890.00	45.44	88.20	-42.76	56.57	39.40	15.99	66.52	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	12890.00	45.44	88.20	-42.76	56.57	39.40	15.99	66.52	0.00	---	---	PEAK																																															





Mode	30																																																																																																									
	Harmonic																																																																																																									
	UNII-6_6425-6525_802.11ax HE40_CH107_Full_6485MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>45.51</td><td>88.20</td><td>-42.69</td><td>56.82</td><td>39.40</td><td>16.03</td><td>66.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12970.00	45.51	88.20	-42.69	56.82	39.40	16.03	66.74	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>44.87</td><td>88.20</td><td>-43.33</td><td>56.18</td><td>39.40</td><td>16.03</td><td>66.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12970.00	44.87	88.20	-43.33	56.18	39.40	16.03	66.74	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12970.00	45.51	88.20	-42.69	56.82	39.40	16.03	66.74	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12970.00	44.87	88.20	-43.33	56.18	39.40	16.03	66.74	0.00	---	---	PEAK																																																																																														



Mode	31																																																																																																									
	Harmonic																																																																																																									
	UNII-6_6425-6525_802.11ax HE80_CH103_Full_6465MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>44.87</td><td>88.20</td><td>-43.33</td><td>56.09</td><td>39.40</td><td>16.01</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12930.00	44.87	88.20	-43.33	56.09	39.40	16.01	66.63	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>45.07</td><td>88.20</td><td>-43.13</td><td>56.29</td><td>39.40</td><td>16.01</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12930.00	45.07	88.20	-43.13	56.29	39.40	16.01	66.63	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12930.00	44.87	88.20	-43.33	56.09	39.40	16.01	66.63	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12930.00	45.07	88.20	-43.13	56.29	39.40	16.01	66.63	0.00	---	---	PEAK																																																																																														





Mode	32																																																																																																																								
	Harmonic																																																																																																																								
	UNII-6~7_6425-6875_802.11ax HE40_CH115_Full_6525MHz																																																																																																																								
ANT	4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>44.11</td><td>88.20</td><td>-44.09</td><td>55.39</td><td>39.30</td><td>16.09</td><td>66.67</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	44.11	88.20	-44.09	55.39	39.30	16.09	66.67	0.00	---											PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>44.36</td><td>88.20</td><td>-43.84</td><td>55.64</td><td>39.30</td><td>16.09</td><td>66.67</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	44.36	88.20	-43.84	55.64	39.30	16.09	66.67	0.00	---											PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13050.00	44.11	88.20	-44.09	55.39	39.30	16.09	66.67	0.00	---																																																																																																															
										PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13050.00	44.36	88.20	-43.84	55.64	39.30	16.09	66.67	0.00	---																																																																																																															
										PEAK																																																																																																															





Mode	33																																																																																																									
	Harmonic																																																																																																									
	UNII-6~7_6425-6875_802.11ax HE80_CH119_Full_6545MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>44.44</td><td>88.20</td><td>-43.76</td><td>55.66</td><td>39.22</td><td>16.12</td><td>66.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13090.00	44.44	88.20	-43.76	55.66	39.22	16.12	66.56	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>45.10</td><td>88.20</td><td>-43.10</td><td>56.32</td><td>39.22</td><td>16.12</td><td>66.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13090.00	45.10	88.20	-43.10	56.32	39.22	16.12	66.56	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13090.00	44.44	88.20	-43.76	55.66	39.22	16.12	66.56	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13090.00	45.10	88.20	-43.10	56.32	39.22	16.12	66.56	0.00	---	---	PEAK																																																																																														





Mode	34																																																																																																				
	Harmonic																																																																																																				
	UNII-7_6525-6875_802.11ax HE20_CH117_Full_6535MHz																																																																																																				
ANT	4																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 13070.00</td><td>44.72</td><td>88.20</td><td>-43.48</td><td>55.97</td><td>39.26</td><td>16.11</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	44.72	88.20	-43.48	55.97	39.26	16.11	66.62	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 13070.00</td><td>45.54</td><td>88.20</td><td>-42.66</td><td>56.79</td><td>39.26</td><td>16.11</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	45.54	88.20	-42.66	56.79	39.26	16.11	66.62	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 13070.00	44.72	88.20	-43.48	55.97	39.26	16.11	66.62	0.00	---	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 13070.00	45.54	88.20	-42.66	56.79	39.26	16.11	66.62	0.00	---	---	PEAK																																																																																										





Mode	35																																																																																																									
	Harmonic																																																																																																									
	UNII-7_6525-6875_802.11ax HE20_CH149_Full_6695MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>55.82</td><td>39.01</td><td>16.36</td><td>65.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13390.00	45.51	74.00	-28.49	55.82	39.01	16.36	65.68	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.68</td><td>74.00</td><td>-28.32</td><td>55.99</td><td>39.01</td><td>16.36</td><td>65.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13390.00	45.68	74.00	-28.32	55.99	39.01	16.36	65.68	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13390.00	45.51	74.00	-28.49	55.82	39.01	16.36	65.68	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13390.00	45.68	74.00	-28.32	55.99	39.01	16.36	65.68	0.00	---	---	PEAK																																																																																														





Mode	36																																																																	
	Harmonic																																																																	
	UNII-7_6525-6875_802.11ax HE20_CH181_Full_6855MHz																																																																	
ANT	4																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>46.21</td><td>88.20</td><td>-41.99</td><td>56.05</td><td>38.70</td><td>16.61</td><td>65.15</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	46.21	88.20	-41.99	56.05	38.70	16.61	65.15	0.00	---											PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13710.00	46.21	88.20	-41.99	56.05	38.70	16.61	65.15	0.00	---																																																								
										PEAK																																																								
Peak Avg																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>45.87</td><td>88.20</td><td>-42.33</td><td>55.71</td><td>38.70</td><td>16.61</td><td>65.15</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	45.87	88.20	-42.33	55.71	38.70	16.61	65.15	0.00	---											PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13710.00	45.87	88.20	-42.33	55.71	38.70	16.61	65.15	0.00	---																																																								
										PEAK																																																								





Mode	37																																																										
	Harmonic																																																										
	UNII-7_6525-6875_802.11ax HE40_CH123_Full_6565MHz																																																										
ANT	4																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>45.25</td><td>88.20</td><td>-42.95</td><td>56.37</td><td>39.17</td><td>16.15</td><td>66.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13130.00	45.25	88.20	-42.95	56.37	39.17	16.15	66.44	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	13130.00	45.25	88.20	-42.95	56.37	39.17	16.15	66.44	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>45.12</td><td>88.20</td><td>-43.00</td><td>56.24</td><td>39.17</td><td>16.15</td><td>66.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13130.00	45.12	88.20	-43.00	56.24	39.17	16.15	66.44	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	13130.00	45.12	88.20	-43.00	56.24	39.17	16.15	66.44	0.00	---	---	PEAK																																															





Mode	38																																																																																																									
	Harmonic																																																																																																									
	UNII-7_6525-6875_802.11ax HE40_CH147_Full_6685MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>56.43</td><td>39.03</td><td>16.34</td><td>65.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13370.00	46.06	74.00	-27.94	56.43	39.03	16.34	65.74	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>45.50</td><td>74.00</td><td>-28.50</td><td>55.87</td><td>39.03</td><td>16.34</td><td>65.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13370.00	45.50	74.00	-28.50	55.87	39.03	16.34	65.74	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13370.00	46.06	74.00	-27.94	56.43	39.03	16.34	65.74	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13370.00	45.50	74.00	-28.50	55.87	39.03	16.34	65.74	0.00	---	---	PEAK																																																																																														



Mode	39																																																																																																									
	Harmonic																																																																																																									
	UNII-7_6525-6875_802.11ax HE40_CH179_Full_6845MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>46.20</td><td>88.20</td><td>-42.00</td><td>56.06</td><td>38.71</td><td>16.60</td><td>65.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13690.00	46.20	88.20	-42.00	56.06	38.71	16.60	65.17	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>45.57</td><td>88.20</td><td>-42.63</td><td>55.43</td><td>38.71</td><td>16.60</td><td>65.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13690.00	45.57	88.20	-42.63	55.43	38.71	16.60	65.17	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13690.00	46.20	88.20	-42.00	56.06	38.71	16.60	65.17	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13690.00	45.57	88.20	-42.63	55.43	38.71	16.60	65.17	0.00	---	---	PEAK																																																																																														



Mode	40																																																																																																									
	Harmonic																																																																																																									
	UNII-7_6525-6875_802.11ax HE80_CH135_Full_6625MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>55.97</td><td>39.10</td><td>16.25</td><td>66.09</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13250.00	45.23	74.00	-28.77	55.97	39.10	16.25	66.09	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>44.84</td><td>74.00</td><td>-29.16</td><td>55.58</td><td>39.10</td><td>16.25</td><td>66.09</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13250.00	44.84	74.00	-29.16	55.58	39.10	16.25	66.09	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13250.00	45.23	74.00	-28.77	55.97	39.10	16.25	66.09	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13250.00	44.84	74.00	-29.16	55.58	39.10	16.25	66.09	0.00	---	---	PEAK																																																																																														