




		111																																																											
Mode		Harmonic																																																											
		UNII-8_6875-7125_802.11ax HE80_CH215_Full_7025MHz																																																											
ANT		6																																																											
Pol.		Horizontal						Vertical																																																					
Peak Avg																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>42.46</td><td>88.20</td><td>-45.74</td><td>48.87</td><td>38.70</td><td>19.73</td><td>64.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14050.00	42.46	88.20	-45.74	48.87	38.70	19.73	64.84	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	14050.00	42.46	88.20	-45.74	48.87	38.70	19.73	64.84	0.00	---	---	PEAK																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>43.18</td><td>88.20</td><td>-45.02</td><td>49.59</td><td>38.70</td><td>19.73</td><td>64.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14050.00	43.18	88.20	-45.02	49.59	38.70	19.73	64.84	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	14050.00	43.18	88.20	-45.02	49.59	38.70	19.73	64.84	0.00	---	---	PEAK																																																	




Mode	20																																																																																																																																																																																																											
	LF																																																																																																																																																																																																											
	UNII-5_5925-6425_802.11ax HE40_CH3_Full_5965MHz																																																																																																																																																																																																											
ANT	4																																																																																																																																																																																																											
Pol.	Horizontal						Horizontal																																																																																																																																																																																																					
Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.70</td><td>21.27</td><td>40.00</td><td>-18.73</td><td>29.29</td><td>24.41</td><td>0.36</td><td>32.79</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>143.73</td><td>16.73</td><td>43.50</td><td>-26.77</td><td>30.90</td><td>17.33</td><td>1.20</td><td>32.70</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>333.13</td><td>19.93</td><td>46.00</td><td>-26.07</td><td>31.04</td><td>19.83</td><td>1.90</td><td>32.84</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>560.35</td><td>24.49</td><td>46.00</td><td>-21.51</td><td>28.70</td><td>26.58</td><td>2.45</td><td>33.24</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>790.48</td><td>27.59</td><td>46.00</td><td>-18.41</td><td>29.01</td><td>28.68</td><td>2.95</td><td>33.05</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>959.50</td><td>29.94</td><td>46.00</td><td>-16.06</td><td>27.05</td><td>31.20</td><td>3.26</td><td>31.57</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	31.70	21.27	40.00	-18.73	29.29	24.41	0.36	32.79	0.00	--	Peak	2	143.73	16.73	43.50	-26.77	30.90	17.33	1.20	32.70	0.00	--	Peak	3	333.13	19.93	46.00	-26.07	31.04	19.83	1.90	32.84	0.00	--	Peak	4	560.35	24.49	46.00	-21.51	28.70	26.58	2.45	33.24	0.00	--	Peak	5	790.48	27.59	46.00	-18.41	29.01	28.68	2.95	33.05	0.00	--	Peak	6	959.50	29.94	46.00	-16.06	27.05	31.20	3.26	31.57	0.00	--	Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>50.61</td><td>34.14</td><td>40.00</td><td>-5.86</td><td>52.10</td><td>14.18</td><td>0.60</td><td>32.74</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>86.50</td><td>27.46</td><td>40.00</td><td>-12.54</td><td>44.89</td><td>14.28</td><td>1.00</td><td>32.71</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>152.71</td><td>22.76</td><td>43.50</td><td>-20.74</td><td>37.33</td><td>16.87</td><td>1.27</td><td>32.71</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>561.00</td><td>24.42</td><td>46.00</td><td>-21.58</td><td>28.60</td><td>26.60</td><td>2.46</td><td>33.24</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>786.12</td><td>27.45</td><td>46.00</td><td>-18.55</td><td>28.92</td><td>28.67</td><td>2.93</td><td>33.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>953.68</td><td>30.44</td><td>46.00</td><td>-15.56</td><td>27.78</td><td>31.06</td><td>3.23</td><td>31.63</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	50.61	34.14	40.00	-5.86	52.10	14.18	0.60	32.74	0.00	---	Peak	2	86.50	27.46	40.00	-12.54	44.89	14.28	1.00	32.71	0.00	---	Peak	3	152.71	22.76	43.50	-20.74	37.33	16.87	1.27	32.71	0.00	---	Peak	4	561.00	24.42	46.00	-21.58	28.60	26.60	2.46	33.24	0.00	---	Peak	5	786.12	27.45	46.00	-18.55	28.92	28.67	2.93	33.07	0.00	---	Peak	6	953.68	30.44	46.00	-15.56	27.78	31.06	3.23	31.63	0.00	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	31.70	21.27	40.00	-18.73	29.29	24.41	0.36	32.79	0.00	--	Peak																																																																																																																																																																																																	
2	143.73	16.73	43.50	-26.77	30.90	17.33	1.20	32.70	0.00	--	Peak																																																																																																																																																																																																	
3	333.13	19.93	46.00	-26.07	31.04	19.83	1.90	32.84	0.00	--	Peak																																																																																																																																																																																																	
4	560.35	24.49	46.00	-21.51	28.70	26.58	2.45	33.24	0.00	--	Peak																																																																																																																																																																																																	
5	790.48	27.59	46.00	-18.41	29.01	28.68	2.95	33.05	0.00	--	Peak																																																																																																																																																																																																	
6	959.50	29.94	46.00	-16.06	27.05	31.20	3.26	31.57	0.00	--	Peak																																																																																																																																																																																																	
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	50.61	34.14	40.00	-5.86	52.10	14.18	0.60	32.74	0.00	---	Peak																																																																																																																																																																																																	
2	86.50	27.46	40.00	-12.54	44.89	14.28	1.00	32.71	0.00	---	Peak																																																																																																																																																																																																	
3	152.71	22.76	43.50	-20.74	37.33	16.87	1.27	32.71	0.00	---	Peak																																																																																																																																																																																																	
4	561.00	24.42	46.00	-21.58	28.60	26.60	2.46	33.24	0.00	---	Peak																																																																																																																																																																																																	
5	786.12	27.45	46.00	-18.55	28.92	28.67	2.93	33.07	0.00	---	Peak																																																																																																																																																																																																	
6	953.68	30.44	46.00	-15.56	27.78	31.06	3.23	31.63	0.00	---	Peak																																																																																																																																																																																																	
Emission above 18GHz																																																																																																																																																																																																												
Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.70</td><td>21.27</td><td>40.00</td><td>-18.73</td><td>29.29</td><td>24.41</td><td>0.36</td><td>32.79</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>143.73</td><td>16.73</td><td>43.50</td><td>-26.77</td><td>30.90</td><td>17.33</td><td>1.20</td><td>32.70</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>333.13</td><td>19.93</td><td>46.00</td><td>-26.07</td><td>31.04</td><td>19.83</td><td>1.90</td><td>32.84</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>560.35</td><td>24.49</td><td>46.00</td><td>-21.51</td><td>28.70</td><td>26.58</td><td>2.45</td><td>33.24</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>790.48</td><td>27.59</td><td>46.00</td><td>-18.41</td><td>29.01</td><td>28.68</td><td>2.95</td><td>33.05</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>959.50</td><td>29.94</td><td>46.00</td><td>-16.06</td><td>27.05</td><td>31.20</td><td>3.26</td><td>31.57</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	31.70	21.27	40.00	-18.73	29.29	24.41	0.36	32.79	0.00	--	Peak	2	143.73	16.73	43.50	-26.77	30.90	17.33	1.20	32.70	0.00	--	Peak	3	333.13	19.93	46.00	-26.07	31.04	19.83	1.90	32.84	0.00	--	Peak	4	560.35	24.49	46.00	-21.51	28.70	26.58	2.45	33.24	0.00	--	Peak	5	790.48	27.59	46.00	-18.41	29.01	28.68	2.95	33.05	0.00	--	Peak	6	959.50	29.94	46.00	-16.06	27.05	31.20	3.26	31.57	0.00	--	Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>50.61</td><td>34.14</td><td>40.00</td><td>-5.86</td><td>52.10</td><td>14.18</td><td>0.60</td><td>32.74</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>86.50</td><td>27.46</td><td>40.00</td><td>-12.54</td><td>44.89</td><td>14.28</td><td>1.00</td><td>32.71</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>152.71</td><td>22.76</td><td>43.50</td><td>-20.74</td><td>37.33</td><td>16.87</td><td>1.27</td><td>32.71</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>561.00</td><td>24.42</td><td>46.00</td><td>-21.58</td><td>28.60</td><td>26.60</td><td>2.46</td><td>33.24</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>786.12</td><td>27.45</td><td>46.00</td><td>-18.55</td><td>28.92</td><td>28.67</td><td>2.93</td><td>33.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>953.68</td><td>30.44</td><td>46.00</td><td>-15.56</td><td>27.78</td><td>31.06</td><td>3.23</td><td>31.63</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	50.61	34.14	40.00	-5.86	52.10	14.18	0.60	32.74	0.00	---	Peak	2	86.50	27.46	40.00	-12.54	44.89	14.28	1.00	32.71	0.00	---	Peak	3	152.71	22.76	43.50	-20.74	37.33	16.87	1.27	32.71	0.00	---	Peak	4	561.00	24.42	46.00	-21.58	28.60	26.60	2.46	33.24	0.00	---	Peak	5	786.12	27.45	46.00	-18.55	28.92	28.67	2.93	33.07	0.00	---	Peak	6	953.68	30.44	46.00	-15.56	27.78	31.06	3.23	31.63	0.00	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	31.70	21.27	40.00	-18.73	29.29	24.41	0.36	32.79	0.00	--	Peak																																																																																																																																																																																																	
2	143.73	16.73	43.50	-26.77	30.90	17.33	1.20	32.70	0.00	--	Peak																																																																																																																																																																																																	
3	333.13	19.93	46.00	-26.07	31.04	19.83	1.90	32.84	0.00	--	Peak																																																																																																																																																																																																	
4	560.35	24.49	46.00	-21.51	28.70	26.58	2.45	33.24	0.00	--	Peak																																																																																																																																																																																																	
5	790.48	27.59	46.00	-18.41	29.01	28.68	2.95	33.05	0.00	--	Peak																																																																																																																																																																																																	
6	959.50	29.94	46.00	-16.06	27.05	31.20	3.26	31.57	0.00	--	Peak																																																																																																																																																																																																	
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	50.61	34.14	40.00	-5.86	52.10	14.18	0.60	32.74	0.00	---	Peak																																																																																																																																																																																																	
2	86.50	27.46	40.00	-12.54	44.89	14.28	1.00	32.71	0.00	---	Peak																																																																																																																																																																																																	
3	152.71	22.76	43.50	-20.74	37.33	16.87	1.27	32.71	0.00	---	Peak																																																																																																																																																																																																	
4	561.00	24.42	46.00	-21.58	28.60	26.60	2.46	33.24	0.00	---	Peak																																																																																																																																																																																																	
5	786.12	27.45	46.00	-18.55	28.92	28.67	2.93	33.07	0.00	---	Peak																																																																																																																																																																																																	
6	953.68	30.44	46.00	-15.56	27.78	31.06	3.23	31.63	0.00	---	Peak																																																																																																																																																																																																	

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.97	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE20 RU26	100	-	-	10Hz
802.11ax HE20 RU52	100	-	-	10Hz
802.11ax HE20 RU106	100	-	-	10Hz

802.11a







802.11ax HE20




802.11ax HE40



802.11ax HE80




802.11ax HE20 RU26





802.11ax HE20 RU52



802.11ax HE20 RU106

