Mode	19	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5037.53 54.95 74.00 -19.05 43.08 34.12 9.83 32.08 0.00 100 242 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 102.45 ------ ------ 90.02 34.34 10.08 31.99 0.00 100 242 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5115.29 44.01 54.00 -9.99 31.94 34.27 9.92 32.12 0.00 100 242 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 94.29 ------ ------ 81.86 34.34 10.08 31.99 0.00 100 242 AVERAGE

Mode	19	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5362.34 59.70 74.00 -14.30 46.97 34.60 10.16 32.03 0.00 100 242 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.18 48.32 54.00 -5.68 35.59 34.60 10.15 32.02 0.00 100 242 AVERAGE	Blank

Mode	19	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Limit Over Read Ant Cable Preamp Aux APos TPos Freq Level Line Limit Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5080.73 55.05 74.00 -18.95 43.06 34.22 9.88 32.11 0.00 303 55 PEAK	 Limit Over Read Ant Cable Preamp Aux APos TPos Freq Level Line Limit Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 103.28 ------ ------ 90.85 34.34 10.08 31.99 0.00 303 55 PEAK
Avg	 Limit Over Read Ant Cable Preamp Aux APos TPos Freq Level Line Limit Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5117.18 44.09 54.00 -9.91 32.02 34.27 9.92 32.12 0.00 303 55 AVERAGE	 Limit Over Read Ant Cable Preamp Aux APos TPos Freq Level Line Limit Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 94.61 ------ ------ 82.18 34.34 10.08 31.99 0.00 303 55 AVERAGE

Mode	19	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5357.97 61.55 74.00 -12.45 48.82 34.60 10.16 32.03 0.00 303 55 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.18 47.69 54.00 -6.31 34.96 34.60 10.15 32.02 0.00 303 55 AVERAGE	Blank

Mode	19	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10540.00 45.86 68.20 -22.34 58.20 37.65 17.05 67.04 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10540.00 47.52 68.20 -20.68 59.86 37.65 17.05 67.04 0.00 --- --- PEAK

Mode	20	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5136.48 54.98 74.00 -19.02 42.93 34.23 9.94 32.12 0.00 100 238 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 98.96 ------ ------ 86.34 34.46 10.12 31.96 0.00 100 238 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5100.48 43.38 54.00 -10.62 31.30 34.30 9.90 32.12 0.00 100 238 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 90.75 ------ ------ 78.16 34.43 10.11 31.95 0.00 100 238 AVERAGE

Mode	20	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Limit Over Read Ant Cable Preamp Aux APos TPos Freq Level Line Limit Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5357.30 62.14 74.00 -11.86 49.41 34.60 10.16 32.03 0.00 100 238 PEAK	Blank
Avg	 Limit Over Read Ant Cable Preamp Aux APos TPos Freq Level Line Limit Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.00 50.48 54.00 -3.52 37.74 34.60 10.15 32.01 0.00 100 238 AVERAGE	Blank

Mode	20	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5125.92 55.86 74.00 -18.14 43.80 34.25 9.93 32.12 0.00 300 57 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 97.86 ------ ------ 85.24 34.46 10.12 31.96 0.00 300 57 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5100.16 43.37 54.00 -10.63 31.29 34.30 9.90 32.12 0.00 300 57 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 89.30 ------ ------ 76.68 34.46 10.12 31.96 0.00 300 57 AVERAGE

Mode	20	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5354.90 60.88 74.00 -13.12 48.14 34.60 10.16 32.02 0.00 300 57 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.20 49.26 54.00 -4.74 36.53 34.60 10.15 32.02 0.00 300 57 AVERAGE	Blank

Mode	20	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10620.00 47.27 74.00 -26.73 59.44 37.68 17.12 66.97 0.00 100 360 PEAK 2 10620.00 36.28 54.00 -17.72 48.44 37.68 17.13 66.97 0.00 100 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10620.00 48.62 74.00 -25.38 60.79 37.68 17.12 66.97 0.00 300 360 PEAK 2 10620.00 39.28 54.00 -14.72 51.45 37.68 17.12 66.97 0.00 300 360 AVERAGE

Mode	21	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5148.80 53.11 74.00 -20.89 44.24 34.10 11.80 37.03 0.00 105 240 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 99.11 ------ ------ 89.30 34.58 11.92 36.69 0.00 105 240 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.60 41.53 54.00 -12.47 32.66 34.10 11.80 37.03 0.00 105 240 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 89.79 ------ ------ 79.98 34.58 11.92 36.69 0.00 105 240 AVERAGE

Mode	21	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5355.40 60.85 74.00 -13.15 50.79 34.60 11.97 36.51 0.00 105 240 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.00 48.35 54.00 -5.65 38.30 34.60 11.97 36.52 0.00 105 240 AVERAGE	Blank

Mode	21	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5142.40 54.58 74.00 -19.42 45.72 34.08 11.79 37.01 0.00 281 49 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 99.63 ------ ------ 89.86 34.57 11.92 36.72 0.00 281 49 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.12 42.69 54.00 -11.31 33.82 34.10 11.80 37.03 0.00 281 49 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 90.72 ------ ------ 80.91 34.58 11.92 36.69 0.00 281 49 AVERAGE

Mode	21	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5354.10 63.86 74.00 -10.14 53.80 34.60 11.97 36.51 0.00 281 49 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.80 50.03 54.00 -3.97 39.98 34.60 11.97 36.52 0.00 281 49 AVERAGE	Blank

Mode	21	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10580.00 45.70 68.20 -22.50 57.94 37.68 17.09 67.01 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10580.00 46.22 68.20 -21.98 58.42 37.69 17.10 66.99 0.00 --- --- PEAK

Mode	22	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_26/8RU _5320MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5399.70 50.66 74.00 -23.34 40.45 34.60 12.01 36.40 0.00 100 112 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 103.95 ------ ------ 93.95 34.60 11.96 36.56 0.00 100 112 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5360.10 38.84 54.00 -15.16 28.76 34.60 11.98 36.50 0.00 100 112 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 94.68 ------ ------ 84.71 34.60 11.95 36.58 0.00 100 112 AVERAGE

Mode	22	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_26/8RU _5320MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5364.00 50.13 74.00 -23.87 40.04 34.60 11.98 36.49 0.00 325 61 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 106.78 ------ ------ 96.81 34.60 11.95 36.58 0.00 325 61 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5361.70 39.11 54.00 -14.89 29.02 34.60 11.98 36.49 0.00 325 61 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 96.90 ------ ------ 86.93 34.60 11.95 36.58 0.00 325 61 AVERAGE

Mode	23	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_52/40RU _5320MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5380.40 51.56 74.00 -22.44 41.42 34.60 11.99 36.45 0.00 100 114 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 103.44 ------ ------ 93.47 34.60 11.95 36.58 0.00 100 114 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5353.40 39.54 54.00 -14.46 29.48 34.60 11.97 36.51 0.00 100 114 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 95.21 ------ ------ 85.24 34.60 11.95 36.58 0.00 100 114 AVERAGE

Mode	23	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_52/40RU _5320MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.10 51.52 74.00 -22.48 41.47 34.60 11.97 36.52 0.00 313 57 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 106.83 ------ ------ 96.86 34.60 11.95 36.58 0.00 313 57 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.00 40.15 54.00 -13.85 30.10 34.60 11.97 36.52 0.00 313 57 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 97.30 ------ ------ 87.33 34.60 11.95 36.58 0.00 313 57 AVERAGE

Mode	24	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_106/54RU _5320MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5354.30 68.45 74.00 -5.55 58.39 34.60 11.97 36.51 0.00 291 360 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 101.06 ------ ------ 91.09 34.60 11.95 36.58 0.00 291 360 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.00 45.65 54.00 -8.35 35.60 34.60 11.97 36.52 0.00 291 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 92.49 ------ ------ 82.52 34.60 11.95 36.58 0.00 291 360 AVERAGE

Mode	24	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_106/54RU _5320MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5377.50 51.27 74.00 -22.73 41.13 34.60 11.99 36.45 0.00 323 61 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 103.15 ------ ------ 93.18 34.60 11.95 36.58 0.00 323 61 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.00 39.70 54.00 -14.30 29.65 34.60 11.97 36.52 0.00 323 61 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 94.14 ------ ------ 84.17 34.60 11.95 36.58 0.00 323 61 AVERAGE

Mode	25	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.72 57.21 74.00 -16.79 44.29 34.79 10.25 32.12 0.00 112 270 PEAK 2 5467.60 61.03 68.20 -7.17 48.13 34.76 10.26 32.12 0.00 112 270 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 104.82 ------ ------ 91.97 34.70 10.29 32.14 0.00 112 270 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 45.22 54.00 -8.78 32.31 34.78 10.25 32.12 0.00 112 270 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 96.86 ------ ------ 84.01 34.70 10.29 32.14 0.00 112 270 AVERAGE

Mode	25	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.80 58.24 74.00 -15.76 45.33 34.78 10.25 32.12 0.00 300 69 PEAK 2 5468.24 64.60 68.20 -3.60 51.70 34.76 10.26 32.12 0.00 300 69 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 107.17 ------ ------ 94.32 34.70 10.29 32.14 0.00 300 69 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 46.80 54.00 -7.20 33.89 34.78 10.25 32.12 0.00 300 69 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 97.95 ------ ------ 85.10 34.70 10.29 32.14 0.00 300 69 AVERAGE

Mode	25	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 50.83 74.00 -23.17 62.04 37.90 17.52 66.63 0.00 149 357 PEAK 2 11000.00 40.56 54.00 -13.44 51.77 37.90 17.52 66.63 0.00 149 357 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 52.20 74.00 -21.80 63.41 37.90 17.52 66.63 0.00 281 348 PEAK 2 11000.00 43.16 54.00 -10.84 54.37 37.90 17.52 66.63 0.00 281 348 AVERAGE

Mode	26	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 47.91 74.00 -26.09 58.99 37.90 17.63 66.61 0.00 100 360 PEAK 2 11160.00 37.81 54.00 -16.19 48.89 37.90 17.63 66.61 0.00 100 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 50.66 74.00 -23.34 61.74 37.90 17.63 66.61 0.00 242 348 PEAK 2 11160.00 41.29 54.00 -12.71 52.37 37.90 17.63 66.61 0.00 242 348 AVERAGE

Mode	27	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.24 60.56 68.20 -7.64 47.74 34.50 10.49 32.17 0.00 100 270 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 103.00 ------ ------ 90.16 34.50 10.47 32.13 0.00 100 270 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 95.48 ------ ------ 82.64 34.50 10.47 32.13 0.00 100 270 AVERAGE

Mode	27	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5728.12 64.46 68.20 -3.74 51.63 34.50 10.50 32.17 0.00 320 64 Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 105.55 ------ ------ 92.71 34.50 10.47 32.13 0.00 320 64 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 97.57 ------ ------ 84.73 34.50 10.47 32.13 0.00 320 64 AVERAGE

Mode	27	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 47.11 74.00 -26.89 57.90 38.00 17.80 66.59 0.00 100 360 PEAK 2 11400.00 37.22 54.00 -16.78 48.01 38.00 17.80 66.59 0.00 100 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 47.29 74.00 -26.71 58.08 38.00 17.80 66.59 0.00 300 360 PEAK 2 11400.00 37.22 54.00 -16.78 48.01 38.00 17.80 66.59 0.00 300 360 AVERAGE

Mode	28	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.20 58.05 74.00 -15.95 45.13 34.79 10.25 32.12 0.00 100 262 PEAK 2 5467.92 64.00 68.20 -4.20 51.10 34.76 10.26 32.12 0.00 100 262 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 105.03 ------ ------ 92.18 34.70 10.29 32.14 0.00 100 262 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 47.65 54.00 -6.35 34.74 34.78 10.25 32.12 0.00 100 262 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 96.74 ------ ------ 83.89 34.70 10.29 32.14 0.00 100 262 AVERAGE

Mode	28	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 57.97 74.00 -16.03 45.06 34.78 10.25 32.12 0.00 293 51 PEAK 2 5469.84 64.37 68.20 -3.83 51.47 34.76 10.26 32.12 0.00 293 51 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 106.42 ------ ------ 93.57 34.71 10.28 32.14 0.00 293 51 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 47.91 54.00 -6.09 35.00 34.78 10.25 32.12 0.00 293 51 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 98.24 ------ ------ 85.39 34.70 10.29 32.14 0.00 293 51 AVERAGE

Mode	28	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 49.02 74.00 -24.98 60.23 37.90 17.52 66.63 0.00 100 360 PEAK 2 11000.00 38.17 54.00 -15.83 49.38 37.90 17.52 66.63 0.00 100 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 52.80 74.00 -21.20 64.01 37.90 17.52 66.63 0.00 254 352 PEAK 2 11000.00 42.41 54.00 -11.59 53.62 37.90 17.52 66.63 0.00 254 352 AVERAGE

Mode	29	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 46.89 74.00 -27.11 57.97 37.90 17.63 66.61 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 47.73 74.00 -26.27 58.81 37.90 17.63 66.61 0.00 300 360 PEAK 2 11160.00 38.85 54.00 -15.15 49.93 37.90 17.63 66.61 0.00 300 360 AVERAGE

Mode	30	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5728.52 57.78 68.20 -10.42 44.96 34.50 10.50 32.18 0.00 100 274 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 103.84 ------ ------ 91.00 34.50 10.47 32.13 0.00 100 274 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 93.73 ------ ------ 80.89 34.50 10.47 32.13 0.00 100 274 AVERAGE

Mode	30	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.48 60.45 68.20 -7.75 47.63 34.50 10.49 32.17 0.00 337 55 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 105.64 ------ ------ 92.81 34.50 10.47 32.14 0.00 337 55 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 96.70 ------ ------ 83.86 34.50 10.47 32.13 0.00 337 55 AVERAGE

Mode	30	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 47.18 74.00 -26.82 57.97 38.00 17.80 66.59 0.00 100 360 PEAK 2 11400.00 37.08 54.00 -16.92 47.87 38.00 17.80 66.59 0.00 100 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 47.34 74.00 -26.66 58.13 38.00 17.80 66.59 0.00 300 360 PEAK 2 11400.00 37.19 54.00 -16.81 47.98 38.00 17.80 66.59 0.00 300 360 AVERAGE

Mode	31	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 60.04 74.00 -13.96 47.13 34.78 10.25 32.12 0.00 139 272 PEAK 2 5466.32 61.83 68.20 -6.37 48.92 34.77 10.26 32.12 0.00 139 272 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 101.70 ------ ------ 88.84 34.70 10.30 32.14 0.00 139 272 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 50.53 54.00 -3.47 37.62 34.78 10.25 32.12 0.00 139 272 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 92.88 ------ ------ 80.02 34.70 10.30 32.14 0.00 139 272 AVERAGE

Mode	31	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5762.76 54.62 68.20 -13.58 41.77 34.55 10.53 32.23 0.00 139 272 PEAK	Blank

Mode	31	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.12 59.85 74.00 -14.15 46.94 34.78 10.25 32.12 0.00 288 48 PEAK 2 5463.60 61.58 68.20 -6.62 48.67 34.77 10.26 32.12 0.00 288 48 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 103.66 ------ ------ 90.80 34.70 10.30 32.14 0.00 288 48 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.76 50.90 54.00 -3.10 37.99 34.78 10.25 32.12 0.00 288 48 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 93.75 ------ ------ 80.89 34.70 10.30 32.14 0.00 288 48 AVERAGE

Mode	31	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5758.04 53.93 68.20 -14.27 41.10 34.53 10.52 32.22 0.00 288 48 PEAK	Blank

Mode	31	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 47.89 74.00 -26.11 59.09 37.90 17.53 66.63 0.00 100 360 PEAK 2 11020.00 37.02 54.00 -16.98 48.22 37.90 17.53 66.63 0.00 100 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 49.02 74.00 -24.98 60.22 37.90 17.53 66.63 0.00 300 360 PEAK 2 11020.00 39.86 54.00 -14.14 51.06 37.90 17.53 66.63 0.00 300 360 AVERAGE

Mode	32	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11100.00 47.38 74.00 -26.62 58.51 37.90 17.59 66.62 0.00 100 360 PEAK 2 11100.00 37.02 54.00 -16.98 48.15 37.90 17.59 66.62 0.00 100 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11100.00 48.08 74.00 -25.92 59.21 37.90 17.59 66.62 0.00 300 360 PEAK 2 11100.00 39.24 54.00 -14.76 50.37 37.90 17.59 66.62 0.00 300 360 AVERAGE

Mode	33
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz
ANT	4

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5378.32 53.53 74.00 -20.47 40.81 34.60 10.18 32.06 0.00 100 273 PEAK 2 5465.84 51.51 68.20 -16.69 38.60 34.77 10.26 32.12 0.00 100 273 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 101.89 ------ ------ 89.03 34.55 10.45 32.14 0.00 100 273 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5352.24 42.27 54.00 -11.73 29.54 34.60 10.15 32.02 0.00 100 273 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 92.23 ------ ------ 79.38 34.56 10.44 32.15 0.00 100 273 AVERAGE

Mode	33	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5729.08 59.59 68.20 -8.61 46.77 34.50 10.50 32.18 0.00 100 273 PEAK	Blank

Mode	33	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5385.20 53.42 74.00 -20.58 40.70 34.60 10.19 32.07 0.00 294 77 PEAK 2 5461.36 51.81 68.20 -16.39 38.89 34.78 10.26 32.12 0.00 294 77 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 102.46 ------ ------ 89.61 34.56 10.44 32.15 0.00 294 77 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.60 42.22 54.00 -11.78 29.49 34.60 10.15 32.02 0.00 294 77 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 93.64 ------ ------ 80.79 34.56 10.44 32.15 0.00 294 77 AVERAGE

Mode	33	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5731.40 58.41 68.20 -9.79 45.59 34.50 10.50 32.18 0.00 294 77 PEAK	Blank

Mode	33	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11340.00 46.61 74.00 -27.39 57.51 37.94 17.76 66.60 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11340.00 45.84 74.00 -28.16 56.74 37.94 17.76 66.60 0.00 --- --- PEAK

Mode	34	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.60 61.44 74.00 -12.56 48.53 34.78 10.25 32.12 0.00 100 273 PEAK 2 5464.40 62.53 68.20 -5.67 49.62 34.77 10.26 32.12 0.00 100 273 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 99.27 ------ ------ 86.41 34.70 10.31 32.15 0.00 100 273 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.60 49.59 54.00 -4.41 36.68 34.78 10.25 32.12 0.00 100 273 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 89.66 ------ ------ 76.79 34.70 10.32 32.15 0.00 100 273 AVERAGE

Mode	34	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5735.80 54.45 68.20 -13.75 41.64 34.50 10.50 32.19 0.00 100 273 PEAK	Blank

Mode	34	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5454.16 60.18 74.00 -13.82 47.26 34.79 10.25 32.12 0.00 307 67 PEAK 2 5467.76 60.75 68.20 -7.45 47.85 34.76 10.26 32.12 0.00 307 67 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 99.04 ------ ------ 86.17 34.70 10.32 32.15 0.00 307 67 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.44 49.94 54.00 -4.06 37.03 34.78 10.25 32.12 0.00 307 67 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 90.67 ------ ------ 77.81 34.70 10.31 32.15 0.00 307 67 AVERAGE

Mode	34	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5763.16 54.60 68.20 -13.60 41.75 34.55 10.53 32.23 0.00 307 67 PEAK	Blank

Mode	34	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11060.00 46.91 74.00 -27.09 58.07 37.90 17.56 66.62 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11060.00 48.42 74.00 -25.58 59.58 37.90 17.56 66.62 0.00 300 360 PEAK 2 11060.00 39.11 54.00 -14.89 50.27 37.90 17.56 66.62 0.00 300 360 AVERAGE

Mode	35	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.20 55.54 74.00 -18.46 42.62 34.79 10.25 32.12 0.00 102 274 PEAK 2 5468.40 56.93 68.20 -11.27 44.03 34.76 10.26 32.12 0.00 102 274 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 99.88 ------ ------ 87.06 34.60 10.39 32.17 0.00 102 274 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.96 45.51 54.00 -8.49 32.60 34.78 10.25 32.12 0.00 102 274 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 90.57 ------ ------ 77.75 34.60 10.39 32.17 0.00 102 274 AVERAGE

Mode	35	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5756.68 56.03 68.20 -12.17 43.20 34.53 10.52 32.22 0.00 102 274 PEAK	Blank

Mode	35	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.28 55.67 74.00 -18.33 42.76 34.78 10.25 32.12 0.00 300 55 PEAK 2 5468.24 57.63 68.20 -10.57 44.73 34.76 10.26 32.12 0.00 300 55 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 101.37 ------ ------ 88.55 34.60 10.39 32.17 0.00 300 55 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 46.12 54.00 -7.88 33.21 34.78 10.25 32.12 0.00 300 55 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 92.79 ------ ------ 79.98 34.60 10.39 32.18 0.00 300 55 AVERAGE

Mode	35	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.04 56.70 68.20 -11.50 43.88 34.50 10.49 32.17 0.00 300 55 PEAK	Blank

Mode	35	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11220.00 46.56 74.00 -27.44 57.60 37.90 17.67 66.61 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11220.00 46.31 74.00 -27.69 57.35 37.90 17.67 66.61 0.00 --- --- PEAK

Mode	36	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_26/0RU _5500MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5379.44 49.65 74.00 -24.35 39.51 34.60 11.99 36.45 0.00 100 320 PEAK 2 5462.16 49.36 68.20 -18.84 39.05 34.65 12.10 36.44 0.00 100 320 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 101.74 ------ ------ 91.54 34.52 12.15 36.47 0.00 100 320 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.24 39.26 54.00 -14.74 28.93 34.68 12.09 36.44 0.00 100 320 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 94.80 ------ ------ 84.60 34.52 12.15 36.47 0.00 100 320 AVERAGE

Mode	36	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_26/0RU _5500MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5448.40 51.31 74.00 -22.69 40.96 34.70 12.08 36.43 0.00 309 61 PEAK 2 5463.76 50.11 68.20 -18.09 39.80 34.64 12.11 36.44 0.00 309 61 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 104.74 ------ ------ 94.54 34.52 12.15 36.47 0.00 309 61 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5452.72 39.50 54.00 -14.50 29.16 34.69 12.09 36.44 0.00 309 61 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 97.94 ------ ------ 87.74 34.52 12.15 36.47 0.00 309 61 AVERAGE

Mode	37	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_26/8RU _5700MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5746.52 51.19 68.20 -17.01 40.49 34.69 12.44 36.43 0.00 100 107 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 101.01 ------ ------ 90.35 34.62 12.41 36.37 0.00 100 107 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 93.83 ------ ------ 83.17 34.62 12.41 36.37 0.00 100 107 AVERAGE

Mode	37	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_26/8RU _5700MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5759.16 51.60 68.20 -16.60 40.86 34.75 12.45 36.46 0.00 372 53 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 104.76 ------ ------ 94.10 34.62 12.41 36.37 0.00 372 53 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 96.94 ------ ------ 86.28 34.62 12.41 36.37 0.00 372 53 AVERAGE

Mode	38	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_52/37RU _5500MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5433.04 51.11 74.00 -22.89 40.80 34.67 12.06 36.42 0.00 100 321 PEAK 2 5468.40 50.90 68.20 -17.30 40.61 34.63 12.11 36.45 0.00 100 321 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 105.15 ------ ------ 94.95 34.52 12.15 36.47 0.00 100 321 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.76 39.56 54.00 -14.44 29.24 34.66 12.10 36.44 0.00 100 321 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 94.96 ------ ------ 84.76 34.52 12.15 36.47 0.00 100 321 AVERAGE

Mode	38	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_52/37RU _5500MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5455.76 50.77 74.00 -23.23 40.44 34.68 12.09 36.44 0.00 343 60 PEAK 2 5468.88 50.58 68.20 -17.62 40.30 34.62 12.11 36.45 0.00 343 60 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 108.51 ------ ------ 98.31 34.52 12.15 36.47 0.00 343 60 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.60 40.02 54.00 -13.98 29.70 34.66 12.10 36.44 0.00 343 60 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 98.17 ------ ------ 87.97 34.52 12.15 36.47 0.00 343 60 AVERAGE

Mode	39	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_52/40RU _5700MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.88 54.82 68.20 -13.38 44.15 34.65 12.42 36.40 0.00 100 111 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 103.32 ------ ------ 92.66 34.62 12.41 36.37 0.00 100 111 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 95.08 ------ ------ 84.42 34.62 12.41 36.37 0.00 100 111 AVERAGE

Mode	39	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_52/40RU _5700MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5731.16 56.87 68.20 -11.33 46.19 34.66 12.43 36.41 0.00 305 54 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 106.17 ------ ------ 95.51 34.62 12.41 36.37 0.00 305 54 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 97.44 ------ ------ 86.78 34.62 12.41 36.37 0.00 305 54 AVERAGE

Mode	40	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_106/53RU _5500MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5378.32 50.58 74.00 -23.42 40.44 34.60 11.99 36.45 0.00 341 360 PEAK 2 5469.20 51.60 68.20 -16.60 41.32 34.62 12.11 36.45 0.00 341 360 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 101.76 ------ ------ 91.56 34.52 12.15 36.47 0.00 341 360 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 39.29 54.00 -14.71 28.97 34.66 12.10 36.44 0.00 341 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 92.52 ------ ------ 82.32 34.52 12.15 36.47 0.00 341 360 AVERAGE

Mode	40	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_106/53RU _5500MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5436.24 50.71 74.00 -23.29 40.41 34.67 12.06 36.43 0.00 309 53 PEAK 2 5465.36 57.17 68.20 -11.03 46.87 34.64 12.11 36.45 0.00 309 53 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 105.06 ------ ------ 94.87 34.50 12.16 36.47 0.00 309 53 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.60 39.64 54.00 -14.36 29.32 34.66 12.10 36.44 0.00 309 53 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 95.66 ------ ------ 85.46 34.52 12.15 36.47 0.00 309 53 AVERAGE

Mode	41	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_106/54RU _5700MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5730.84 60.99 68.20 -7.21 50.31 34.66 12.43 36.41 0.00 100 109 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 100.12 ------ ------ 89.46 34.62 12.41 36.37 0.00 100 109 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 90.49 ------ ------ 79.83 34.62 12.41 36.37 0.00 100 109 AVERAGE

Mode	41	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_106/54RU _5700MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.28 61.26 68.20 -6.94 50.59 34.65 12.42 36.40 0.00 305 54 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 103.02 ------ ------ 92.37 34.61 12.40 36.36 0.00 305 54 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 94.10 ------ ------ 83.45 34.61 12.40 36.36 0.00 305 54 AVERAGE

Mode	42	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 47.73 74.00 -26.27 58.45 38.04 17.83 66.59 0.00 100 360 PEAK 2 11440.00 37.38 54.00 -16.62 48.10 38.04 17.83 66.59 0.00 100 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 46.39 74.00 -27.61 57.11 38.04 17.83 66.59 0.00 --- --- PEAK

Mode	43	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 47.86 74.00 -26.14 58.58 38.04 17.83 66.59 0.00 100 360 PEAK 2 11440.00 37.43 54.00 -16.57 48.15 38.04 17.83 66.59 0.00 100 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 47.24 74.00 -26.76 57.96 38.04 17.83 66.59 0.00 300 360 PEAK 2 11440.00 37.27 54.00 -16.73 47.99 38.04 17.83 66.59 0.00 300 360 AVERAGE

Mode	44	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11420.00 46.09 74.00 -27.91 56.85 38.02 17.81 66.59 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11420.00 46.67 74.00 -27.33 57.43 38.02 17.81 66.59 0.00 --- --- PEAK

Mode	45	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11380.00 45.90 74.00 -28.10 56.72 37.98 17.79 66.59 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11380.00 45.57 74.00 -28.43 56.39 37.98 17.79 66.59 0.00 --- --- PEAK

Mode	47	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.40 51.99 68.20 -16.21 41.44 34.50 12.32 36.27 0.00 100 107 PEAK 2 5650.00 47.19 68.20 -21.01 36.65 34.50 12.35 36.31 0.00 100 107 PEAK 3 5718.80 66.75 110.56 -43.81 56.07 34.64 12.42 36.38 0.00 100 107 PEAK 4 5720.80 69.80 112.72 -42.92 59.13 34.64 12.42 36.39 0.00 100 107 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 105.03 ------ ------ 94.33 34.69 12.44 36.43 0.00 100 107 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 97.99 ------ ------ 87.29 34.69 12.44 36.43 0.00 100 107 AVERAGE

Mode	47	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5636.80 51.60 68.20 -16.60 41.05 34.50 12.34 36.29 0.00 270 51 PEAK 2 5650.40 49.96 68.50 -18.54 39.41 34.50 12.36 36.31 0.00 270 51 PEAK 3 5718.00 71.88 110.34 -38.46 61.20 34.64 12.42 36.38 0.00 270 51 PEAK 4 5720.00 69.78 110.90 -41.12 59.11 34.64 12.42 36.39 0.00 270 51 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 107.61 ------ ------ 96.91 34.69 12.44 36.43 0.00 270 51 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 99.75 ------ ------ 89.05 34.69 12.44 36.43 0.00 270 51 AVERAGE

Mode	47	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 47.05 74.00 -26.95 57.68 38.09 17.86 66.58 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 46.71 74.00 -27.29 57.34 38.09 17.86 66.58 0.00 --- --- PEAK

Mode	48	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 47.12 74.00 -26.88 57.56 38.17 17.92 66.53 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 47.79 74.00 -26.21 58.23 38.17 17.92 66.53 0.00 --- --- PEAK

Mode	49	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5853.60 69.15 114.09 -44.94 58.11 35.11 12.56 36.63 0.00 100 109 PEAK 2 5855.60 69.05 110.73 -41.68 57.99 35.12 12.57 36.63 0.00 100 109 PEAK 3 5924.40 50.50 68.64 -18.14 39.36 35.30 12.66 36.82 0.00 100 109 PEAK 4 5998.80 51.44 68.20 -16.76 40.53 35.30 12.76 37.15 0.00 100 109 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 105.93 ------ ------ 94.92 35.06 12.53 36.58 0.00 100 109 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 99.47 ------ ------ 88.47 35.05 12.52 36.57 0.00 100 109 AVERAGE

Mode	49	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.00 69.53 113.18 -43.65 58.48 35.12 12.56 36.63 0.00 322 55 PEAK 2 5855.20 68.25 110.84 -42.59 57.20 35.12 12.56 36.63 0.00 322 55 PEAK 3 5924.40 48.89 68.64 -19.75 37.75 35.30 12.66 36.82 0.00 322 55 PEAK 4 5972.00 51.61 68.20 -16.59 40.62 35.30 12.72 37.03 0.00 322 55 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 107.58 ------ ------ 96.58 35.05 12.52 36.57 0.00 322 55 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 101.10 ------ ------ 90.10 35.05 12.52 36.57 0.00 322 55 AVERAGE

Mode	49	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 46.23 74.00 -27.77 56.42 38.30 17.98 66.47 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 46.78 74.00 -27.22 56.97 38.30 17.98 66.47 0.00 --- --- PEAK

Mode	50	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5648.40 50.92 68.20 -17.28 40.37 34.50 12.35 36.30 0.00 100 110 PEAK 2 5650.80 49.64 68.80 -19.16 39.09 34.50 12.36 36.31 0.00 100 110 PEAK 3 5710.80 73.82 108.33 -34.51 63.16 34.62 12.41 36.37 0.00 100 110 PEAK 4 5720.00 73.11 110.90 -37.79 62.44 34.64 12.42 36.39 0.00 100 110 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 108.13 ------ ------ 97.43 34.69 12.44 36.43 0.00 100 110 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 97.82 ------ ------ 87.12 34.69 12.44 36.43 0.00 100 110 AVERAGE

Mode	50	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5639.60 51.26 68.20 -16.94 40.71 34.50 12.35 36.30 0.00 270 51 PEAK 2 5650.80 50.27 68.80 -18.53 39.72 34.50 12.36 36.31 0.00 270 51 PEAK 3 5713.20 75.40 109.00 -33.60 64.73 34.63 12.41 36.37 0.00 270 51 PEAK 4 5720.00 74.71 110.90 -36.19 64.04 34.64 12.42 36.39 0.00 270 51 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 109.47 ------ ------ 98.77 34.69 12.44 36.43 0.00 270 51 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 98.97 ------ ------ 88.27 34.69 12.44 36.43 0.00 270 51 AVERAGE

Mode	50	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 46.77 74.00 -27.23 57.40 38.09 17.86 66.58 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 47.93 74.00 -26.07 58.56 38.09 17.86 66.58 0.00 --- --- PEAK

Mode	51	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 47.36 74.00 -26.64 57.80 38.17 17.92 66.53 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 49.72 74.00 -24.28 60.16 38.17 17.92 66.53 0.00 150 360 PEAK 2 11570.00 39.23 54.00 -14.77 49.67 38.17 17.92 66.53 0.00 150 360 AVERAGE

Mode	52	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 68.67 111.36 -42.69 57.62 35.12 12.56 36.63 0.00 100 106 PEAK 2 5855.20 71.58 110.84 -39.26 60.53 35.12 12.56 36.63 0.00 100 106 PEAK 3 5922.80 51.50 69.83 -18.33 40.35 35.30 12.66 36.81 0.00 100 106 PEAK 4 5960.80 52.75 68.20 -15.45 41.72 35.30 12.71 36.98 0.00 100 106 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 106.69 ------ ------ 95.69 35.05 12.52 36.57 0.00 100 106 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 98.55 ------ ------ 87.55 35.05 12.52 36.57 0.00 100 106 AVERAGE

Mode	52	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5852.80 76.77 115.92 -39.15 65.73 35.11 12.56 36.63 0.00 322 54 PEAK 2 5856.80 73.36 110.40 -37.04 62.29 35.13 12.57 36.63 0.00 322 54 PEAK 3 5923.20 51.26 69.53 -18.27 40.11 35.30 12.66 36.81 0.00 322 54 PEAK 4 5970.80 52.48 68.20 -15.72 41.49 35.30 12.72 37.03 0.00 322 54 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 107.88 ------ ------ 96.88 35.05 12.52 36.57 0.00 322 54 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 100.19 ------ ------ 89.19 35.05 12.52 36.57 0.00 322 54 AVERAGE

Mode	52	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 46.90 74.00 -27.10 57.09 38.30 17.98 66.47 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 48.81 74.00 -25.19 59.00 38.30 17.98 66.47 0.00 100 360 PEAK 2 11650.00 38.31 54.00 -15.69 48.51 38.30 17.97 66.47 0.00 100 360 AVERAGE

Mode	53	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5645.73 52.73 68.20 -15.47 42.18 34.50 12.35 36.30 0.00 100 112 PEAK 2 5652.55 52.70 70.10 -17.40 42.14 34.51 12.36 36.31 0.00 100 112 PEAK 3 5705.25 68.78 106.77 -37.99 58.13 34.61 12.40 36.36 0.00 100 112 PEAK 4 5721.06 71.69 113.31 -41.62 61.02 34.64 12.42 36.39 0.00 100 112 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 103.24 ------ ------ 92.49 34.75 12.45 36.45 0.00 100 112 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 94.15 ------ ------ 83.40 34.75 12.45 36.45 0.00 100 112 AVERAGE

Mode	53	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.45 53.34 112.15 -58.81 42.29 35.12 12.56 36.63 0.00 100 112 PEAK 2 5873.76 52.37 105.65 -53.28 41.24 35.20 12.59 36.66 0.00 100 112 PEAK 3 5923.48 51.09 69.32 -18.23 39.95 35.30 12.66 36.82 0.00 100 112 PEAK 4 5942.20 51.87 68.20 -16.33 40.79 35.30 12.68 36.90 0.00 100 112 PEAK	Blank

Mode	53	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5643.56 56.15 68.20 -12.05 45.60 34.50 12.35 36.30 0.00 304 55 PEAK 2 5657.51 61.40 73.79 -12.39 50.83 34.52 12.36 36.31 0.00 304 55 PEAK 3 5713.93 74.13 109.20 -35.07 63.47 34.63 12.41 36.38 0.00 304 55 PEAK 4 5720.75 72.34 112.60 -40.26 61.67 34.64 12.42 36.39 0.00 304 55 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 105.07 ------ ------ 94.32 34.75 12.45 36.45 0.00 304 55 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 96.55 ------ ------ 85.83 34.71 12.45 36.44 0.00 304 55 AVERAGE

Mode	53	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.84 52.24 111.26 -59.02 41.19 35.12 12.56 36.63 0.00 304 55 PEAK 2 5873.37 52.64 105.76 -53.12 41.52 35.19 12.59 36.66 0.00 304 55 PEAK 3 5924.65 50.83 68.46 -17.63 39.69 35.30 12.66 36.82 0.00 304 55 PEAK 4 5929.72 51.33 68.20 -16.87 40.20 35.30 12.67 36.84 0.00 304 55 PEAK	Blank

Mode	53	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11510.00 46.23 74.00 -27.77 56.81 38.11 17.88 66.57 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11510.00 47.70 74.00 -26.30 58.28 38.11 17.88 66.57 0.00 --- --- PEAK

Mode	54	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5628.80 50.92 68.20 -17.28 40.37 34.50 12.34 36.29 0.00 100 110 PEAK 2 5651.60 50.31 69.39 -19.08 39.76 34.50 12.36 36.31 0.00 100 110 PEAK 3 5707.20 56.11 107.32 -51.21 45.45 34.61 12.41 36.36 0.00 100 110 PEAK 4 5720.00 58.12 110.90 -52.78 47.45 34.64 12.42 36.39 0.00 100 110 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 102.35 ------ ------ 91.39 35.00 12.49 36.53 0.00 100 110 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 93.87 ------ ------ 82.95 34.96 12.48 36.52 0.00 100 110 AVERAGE

Mode	54	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 61.35 111.36 -50.01 50.30 35.12 12.56 36.63 0.00 100 110 PEAK 2 5861.20 62.31 109.16 -46.85 51.24 35.14 12.57 36.64 0.00 100 110 PEAK 3 5924.80 50.45 68.35 -17.90 39.31 35.30 12.66 36.82 0.00 100 110 PEAK 4 5942.40 53.19 68.20 -15.01 42.11 35.30 12.68 36.90 0.00 100 110 PEAK	Blank

Mode	54	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5643.20 52.34 68.20 -15.86 41.79 34.50 12.35 36.30 0.00 285 59 PEAK 2 5652.40 50.50 69.99 -19.49 39.95 34.50 12.36 36.31 0.00 285 59 PEAK 3 5718.00 65.64 110.34 -44.70 54.96 34.64 12.42 36.38 0.00 285 59 PEAK 4 5720.00 61.08 110.90 -49.82 50.41 34.64 12.42 36.39 0.00 285 59 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 104.39 ------ ------ 93.43 35.00 12.49 36.53 0.00 285 59 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 95.73 ------ ------ 84.81 34.96 12.48 36.52 0.00 285 59 AVERAGE

Mode	54	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 62.37 111.36 -48.99 51.32 35.12 12.56 36.63 0.00 285 59 PEAK 2 5861.20 64.44 109.16 -44.72 53.37 35.14 12.57 36.64 0.00 285 59 PEAK 3 5924.40 50.93 68.64 -17.71 39.79 35.30 12.66 36.82 0.00 285 59 PEAK 4 5947.20 52.26 68.20 -15.94 41.19 35.30 12.69 36.92 0.00 285 59 PEAK	Blank

Mode	54	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11590.00 46.27 74.00 -27.73 56.67 38.19 17.93 66.52 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11590.00 47.60 74.00 -26.40 58.00 38.19 17.93 66.52 0.00 --- --- PEAK

Mode	55	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5648.40 61.60 68.20 -6.60 51.05 34.50 12.35 36.30 0.00 314 7 PEAK 2 5652.00 59.03 69.69 -10.66 48.48 34.50 12.36 36.31 0.00 314 7 PEAK 3 5701.60 63.66 105.75 -42.09 53.01 34.60 12.40 36.35 0.00 314 7 PEAK 4 5721.20 63.59 113.64 -50.05 52.92 34.64 12.42 36.39 0.00 314 7 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 100.70 ------ ------ 89.90 34.82 12.46 36.48 0.00 314 7 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 91.31 ------ ------ 80.47 34.86 12.47 36.49 0.00 314 7 AVERAGE

Mode	55	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.40 61.16 112.27 -51.11 50.11 35.12 12.56 36.63 0.00 314 7 PEAK 2 5873.60 60.25 105.69 -45.44 49.13 35.19 12.59 36.66 0.00 314 7 PEAK 3 5922.00 57.62 70.42 -12.80 46.48 35.30 12.65 36.81 0.00 314 7 PEAK 4 5938.40 53.66 68.20 -14.54 42.56 35.30 12.68 36.88 0.00 314 7 PEAK	Blank

Mode	55	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5632.00 64.41 68.20 -3.79 53.86 34.50 12.34 36.29 0.00 350 56 PEAK 2 5650.00 63.88 68.20 -4.32 53.34 34.50 12.35 36.31 0.00 350 56 PEAK 3 5701.60 68.06 105.75 -37.69 57.41 34.60 12.40 36.35 0.00 350 56 PEAK 4 5720.00 66.87 110.90 -44.03 56.20 34.64 12.42 36.39 0.00 350 56 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 101.76 ------ ------ 90.96 34.82 12.46 36.48 0.00 350 56 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 93.49 ------ ------ 82.65 34.86 12.47 36.49 0.00 350 56 AVERAGE

Mode	55	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 61.92 111.36 -49.44 50.87 35.12 12.56 36.63 0.00 350 56 PEAK 2 5873.60 64.36 105.69 -41.33 53.24 35.19 12.59 36.66 0.00 350 56 PEAK 3 5923.60 55.36 69.23 -13.87 44.22 35.30 12.66 36.82 0.00 350 56 PEAK 4 5925.60 55.46 68.20 -12.74 44.33 35.30 12.66 36.83 0.00 350 56 PEAK	Blank

Mode	55	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11550.00 46.71 74.00 -27.29 57.19 38.15 17.91 66.54 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11550.00 46.51 74.00 -27.49 56.99 38.15 17.91 66.54 0.00 --- --- PEAK

Mode	55	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg		

Mode	55
	30-1G
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz
ANT	4

Pol.	Horizontal	Vertical
Peak		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	34.37	20.83	40.00	-19.17	30.12	22.89	0.60	32.78	0.00	---	---	Peak
2	100.33	16.77	43.50	-26.73	32.31	16.06	1.05	32.65	0.00	---	---	Peak
3	134.28	21.97	43.50	-21.53	35.97	17.53	1.16	32.69	0.00	---	---	Peak
4	322.70	18.72	46.00	-27.28	30.06	19.60	1.90	32.84	0.00	---	---	Peak
5	601.33	24.71	46.00	-21.29	29.63	25.83	2.56	33.31	0.00	---	---	Peak
6	720.16	29.34	46.00	-16.66	32.79	26.97	2.81	33.23	0.00	---	---	Peak

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	53.04	30.75	40.00	-9.25	49.65	13.23	0.60	32.73	0.00	---	---	Peak
2	91.35	24.68	43.50	-18.82	41.45	14.92	1.00	32.69	0.00	---	---	Peak
3	149.31	25.64	43.50	-17.86	40.06	17.03	1.26	32.71	0.00	---	---	Peak
4	203.63	22.36	43.50	-21.14	38.49	15.12	1.52	32.77	0.00	---	---	Peak
5	420.91	20.65	46.00	-25.35	29.11	22.40	2.18	33.04	0.00	---	---	Peak
6	726.70	26.49	46.00	-19.51	29.56	27.34	2.81	33.22	0.00	---	---	Peak

Mode	56	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_26/0RU _5745MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5626.80 52.04 68.20 -16.16 41.49 34.50 12.33 36.28 0.00 100 112 PEAK 2 5650.40 47.93 68.50 -20.57 37.38 34.50 12.36 36.31 0.00 100 112 PEAK 3 5702.00 49.67 105.86 -56.19 39.02 34.60 12.40 36.35 0.00 100 112 PEAK 4 5720.40 48.24 111.81 -63.57 37.57 34.64 12.42 36.39 0.00 100 112 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 104.58 ------ ------ 93.89 34.67 12.43 36.41 0.00 100 112 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 95.91 ------ ------ 85.22 34.67 12.43 36.41 0.00 100 112 AVERAGE

Mode	56	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_26/0RU _5745MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5608.80 50.11 68.20 -18.09 39.56 34.50 12.32 36.27 0.00 300 51 PEAK 2 5651.20 48.20 69.09 -20.89 37.65 34.50 12.36 36.31 0.00 300 51 PEAK 3 5700.40 49.17 105.41 -56.24 38.52 34.60 12.40 36.35 0.00 300 51 PEAK 4 5720.40 51.24 111.81 -60.57 40.57 34.64 12.42 36.39 0.00 300 51 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 104.71 ------ ------ 94.02 34.67 12.43 36.41 0.00 300 51 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 96.40 ------ ------ 85.71 34.67 12.43 36.41 0.00 300 51 AVERAGE

Mode	57	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_26/8RU _5825MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 48.40 111.36 -62.96 37.35 35.12 12.56 36.63 0.00 100 108 PEAK 2 5874.00 51.09 105.58 -54.49 39.96 35.20 12.59 36.66 0.00 100 108 PEAK 3 5924.80 49.59 68.35 -18.76 38.45 35.30 12.66 36.82 0.00 100 108 PEAK 4 5939.20 52.24 68.20 -15.96 41.15 35.30 12.68 36.89 0.00 100 108 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 105.12 ------ ------ 94.10 35.07 12.54 36.59 0.00 100 108 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 95.80 ------ ------ 84.78 35.07 12.54 36.59 0.00 100 108 AVERAGE

Mode	57	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_26/8RU _5825MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 50.20 111.36 -61.16 39.15 35.12 12.56 36.63 0.00 308 53 PEAK 2 5874.80 50.12 105.36 -55.24 38.99 35.20 12.59 36.66 0.00 308 53 PEAK 3 5922.40 51.54 70.12 -18.58 40.39 35.30 12.66 36.81 0.00 308 53 PEAK 4 5957.20 51.25 68.20 -16.95 40.22 35.30 12.70 36.97 0.00 308 53 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 106.39 ------ ------ 95.37 35.07 12.54 36.59 0.00 308 53 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 97.16 ------ ------ 86.14 35.07 12.54 36.59 0.00 308 53 AVERAGE

Mode	58	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_52/37RU _5745MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5614.40 50.07 68.20 -18.13 39.52 34.50 12.32 36.27 0.00 100 108 PEAK 2 5651.20 49.13 69.09 -19.96 38.58 34.50 12.36 36.31 0.00 100 108 PEAK 3 5700.40 48.85 105.41 -56.56 38.20 34.60 12.40 36.35 0.00 100 108 PEAK 4 5720.40 49.53 111.81 -62.28 38.86 34.64 12.42 36.39 0.00 100 108 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 103.71 ------ ------ 93.02 34.67 12.43 36.41 0.00 100 108 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 94.60 ------ ------ 83.90 34.68 12.44 36.42 0.00 100 108 AVERAGE

Mode	58	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_52/37RU _5745MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5624.40 50.92 68.20 -17.28 40.37 34.50 12.33 36.28 0.00 385 51 PEAK 2 5650.00 47.72 68.20 -20.48 37.18 34.50 12.35 36.31 0.00 385 51 PEAK 3 5702.00 49.55 105.86 -56.31 38.90 34.60 12.40 36.35 0.00 385 51 PEAK 4 5720.00 48.45 110.90 -62.45 37.78 34.64 12.42 36.39 0.00 385 51 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 106.70 ------ ------ 96.00 34.68 12.44 36.42 0.00 385 51 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 97.07 ------ ------ 86.37 34.68 12.44 36.42 0.00 385 51 AVERAGE