

Mode

97

Harmonic

U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz

ANT

6

Pol.

Horizontal

Vertical

Peak

Avg

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

7000

9200

11400

13600

15800

18000

U-NII-1-U-NII-2A-U-NII-2C

U-NII-1-U-NII-2A-U-NII-2C(AVG)

Frequency (MHz)

	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 11220.00	43.40	74.00	-30.60	54.44	37.90	17.67	66.61	0.00	---	PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

7000

9200

11400

13600

15800

18000





U-NII-1-U-NII-2A-U-NII-2C

U-NII-1-U-NII-2A-U-NII-2C(AVG)





Frequency (MHz)

	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 11220.00	42.80	74.00	-31.20	53.84	37.90	17.67	66.61	0.00	---	PEAK






	98																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_26/0RU_5500MHz																																																																																																															
ANT	6																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5372.00</td><td>50.85</td><td>74.00</td><td>-23.15</td><td>40.73</td><td>34.60</td><td>11.99</td><td>36.47</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>2</td><td>5461.36</td><td>48.77</td><td>68.20</td><td>-19.43</td><td>38.46</td><td>34.65</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.00	50.85	74.00	-23.15	40.73	34.60	11.99	36.47	0.00	100	116 PEAK	2	5461.36	48.77	68.20	-19.43	38.46	34.65	12.10	36.44	0.00	100	116 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.01</td><td>-----</td><td>-----</td><td>94.81</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.01	-----	-----	94.81	34.52	12.15	36.47	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5372.00	50.85	74.00	-23.15	40.73	34.60	11.99	36.47	0.00	100	116 PEAK																																																																																																					
2	5461.36	48.77	68.20	-19.43	38.46	34.65	12.10	36.44	0.00	100	116 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	105.01	-----	-----	94.81	34.52	12.15	36.47	0.00	100	116 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.44</td><td>39.19</td><td>54.00</td><td>-14.81</td><td>28.87</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	39.19	54.00	-14.81	28.87	34.66	12.10	36.44	0.00	100	116 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>95.76</td><td>-----</td><td>-----</td><td>85.56</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.76	-----	-----	85.56	34.52	12.15	36.47	0.00	100	116 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.44	39.19	54.00	-14.81	28.87	34.66	12.10	36.44	0.00	100	116 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	95.76	-----	-----	85.56	34.52	12.15	36.47	0.00	100	116 AVERAGE																																																																																																					






Mode	98																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_26/0RU_5500MHz																																																																			
ANT	6																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.40</td><td>50.07</td><td>74.00</td><td>-23.93</td><td>39.73</td><td>34.69</td><td>12.08</td><td>36.43</td><td>0.00</td><td>100</td><td>87 PEAK</td></tr><tr><td>2</td><td>5465.52</td><td>49.21</td><td>68.20</td><td>-18.99</td><td>38.91</td><td>34.64</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>87 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.40	50.07	74.00	-23.93	39.73	34.69	12.08	36.43	0.00	100	87 PEAK	2	5465.52	49.21	68.20	-18.99	38.91	34.64	12.11	36.45	0.00	100	87 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5444.40	50.07	74.00	-23.93	39.73	34.69	12.08	36.43	0.00	100	87 PEAK																																																									
2	5465.52	49.21	68.20	-18.99	38.91	34.64	12.11	36.45	0.00	100	87 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.28</td><td>38.95</td><td>54.00</td><td>-15.05</td><td>28.62</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>87 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.28	38.95	54.00	-15.05	28.62	34.68	12.09	36.44	0.00	100	87 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5455.28	38.95	54.00	-15.05	28.62	34.68	12.09	36.44	0.00	100	87 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>90.70</td><td>-----</td><td>-----</td><td>88.50</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>87 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	90.70	-----	-----	88.50	34.52	12.15	36.47	0.00	100	87 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	90.70	-----	-----	88.50	34.52	12.15	36.47	0.00	100	87 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>90.86</td><td>-----</td><td>-----</td><td>88.66</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>87 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	90.86	-----	-----	88.66	34.52	12.15	36.47	0.00	100	87 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	90.86	-----	-----	88.66	34.52	12.15	36.47	0.00	100	87 AVERAGE																																																									







Mode	99																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_26/8RU_5700MHz																																																																																																				
ANT	6																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.72</td><td>53.68</td><td>68.20</td><td>-14.52</td><td>43.00</td><td>34.66</td><td>12.42</td><td>36.40</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.72	53.68	68.20	-14.52	43.00	34.66	12.42	36.40	0.00	100	117 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.63</td><td>-----</td><td>-----</td><td>99.97</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.63	-----	-----	99.97	34.62	12.41	36.37	0.00	100	117 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5727.72	53.68	68.20	-14.52	43.00	34.66	12.42	36.40	0.00	100	117 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	110.63	-----	-----	99.97	34.62	12.41	36.37	0.00	100	117 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.93</td><td>-----</td><td>-----</td><td>91.27</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>117 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.93	-----	-----	91.27	34.62	12.41	36.37	0.00	100	117 AVERAGE																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	101.93	-----	-----	91.27	34.62	12.41	36.37	0.00	100	117 AVERAGE																																																																																										







Mode	99																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_26/8RU_5700MHz																																																																																																			
ANT	6																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5743.88</td><td>52.28</td><td>68.20</td><td>-15.92</td><td>41.58</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.88	52.28	68.20	-15.92	41.58	34.69	12.44	36.43	0.00	100	81 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.67</td><td>-----</td><td>-----</td><td>94.01</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.67	-----	-----	94.01	34.62	12.41	36.37	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5743.88	52.28	68.20	-15.92	41.58	34.69	12.44	36.43	0.00	100	81 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	104.67	-----	-----	94.01	34.62	12.41	36.37	0.00	100	81 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.32</td><td>-----</td><td>-----</td><td>87.66</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>81 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.32	-----	-----	87.66	34.62	12.41	36.37	0.00	100	81 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	98.32	-----	-----	87.66	34.62	12.41	36.37	0.00	100	81 AVERAGE																																																																																									






Mode	100																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_52/37RU_5500MHz																																																																			
ANT	6																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.64</td><td>50.85</td><td>74.00</td><td>-23.15</td><td>40.52</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr><tr><td>2</td><td>5460.24</td><td>52.44</td><td>68.20</td><td>-15.76</td><td>42.12</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	50.85	74.00	-23.15	40.52	34.67	12.10	36.44	0.00	100	119 PEAK	2	5460.24	52.44	68.20	-15.76	42.12	34.66	12.10	36.44	0.00	100	119 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.64	50.85	74.00	-23.15	40.52	34.67	12.10	36.44	0.00	100	119 PEAK																																																									
2	5460.24	52.44	68.20	-15.76	42.12	34.66	12.10	36.44	0.00	100	119 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>40.35</td><td>54.00</td><td>-13.65</td><td>30.03</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>119 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	40.35	54.00	-13.65	30.03	34.66	12.10	36.44	0.00	100	119 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.92	40.35	54.00	-13.65	30.03	34.66	12.10	36.44	0.00	100	119 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.76</td><td>-----</td><td>-----</td><td>97.56</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.76	-----	-----	97.56	34.52	12.15	36.47	0.00	100	119 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	107.76	-----	-----	97.56	34.52	12.15	36.47	0.00	100	119 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>98.88</td><td>-----</td><td>-----</td><td>88.68</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>119 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.88	-----	-----	88.68	34.52	12.15	36.47	0.00	100	119 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	98.88	-----	-----	88.68	34.52	12.15	36.47	0.00	100	119 AVERAGE																																																									






Mode	100																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_52/37RU_5500MHz																																																																			
ANT	6																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5422.64</td><td>50.04</td><td>74.00</td><td>-23.96</td><td>39.77</td><td>34.65</td><td>12.04</td><td>36.42</td><td>0.00</td><td>100</td><td>87 PEAK</td></tr><tr><td>2</td><td>5466.32</td><td>50.27</td><td>68.20</td><td>-17.93</td><td>39.98</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>87 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.64	50.04	74.00	-23.96	39.77	34.65	12.04	36.42	0.00	100	87 PEAK	2	5466.32	50.27	68.20	-17.93	39.98	34.63	12.11	36.45	0.00	100	87 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5422.64	50.04	74.00	-23.96	39.77	34.65	12.04	36.42	0.00	100	87 PEAK																																																									
2	5466.32	50.27	68.20	-17.93	39.98	34.63	12.11	36.45	0.00	100	87 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.73</td><td>-----</td><td>-----</td><td>92.53</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>87 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.73	-----	-----	92.53	34.52	12.15	36.47	0.00	100	87 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	102.73	-----	-----	92.53	34.52	12.15	36.47	0.00	100	87 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.16</td><td>39.32</td><td>54.00</td><td>-14.68</td><td>28.99</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>87 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	39.32	54.00	-14.68	28.99	34.67	12.10	36.44	0.00	100	87 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.16	39.32	54.00	-14.68	28.99	34.67	12.10	36.44	0.00	100	87 AVERAGE																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>93.53</td><td>-----</td><td>-----</td><td>83.33</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>87 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	93.53	-----	-----	83.33	34.52	12.15	36.47	0.00	100	87 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	93.53	-----	-----	83.33	34.52	12.15	36.47	0.00	100	87 AVERAGE																																																									







Mode	101																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_52/40RU_5700MHz																																																																																																				
ANT	6																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.72</td><td>52.37</td><td>68.20</td><td>-15.83</td><td>41.70</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.72	52.37	68.20	-15.83	41.70	34.65	12.42	36.40	0.00	100	117 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.57</td><td>-----</td><td>-----</td><td>96.91</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	107.57	-----	-----	96.91	34.62	12.41	36.37	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5725.72	52.37	68.20	-15.83	41.70	34.65	12.42	36.40	0.00	100	117 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	107.57	-----	-----	96.91	34.62	12.41	36.37	0.00	100	117 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.02</td><td>-----</td><td>-----</td><td>88.36</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>117 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.02	-----	-----	88.36	34.62	12.41	36.37	0.00	100	117 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	99.02	-----	-----	88.36	34.62	12.41	36.37	0.00	100	117 AVERAGE																																																																																										







Mode	101																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_52/40RU_5700MHz																																																																																																			
ANT	6																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5764.28</td><td>52.41</td><td>68.20</td><td>-15.79</td><td>41.63</td><td>34.79</td><td>12.46</td><td>36.47</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5764.28	52.41	68.20	-15.79	41.63	34.79	12.46	36.47	0.00	100	82 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.51</td><td>-----</td><td>-----</td><td>92.86</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.51	-----	-----	92.86	34.61	12.40	36.36	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5764.28	52.41	68.20	-15.79	41.63	34.79	12.46	36.47	0.00	100	82 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	103.51	-----	-----	92.86	34.61	12.40	36.36	0.00	100	82 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.93</td><td>-----</td><td>-----</td><td>84.27</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>82 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	94.93	-----	-----	84.27	34.62	12.41	36.37	0.00	100	82 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	94.93	-----	-----	84.27	34.62	12.41	36.37	0.00	100	82 AVERAGE																																																																																									






Mode	102																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_106/53RU_5500MHz																																																																																																															
ANT	6																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.36</td><td>50.53</td><td>74.00</td><td>-23.47</td><td>40.22</td><td>34.67</td><td>12.06</td><td>36.42</td><td>0.00</td><td>108</td><td>118 PEAK</td></tr><tr><td>2</td><td>5460.40</td><td>50.05</td><td>68.20</td><td>-18.15</td><td>39.73</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>108</td><td>118 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.36	50.53	74.00	-23.47	40.22	34.67	12.06	36.42	0.00	108	118 PEAK	2	5460.40	50.05	68.20	-18.15	39.73	34.66	12.10	36.44	0.00	108	118 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>105.51</td><td>-----</td><td>-----</td><td>95.31</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>108</td><td>118 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.51	-----	-----	95.31	34.52	12.15	36.47	0.00	108
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5433.36	50.53	74.00	-23.47	40.22	34.67	12.06	36.42	0.00	108	118 PEAK																																																																																																					
2	5460.40	50.05	68.20	-18.15	39.73	34.66	12.10	36.44	0.00	108	118 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	105.51	-----	-----	95.31	34.52	12.15	36.47	0.00	108	118 PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>39.71</td><td>54.00</td><td>-14.29</td><td>29.39</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>108</td><td>118 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	39.71	54.00	-14.29	29.39	34.66	12.10	36.44	0.00	108	118 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>95.16</td><td>-----</td><td>-----</td><td>84.96</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>108</td><td>118 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.16	-----	-----	84.96	34.52	12.15	36.47	0.00	108	118 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.76	39.71	54.00	-14.29	29.39	34.66	12.10	36.44	0.00	108	118 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	95.16	-----	-----	84.96	34.52	12.15	36.47	0.00	108	118 AVERAGE																																																																																																					






Mode	102																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_106/53RU_5500MHz																																																																			
ANT	6																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5405.68</td><td>50.06</td><td>74.00</td><td>-23.94</td><td>39.83</td><td>34.61</td><td>12.02</td><td>36.40</td><td>0.00</td><td>100</td><td>85 PEAK</td></tr><tr><td>2</td><td>5468.24</td><td>53.28</td><td>68.20</td><td>-14.92</td><td>42.99</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>85 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5405.68	50.06	74.00	-23.94	39.83	34.61	12.02	36.40	0.00	100	85 PEAK	2	5468.24	53.28	68.20	-14.92	42.99	34.63	12.11	36.45	0.00	100	85 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5405.68	50.06	74.00	-23.94	39.83	34.61	12.02	36.40	0.00	100	85 PEAK																																																									
2	5468.24	53.28	68.20	-14.92	42.99	34.63	12.11	36.45	0.00	100	85 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.44</td><td>-----</td><td>-----</td><td>89.24</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>85 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.44	-----	-----	89.24	34.52	12.15	36.47	0.00	100	85 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	99.44	-----	-----	89.24	34.52	12.15	36.47	0.00	100	85 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>39.13</td><td>54.00</td><td>-14.87</td><td>28.81</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>85 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	39.13	54.00	-14.87	28.81	34.66	12.10	36.44	0.00	100	85 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.28	39.13	54.00	-14.87	28.81	34.66	12.10	36.44	0.00	100	85 AVERAGE																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>89.78</td><td>-----</td><td>-----</td><td>79.58</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>85 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	89.78	-----	-----	79.58	34.52	12.15	36.47	0.00	100	85 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	89.78	-----	-----	79.58	34.52	12.15	36.47	0.00	100	85 AVERAGE																																																									





Mode	103																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_106/54RU_5700MHz																																																																																																				
ANT	6																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.16</td><td>64.94</td><td>68.20</td><td>-3.26</td><td>54.27</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>109</td><td>116 Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.16	64.94	68.20	-3.26	54.27	34.65	12.42	36.40	0.00	109	116 Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>103.60</td><td>-----</td><td>-----</td><td>92.95</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>109</td><td>116 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.60	-----	-----	92.95	34.61	12.40	36.36	0.00	109	116 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5725.16	64.94	68.20	-3.26	54.27	34.65	12.42	36.40	0.00	109	116 Peak																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	103.60	-----	-----	92.95	34.61	12.40	36.36	0.00	109	116 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>94.39</td><td>-----</td><td>-----</td><td>83.74</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>109</td><td>116 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	94.39	-----	-----	83.74	34.61	12.40	36.36	0.00	109	116 AVERAGE																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	94.39	-----	-----	83.74	34.61	12.40	36.36	0.00	109	116 AVERAGE																																																																																										





Mode	103																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_106/54RU_5700MHz																																																																																																			
ANT	6																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5740.52</td><td>51.79</td><td>68.20</td><td>-16.41</td><td>41.09</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5740.52	51.79	68.20	-16.41	41.09	34.68	12.44	36.42	0.00	100	80 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.65</td><td>-----</td><td>-----</td><td>89.99</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.65	-----	-----	89.99	34.62	12.41	36.37	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5740.52	51.79	68.20	-16.41	41.09	34.68	12.44	36.42	0.00	100	80 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	100.65	-----	-----	89.99	34.62	12.41	36.37	0.00	100	80 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>90.98</td><td>-----</td><td>-----</td><td>80.33</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>100</td><td>80 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	90.98	-----	-----	80.33	34.61	12.40	36.36	0.00	100	80 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	90.98	-----	-----	80.33	34.61	12.40	36.36	0.00	100	80 AVERAGE																																																																																									





Mode	104																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																				
ANT	6																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>56.42</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.70	74.00	-28.30	56.42	38.04	17.83	66.59	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>56.09</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.37	74.00	-28.63	56.09	38.04	17.83	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11440.00	45.70	74.00	-28.30	56.42	38.04	17.83	66.59	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11440.00	45.37	74.00	-28.63	56.09	38.04	17.83	66.59	0.00	---	PEAK																																																																																										





Mode	105																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>56.95</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	46.23	74.00	-27.77	56.95	38.04	17.83	66.59	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>55.62</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.90	74.00	-29.10	55.62	38.04	17.83	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11440.00	46.23	74.00	-27.77	56.95	38.04	17.83	66.59	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11440.00	44.90	74.00	-29.10	55.62	38.04	17.83	66.59	0.00	---	PEAK																																																																																											






Mode	106																																																																																																						
	Harmonic																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																																																																						
ANT	6																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.01</td><td>74.00</td><td>-28.99</td><td>55.77</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.01	74.00	-28.99	55.77	38.02	17.81	66.59	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.98</td><td>74.00</td><td>-29.02</td><td>55.74</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	44.98	74.00	-29.02	55.74	38.02	17.81	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11420.00	45.01	74.00	-28.99	55.77	38.02	17.81	66.59	0.00	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11420.00	44.98	74.00	-29.02	55.74	38.02	17.81	66.59	0.00	---	PEAK																																																																																												







Mode	107																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																																																																				
ANT	6																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11300.00</td><td>42.32</td><td>74.00</td><td>-31.68</td><td>53.14</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11300.00	42.32	74.00	-31.68	53.14	37.98	17.79	66.59	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11300.00</td><td>43.11</td><td>74.00</td><td>-30.89</td><td>53.93</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11300.00	43.11	74.00	-30.89	53.93	37.98	17.79	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11300.00	42.32	74.00	-31.68	53.14	37.98	17.79	66.59	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11300.00	43.11	74.00	-30.89	53.93	37.98	17.79	66.59	0.00	---	PEAK																																																																																										





Mode	109																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	6																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.40</td><td>50.43</td><td>68.20</td><td>-17.77</td><td>39.88</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>100</td><td>120 PEAK</td></tr><tr><td>2</td><td>5658.40</td><td>48.29</td><td>68.50</td><td>-20.21</td><td>37.74</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>120 PEAK</td></tr><tr><td>3</td><td>5716.80</td><td>74.98</td><td>110.01</td><td>-35.03</td><td>64.31</td><td>34.63</td><td>12.42</td><td>36.38</td><td>0.00</td><td>100</td><td>120 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>72.84</td><td>110.90</td><td>-38.06</td><td>62.17</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>120 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5624.40	50.43	68.20	-17.77	39.88	34.50	12.33	36.28	0.00	100	120 PEAK	2	5658.40	48.29	68.50	-20.21	37.74	34.50	12.36	36.31	0.00	100	120 PEAK	3	5716.80	74.98	110.01	-35.03	64.31	34.63	12.42	36.38	0.00	100	120 PEAK	4	5720.00	72.84	110.90	-38.06	62.17	34.64	12.42	36.39	0.00	100	120 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.78</td><td>-----</td><td>-----</td><td>99.08</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>120 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.78	-----	-----	99.08	34.69	12.44	36.43	0.00	100	120 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5624.40	50.43	68.20	-17.77	39.88	34.50	12.33	36.28	0.00	100	120 PEAK																																																																																																																															
2	5658.40	48.29	68.50	-20.21	37.74	34.50	12.36	36.31	0.00	100	120 PEAK																																																																																																																															
3	5716.80	74.98	110.01	-35.03	64.31	34.63	12.42	36.38	0.00	100	120 PEAK																																																																																																																															
4	5720.00	72.84	110.90	-38.06	62.17	34.64	12.42	36.39	0.00	100	120 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	109.78	-----	-----	99.08	34.69	12.44	36.43	0.00	100	120 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.75</td><td>-----</td><td>-----</td><td>91.05</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>120 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.75	-----	-----	91.05	34.69	12.44	36.43	0.00	100	120 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	101.75	-----	-----	91.05	34.69	12.44	36.43	0.00	100	120 AVERAGE																																																																																																																															





Mode	109																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																								
ANT	6																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.00</td><td>51.52</td><td>68.20</td><td>-16.68</td><td>40.97</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.24</td><td>68.00</td><td>-17.56</td><td>40.69</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>3</td><td>5717.60</td><td>71.52</td><td>110.23</td><td>-38.71</td><td>60.84</td><td>34.64</td><td>12.42</td><td>36.38</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>71.52</td><td>110.90</td><td>-39.38</td><td>60.85</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.00	51.52	68.20	-16.68	40.97	34.50	12.35	36.30	0.00	100	82 PEAK	2	5650.00	51.24	68.00	-17.56	40.69	34.50	12.36	36.31	0.00	100	82 PEAK	3	5717.60	71.52	110.23	-38.71	60.84	34.64	12.42	36.38	0.00	100	82 PEAK	4	5720.00	71.52	110.90	-39.38	60.85	34.64	12.42	36.39	0.00	100	82 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.77</td><td>-----</td><td>-----</td><td>95.07</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.77	-----	-----	95.07	34.69	12.44	36.43	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5644.00	51.52	68.20	-16.68	40.97	34.50	12.35	36.30	0.00	100	82 PEAK																																																																																																																														
2	5650.00	51.24	68.00	-17.56	40.69	34.50	12.36	36.31	0.00	100	82 PEAK																																																																																																																														
3	5717.60	71.52	110.23	-38.71	60.84	34.64	12.42	36.38	0.00	100	82 PEAK																																																																																																																														
4	5720.00	71.52	110.90	-39.38	60.85	34.64	12.42	36.39	0.00	100	82 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	105.77	-----	-----	95.07	34.69	12.44	36.43	0.00	100	82 PEAK																																																																																																																														
Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.23</td><td>-----</td><td>-----</td><td>88.53</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>82 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.23	-----	-----	88.53	34.69	12.44	36.43	0.00	100	82 AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	99.23	-----	-----	88.53	34.69	12.44	36.43	0.00	100	82 AVERAGE																																																																																																																														









Mode	109																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																									
ANT	6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>56.66</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	46.03	74.00	-27.97	56.66	38.09	17.86	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>55.06</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.43	74.00	-29.57	55.06	38.09	17.86	66.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	46.03	74.00	-27.97	56.66	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	44.43	74.00	-29.57	55.06	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														



Mode	110																																																										
	Harmonic																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																										
ANT	6																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>56.76</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.32	74.00	-27.68	56.76	38.17	17.92	66.53	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11570.00	46.32	74.00	-27.68	56.76	38.17	17.92	66.53	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.34</td><td>74.00</td><td>-28.66</td><td>55.78</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.34	74.00	-28.66	55.78	38.17	17.92	66.53	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11570.00	45.34	74.00	-28.66	55.78	38.17	17.92	66.53	0.00	---	---	PEAK																																															





Mode	111																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																										
ANT	6																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>68.88</td><td>111.36</td><td>-42.48</td><td>57.83</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>68.86</td><td>110.73</td><td>-41.87</td><td>57.80</td><td>35.12</td><td>12.57</td><td>36.63</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>49.52</td><td>68.64</td><td>-19.12</td><td>38.38</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>4</td><td>5948.40</td><td>52.15</td><td>68.20</td><td>-16.05</td><td>41.09</td><td>35.30</td><td>12.69</td><td>36.93</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	68.88	111.36	-42.48	57.83	35.12	12.56	36.63	0.00	100	117 PEAK	2	5855.60	68.86	110.73	-41.87	57.80	35.12	12.57	36.63	0.00	100	117 PEAK	3	5924.40	49.52	68.64	-19.12	38.38	35.30	12.66	36.82	0.00	100	117 PEAK	4	5948.40	52.15	68.20	-16.05	41.09	35.30	12.69	36.93	0.00	100	117 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.25</td><td>-----</td><td>-----</td><td>98.24</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.25	-----	-----	98.24	35.06	12.53	36.58	0.00	100	117 PEAK	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5854.00	68.88	111.36	-42.48	57.83	35.12	12.56	36.63	0.00	100	117 PEAK																																																																																																																																
2	5855.60	68.86	110.73	-41.87	57.80	35.12	12.57	36.63	0.00	100	117 PEAK																																																																																																																																
3	5924.40	49.52	68.64	-19.12	38.38	35.30	12.66	36.82	0.00	100	117 PEAK																																																																																																																																
4	5948.40	52.15	68.20	-16.05	41.09	35.30	12.69	36.93	0.00	100	117 PEAK																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	109.25	-----	-----	98.24	35.06	12.53	36.58	0.00	100	117 PEAK																																																																																																																																
Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>68.88</td><td>111.36</td><td>-42.48</td><td>57.83</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>68.86</td><td>110.73</td><td>-41.87</td><td>57.80</td><td>35.12</td><td>12.57</td><td>36.63</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>49.52</td><td>68.64</td><td>-19.12</td><td>38.38</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>4</td><td>5948.40</td><td>52.15</td><td>68.20</td><td>-16.05</td><td>41.09</td><td>35.30</td><td>12.69</td><td>36.93</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	68.88	111.36	-42.48	57.83	35.12	12.56	36.63	0.00	100	117 PEAK	2	5855.60	68.86	110.73	-41.87	57.80	35.12	12.57	36.63	0.00	100	117 PEAK	3	5924.40	49.52	68.64	-19.12	38.38	35.30	12.66	36.82	0.00	100	117 PEAK	4	5948.40	52.15	68.20	-16.05	41.09	35.30	12.69	36.93	0.00	100	117 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.25</td><td>-----</td><td>-----</td><td>98.24</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.25	-----	-----	98.24	35.06	12.53	36.58	0.00	100	117 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.00	68.88	111.36	-42.48	57.83	35.12	12.56	36.63	0.00	100	117 PEAK																																																																																																																																
2	5855.60	68.86	110.73	-41.87	57.80	35.12	12.57	36.63	0.00	100	117 PEAK																																																																																																																																
3	5924.40	49.52	68.64	-19.12	38.38	35.30	12.66	36.82	0.00	100	117 PEAK																																																																																																																																
4	5948.40	52.15	68.20	-16.05	41.09	35.30	12.69	36.93	0.00	100	117 PEAK																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	109.25	-----	-----	98.24	35.06	12.53	36.58	0.00	100	117 PEAK																																																																																																																																
	Blank																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>68.88</td><td>111.36</td><td>-42.48</td><td>57.83</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>68.86</td><td>110.73</td><td>-41.87</td><td>57.80</td><td>35.12</td><td>12.57</td><td>36.63</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>49.52</td><td>68.64</td><td>-19.12</td><td>38.38</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>4</td><td>5948.40</td><td>52.15</td><td>68.20</td><td>-16.05</td><td>41.09</td><td>35.30</td><td>12.69</td><td>36.93</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	68.88	111.36	-42.48	57.83	35.12	12.56	36.63	0.00	100	117 PEAK	2	5855.60	68.86	110.73	-41.87	57.80	35.12	12.57	36.63	0.00	100	117 PEAK	3	5924.40	49.52	68.64	-19.12	38.38	35.30	12.66	36.82	0.00	100	117 PEAK	4	5948.40	52.15	68.20	-16.05	41.09	35.30	12.69	36.93	0.00	100	117 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.25</td><td>-----</td><td>-----</td><td>98.24</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.25	-----	-----	98.24	35.06	12.53	36.58	0.00	100	117 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.00	68.88	111.36	-42.48	57.83	35.12	12.56	36.63	0.00	100	117 PEAK																																																																																																																																
2	5855.60	68.86	110.73	-41.87	57.80	35.12	12.57	36.63	0.00	100	117 PEAK																																																																																																																																
3	5924.40	49.52	68.64	-19.12	38.38	35.30	12.66	36.82	0.00	100	117 PEAK																																																																																																																																
4	5948.40	52.15	68.20	-16.05	41.09	35.30	12.69	36.93	0.00	100	117 PEAK																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	109.25	-----	-----	98.24	35.06	12.53	36.58	0.00	100	117 PEAK																																																																																																																																
																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>68.88</td><td>111.36</td><td>-42.48</td><td>57.83</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>68.86</td><td>110.73</td><td>-41.87</td><td>57.80</td><td>35.12</td><td>12.57</td><td>36.63</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>49.52</td><td>68.64</td><td>-19.12</td><td>38.38</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>4</td><td>5948.40</td><td>52.15</td><td>68.20</td><td>-16.05</td><td>41.09</td><td>35.30</td><td>12.69</td><td>36.93</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	68.88	111.36	-42.48	57.83	35.12	12.56	36.63	0.00	100	117 PEAK	2	5855.60	68.86	110.73	-41.87	57.80	35.12	12.57	36.63	0.00	100	117 PEAK	3	5924.40	49.52	68.64	-19.12	38.38	35.30	12.66	36.82	0.00	100	117 PEAK	4	5948.40	52.15	68.20	-16.05	41.09	35.30	12.69	36.93	0.00	100	117 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.25</td><td>-----</td><td>-----</td><td>98.24</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.25	-----	-----	98.24	35.06	12.53	36.58	0.00	100	117 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.00	68.88	111.36	-42.48	57.83	35.12	12.56	36.63	0.00	100	117 PEAK																																																																																																																																
2	5855.60	68.86	110.73	-41.87	57.80	35.12	12.57	36.63	0.00	100	117 PEAK																																																																																																																																
3	5924.40	49.52	68.64	-19.12	38.38	35.30	12.66	36.82	0.00	100	117 PEAK																																																																																																																																
4	5948.40	52.15	68.20	-16.05	41.09	35.30	12.69	36.93	0.00	100	117 PEAK																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	109.25	-----	-----	98.24	35.06	12.53	36.58	0.00	100	117 PEAK																																																																																																																																






Mode	111																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																							
ANT	6																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>66.02</td><td>112.27</td><td>-46.25</td><td>54.97</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr><tr><td>2</td><td>5855.20</td><td>65.85</td><td>110.84</td><td>-44.99</td><td>54.80</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>50.56</td><td>68.94</td><td>-18.38</td><td>39.42</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr><tr><td>4</td><td>5944.80</td><td>51.47</td><td>68.20</td><td>-16.73</td><td>40.39</td><td>35.30</td><td>12.69</td><td>36.91</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	66.02	112.27	-46.25	54.97	35.12	12.56	36.63	0.00	100	79 PEAK	2	5855.20	65.85	110.84	-44.99	54.80	35.12	12.56	36.63	0.00	100	79 PEAK	3	5924.00	50.56	68.94	-18.38	39.42	35.30	12.66	36.82	0.00	100	79 PEAK	4	5944.80	51.47	68.20	-16.73	40.39	35.30	12.69	36.91	0.00	100	79 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.57</td><td>-----</td><td>-----</td><td>95.57</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.57	-----	-----	95.57	35.05	12.52	36.57	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5854.40	66.02	112.27	-46.25	54.97	35.12	12.56	36.63	0.00	100	79 PEAK																																																																																																																													
2	5855.20	65.85	110.84	-44.99	54.80	35.12	12.56	36.63	0.00	100	79 PEAK																																																																																																																													
3	5924.00	50.56	68.94	-18.38	39.42	35.30	12.66	36.82	0.00	100	79 PEAK																																																																																																																													
4	5944.80	51.47	68.20	-16.73	40.39	35.30	12.69	36.91	0.00	100	79 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5825.00	106.57	-----	-----	95.57	35.05	12.52	36.57	0.00	100	79 PEAK																																																																																																																													
Avg																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.17</td><td>-----</td><td>-----</td><td>87.17</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>79 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.17	-----	-----	87.17	35.05	12.52	36.57	0.00	100	79 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.17</td><td>-----</td><td>-----</td><td>87.17</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>79 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.17	-----	-----	87.17	35.05	12.52	36.57	0.00	100	79 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5825.00	98.17	-----	-----	87.17	35.05	12.52	36.57	0.00	100	79 AVERAGE																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5825.00	98.17	-----	-----	87.17	35.05	12.52	36.57	0.00	100	79 AVERAGE																																																																																																																													






Mode	111																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																									
ANT	6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>57.13</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.94	74.00	-27.06	57.13	38.30	17.98	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>56.52</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.33	74.00	-27.67	56.52	38.30	17.98	66.47	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	46.94	74.00	-27.06	57.13	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	46.33	74.00	-27.67	56.52	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																														





Mode	112																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																																								
ANT	6																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.40</td><td>51.71</td><td>68.20</td><td>-16.49</td><td>41.16</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>52.68</td><td>69.99</td><td>-17.31</td><td>42.13</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>3</td><td>5713.60</td><td>75.03</td><td>109.11</td><td>-34.08</td><td>64.36</td><td>34.63</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>80.81</td><td>115.46</td><td>-34.65</td><td>70.14</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.40	51.71	68.20	-16.49	41.16	34.50	12.35	36.30	0.00	100	118 PEAK	2	5652.40	52.68	69.99	-17.31	42.13	34.50	12.36	36.31	0.00	100	118 PEAK	3	5713.60	75.03	109.11	-34.08	64.36	34.63	12.41	36.37	0.00	100	118 PEAK	4	5722.00	80.81	115.46	-34.65	70.14	34.64	12.42	36.39	0.00	100	118 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.81</td><td>-----</td><td>-----</td><td>98.11</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.81	-----	-----	98.11	34.69	12.44	36.43	0.00	100	118 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5646.40	51.71	68.20	-16.49	41.16	34.50	12.35	36.30	0.00	100	118 PEAK																																																																																																																														
2	5652.40	52.68	69.99	-17.31	42.13	34.50	12.36	36.31	0.00	100	118 PEAK																																																																																																																														
3	5713.60	75.03	109.11	-34.08	64.36	34.63	12.41	36.37	0.00	100	118 PEAK																																																																																																																														
4	5722.00	80.81	115.46	-34.65	70.14	34.64	12.42	36.39	0.00	100	118 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	108.81	-----	-----	98.11	34.69	12.44	36.43	0.00	100	118 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.46</td><td>-----</td><td>-----</td><td>98.76</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>118 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.46	-----	-----	98.76	34.69	12.44	36.43	0.00	100	118 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	101.46	-----	-----	98.76	34.69	12.44	36.43	0.00	100	118 AVERAGE																																																																																																																														





Mode	112																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																																							
ANT	6																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5600.40</td><td>50.88</td><td>68.20</td><td>-17.32</td><td>40.33</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>387</td><td>67 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>49.68</td><td>68.20</td><td>-18.52</td><td>39.14</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>387</td><td>67 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>76.03</td><td>110.79</td><td>-34.76</td><td>65.36</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>387</td><td>67 PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>76.38</td><td>115.46</td><td>-39.08</td><td>65.71</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>387</td><td>67 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5600.40	50.88	68.20	-17.32	40.33	34.50	12.31	36.26	0.00	387	67 PEAK	2	5650.00	49.68	68.20	-18.52	39.14	34.50	12.35	36.31	0.00	387	67 PEAK	3	5719.60	76.03	110.79	-34.76	65.36	34.64	12.42	36.39	0.00	387	67 PEAK	4	5722.00	76.38	115.46	-39.08	65.71	34.64	12.42	36.39	0.00	387	67 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.28</td><td>-----</td><td>-----</td><td>97.58</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>387</td><td>67 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.28	-----	-----	97.58	34.69	12.44	36.43	0.00	387
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5600.40	50.88	68.20	-17.32	40.33	34.50	12.31	36.26	0.00	387	67 PEAK																																																																																																																													
2	5650.00	49.68	68.20	-18.52	39.14	34.50	12.35	36.31	0.00	387	67 PEAK																																																																																																																													
3	5719.60	76.03	110.79	-34.76	65.36	34.64	12.42	36.39	0.00	387	67 PEAK																																																																																																																													
4	5722.00	76.38	115.46	-39.08	65.71	34.64	12.42	36.39	0.00	387	67 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	100.28	-----	-----	97.58	34.69	12.44	36.43	0.00	387	67 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.32</td><td>-----</td><td>-----</td><td>89.62</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>387</td><td>67 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.32	-----	-----	89.62	34.69	12.44	36.43	0.00	387	67 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	100.32	-----	-----	89.62	34.69	12.44	36.43	0.00	387	67 AVERAGE																																																																																																																													






Mode	112																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																									
ANT	6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>55.91</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	45.28	74.00	-28.72	55.91	38.09	17.86	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>55.96</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	45.33	74.00	-28.67	55.96	38.09	17.86	66.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	45.28	74.00	-28.72	55.91	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	45.33	74.00	-28.67	55.96	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														






Mode	113																																																																																																						
	Harmonic																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																						
ANT	6																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.49</td><td>74.00</td><td>-27.51</td><td>56.93</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.49	74.00	-27.51	56.93	38.17	17.92	66.53	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>55.29</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.85	74.00	-29.15	55.29	38.17	17.92	66.53	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11570.00	46.49	74.00	-27.51	56.93	38.17	17.92	66.53	0.00	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11570.00	44.85	74.00	-29.15	55.29	38.17	17.92	66.53	0.00	---	PEAK																																																																																												





Mode	114																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																			
ANT	6																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>73.73</td><td>113.18</td><td>-39.45</td><td>62.68</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>2 5855.20</td><td>71.31</td><td>110.84</td><td>-39.53</td><td>60.26</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>3 5924.00</td><td>50.93</td><td>68.35</td><td>-17.42</td><td>39.79</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>4 5972.00</td><td>51.55</td><td>68.20</td><td>-16.65</td><td>40.57</td><td>35.30</td><td>12.72</td><td>37.04</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	73.73	113.18	-39.45	62.68	35.12	12.56	36.63	0.00	100	115 PEAK	2 5855.20	71.31	110.84	-39.53	60.26	35.12	12.56	36.63	0.00	100	115 PEAK	3 5924.00	50.93	68.35	-17.42	39.79	35.30	12.66	36.82	0.00	100	115 PEAK	4 5972.00	51.55	68.20	-16.65	40.57	35.30	12.72	37.04	0.00	100	115 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.33</td><td>-----</td><td>-----</td><td>98.33</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	109.33	-----	-----	98.33	35.05	12.52	36.57	0.00	100	115 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	73.73	113.18	-39.45	62.68	35.12	12.56	36.63	0.00	100	115 PEAK																																																																																																																										
2 5855.20	71.31	110.84	-39.53	60.26	35.12	12.56	36.63	0.00	100	115 PEAK																																																																																																																										
3 5924.00	50.93	68.35	-17.42	39.79	35.30	12.66	36.82	0.00	100	115 PEAK																																																																																																																										
4 5972.00	51.55	68.20	-16.65	40.57	35.30	12.72	37.04	0.00	100	115 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	109.33	-----	-----	98.33	35.05	12.52	36.57	0.00	100	115 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.87</td><td>-----</td><td>-----</td><td>89.87</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>115 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.87	-----	-----	89.87	35.05	12.52	36.57	0.00	100	115 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	100.87	-----	-----	89.87	35.05	12.52	36.57	0.00	100	115 AVERAGE																																																																																																																										






Mode	114																																																																																																																																																			
	Band Edge																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																																			
ANT	6																																																																																																																																																			
Pol.	Vertical																																																																																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>67.75</td><td>111.36</td><td>-43.61</td><td>56.70</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>68.22</td><td>110.06</td><td>-41.84</td><td>57.15</td><td>35.13</td><td>12.57</td><td>36.63</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>50.67</td><td>69.23</td><td>-18.56</td><td>39.53</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>4</td><td>5950.00</td><td>51.29</td><td>68.20</td><td>-16.91</td><td>40.24</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	67.75	111.36	-43.61	56.70	35.12	12.56	36.63	0.00	100	82 PEAK	2	5858.00	68.22	110.06	-41.84	57.15	35.13	12.57	36.63	0.00	100	82 PEAK	3	5923.60	50.67	69.23	-18.56	39.53	35.30	12.66	36.82	0.00	100	82 PEAK	4	5950.00	51.29	68.20	-16.91	40.24	35.30	12.69	36.94	0.00	100	82 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.08</td><td>-----</td><td>-----</td><td>95.08</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.08	-----	-----	95.08	35.05	12.52	36.57	0.00	100	82 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	5854.00	67.75	111.36	-43.61	56.70	35.12	12.56	36.63	0.00	100	82 PEAK																																																																																																																																									
2	5858.00	68.22	110.06	-41.84	57.15	35.13	12.57	36.63	0.00	100	82 PEAK																																																																																																																																									
3	5923.60	50.67	69.23	-18.56	39.53	35.30	12.66	36.82	0.00	100	82 PEAK																																																																																																																																									
4	5950.00	51.29	68.20	-16.91	40.24	35.30	12.69	36.94	0.00	100	82 PEAK																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	5825.00	106.08	-----	-----	95.08	35.05	12.52	36.57	0.00	100	82 PEAK																																																																																																																																									
Avg	Blank											<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.48</td><td>-----</td><td>-----</td><td>86.48</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>82 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.48	-----	-----	86.48	35.05	12.52	36.57	0.00	100	82 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	5825.00	97.48	-----	-----	86.48	35.05	12.52	36.57	0.00	100	82 AVERAGE																																																																																																																																									




Mode	114																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																									
ANT	6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>56.59</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.40	74.00	-27.60	56.59	38.30	17.98	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>56.05</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.86	74.00	-28.14	56.05	38.30	17.98	66.47	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	46.40	74.00	-27.60	56.59	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	45.86	74.00	-28.14	56.05	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																														








		115																																																																																																																																								
Mode	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																									
ANT	6																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.01</td><td>57.86</td><td>68.20</td><td>-10.34</td><td>47.31</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>59.47</td><td>68.36</td><td>-8.89</td><td>48.92</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>3</td><td>5700.50</td><td>78.38</td><td>107.68</td><td>-29.30</td><td>67.72</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>4</td><td>5720.59</td><td>77.60</td><td>112.25</td><td>-34.65</td><td>66.93</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5642.01	57.86	68.20	-10.34	47.31	34.50	12.35	36.30	0.00	100	115 PEAK	2	5650.22	59.47	68.36	-8.89	48.92	34.50	12.36	36.31	0.00	100	115 PEAK	3	5700.50	78.38	107.68	-29.30	67.72	34.62	12.41	36.37	0.00	100	115 PEAK	4	5720.59	77.60	112.25	-34.65	66.93	34.64	12.42	36.39	0.00	100	115 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.43</td><td>-----</td><td>-----</td><td>94.71</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	105.43	-----	-----	94.71	34.71	12.45	36.44	0.00	100	115 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5642.01	57.86	68.20	-10.34	47.31	34.50	12.35	36.30	0.00	100	115 PEAK																																																																																																																															
2	5650.22	59.47	68.36	-8.89	48.92	34.50	12.36	36.31	0.00	100	115 PEAK																																																																																																																															
3	5700.50	78.38	107.68	-29.30	67.72	34.62	12.41	36.37	0.00	100	115 PEAK																																																																																																																															
4	5720.59	77.60	112.25	-34.65	66.93	34.64	12.42	36.39	0.00	100	115 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	105.43	-----	-----	94.71	34.71	12.45	36.44	0.00	100	115 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>98.21</td><td>-----</td><td>-----</td><td>87.46</td><td>34.75</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>115 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	98.21	-----	-----	87.46	34.75	12.45	36.45	0.00	100	115 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	98.21	-----	-----	87.46	34.75	12.45	36.45	0.00	100	115 AVERAGE																																																																																																																															




Mode	115																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																											
ANT	6																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>57.96</td><td>112.60</td><td>-54.64</td><td>46.91</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>2</td><td>5868.10</td><td>54.78</td><td>107.23</td><td>-52.45</td><td>43.68</td><td>35.17</td><td>12.58</td><td>36.65</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>52.05</td><td>68.46</td><td>-16.41</td><td>40.91</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>4</td><td>5926.60</td><td>53.27</td><td>68.20</td><td>-14.93</td><td>42.14</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	57.96	112.60	-54.64	46.91	35.12	12.56	36.63	0.00	100	115 PEAK	2	5868.10	54.78	107.23	-52.45	43.68	35.17	12.58	36.65	0.00	100	115 PEAK	3	5924.65	52.05	68.46	-16.41	40.91	35.30	12.66	36.82	0.00	100	115 PEAK	4	5926.60	53.27	68.20	-14.93	42.14	35.30	12.66	36.83	0.00	100	115 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.26	57.96	112.60	-54.64	46.91	35.12	12.56	36.63	0.00	100	115 PEAK																																																																																	
2	5868.10	54.78	107.23	-52.45	43.68	35.17	12.58	36.65	0.00	100	115 PEAK																																																																																	
3	5924.65	52.05	68.46	-16.41	40.91	35.30	12.66	36.82	0.00	100	115 PEAK																																																																																	
4	5926.60	53.27	68.20	-14.93	42.14	35.30	12.66	36.83	0.00	100	115 PEAK																																																																																	





Mode	115																																																																																											
	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																											
ANT	6																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5649.76</td><td>56.64</td><td>68.20</td><td>-11.56</td><td>46.09</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>349</td><td>65 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>53.32</td><td>68.25</td><td>-14.93</td><td>42.77</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>349</td><td>65 PEAK</td></tr><tr><td>3</td><td>5715.63</td><td>75.78</td><td>109.68</td><td>-33.90</td><td>65.12</td><td>34.63</td><td>12.41</td><td>36.38</td><td>0.00</td><td>349</td><td>65 PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>74.22</td><td>111.89</td><td>-37.67</td><td>63.55</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>349</td><td>65 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.76	56.64	68.20	-11.56	46.09	34.50	12.35	36.30	0.00	349	65 PEAK	2	5650.07	53.32	68.25	-14.93	42.77	34.50	12.36	36.31	0.00	349	65 PEAK	3	5715.63	75.78	109.68	-33.90	65.12	34.63	12.41	36.38	0.00	349	65 PEAK	4	5720.44	74.22	111.89	-37.67	63.55	34.64	12.42	36.39	0.00	349	65 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5649.76	56.64	68.20	-11.56	46.09	34.50	12.35	36.30	0.00	349	65 PEAK																																																																																	
2	5650.07	53.32	68.25	-14.93	42.77	34.50	12.36	36.31	0.00	349	65 PEAK																																																																																	
3	5715.63	75.78	109.68	-33.90	65.12	34.63	12.41	36.38	0.00	349	65 PEAK																																																																																	
4	5720.44	74.22	111.89	-37.67	63.55	34.64	12.42	36.39	0.00	349	65 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>107.10</td><td>-----</td><td>-----</td><td>96.38</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>349</td><td>65 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	107.10	-----	-----	96.38	34.71	12.45	36.44	0.00	349	65 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5755.00	107.10	-----	-----	96.38	34.71	12.45	36.44	0.00	349	65 PEAK																																																																																	
Blank																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>97.41</td><td>-----</td><td>-----</td><td>86.69</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>349</td><td>65 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.41	-----	-----	86.69	34.71	12.45	36.44	0.00	349	65 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5755.00	97.41	-----	-----	86.69	34.71	12.45	36.44	0.00	349	65 AVERAGE																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>107.10</td><td>-----</td><td>-----</td><td>96.38</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>349</td><td>65 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	107.10	-----	-----	96.38	34.71	12.45	36.44	0.00	349	65 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5755.00	107.10	-----	-----	96.38	34.71	12.45	36.44	0.00	349	65 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>97.41</td><td>-----</td><td>-----</td><td>86.69</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>349</td><td>65 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.41	-----	-----	86.69	34.71	12.45	36.44	0.00	349	65 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5755.00	97.41	-----	-----	86.69	34.71	12.45	36.44	0.00	349	65 AVERAGE																																																																																	






Mode	115																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																							
ANT	6																																																																																							
Pol.	Vertical					Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.67</td><td>54.52</td><td>113.93</td><td>-59.41</td><td>43.48</td><td>35.11</td><td>12.56</td><td>36.63</td><td>0.00</td><td>349 65 PEAK</td></tr><tr><td>2</td><td>5867.71</td><td>59.47</td><td>107.34</td><td>-47.87</td><td>48.37</td><td>35.17</td><td>12.58</td><td>36.65</td><td>0.00</td><td>349 65 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>50.47</td><td>68.31</td><td>-17.84</td><td>39.33</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>349 65 PEAK</td></tr><tr><td>4</td><td>5931.87</td><td>51.42</td><td>68.20</td><td>-16.78</td><td>40.30</td><td>35.30</td><td>12.67</td><td>36.85</td><td>0.00</td><td>349 65 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.67	54.52	113.93	-59.41	43.48	35.11	12.56	36.63	0.00	349 65 PEAK	2	5867.71	59.47	107.34	-47.87	48.37	35.17	12.58	36.65	0.00	349 65 PEAK	3	5924.85	50.47	68.31	-17.84	39.33	35.30	12.66	36.82	0.00	349 65 PEAK	4	5931.87	51.42	68.20	-16.78	40.30	35.30	12.67	36.85	0.00	349 65 PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5853.67	54.52	113.93	-59.41	43.48	35.11	12.56	36.63	0.00	349 65 PEAK																																																																														
2	5867.71	59.47	107.34	-47.87	48.37	35.17	12.58	36.65	0.00	349 65 PEAK																																																																														
3	5924.85	50.47	68.31	-17.84	39.33	35.30	12.66	36.82	0.00	349 65 PEAK																																																																														
4	5931.87	51.42	68.20	-16.78	40.30	35.30	12.67	36.85	0.00	349 65 PEAK																																																																														




Mode	115																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																								
ANT	6																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.09</td><td>74.00</td><td>-29.91</td><td>54.67</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	44.09	74.00	-29.91	54.67	38.11	17.88	66.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>54.88</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	44.30	74.00	-29.70	54.88	38.11	17.88	66.57	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11510.00	44.09	74.00	-29.91	54.67	38.11	17.88	66.57	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11510.00	44.30	74.00	-29.70	54.88	38.11	17.88	66.57	0.00	---	---	PEAK																																																																																													






Mode	116																																																																																														
	Band Edge - L																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																														
ANT	6																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	 <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.00</td><td>51.82</td><td>68.20</td><td>-16.38</td><td>41.27</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>115</td><td>116 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.06</td><td>68.80</td><td>-17.74</td><td>40.51</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>115</td><td>116 PEAK</td></tr><tr><td>3</td><td>5714.00</td><td>63.28</td><td>109.45</td><td>-46.17</td><td>52.62</td><td>34.63</td><td>12.41</td><td>36.38</td><td>0.00</td><td>115</td><td>116 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>64.94</td><td>111.81</td><td>-46.87</td><td>54.27</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>115</td><td>116 PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5640.00	51.82	68.20	-16.38	41.27	34.50	12.35	36.30	0.00	115	116 PEAK	2	5650.00	51.06	68.80	-17.74	40.51	34.50	12.36	36.31	0.00	115	116 PEAK	3	5714.00	63.28	109.45	-46.17	52.62	34.63	12.41	36.38	0.00	115	116 PEAK	4	5720.40	64.94	111.81	-46.87	54.27	34.64	12.42	36.39	0.00	115	116 PEAK	 <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>107.74</td><td>-----</td><td>-----</td><td>96.82</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>115</td><td>116 PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	107.74	-----	-----	96.82	34.96	12.48	36.52	0.00	115	116 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5640.00	51.82	68.20	-16.38	41.27	34.50	12.35	36.30	0.00	115	116 PEAK																																																																																				
2	5650.00	51.06	68.80	-17.74	40.51	34.50	12.36	36.31	0.00	115	116 PEAK																																																																																				
3	5714.00	63.28	109.45	-46.17	52.62	34.63	12.41	36.38	0.00	115	116 PEAK																																																																																				
4	5720.40	64.94	111.81	-46.87	54.27	34.64	12.42	36.39	0.00	115	116 PEAK																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5795.00	107.74	-----	-----	96.82	34.96	12.48	36.52	0.00	115	116 PEAK																																																																																				
Avg	Blank						 <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.50</td><td>-----</td><td>-----</td><td>87.58</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>115</td><td>116 AVERAGE</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	98.50	-----	-----	87.58	34.96	12.48	36.52	0.00	115	116 AVERAGE																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5795.00	98.50	-----	-----	87.58	34.96	12.48	36.52	0.00	115	116 AVERAGE																																																																																				




Mode	116																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																							
ANT	6																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>66.72</td><td>111.36</td><td>-44.64</td><td>55.67</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>115 116 PEAK</td></tr><tr><td>2</td><td>5858.80</td><td>70.04</td><td>109.83</td><td>-39.79</td><td>58.97</td><td>35.14</td><td>12.57</td><td>36.64</td><td>0.00</td><td>115 116 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>51.09</td><td>68.64</td><td>-17.55</td><td>39.95</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>115 116 PEAK</td></tr><tr><td>4</td><td>5958.40</td><td>52.34</td><td>68.20</td><td>-15.86</td><td>41.31</td><td>35.30</td><td>12.70</td><td>36.97</td><td>0.00</td><td>115 116 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	66.72	111.36	-44.64	55.67	35.12	12.56	36.63	0.00	115 116 PEAK	2	5858.80	70.04	109.83	-39.79	58.97	35.14	12.57	36.64	0.00	115 116 PEAK	3	5924.40	51.09	68.64	-17.55	39.95	35.30	12.66	36.82	0.00	115 116 PEAK	4	5958.40	52.34	68.20	-15.86	41.31	35.30	12.70	36.97	0.00	115 116 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.00	66.72	111.36	-44.64	55.67	35.12	12.56	36.63	0.00	115 116 PEAK																																																																														
2	5858.80	70.04	109.83	-39.79	58.97	35.14	12.57	36.64	0.00	115 116 PEAK																																																																														
3	5924.40	51.09	68.64	-17.55	39.95	35.30	12.66	36.82	0.00	115 116 PEAK																																																																														
4	5958.40	52.34	68.20	-15.86	41.31	35.30	12.70	36.97	0.00	115 116 PEAK																																																																														





Mode	116																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																							
ANT	6																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.20</td><td>51.62</td><td>68.20</td><td>-16.58</td><td>41.07</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>50.82</td><td>69.39</td><td>-18.57</td><td>40.27</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>3</td><td>5705.60</td><td>60.73</td><td>106.87</td><td>-46.14</td><td>50.07</td><td>34.61</td><td>12.41</td><td>36.36</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>62.08</td><td>111.81</td><td>-49.73</td><td>51.41</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5643.20	51.62	68.20	-16.58	41.07	34.50	12.35	36.30	0.00	100	82 PEAK	2	5651.60	50.82	69.39	-18.57	40.27	34.50	12.36	36.31	0.00	100	82 PEAK	3	5705.60	60.73	106.87	-46.14	50.07	34.61	12.41	36.36	0.00	100	82 PEAK	4	5720.40	62.08	111.81	-49.73	51.41	34.64	12.42	36.39	0.00	100	82 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.10</td><td>-----</td><td>-----</td><td>93.14</td><td>35.00</td><td>12.49</td><td>36.53</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.10	-----	-----	93.14	35.00	12.49	36.53	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5643.20	51.62	68.20	-16.58	41.07	34.50	12.35	36.30	0.00	100	82 PEAK																																																																																																																													
2	5651.60	50.82	69.39	-18.57	40.27	34.50	12.36	36.31	0.00	100	82 PEAK																																																																																																																													
3	5705.60	60.73	106.87	-46.14	50.07	34.61	12.41	36.36	0.00	100	82 PEAK																																																																																																																													
4	5720.40	62.08	111.81	-49.73	51.41	34.64	12.42	36.39	0.00	100	82 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	104.10	-----	-----	93.14	35.00	12.49	36.53	0.00	100	82 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.29</td><td>-----</td><td>-----</td><td>84.37</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>100</td><td>82 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	95.29	-----	-----	84.37	34.96	12.48	36.52	0.00	100	82 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	95.29	-----	-----	84.37	34.96	12.48	36.52	0.00	100	82 AVERAGE																																																																																																																													







Mode	116																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																		
ANT	6																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.00</td><td>62.84</td><td>113.18</td><td>-50.34</td><td>51.79</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>2</td><td>5868.80</td><td>64.37</td><td>109.27</td><td>-44.90</td><td>53.30</td><td>35.14</td><td>12.57</td><td>36.64</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>50.58</td><td>69.23</td><td>-18.65</td><td>39.44</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>4</td><td>5934.80</td><td>51.35</td><td>68.20</td><td>-16.85</td><td>40.25</td><td>35.30</td><td>12.67</td><td>36.87</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.00	62.84	113.18	-50.34	51.79	35.12	12.56	36.63	0.00	100	82 PEAK	2	5868.80	64.37	109.27	-44.90	53.30	35.14	12.57	36.64	0.00	100	82 PEAK	3	5923.60	50.58	69.23	-18.65	39.44	35.30	12.66	36.82	0.00	100	82 PEAK	4	5934.80	51.35	68.20	-16.85	40.25	35.30	12.67	36.87	0.00	100	82 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	5854.00	62.84	113.18	-50.34	51.79	35.12	12.56	36.63	0.00	100	82 PEAK																																																																								
2	5868.80	64.37	109.27	-44.90	53.30	35.14	12.57	36.64	0.00	100	82 PEAK																																																																								
3	5923.60	50.58	69.23	-18.65	39.44	35.30	12.66	36.82	0.00	100	82 PEAK																																																																								
4	5934.80	51.35	68.20	-16.85	40.25	35.30	12.67	36.87	0.00	100	82 PEAK																																																																								




Mode	116																																																							
	Harmonic																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																							
ANT	6																																																							
Pol.	Horizontal																																																							
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>55.07</td><td>38.19</td><td>17.93</td><td>66.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	44.67	74.00	-29.33	55.07	38.19	17.93	66.52	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11590.00	44.67	74.00	-29.33	55.07	38.19	17.93	66.52	0.00	---	PEAK																																													
Vertical																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>55.18</td><td>38.19</td><td>17.93</td><td>66.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	44.78	74.00	-29.22	55.18	38.19	17.93	66.52	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11590.00	44.78	74.00	-29.22	55.18	38.19	17.93	66.52	0.00	---	PEAK																																													






Mode	117																																																																																																																																																			
	Band Edge - L																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																																			
ANT	6																																																																																																																																																			
Pol.	Horizontal																																																																																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.20</td><td>63.51</td><td>68.20</td><td>-4.69</td><td>52.96</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>2</td><td>5653.60</td><td>65.16</td><td>70.88</td><td>-5.72</td><td>54.60</td><td>34.51</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>72.67</td><td>105.75</td><td>-33.08</td><td>62.02</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>73.94</td><td>110.90</td><td>-36.96</td><td>63.27</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.20	63.51	68.20	-4.69	52.96	34.50	12.35	36.30	0.00	100	118 PEAK	2	5653.60	65.16	70.88	-5.72	54.60	34.51	12.36	36.31	0.00	100	118 PEAK	3	5701.60	72.67	105.75	-33.08	62.02	34.60	12.40	36.35	0.00	100	118 PEAK	4	5720.00	73.94	110.90	-36.96	63.27	34.64	12.42	36.39	0.00	100	118 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>104.41</td><td>-----</td><td>-----</td><td>93.57</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	104.41	-----	-----	93.57	34.86	12.47	36.49	0.00	100	118 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	5647.20	63.51	68.20	-4.69	52.96	34.50	12.35	36.30	0.00	100	118 PEAK																																																																																																																																									
2	5653.60	65.16	70.88	-5.72	54.60	34.51	12.36	36.31	0.00	100	118 PEAK																																																																																																																																									
3	5701.60	72.67	105.75	-33.08	62.02	34.60	12.40	36.35	0.00	100	118 PEAK																																																																																																																																									
4	5720.00	73.94	110.90	-36.96	63.27	34.64	12.42	36.39	0.00	100	118 PEAK																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	5775.00	104.41	-----	-----	93.57	34.86	12.47	36.49	0.00	100	118 PEAK																																																																																																																																									
Avg	Blank																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>96.12</td><td>-----</td><td>-----</td><td>85.28</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>100</td><td>118 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	96.12	-----	-----	85.28	34.86	12.47	36.49	0.00	100	118 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>96.12</td><td>-----</td><td>-----</td><td>85.28</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>100</td><td>118 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	96.12	-----	-----	85.28	34.86	12.47	36.49	0.00	100	118 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	5775.00	96.12	-----	-----	85.28	34.86	12.47	36.49	0.00	100	118 AVERAGE																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	5775.00	96.12	-----	-----	85.28	34.86	12.47	36.49	0.00	100	118 AVERAGE																																																																																																																																									




Mode	117																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																		
ANT	6																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>67.32</td><td>111.36</td><td>-44.04</td><td>56.27</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>2</td><td>5863.60</td><td>68.06</td><td>108.49</td><td>-40.43</td><td>56.97</td><td>35.15</td><td>12.58</td><td>36.64</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>53.54</td><td>68.64</td><td>-15.10</td><td>42.40</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>4</td><td>5938.40</td><td>56.13</td><td>68.20</td><td>-12.07</td><td>45.03</td><td>35.30</td><td>12.68</td><td>36.88</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	67.32	111.36	-44.04	56.27	35.12	12.56	36.63	0.00	100	118 PEAK	2	5863.60	68.06	108.49	-40.43	56.97	35.15	12.58	36.64	0.00	100	118 PEAK	3	5924.40	53.54	68.64	-15.10	42.40	35.30	12.66	36.82	0.00	100	118 PEAK	4	5938.40	56.13	68.20	-12.07	45.03	35.30	12.68	36.88	0.00	100	118 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.00	67.32	111.36	-44.04	56.27	35.12	12.56	36.63	0.00	100	118 PEAK																																																																								
2	5863.60	68.06	108.49	-40.43	56.97	35.15	12.58	36.64	0.00	100	118 PEAK																																																																								
3	5924.40	53.54	68.64	-15.10	42.40	35.30	12.66	36.82	0.00	100	118 PEAK																																																																								
4	5938.40	56.13	68.20	-12.07	45.03	35.30	12.68	36.88	0.00	100	118 PEAK																																																																								





Mode	117																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																							
ANT	6																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.00</td><td>60.41</td><td>68.20</td><td>-7.79</td><td>49.86</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>383</td><td>63 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>60.75</td><td>68.50</td><td>-7.75</td><td>50.20</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>383</td><td>63 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>64.69</td><td>105.86</td><td>-41.17</td><td>54.04</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>383</td><td>63 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>66.32</td><td>111.81</td><td>-45.49</td><td>55.65</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>383</td><td>63 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.00	60.41	68.20	-7.79	49.86	34.50	12.35	36.30	0.00	383	63 PEAK	2	5650.40	60.75	68.50	-7.75	50.20	34.50	12.36	36.31	0.00	383	63 PEAK	3	5702.00	64.69	105.86	-41.17	54.04	34.60	12.40	36.35	0.00	383	63 PEAK	4	5720.40	66.32	111.81	-45.49	55.65	34.64	12.42	36.39	0.00	383	63 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.88</td><td>-----</td><td>-----</td><td>93.04</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>383</td><td>63 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	103.88	-----	-----	93.04	34.86	12.47	36.49	0.00	383
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5644.00	60.41	68.20	-7.79	49.86	34.50	12.35	36.30	0.00	383	63 PEAK																																																																																																																													
2	5650.40	60.75	68.50	-7.75	50.20	34.50	12.36	36.31	0.00	383	63 PEAK																																																																																																																													
3	5702.00	64.69	105.86	-41.17	54.04	34.60	12.40	36.35	0.00	383	63 PEAK																																																																																																																													
4	5720.40	66.32	111.81	-45.49	55.65	34.64	12.42	36.39	0.00	383	63 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	103.88	-----	-----	93.04	34.86	12.47	36.49	0.00	383	63 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>94.38</td><td>-----</td><td>-----</td><td>83.54</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>383</td><td>63 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	94.38	-----	-----	83.54	34.86	12.47	36.49	0.00	383	63 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	94.38	-----	-----	83.54	34.86	12.47	36.49	0.00	383	63 AVERAGE																																																																																																																													








Mode	117																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																		
ANT	6																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>60.82</td><td>112.27</td><td>-51.45</td><td>49.77</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>383</td><td>63 PEAK</td></tr><tr><td>2</td><td>5870.40</td><td>61.97</td><td>106.59</td><td>-44.62</td><td>50.86</td><td>35.18</td><td>12.59</td><td>36.66</td><td>0.00</td><td>383</td><td>63 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>51.99</td><td>68.35</td><td>-16.36</td><td>40.85</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>383</td><td>63 PEAK</td></tr><tr><td>4</td><td>5936.00</td><td>54.21</td><td>68.20</td><td>-13.99</td><td>43.11</td><td>35.30</td><td>12.67</td><td>36.87</td><td>0.00</td><td>383</td><td>63 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	60.82	112.27	-51.45	49.77	35.12	12.56	36.63	0.00	383	63 PEAK	2	5870.40	61.97	106.59	-44.62	50.86	35.18	12.59	36.66	0.00	383	63 PEAK	3	5924.80	51.99	68.35	-16.36	40.85	35.30	12.66	36.82	0.00	383	63 PEAK	4	5936.00	54.21	68.20	-13.99	43.11	35.30	12.67	36.87	0.00	383	63 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	5854.40	60.82	112.27	-51.45	49.77	35.12	12.56	36.63	0.00	383	63 PEAK																																																																								
2	5870.40	61.97	106.59	-44.62	50.86	35.18	12.59	36.66	0.00	383	63 PEAK																																																																								
3	5924.80	51.99	68.35	-16.36	40.85	35.30	12.66	36.82	0.00	383	63 PEAK																																																																								
4	5936.00	54.21	68.20	-13.99	43.11	35.30	12.67	36.87	0.00	383	63 PEAK																																																																								







Mode	117																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																									
ANT	6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>56.78</td><td>38.15</td><td>17.91</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	46.30	74.00	-27.70	56.78	38.15	17.91	66.54	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>56.62</td><td>38.15</td><td>17.91</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	46.14	74.00	-27.86	56.62	38.15	17.91	66.54	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11550.00	46.30	74.00	-27.70	56.78	38.15	17.91	66.54	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11550.00	46.14	74.00	-27.86	56.62	38.15	17.91	66.54	0.00	---	---	PEAK																																																																																														






Mode	118																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_26/0RU_5745MHz																																																																																											
ANT	6																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.60</td><td>49.15</td><td>68.20</td><td>-19.05</td><td>38.60</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>45.79</td><td>68.20</td><td>-22.41</td><td>35.25</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>49.10</td><td>105.30</td><td>-56.20</td><td>38.45</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>45.99</td><td>110.90</td><td>-64.91</td><td>35.32</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.60	49.15	68.20	-19.05	38.60	34.50	12.34	36.29	0.00	100	117 PEAK	2	5658.00	45.79	68.20	-22.41	35.25	34.50	12.35	36.31	0.00	100	117 PEAK	3	5700.00	49.10	105.30	-56.20	38.45	34.60	12.40	36.35	0.00	100	117 PEAK	4	5720.00	45.99	110.90	-64.91	35.32	34.64	12.42	36.39	0.00	100	117 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5637.60	49.15	68.20	-19.05	38.60	34.50	12.34	36.29	0.00	100	117 PEAK																																																																																	
2	5658.00	45.79	68.20	-22.41	35.25	34.50	12.35	36.31	0.00	100	117 PEAK																																																																																	
3	5700.00	49.10	105.30	-56.20	38.45	34.60	12.40	36.35	0.00	100	117 PEAK																																																																																	
4	5720.00	45.99	110.90	-64.91	35.32	34.64	12.42	36.39	0.00	100	117 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>109.67</td><td>-----</td><td>-----</td><td>98.98</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.67	-----	-----	98.98	34.67	12.43	36.41	0.00	100	117 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	109.67	-----	-----	98.98	34.67	12.43	36.41	0.00	100	117 PEAK																																																																																	
Blank																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.40</td><td>-----</td><td>-----</td><td>89.71</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>117 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.40	-----	-----	89.71	34.67	12.43	36.41	0.00	100	117 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	100.40	-----	-----	89.71	34.67	12.43	36.41	0.00	100	117 AVERAGE																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>109.67</td><td>-----</td><td>-----</td><td>98.98</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.67	-----	-----	98.98	34.67	12.43	36.41	0.00	100	117 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	109.67	-----	-----	98.98	34.67	12.43	36.41	0.00	100	117 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.40</td><td>-----</td><td>-----</td><td>89.71</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>117 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.40	-----	-----	89.71	34.67	12.43	36.41	0.00	100	117 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	100.40	-----	-----	89.71	34.67	12.43	36.41	0.00	100	117 AVERAGE																																																																																	






Mode	118																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_26/0RU_5745MHz																																																																																																																																							
ANT	6																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.60</td><td>48.33</td><td>68.20</td><td>-19.87</td><td>37.78</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>47.96</td><td>69.09</td><td>-21.13</td><td>37.41</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>48.32</td><td>105.41</td><td>-57.09</td><td>37.67</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>48.03</td><td>110.90</td><td>-62.87</td><td>37.36</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5645.60	48.33	68.20	-19.87	37.78	34.50	12.35	36.30	0.00	100	82 PEAK	2	5651.20	47.96	69.09	-21.13	37.41	34.50	12.36	36.31	0.00	100	82 PEAK	3	5700.40	48.32	105.41	-57.09	37.67	34.60	12.40	36.35	0.00	100	82 PEAK	4	5720.00	48.03	110.90	-62.87	37.36	34.64	12.42	36.39	0.00	100	82 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.86</td><td>-----</td><td>-----</td><td>95.17</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.86	-----	-----	95.17	34.67	12.43	36.41	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5645.60	48.33	68.20	-19.87	37.78	34.50	12.35	36.30	0.00	100	82 PEAK																																																																																																																													
2	5651.20	47.96	69.09	-21.13	37.41	34.50	12.36	36.31	0.00	100	82 PEAK																																																																																																																													
3	5700.40	48.32	105.41	-57.09	37.67	34.60	12.40	36.35	0.00	100	82 PEAK																																																																																																																													
4	5720.00	48.03	110.90	-62.87	37.36	34.64	12.42	36.39	0.00	100	82 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	105.86	-----	-----	95.17	34.67	12.43	36.41	0.00	100	82 PEAK																																																																																																																													
Avg																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>96.65</td><td>-----</td><td>-----</td><td>85.96</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>82 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.65	-----	-----	85.96	34.67	12.43	36.41	0.00	100	82 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>96.65</td><td>-----</td><td>-----</td><td>85.96</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>82 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.65	-----	-----	85.96	34.67	12.43	36.41	0.00	100	82 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	96.65	-----	-----	85.96	34.67	12.43	36.41	0.00	100	82 AVERAGE																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	96.65	-----	-----	85.96	34.67	12.43	36.41	0.00	100	82 AVERAGE																																																																																																																													






Mode	119																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_26/8RU_5825MHz																																																																																																																																								
ANT	6																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>47.09</td><td>112.27</td><td>-65.18</td><td>36.04</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>50.48</td><td>105.69</td><td>-55.21</td><td>39.36</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>47.11</td><td>68.64</td><td>-21.53</td><td>35.97</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>4</td><td>5987.60</td><td>49.94</td><td>68.20</td><td>-18.26</td><td>39.00</td><td>35.30</td><td>12.74</td><td>37.10</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	47.09	112.27	-65.18	36.04	35.12	12.56	36.63	0.00	100	116 PEAK	2	5873.60	50.48	105.69	-55.21	39.36	35.19	12.59	36.66	0.00	100	116 PEAK	3	5924.40	47.11	68.64	-21.53	35.97	35.30	12.66	36.82	0.00	100	116 PEAK	4	5987.60	49.94	68.20	-18.26	39.00	35.30	12.74	37.10	0.00	100	116 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.52</td><td>-----</td><td>-----</td><td>96.50</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.52	-----	-----	96.50	35.07	12.54	36.59	0.00	100	116 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.40	47.09	112.27	-65.18	36.04	35.12	12.56	36.63	0.00	100	116 PEAK																																																																																																																														
2	5873.60	50.48	105.69	-55.21	39.36	35.19	12.59	36.66	0.00	100	116 PEAK																																																																																																																														
3	5924.40	47.11	68.64	-21.53	35.97	35.30	12.66	36.82	0.00	100	116 PEAK																																																																																																																														
4	5987.60	49.94	68.20	-18.26	39.00	35.30	12.74	37.10	0.00	100	116 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	107.52	-----	-----	96.50	35.07	12.54	36.59	0.00	100	116 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.83</td><td>-----</td><td>-----</td><td>88.81</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.83	-----	-----	88.81	35.07	12.54	36.59	0.00	100	116 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	99.83	-----	-----	88.81	35.07	12.54	36.59	0.00	100	116 AVERAGE																																																																																																																														






Mode	119																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_26/8RU_5825MHz																																																																																																																																			
ANT	6																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue signal line. A significant peak is visible at approximately 5840 MHz, labeled '1'. Other smaller peaks are labeled '2', '3', and '4'. The signal is identified as U-NII-3. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>46.92</td><td>111.36</td><td>-64.44</td><td>35.87</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>2 5873.60</td><td>48.00</td><td>105.69</td><td>-57.69</td><td>36.88</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>3 5924.00</td><td>48.85</td><td>68.35</td><td>-19.50</td><td>37.71</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>4 5943.60</td><td>49.88</td><td>68.20</td><td>-18.32</td><td>38.81</td><td>35.30</td><td>12.68</td><td>36.91</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	46.92	111.36	-64.44	35.87	35.12	12.56	36.63	0.00	100	82 PEAK	2 5873.60	48.00	105.69	-57.69	36.88	35.19	12.59	36.66	0.00	100	82 PEAK	3 5924.00	48.85	68.35	-19.50	37.71	35.30	12.66	36.82	0.00	100	82 PEAK	4 5943.60	49.88	68.20	-18.32	38.81	35.30	12.68	36.91	0.00	100	82 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. A significant peak is visible at approximately 5825 MHz, labeled '1'. The signal is identified as U-NII-3. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.63</td><td>-----</td><td>-----</td><td>92.61</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.63	-----	-----	92.61	35.07	12.54	36.59	0.00	100	82 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	46.92	111.36	-64.44	35.87	35.12	12.56	36.63	0.00	100	82 PEAK																																																																																																																										
2 5873.60	48.00	105.69	-57.69	36.88	35.19	12.59	36.66	0.00	100	82 PEAK																																																																																																																										
3 5924.00	48.85	68.35	-19.50	37.71	35.30	12.66	36.82	0.00	100	82 PEAK																																																																																																																										
4 5943.60	49.88	68.20	-18.32	38.81	35.30	12.68	36.91	0.00	100	82 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	103.63	-----	-----	92.61	35.07	12.54	36.59	0.00	100	82 PEAK																																																																																																																										
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. A significant peak is visible at approximately 5825 MHz, labeled '1'. The signal is identified as U-NII-3(AVG). <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>95.30</td><td>-----</td><td>-----</td><td>84.28</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>100</td><td>82 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	95.30	-----	-----	84.28	35.07	12.54	36.59	0.00	100	82 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	95.30	-----	-----	84.28	35.07	12.54	36.59	0.00	100	82 AVERAGE																																																																																																																										








Mode	120																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_52/37RU_5745MHz																																																																																																																																								
ANT	6																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5614.00</td><td>49.79</td><td>68.20</td><td>-18.41</td><td>39.24</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>47.49</td><td>68.20</td><td>-20.71</td><td>36.95</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>3</td><td>5707.60</td><td>58.98</td><td>107.43</td><td>-48.45</td><td>48.31</td><td>34.62</td><td>12.41</td><td>36.36</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.88</td><td>110.90</td><td>-56.02</td><td>44.21</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5614.00	49.79	68.20	-18.41	39.24	34.50	12.32	36.27	0.00	100	118 PEAK	2	5658.00	47.49	68.20	-20.71	36.95	34.50	12.35	36.31	0.00	100	118 PEAK	3	5707.60	58.98	107.43	-48.45	48.31	34.62	12.41	36.36	0.00	100	118 PEAK	4	5720.00	54.88	110.90	-56.02	44.21	34.64	12.42	36.39	0.00	100	118 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.32</td><td>-----</td><td>-----</td><td>98.62</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.32	-----	-----	98.62	34.68	12.44	36.42	0.00	100	118 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5614.00	49.79	68.20	-18.41	39.24	34.50	12.32	36.27	0.00	100	118 PEAK																																																																																																																														
2	5658.00	47.49	68.20	-20.71	36.95	34.50	12.35	36.31	0.00	100	118 PEAK																																																																																																																														
3	5707.60	58.98	107.43	-48.45	48.31	34.62	12.41	36.36	0.00	100	118 PEAK																																																																																																																														
4	5720.00	54.88	110.90	-56.02	44.21	34.64	12.42	36.39	0.00	100	118 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	109.32	-----	-----	98.62	34.68	12.44	36.42	0.00	100	118 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.71</td><td>-----</td><td>-----</td><td>89.02</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>118 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.71	-----	-----	89.02	34.67	12.43	36.41	0.00	100	118 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	99.71	-----	-----	89.02	34.67	12.43	36.41	0.00	100	118 AVERAGE																																																																																																																														







Mode	120																																																																																										
	Band Edge																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_52/37RU_5745MHz																																																																																										
ANT	6																																																																																										
Pol.	Vertical																																																																																										
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5601.60</td><td>49.03</td><td>68.20</td><td>-19.17</td><td>38.48</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>48.24</td><td>69.39</td><td>-21.15</td><td>37.69</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr><tr><td>3</td><td>5704.40</td><td>50.87</td><td>106.53</td><td>-55.66</td><td>40.22</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>47.92</td><td>110.90</td><td>-62.98</td><td>37.25</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5601.60	49.03	68.20	-19.17	38.48	34.50	12.31	36.26	0.00	100	80 PEAK	2	5651.60	48.24	69.39	-21.15	37.69	34.50	12.36	36.31	0.00	100	80 PEAK	3	5704.40	50.87	106.53	-55.66	40.22	34.61	12.40	36.36	0.00	100	80 PEAK	4	5720.00	47.92	110.90	-62.98	37.25	34.64	12.42	36.39	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5601.60	49.03	68.20	-19.17	38.48	34.50	12.31	36.26	0.00	100	80 PEAK																																																																																
2	5651.60	48.24	69.39	-21.15	37.69	34.50	12.36	36.31	0.00	100	80 PEAK																																																																																
3	5704.40	50.87	106.53	-55.66	40.22	34.61	12.40	36.36	0.00	100	80 PEAK																																																																																
4	5720.00	47.92	110.90	-62.98	37.25	34.64	12.42	36.39	0.00	100	80 PEAK																																																																																
Fundamental																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.67</td><td>-----</td><td>-----</td><td>94.97</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.67	-----	-----	94.97	34.68	12.44	36.42	0.00	100	80 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	105.67	-----	-----	94.97	34.68	12.44	36.42	0.00	100	80 PEAK																																																																																
Avg	Blank																																																																																										
																																																																																											
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.65</td><td>-----</td><td>-----</td><td>85.95</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>80 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.65	-----	-----	85.95	34.68	12.44	36.42	0.00	100	80 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	96.65	-----	-----	85.95	34.68	12.44	36.42	0.00	100	80 AVERAGE																																																																																






Mode	121																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_52/40RU_5825MHz																																																																																							
ANT	6																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>51.10</td><td>113.18</td><td>-62.08</td><td>40.05</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>101 116 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>50.71</td><td>106.14</td><td>-55.43</td><td>39.59</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>101 116 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>48.82</td><td>68.94</td><td>-20.12</td><td>37.68</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>101 116 PEAK</td></tr><tr><td>4</td><td>5993.20</td><td>49.45</td><td>68.20</td><td>-18.75</td><td>38.53</td><td>35.30</td><td>12.75</td><td>37.13</td><td>0.00</td><td>101 116 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	51.10	113.18	-62.08	40.05	35.12	12.56	36.63	0.00	101 116 PEAK	2	5872.00	50.71	106.14	-55.43	39.59	35.19	12.59	36.66	0.00	101 116 PEAK	3	5924.00	48.82	68.94	-20.12	37.68	35.30	12.66	36.82	0.00	101 116 PEAK	4	5993.20	49.45	68.20	-18.75	38.53	35.30	12.75	37.13	0.00	101 116 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.00	51.10	113.18	-62.08	40.05	35.12	12.56	36.63	0.00	101 116 PEAK																																																																														
2	5872.00	50.71	106.14	-55.43	39.59	35.19	12.59	36.66	0.00	101 116 PEAK																																																																														
3	5924.00	48.82	68.94	-20.12	37.68	35.30	12.66	36.82	0.00	101 116 PEAK																																																																														
4	5993.20	49.45	68.20	-18.75	38.53	35.30	12.75	37.13	0.00	101 116 PEAK																																																																														
Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.22</td><td>-----</td><td>-----</td><td>96.21</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>101 116 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.22	-----	-----	96.21	35.06	12.53	36.58	0.00	101 116 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5825.00	107.22	-----	-----	96.21	35.06	12.53	36.58	0.00	101 116 PEAK																																																																														
Blank																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.62</td><td>-----</td><td>-----</td><td>87.61</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>101 116 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.62	-----	-----	87.61	35.06	12.53	36.58	0.00	101 116 AVERAGE																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5825.00	98.62	-----	-----	87.61	35.06	12.53	36.58	0.00	101 116 AVERAGE																																																																														
Fundamental																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.22</td><td>-----</td><td>-----</td><td>96.21</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>101 116 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.22	-----	-----	96.21	35.06	12.53	36.58	0.00	101 116 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5825.00	107.22	-----	-----	96.21	35.06	12.53	36.58	0.00	101 116 PEAK																																																																														
Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.62</td><td>-----</td><td>-----</td><td>87.61</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>101 116 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.62	-----	-----	87.61	35.06	12.53	36.58	0.00	101 116 AVERAGE																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5825.00	98.62	-----	-----	87.61	35.06	12.53	36.58	0.00	101 116 AVERAGE																																																																														






Mode	121																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_52/40RU_5825MHz																																																																																																																																								
ANT	6																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>48.49</td><td>111.36</td><td>-62.87</td><td>37.44</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>48.77</td><td>105.58</td><td>-56.81</td><td>37.64</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>48.66</td><td>69.23</td><td>-20.57</td><td>37.52</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr><tr><td>4</td><td>5934.00</td><td>51.32</td><td>68.20</td><td>-16.88</td><td>40.21</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	48.49	111.36	-62.87	37.44	35.12	12.56	36.63	0.00	100	80 PEAK	2	5874.00	48.77	105.58	-56.81	37.64	35.20	12.59	36.66	0.00	100	80 PEAK	3	5923.60	48.66	69.23	-20.57	37.52	35.30	12.66	36.82	0.00	100	80 PEAK	4	5934.00	51.32	68.20	-16.88	40.21	35.30	12.67	36.86	0.00	100	80 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.99</td><td>-----</td><td>-----</td><td>93.98</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.99	-----	-----	93.98	35.06	12.53	36.58	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.00	48.49	111.36	-62.87	37.44	35.12	12.56	36.63	0.00	100	80 PEAK																																																																																																																														
2	5874.00	48.77	105.58	-56.81	37.64	35.20	12.59	36.66	0.00	100	80 PEAK																																																																																																																														
3	5923.60	48.66	69.23	-20.57	37.52	35.30	12.66	36.82	0.00	100	80 PEAK																																																																																																																														
4	5934.00	51.32	68.20	-16.88	40.21	35.30	12.67	36.86	0.00	100	80 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	104.99	-----	-----	93.98	35.06	12.53	36.58	0.00	100	80 PEAK																																																																																																																														
Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.89</td><td>-----</td><td>-----</td><td>84.87</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>100</td><td>80 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.89	-----	-----	84.87	35.07	12.54	36.59	0.00	100	80 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.89</td><td>-----</td><td>-----</td><td>84.87</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>100</td><td>80 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.89	-----	-----	84.87	35.07	12.54	36.59	0.00	100	80 AVERAGE																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	95.89	-----	-----	84.87	35.07	12.54	36.59	0.00	100	80 AVERAGE																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	95.89	-----	-----	84.87	35.07	12.54	36.59	0.00	100	80 AVERAGE																																																																																																																														






Mode	122																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_106/53RU_5745MHz																																																																																																																																			
ANT	6																																																																																																																																			
Pol.	Horizontal																																																																																																																																			
Peak	Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5608.00</td><td>49.45</td><td>68.20</td><td>-18.75</td><td>38.90</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>2 5652.40</td><td>56.94</td><td>69.99</td><td>-13.05</td><td>46.39</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>3 5720.00</td><td>78.15</td><td>110.90</td><td>-32.75</td><td>67.48</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr><tr><td>4 5720.00</td><td>78.15</td><td>110.90</td><td>-32.75</td><td>67.48</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr></tbody></table> Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>107.39</td><td>-----</td><td>-----</td><td>96.69</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>118 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5608.00	49.45	68.20	-18.75	38.90	34.50	12.32	36.27	0.00	100	118 PEAK	2 5652.40	56.94	69.99	-13.05	46.39	34.50	12.36	36.31	0.00	100	118 PEAK	3 5720.00	78.15	110.90	-32.75	67.48	34.64	12.42	36.39	0.00	100	118 PEAK	4 5720.00	78.15	110.90	-32.75	67.48	34.64	12.42	36.39	0.00	100	118 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	107.39	-----	-----	96.69	34.68	12.44	36.42	0.00	100	118 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5608.00	49.45	68.20	-18.75	38.90	34.50	12.32	36.27	0.00	100	118 PEAK																																																																																																																										
2 5652.40	56.94	69.99	-13.05	46.39	34.50	12.36	36.31	0.00	100	118 PEAK																																																																																																																										
3 5720.00	78.15	110.90	-32.75	67.48	34.64	12.42	36.39	0.00	100	118 PEAK																																																																																																																										
4 5720.00	78.15	110.90	-32.75	67.48	34.64	12.42	36.39	0.00	100	118 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	107.39	-----	-----	96.69	34.68	12.44	36.42	0.00	100	118 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
	Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>98.10</td><td>-----</td><td>-----</td><td>87.41</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>118 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	98.10	-----	-----	87.41	34.67	12.43	36.41	0.00	100	118 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	98.10	-----	-----	87.41	34.67	12.43	36.41	0.00	100	118 AVERAGE																																																																																																																										






	122																																																																																																																	
Mode	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_106/53RU_5745MHz																																																																																																																	
ANT	6																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5643.20</td><td>48.70</td><td>68.20</td><td>-19.50</td><td>38.15</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>47.35</td><td>68.80</td><td>-21.45</td><td>36.80</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>3</td><td>5715.60</td><td>76.89</td><td>109.67</td><td>-32.78</td><td>66.23</td><td>34.63</td><td>12.41</td><td>36.38</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>68.60</td><td>112.72</td><td>-44.12</td><td>57.93</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5643.20	48.70	68.20	-19.50	38.15	34.50	12.35	36.30	0.00	100	81 PEAK	2	5650.80	47.35	68.80	-21.45	36.80	34.50	12.36	36.31	0.00	100	81 PEAK	3	5715.60	76.89	109.67	-32.78	66.23	34.63	12.41	36.38	0.00	100	81 PEAK	4	5720.80	68.60	112.72	-44.12	57.93	34.64	12.42	36.39	0.00	100	81 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.65</td><td>-----</td><td>-----</td><td>94.95</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	105.65	-----	-----	94.95	34.68	12.44	36.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5643.20	48.70	68.20	-19.50	38.15	34.50	12.35	36.30	0.00	100	81 PEAK																																																																																																							
2	5650.80	47.35	68.80	-21.45	36.80	34.50	12.36	36.31	0.00	100	81 PEAK																																																																																																							
3	5715.60	76.89	109.67	-32.78	66.23	34.63	12.41	36.38	0.00	100	81 PEAK																																																																																																							
4	5720.80	68.60	112.72	-44.12	57.93	34.64	12.42	36.39	0.00	100	81 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5745.00	105.65	-----	-----	94.95	34.68	12.44	36.42	0.00	100	81 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.04</td><td>-----</td><td>-----</td><td>85.35</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>81 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	96.04	-----	-----	85.35	34.67	12.43	36.41	0.00	100	81 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5745.00	96.04	-----	-----	85.35	34.67	12.43	36.41	0.00	100	81 AVERAGE																																																																																																							



Mode	123																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_106/54RU_5825MHz																																																																																																																																									
ANT	6																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>78.35</td><td>111.36</td><td>-33.01</td><td>67.30</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>2</td><td>5859.20</td><td>77.98</td><td>109.72</td><td>-31.74</td><td>66.91</td><td>35.14</td><td>12.57</td><td>36.64</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>3</td><td>5915.20</td><td>55.38</td><td>75.45</td><td>-20.07</td><td>44.21</td><td>35.30</td><td>12.65</td><td>36.78</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>4</td><td>5979.20</td><td>50.00</td><td>68.20</td><td>-18.20</td><td>39.04</td><td>35.30</td><td>12.73</td><td>37.07</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	78.35	111.36	-33.01	67.30	35.12	12.56	36.63	0.00	100	116 PEAK	2	5859.20	77.98	109.72	-31.74	66.91	35.14	12.57	36.64	0.00	100	116 PEAK	3	5915.20	55.38	75.45	-20.07	44.21	35.30	12.65	36.78	0.00	100	116 PEAK	4	5979.20	50.00	68.20	-18.20	39.04	35.30	12.73	37.07	0.00	100	116 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.19</td><td>-----</td><td>-----</td><td>97.18</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.19	-----	-----	97.18	35.06	12.53	36.58	0.00	100	116 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.00	78.35	111.36	-33.01	67.30	35.12	12.56	36.63	0.00	100	116 PEAK																																																																																																																															
2	5859.20	77.98	109.72	-31.74	66.91	35.14	12.57	36.64	0.00	100	116 PEAK																																																																																																																															
3	5915.20	55.38	75.45	-20.07	44.21	35.30	12.65	36.78	0.00	100	116 PEAK																																																																																																																															
4	5979.20	50.00	68.20	-18.20	39.04	35.30	12.73	37.07	0.00	100	116 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	108.19	-----	-----	97.18	35.06	12.53	36.58	0.00	100	116 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.53</td><td>-----</td><td>-----</td><td>87.51</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.53	-----	-----	87.51	35.07	12.54	36.59	0.00	100	116 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	98.53	-----	-----	87.51	35.07	12.54	36.59	0.00	100	116 AVERAGE																																																																																																																															




Mode	123																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_106/54RU_5825MHz																																																																																																																																							
ANT	6																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5852.00</td><td>80.83</td><td>115.92</td><td>-35.09</td><td>69.79</td><td>35.11</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>78.48</td><td>110.40</td><td>-31.92</td><td>67.41</td><td>35.13</td><td>12.57</td><td>36.63</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.79</td><td>68.94</td><td>-21.15</td><td>36.65</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>4</td><td>5933.20</td><td>50.53</td><td>68.20</td><td>-17.67</td><td>39.42</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.00	80.83	115.92	-35.09	69.79	35.11	12.56	36.63	0.00	100	81 PEAK	2	5856.00	78.48	110.40	-31.92	67.41	35.13	12.57	36.63	0.00	100	81 PEAK	3	5924.00	47.79	68.94	-21.15	36.65	35.30	12.66	36.82	0.00	100	81 PEAK	4	5933.20	50.53	68.20	-17.67	39.42	35.30	12.67	36.86	0.00	100	81 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.87</td><td>-----</td><td>-----</td><td>94.86</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.87	-----	-----	94.86	35.06	12.53	36.58	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5852.00	80.83	115.92	-35.09	69.79	35.11	12.56	36.63	0.00	100	81 PEAK																																																																																																																													
2	5856.00	78.48	110.40	-31.92	67.41	35.13	12.57	36.63	0.00	100	81 PEAK																																																																																																																													
3	5924.00	47.79	68.94	-21.15	36.65	35.30	12.66	36.82	0.00	100	81 PEAK																																																																																																																													
4	5933.20	50.53	68.20	-17.67	39.42	35.30	12.67	36.86	0.00	100	81 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5825.00	105.87	-----	-----	94.86	35.06	12.53	36.58	0.00	100	81 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.39</td><td>-----</td><td>-----</td><td>84.37</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>100</td><td>81 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	95.39	-----	-----	84.37	35.07	12.54	36.59	0.00	100	81 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5825.00	95.39	-----	-----	84.37	35.07	12.54	36.59	0.00	100	81 AVERAGE																																																																																																																													

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.32	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE20 RU26	100	-	-	10Hz
802.11ax HE20 RU52	100	-	-	10Hz
802.11ax HE20 RU106	100	-	-	10Hz

802.11a







802.11ax HE20




802.11ax HE40




802.11ax HE80



802.11ax HE20 RU26



802.11ax HE20 RU52



802.11ax HE20 RU106

