



11a_TX_CH_100_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10996.1167	40.25	39.30	-36.00	43.55	54.00	10.45	Vertical
2	17958.2167	35.58	41.58	-31.01	46.15	54.00	7.85	Vertical
3	6495.875	39.11	35.49	-16.74	57.86	68.20	10.34	Vertical
4	10995.7333	47.58	39.29	-36.00	50.88	74.00	23.12	Vertical
5	16502.7	49.55	38.40	-32.70	55.25	68.20	12.95	Vertical
6	17914.5167	43.37	41.45	-31.10	53.72	74.00	20.28	Vertical

11a_TX_CH_116_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17985.8167	35.73	41.66	-30.96	46.43	54.00	7.57	Horizontal
2	6420.25	39.88	35.34	-16.61	58.61	68.20	9.59	Horizontal
3	9510.3167	48.72	38.05	-38.46	48.31	68.20	19.89	Horizontal
4	12816.5667	46.18	39.68	-34.73	51.13	68.20	17.07	Horizontal
5	16737.3	48.94	38.59	-32.91	54.62	68.20	13.58	Horizontal
6	17918.7333	43.80	41.46	-31.09	54.17	74.00	19.83	Horizontal

11a_TX_CH_116_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17955.9167	35.77	41.57	-31.02	46.32	54.00	7.68	Vertical
2	6450.9583	38.87	35.40	-16.67	57.61	68.20	10.59	Vertical
3	8504.8333	49.19	37.65	-40.28	46.56	68.20	21.64	Vertical
4	11883.9167	46.53	38.77	-34.74	50.56	74.00	23.44	Vertical
5	16739.6	48.89	38.59	-32.89	54.59	68.20	13.61	Vertical
6	17930.6167	43.89	41.50	-31.07	54.32	74.00	19.68	Vertical

11a_TX_CH_120_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17921.8	36.15	41.47	-31.09	46.54	54.00	7.46	Horizontal
2	6476.1667	39.41	35.45	-16.71	58.15	68.20	10.05	Horizontal
3	8205.8333	49.27	37.44	-40.60	46.11	74.00	27.89	Horizontal
4	11335.3667	45.54	39.10	-35.87	48.76	74.00	25.24	Horizontal
5	12877.5167	46.79	39.75	-34.53	52.01	68.20	16.19	Horizontal
6	17917.9667	43.93	41.46	-31.09	54.30	74.00	19.70	Horizontal

11a_TX_CH_120_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.0333	35.82	41.60	-31.00	46.43	54.00	7.57	Vertical
2	6322.625	39.89	35.15	-16.94	58.10	68.20	10.10	Vertical
3	11199.2833	47.17	39.18	-35.06	51.29	74.00	22.71	Vertical
4	13597.4167	46.52	40.20	-34.07	52.65	68.20	15.55	Vertical
5	16797.4833	47.93	38.64	-32.31	54.26	68.20	13.94	Vertical
6	17950.1667	43.23	41.56	-31.03	53.76	74.00	20.24	Vertical

11a_TX_CH_124_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17952.85	35.81	41.56	-31.02	46.35	54.00	7.65	Horizontal
2	6477.0833	39.09	35.45	-16.71	57.83	68.20	10.37	Horizontal
3	9412.95	47.77	38.04	-38.60	47.21	74.00	26.79	Horizontal
4	12228.9167	45.35	38.97	-35.18	49.15	74.00	24.85	Horizontal
5	14382.4833	45.15	40.17	-33.97	51.35	68.20	16.85	Horizontal
6	17980.8333	43.46	41.64	-30.97	54.14	74.00	19.86	Horizontal

11a_TX_CH_124_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17993.4833	35.73	41.68	-30.94	46.47	54.00	7.53	Vertical
2	6402.8333	39.51	35.31	-16.58	58.23	68.20	9.97	Vertical
3	8944.9	48.68	37.96	-39.46	47.18	68.20	21.02	Vertical
4	11908.0667	44.71	38.76	-34.62	48.84	74.00	25.16	Vertical
5	16861.1167	49.38	38.69	-32.49	55.58	68.20	12.62	Vertical
6	17987.7333	43.16	41.66	-30.95	53.87	74.00	20.13	Vertical

11a_TX_CH_128_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17967.8	35.84	41.61	-30.99	46.45	54.00	7.55	Horizontal
2	6380.8333	39.97	35.26	-16.67	58.56	68.20	9.64	Horizontal
3	8897.3667	48.80	37.93	-39.64	47.08	68.20	21.12	Horizontal
4	12330.1167	46.11	39.10	-34.67	50.53	74.00	23.47	Horizontal
5	15561.2333	44.74	38.79	-33.32	50.21	74.00	23.79	Horizontal
6	17952.4667	43.40	41.56	-31.03	53.94	74.00	20.06	Horizontal

11a_TX_CH_128_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17906.4667	35.07	41.43	-31.12	45.38	54.00	8.62	Vertical
2	6457.375	39.43	35.41	-16.68	58.17	68.20	10.03	Vertical
3	8980.1667	48.13	37.99	-39.33	46.79	68.20	21.41	Vertical
4	11959.4333	46.63	38.72	-35.28	50.07	74.00	23.93	Vertical
5	16917.0833	50.08	38.73	-32.21	56.60	68.20	11.60	Vertical
6	17664.2	44.96	40.73	-31.43	54.26	68.20	13.94	Vertical

11a_TX_CH_140_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17960.1333	36.70	41.58	-31.01	47.27	54.00	6.73	Horizontal
2	6414.75	39.64	35.33	-16.61	58.36	68.20	9.84	Horizontal
3	8904.65	49.01	37.93	-39.62	47.32	68.20	20.88	Horizontal
4	11933.3667	45.93	38.74	-34.95	49.72	74.00	24.28	Horizontal
5	15366.5	44.51	39.14	-33.58	50.07	74.00	23.93	Horizontal
6	17992.7167	43.22	41.68	-30.94	53.95	74.00	20.05	Horizontal

11a_TX_CH_140_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17990.4167	35.47	41.67	-30.95	46.19	54.00	7.81	Vertical
2	6340.5	39.92	35.18	-16.85	58.25	68.20	9.95	Vertical
3	9583.15	49.22	38.06	-38.27	49.01	68.20	19.19	Vertical
4	14489.8167	45.86	40.11	-34.71	51.25	74.00	22.75	Vertical
5	17102.2333	48.17	39.10	-31.67	55.59	68.20	12.61	Vertical
6	17957.0667	43.90	41.58	-31.02	54.46	74.00	19.54	Vertical

11a_TX_CH_144_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17961.6667	35.93	41.59	-31.01	46.51	54.00	7.49	Horizontal
2	6404.2083	39.35	35.31	-16.59	58.07	68.20	10.13	Horizontal
3	9507.6333	48.74	38.05	-38.47	48.32	68.20	19.88	Horizontal
4	11880.0833	44.80	38.77	-34.79	48.78	74.00	25.22	Horizontal
5	15697.7	44.56	38.54	-33.36	49.74	74.00	24.26	Horizontal
6	17995.0167	43.15	41.69	-30.94	53.90	74.00	20.10	Horizontal

11a_TX_CH_144_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17981.6	35.70	41.65	-30.97	46.38	54.00	7.62	Vertical
2	6384.9583	40.05	35.27	-16.65	58.67	68.20	9.53	Vertical
3	9542.1333	49.04	38.05	-38.38	48.72	68.20	19.48	Vertical
4	11916.8833	45.86	38.75	-34.74	49.87	74.00	24.13	Vertical
5	17155.5167	52.46	39.25	-31.49	60.22	68.20	7.98	Vertical
6	17997.7	43.70	41.69	-30.93	54.46	74.00	19.54	Vertical

11a_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17919.1167	35.60	41.47	-31.09	45.97	54.00	8.03	Horizontal
2	6436.2917	39.56	35.37	-16.64	58.29	68.20	9.91	Horizontal
3	8298.9833	49.01	37.51	-40.63	45.89	74.00	28.11	Horizontal
4	11674.6167	44.75	38.90	-35.53	48.11	74.00	25.89	Horizontal
5	17239.4667	46.39	39.49	-31.55	54.34	68.20	13.86	Horizontal
6	17924.4833	43.23	41.48	-31.08	53.63	74.00	20.37	Horizontal

11a_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17914.1333	35.71	41.45	-31.10	46.06	54.00	7.94	Vertical
2	6466.5417	39.44	35.43	-16.69	58.18	68.20	10.02	Vertical
3	8911.1667	48.89	37.94	-39.60	47.23	68.20	20.97	Vertical
4	11901.9333	44.79	38.76	-34.54	49.00	74.00	25.00	Vertical
5	17233.7167	51.66	39.48	-31.52	59.62	68.20	8.58	Vertical
6	17941.35	43.57	41.53	-31.05	54.05	74.00	19.95	Vertical

11a_TX_CH_157_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17966.2667	35.47	41.60	-31.00	46.07	54.00	7.93	Horizontal
2	6472.9583	38.87	35.45	-16.70	57.61	68.20	10.59	Horizontal
3	8495.6333	48.75	37.65	-40.31	46.09	74.00	27.91	Horizontal
4	11602.9333	44.86	38.94	-35.20	48.59	74.00	25.41	Horizontal
5	15771.3	44.25	38.41	-33.04	49.62	74.00	24.38	Horizontal
6	17965.8833	43.77	41.60	-31.00	54.37	74.00	19.63	Horizontal

11a_TX_CH_157_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17962.8167	35.77	41.59	-31.00	46.36	54.00	7.64	Vertical
2	6440.875	39.47	35.38	-16.65	58.20	68.20	10.00	Vertical
3	9444.3833	48.42	38.04	-38.56	47.90	74.00	26.10	Vertical
4	13502.35	46.51	40.15	-35.12	51.54	68.20	16.66	Vertical
5	17358.3	51.91	39.84	-32.13	59.62	68.20	8.58	Vertical
6	17952.85	43.15	41.56	-31.02	53.69	74.00	20.31	Vertical

11a_TX_CH_165_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17954	35.81	41.57	-31.02	46.35	54.00	7.65	Horizontal
2	6423	39.22	35.35	-16.62	57.95	68.20	10.25	Horizontal
3	8925.7333	48.69	37.95	-39.54	47.10	68.20	21.10	Horizontal
4	12079.8	45.38	38.80	-35.13	49.05	74.00	24.95	Horizontal
5	17476.75	45.94	40.18	-32.10	54.03	68.20	14.17	Horizontal
6	17926.7833	43.98	41.49	-31.08	54.39	74.00	19.61	Horizontal


11a_TX_CH_165_Vertica



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17932.15	35.98	41.50	-31.07	46.42	54.00	7.58	Vertical
2	6492.6667	38.74	35.49	-16.74	57.49	68.20	10.71	Vertical
3	8048.2833	49.59	37.33	-41.11	45.82	74.00	28.18	Vertical
4	12171.4167	45.25	38.91	-35.26	48.90	74.00	25.10	Vertical
5	17475.6	51.81	40.18	-32.10	59.89	68.20	8.31	Vertical
6	17940.9667	43.74	41.53	-31.05	54.22	74.00	19.78	Vertical

11ac(VHT20)_TX_CH_36_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8288.25	44.61	37.50	-40.63	41.49	54.00	12.51	Horizontal
2	17924.4833	36.41	41.48	-31.08	46.81	54.00	7.19	Horizontal
3	6423.4583	39.43	35.35	-16.62	58.16	68.20	10.04	Horizontal
4	8287.8667	50.71	37.50	-40.63	47.59	74.00	26.41	Horizontal
5	15544.3667	48.05	38.82	-33.45	53.42	74.00	20.58	Horizontal
6	17978.5333	43.65	41.64	-30.97	54.31	74.00	19.69	Horizontal


11ac(VHT20)_TX_CH_36_Vertical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15544.3667	43.17	38.82	-33.45	48.54	54.00	5.46	Vertical
2	17969.7167	35.53	41.61	-30.99	46.15	54.00	7.85	Vertical
3	6422.5417	39.71	35.35	-16.62	58.44	68.20	9.76	Vertical
4	10359.0167	50.05	38.53	-36.86	51.72	68.20	16.48	Vertical
5	15532.1	50.89	38.84	-33.54	56.20	74.00	17.80	Vertical
6	17617.8167	45.09	40.59	-31.84	53.84	68.20	14.36	Vertical

11ac(VHT20)_TX_CH_40_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15598.8	42.08	38.72	-33.05	47.75	54.00	6.25	Horizontal
2	17963.2	35.54	41.59	-31.00	46.13	54.00	7.87	Horizontal
3	6476.1667	39.65	35.45	-16.71	58.39	68.20	9.81	Horizontal
4	10403.4833	49.65	38.58	-36.60	51.63	68.20	16.57	Horizontal
5	15598.0333	49.13	38.72	-33.05	54.80	74.00	19.20	Horizontal
6	17694.4833	43.14	40.81	-31.16	52.79	68.20	15.41	Horizontal

11ac(VHT20)_TX_CH_40_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15602.25	44.25	38.72	-33.05	49.92	54.00	4.08	Vertical
2	17934.0667	36.05	41.51	-31.06	46.50	54.00	7.50	Vertical
3	6405.5833	39.55	35.31	-16.59	58.27	68.20	9.93	Vertical
4	10401.95	53.79	38.58	-36.61	55.77	68.20	12.43	Vertical
5	15599.1833	51.71	38.72	-33.05	57.39	74.00	16.61	Vertical
6	17956.6833	44.27	41.57	-31.02	54.83	74.00	19.17	Vertical

11ac(VHT20)_TX_CH_48_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15716.8667	42.20	38.51	-33.29	47.42	54.00	6.58	Horizontal
2	17969.7167	35.62	41.61	-30.99	46.24	54.00	7.76	Horizontal
3	6372.5833	40.87	35.25	-16.71	59.41	68.20	8.79	Horizontal
4	10476.7	48.32	38.67	-36.47	50.52	68.20	17.68	Horizontal
5	15722.6167	50.62	38.50	-33.27	55.85	74.00	18.15	Horizontal
6	17998.85	43.43	41.70	-30.93	54.19	74.00	19.81	Horizontal

11ac(VHT20)_TX_CH_48_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15721.85	45.19	38.50	-33.27	50.42	54.00	3.58	Vertical
2	17997.7	35.75	41.69	-30.93	46.51	54.00	7.49	Vertical
3	6499.5417	36.86	35.50	-16.75	55.61	68.20	12.59	Vertical
4	10475.9333	53.01	38.67	-36.47	55.21	68.20	12.99	Vertical
5	15721.85	53.87	38.50	-33.27	59.10	74.00	14.90	Vertical
6	17980.8333	43.81	41.64	-30.97	54.49	74.00	19.51	Vertical

11ac(VHT20)_TX_CH_52_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15778.5833	44.64	38.40	-33.01	50.03	54.00	3.97	Horizontal
2	17969.3333	35.64	41.61	-30.99	46.26	54.00	7.74	Horizontal
3	6411.5417	39.67	35.32	-16.60	58.39	68.20	9.81	Horizontal
4	10520.7833	49.60	38.72	-36.48	51.85	68.20	16.35	Horizontal
5	15787.7833	51.89	38.38	-32.97	57.31	74.00	16.69	Horizontal
6	17934.45	43.30	41.51	-31.06	53.75	74.00	20.25	Horizontal

11ac(VHT20)_TX_CH_52_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15780.5	45.47	38.40	-33.00	50.87	54.00	3.13	Vertical
2	17975.0833	35.77	41.63	-30.98	46.42	54.00	7.58	Vertical
3	6403.75	39.29	35.31	-16.59	58.01	68.20	10.19	Vertical
4	10525	54.66	38.73	-36.49	56.90	68.20	11.30	Vertical
5	15783.95	54.67	38.39	-32.98	60.08	74.00	13.92	Vertical
6	17996.55	44.12	41.69	-30.94	54.87	74.00	19.13	Vertical

11ac(VHT20)_TX_CH_60_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10601.2833	44.42	38.82	-36.66	46.58	54.00	7.42	Horizontal
2	15902.0167	44.18	38.18	-33.72	48.63	54.00	5.37	Horizontal
3	6432.1667	39.79	35.36	-16.63	58.52	68.20	9.68	Horizontal
4	10600.9	49.85	38.82	-36.66	52.01	74.00	21.99	Horizontal
5	15901.6333	51.12	38.18	-33.72	55.57	74.00	18.43	Horizontal
6	17956.6833	43.26	41.57	-31.02	53.82	74.00	20.18	Horizontal

11ac(VHT20)_TX_CH_60_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10601.6667	47.92	38.82	-36.66	50.09	54.00	3.91	Vertical
2	15898.95	46.42	38.18	-33.72	50.88	54.00	3.12	Vertical
3	17959.75	35.84	41.58	-31.01	46.41	54.00	7.59	Vertical
4	6409.25	39.66	35.32	-16.60	58.38	68.20	9.82	Vertical
5	10600.5167	55.20	38.82	-36.67	57.35	74.00	16.65	Vertical
6	15898.5667	54.23	38.18	-33.72	58.69	74.00	15.31	Vertical
7	17970.8667	43.02	41.62	-30.99	53.65	74.00	20.35	Vertical

11ac(VHT20)_TX_CH_64_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15958.75	42.57	38.07	-33.49	47.16	54.00	6.84	Horizontal
2	17971.25	35.69	41.62	-30.99	46.32	54.00	7.68	Horizontal
3	6488.0833	40.08	35.48	-16.73	58.83	68.20	9.37	Horizontal
4	10633.1	50.00	38.86	-36.41	52.45	74.00	21.55	Horizontal
5	15972.1667	50.32	38.05	-33.43	54.94	74.00	19.06	Horizontal
6	17954	43.70	41.57	-31.02	54.24	74.00	19.76	Horizontal

11ac(VHT20)_TX_CH_64_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15960.2833	44.34	38.07	-33.48	48.93	54.00	5.07	Vertical
2	17973.9333	35.46	41.62	-30.98	46.10	54.00	7.90	Vertical
3	6458.2917	38.76	35.42	-16.68	57.50	68.20	10.70	Vertical
4	10638.85	53.27	38.87	-36.37	55.77	74.00	18.23	Vertical
5	15966.8	52.15	38.06	-33.46	56.75	74.00	17.25	Vertical
6	17983.9	43.23	41.65	-30.96	53.92	74.00	20.08	Vertical