



11ac(VHT20)_TX_CH_100_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17980.0667	35.83	41.64	-30.97	46.50	54.00	7.50	Horizontal
2	6399.625	39.54	35.30	-16.58	58.26	68.20	9.94	Horizontal
3	9625.3167	48.91	38.06	-38.08	48.90	68.20	19.30	Horizontal
4	12450.4833	45.39	39.24	-35.08	49.55	74.00	24.45	Horizontal
5	16498.8667	48.07	38.40	-32.70	53.76	68.20	14.44	Horizontal
6	17935.2167	43.13	41.51	-31.06	53.58	74.00	20.42	Horizontal

11ac(VHT20)_TX_CH_100_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17974.3167	35.68	41.63	-30.98	46.32	54.00	7.68	Vertical
2	6368.4583	39.95	35.24	-16.73	58.46	68.20	9.74	Vertical
3	7841.6667	51.62	36.98	-41.22	47.38	68.20	20.82	Vertical
4	9517.2167	48.46	38.05	-38.44	48.07	68.20	20.13	Vertical
5	16506.15	49.73	38.40	-32.70	55.44	68.20	12.76	Vertical
6	17995.7833	43.55	41.69	-30.94	54.30	74.00	19.70	Vertical

11ac(VHT20)_TX_CH_116_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17991.5667	35.62	41.68	-30.95	46.35	54.00	7.65	Horizontal
2	6358.375	40.06	35.22	-16.77	58.51	68.20	9.69	Horizontal
3	8963.3	49.74	37.97	-39.39	48.32	68.20	19.88	Horizontal
4	11162.4833	45.96	39.20	-35.32	49.84	74.00	24.16	Horizontal
5	16735.7667	49.28	38.59	-32.93	54.94	68.20	13.26	Horizontal
6	17926.0167	44.00	41.49	-31.08	54.41	74.00	19.59	Horizontal

11ac(VHT20)_TX_CH_116_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17958.9833	35.50	41.58	-31.01	46.07	54.00	7.93	Vertical
2	6435.375	39.27	35.37	-16.64	58.00	68.20	10.20	Vertical
3	9548.65	49.33	38.05	-38.36	49.03	68.20	19.17	Vertical
4	13540.3	46.14	40.17	-34.70	51.61	68.20	16.59	Vertical
5	16739.6	49.78	38.59	-32.89	55.48	68.20	12.72	Vertical
6	17985.4333	44.05	41.66	-30.96	54.75	74.00	19.25	Vertical

11ac(VHT20)_TX_CH_120_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17907.6167	36.10	41.43	-31.11	46.42	54.00	7.58	Horizontal
2	6405.125	39.84	35.31	-16.59	58.56	68.20	9.64	Horizontal
3	8458.0667	49.43	37.62	-40.50	46.56	74.00	27.44	Horizontal
4	11192	46.09	39.18	-35.12	50.16	74.00	23.84	Horizontal
5	16799.7833	46.35	38.64	-32.28	52.71	68.20	15.49	Horizontal
6	17973.1667	43.70	41.62	-30.98	54.34	74.00	19.66	Horizontal

11ac(VHT20)_TX_CH_120_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	11196.9833	39.74	39.18	-35.08	43.84	54.00	10.16	Vertical
2	17915.6667	35.89	41.46	-31.10	46.25	54.00	7.75	Vertical
3	6354.25	39.64	35.21	-16.79	58.06	68.20	10.14	Vertical
4	11196.9833	48.90	39.18	-35.08	53.00	74.00	21.00	Vertical
5	16795.5667	47.62	38.64	-32.32	53.93	68.20	14.27	Vertical
6	17935.9833	44.62	41.51	-31.06	55.08	74.00	18.92	Vertical

11ac(VHT20)_TX_CH_124_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17995.4	35.62	41.69	-30.94	46.37	54.00	7.63	Horizontal
2	6334.5417	40.52	35.17	-16.88	58.81	68.20	9.39	Horizontal
3	9440.55	48.18	38.04	-38.57	47.66	74.00	26.34	Horizontal
4	12862.1833	46.86	39.73	-34.58	52.01	68.20	16.19	Horizontal
5	16848.0833	46.51	38.68	-32.44	52.74	68.20	15.46	Horizontal
6	18000	43.21	41.70	-30.93	53.98	74.00	20.02	Horizontal

11ac(VHT20)_TX_CH_124_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17956.6833	35.72	41.57	-31.02	46.28	54.00	7.72	Vertical
2	6373.0417	39.68	35.25	-16.70	58.22	68.20	9.98	Vertical
3	8943.75	48.68	37.96	-39.47	47.17	68.20	21.03	Vertical
4	11909.6	45.16	38.75	-34.64	49.27	74.00	24.73	Vertical
5	16864.1833	47.96	38.69	-32.50	54.15	68.20	14.05	Vertical
6	17983.5167	43.70	41.65	-30.96	54.39	74.00	19.61	Vertical

11ac(VHT20)_TX_CH_128_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17945.5667	36.01	41.54	-31.04	46.51	54.00	7.49	Horizontal
2	6325.375	40.16	35.15	-16.92	58.39	68.20	9.81	Horizontal
3	8447.3333	49.18	37.61	-40.55	46.25	74.00	27.75	Horizontal
4	10327.2	47.63	38.49	-37.05	49.08	68.20	19.12	Horizontal
5	13864.9833	46.92	40.33	-34.27	52.98	68.20	15.22	Horizontal
6	17973.55	43.20	41.62	-30.98	53.84	74.00	20.16	Horizontal

11ac(VHT20)_TX_CH_128_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17994.6333	35.28	41.68	-30.94	46.02	54.00	7.98	Vertical
2	6400.0833	39.62	35.30	-16.58	58.34	68.20	9.86	Vertical
3	8388.6833	48.98	37.57	-40.76	45.79	74.00	28.21	Vertical
4	11203.8833	45.53	39.18	-35.10	49.61	74.00	24.39	Vertical
5	16917.0833	49.71	38.73	-32.21	56.23	68.20	11.97	Vertical
6	17992.3333	43.14	41.68	-30.95	53.87	74.00	20.13	Vertical


11ac(VHT20)_TX_CH_140_Horizontal



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17964.7333	35.71	41.60	-31.00	46.31	54.00	7.69	Horizontal
2	6469.2917	39.93	35.44	-16.70	58.67	68.20	9.53	Horizontal
3	8893.5333	49.06	37.93	-39.65	47.34	68.20	20.86	Horizontal
4	11879.7	45.42	38.77	-34.80	49.39	74.00	24.61	Horizontal
5	15445.4667	45.30	39.00	-33.80	50.50	74.00	23.50	Horizontal
6	17961.2833	42.97	41.59	-31.01	53.55	74.00	20.45	Horizontal

11ac(VHT20)_TX_CH_140_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17979.3	35.51	41.64	-30.97	46.18	54.00	7.82	Vertical
2	6368	39.58	35.24	-16.73	58.09	68.20	10.11	Vertical
3	8459.6	50.09	37.62	-40.49	47.22	74.00	26.78	Vertical
4	11911.5167	45.59	38.75	-34.67	49.68	74.00	24.32	Vertical
5	17100.7	51.42	39.09	-31.68	58.83	68.20	9.37	Vertical
6	17981.9833	43.31	41.65	-30.97	53.99	74.00	20.01	Vertical

11ac(VHT20)_TX_CH_144_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17942.8833	35.52	41.53	-31.04	46.01	54.00	7.99	Horizontal
2	6326.2917	39.86	35.15	-16.92	58.09	68.20	10.11	Horizontal
3	7764.6167	49.39	36.83	-41.26	44.96	68.20	23.24	Horizontal
4	10737.75	45.74	38.99	-36.23	48.50	74.00	25.50	Horizontal
5	13475.9	48.91	40.14	-34.98	54.06	68.20	14.14	Horizontal
6	17978.15	44.71	41.64	-30.97	55.37	74.00	18.63	Horizontal

11ac(VHT20)_TX_CH_144_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17940.5833	35.64	41.53	-31.05	46.12	54.00	7.88	Vertical
2	6457.375	39.73	35.41	-16.68	58.47	68.20	9.73	Vertical
3	8200.0833	48.20	37.44	-40.60	45.04	74.00	28.96	Vertical
4	11859.3833	45.21	38.78	-35.08	48.92	74.00	25.08	Vertical
5	17155.9	50.64	39.25	-31.49	58.40	68.20	9.80	Vertical
6	17923.3333	43.58	41.48	-31.08	53.97	74.00	20.03	Vertical

11ac(VHT20)_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17978.9167	35.59	41.64	-30.97	46.26	54.00	7.74	Horizontal
2	6489.9167	39.05	35.48	-16.73	57.80	68.20	10.40	Horizontal
3	9790.5333	45.46	38.08	-37.70	45.83	68.20	22.37	Horizontal
4	12917.3833	46.07	39.80	-34.62	51.25	68.20	16.95	Horizontal
5	14965.15	45.44	39.82	-33.95	51.31	68.20	16.89	Horizontal
6	17977.3833	44.09	41.63	-30.98	54.75	74.00	19.25	Horizontal

11ac(VHT20)_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17962.05	35.71	41.59	-31.01	46.29	54.00	7.71	Vertical
2	6479.8333	38.66	35.46	-16.72	57.40	68.20	10.80	Vertical
3	11645.1	44.64	38.91	-35.40	48.16	74.00	25.84	Vertical
4	14867.0167	44.27	39.88	-33.70	50.45	68.20	17.75	Vertical
5	17234.4833	52.16	39.48	-31.52	60.12	68.20	8.08	Vertical
6	17941.7333	43.24	41.53	-31.05	53.72	74.00	20.28	Vertical

11ac(VHT20)_TX_CH_157_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17978.5333	35.53	41.64	-30.97	46.19	54.00	7.81	Horizontal
2	6414.75	39.18	35.33	-16.61	57.90	68.20	10.30	Horizontal
3	8402.1	48.98	37.58	-40.77	45.79	74.00	28.21	Horizontal
4	11891.5833	45.05	38.77	-34.64	49.18	74.00	24.82	Horizontal
5	17356	45.90	39.83	-32.12	53.61	68.20	14.59	Horizontal
6	17914.9	43.95	41.45	-31.10	54.30	74.00	19.70	Horizontal

11ac(VHT20)_TX_CH_157_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17976.6167	36.12	41.63	-30.98	46.78	54.00	7.22	Vertical
2	6447.2917	39.25	35.39	-16.66	57.98	68.20	10.22	Vertical
3	9720.7667	46.43	38.07	-37.66	46.84	68.20	21.36	Vertical
4	14118.3667	44.77	40.33	-34.85	50.25	68.20	17.95	Vertical
5	17363.2833	50.83	39.85	-32.15	58.53	68.20	9.67	Vertical
6	17946.3333	44.01	41.54	-31.04	54.52	74.00	19.48	Vertical

11ac(VHT20)_TX_CH_165_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17981.9833	35.79	41.65	-30.97	46.47	54.00	7.53	Horizontal
2	6415.2083	39.89	35.33	-16.61	58.61	68.20	9.59	Horizontal
3	9565.5167	48.40	38.06	-38.31	48.14	68.20	20.06	Horizontal
4	13619.2667	45.44	40.21	-34.29	51.36	68.20	16.84	Horizontal
5	17469.85	45.50	40.16	-32.12	53.55	68.20	14.65	Horizontal
6	17909.5333	44.09	41.44	-31.11	54.42	74.00	19.58	Horizontal

11ac(VHT20)_TX_CH_165_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17992.3333	35.38	41.68	-30.95	46.11	54.00	7.89	Vertical
2	6456	38.97	35.41	-16.68	57.71	68.20	10.49	Vertical
3	9243.9	46.84	38.02	-39.10	45.77	68.20	22.43	Vertical
4	11888.9	44.40	38.77	-34.67	48.49	74.00	25.51	Vertical
5	17481.7333	51.80	40.20	-32.08	59.91	68.20	8.29	Vertical
6	17929.0833	43.75	41.49	-31.07	54.17	74.00	19.83	Vertical

11ac(VHT40)_TX_CH_38_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8304.35	44.84	37.51	-40.64	41.72	54.00	12.28	Horizontal
2	17972.4	35.56	41.62	-30.99	46.19	54.00	7.81	Horizontal
3	6481.2083	38.88	35.46	-16.72	57.62	68.20	10.58	Horizontal
4	8304.35	48.71	37.51	-40.64	45.59	74.00	28.41	Horizontal
5	12647.5167	45.32	39.48	-35.05	49.75	74.00	24.25	Horizontal
6	17963.9667	43.28	41.60	-31.00	53.87	74.00	20.13	Horizontal

11ac(VHT40)_TX_CH_38_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15576.95	38.23	38.76	-33.21	43.78	54.00	10.22	Vertical
2	17996.9333	35.41	41.69	-30.94	46.16	54.00	7.84	Vertical
3	6390	39.18	35.28	-16.63	57.83	68.20	10.37	Vertical
4	8303.9667	49.39	37.51	-40.64	46.27	74.00	27.73	Vertical
5	15576.5667	46.78	38.76	-33.21	52.33	74.00	21.67	Vertical
6	17924.4833	43.61	41.48	-31.08	54.01	74.00	19.99	Vertical

11ac(VHT40)_TX_CH_46_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15572.35	39.98	38.77	-33.24	45.51	54.00	8.49	Horizontal
2	17972.7833	36.11	41.62	-30.98	46.75	54.00	7.25	Horizontal
3	6476.1667	39.20	35.45	-16.71	57.94	68.20	10.26	Horizontal
4	11185.1	46.22	39.19	-35.16	50.25	74.00	23.75	Horizontal
5	15561.6167	48.59	38.79	-33.32	54.06	74.00	19.94	Horizontal
6	17994.25	43.27	41.68	-30.94	54.01	74.00	19.99	Horizontal

11ac(VHT40)_TX_CH_46_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15568.5167	41.59	38.78	-33.27	47.10	54.00	6.90	Vertical
2	17989.65	35.73	41.67	-30.95	46.45	54.00	7.55	Vertical
3	6466.5417	39.42	35.43	-16.69	58.16	68.20	10.04	Vertical
4	10376.65	49.58	38.55	-36.75	51.38	68.20	16.82	Vertical
5	15574.65	47.76	38.77	-33.23	53.30	74.00	20.70	Vertical
6	17970.8667	43.26	41.62	-30.99	53.89	74.00	20.11	Vertical

11ac(VHT40)_TX_CH_54_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15802.7333	39.42	38.36	-32.93	44.84	54.00	9.16	Horizontal
2	17987.35	36.01	41.66	-30.96	46.72	54.00	7.28	Horizontal
3	6389.0833	39.53	35.28	-16.63	58.18	68.20	10.02	Horizontal
4	10536.5	47.80	38.74	-36.52	50.03	68.20	18.17	Horizontal
5	15799.6667	45.88	38.36	-32.91	51.33	74.00	22.67	Horizontal
6	17972.7833	44.25	41.62	-30.98	54.89	74.00	19.11	Horizontal

11ac(VHT40)_TX_CH_54_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	15803.1167	42.10	38.35	-32.94	47.52	54.00	6.48	Vertical
2	17914.9	35.93	41.45	-31.10	46.28	54.00	7.72	Vertical
3	6411.0833	39.37	35.32	-16.60	58.09	68.20	10.11	Vertical
4	10541.1	50.18	38.75	-36.53	52.40	68.20	15.80	Vertical
5	15819.2167	49.16	38.33	-33.07	54.42	74.00	19.58	Vertical
6	17854.3333	42.47	41.28	-31.49	52.26	74.00	21.74	Vertical

11ac(VHT40)_TX_CH_62_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10618.9167	41.47	38.84	-36.52	43.79	54.00	10.21	Horizontal
2	15938.05	40.73	38.11	-33.57	45.27	54.00	8.73	Horizontal
3	17963.5833	35.98	41.59	-31.00	46.57	54.00	7.43	Horizontal
4	6458.2917	38.78	35.42	-16.68	57.52	68.20	10.68	Horizontal
5	10615.0833	47.96	38.84	-36.55	50.25	74.00	23.75	Horizontal
6	15929.2333	48.07	38.13	-33.61	52.59	74.00	21.41	Horizontal
7	17963.2	44.02	41.59	-31.00	54.61	74.00	19.39	Horizontal

11ac(VHT40)_TX_CH_62_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	10619.3	45.27	38.84	-36.52	47.59	54.00	6.41	Vertical
2	15920.0333	41.20	38.14	-33.65	45.70	54.00	8.30	Vertical
3	17991.1833	35.70	41.67	-30.95	46.43	54.00	7.57	Vertical
4	6453.25	39.02	35.41	-16.67	57.76	68.20	10.44	Vertical
5	10622.3667	50.91	38.85	-36.50	53.26	74.00	20.74	Vertical
6	15950.7	48.70	38.09	-33.52	53.27	74.00	20.73	Vertical
7	17980.45	43.40	41.64	-30.97	54.07	74.00	19.93	Vertical

11ac(VHT40)_TX_CH_102_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17965.5	35.60	41.60	-31.00	46.20	54.00	7.80	Horizontal
2	6400.0833	40.36	35.30	-16.58	59.08	68.20	9.12	Horizontal
3	8952.5667	48.67	37.97	-39.43	47.20	68.20	21.00	Horizontal
4	12880.2	46.41	39.76	-34.52	51.64	68.20	16.56	Horizontal
5	17001.4167	43.35	38.80	-30.26	51.89	68.20	16.31	Horizontal
6	17926.4	43.76	41.49	-31.08	54.17	74.00	19.83	Horizontal

11ac(VHT40)_TX_CH_102_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17954	35.80	41.57	-31.02	46.34	54.00	7.66	Vertical
2	6410.625	39.57	35.32	-16.60	58.29	68.20	9.91	Vertical
3	8409.7667	49.03	37.59	-40.73	45.88	74.00	28.12	Vertical
4	9559	48.71	38.06	-38.33	48.44	68.20	19.76	Vertical
5	12552.45	45.67	39.36	-35.55	49.48	74.00	24.52	Vertical
6	17973.55	43.12	41.62	-30.98	53.76	74.00	20.24	Vertical

11ac(VHT40)_TX_CH_110_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	17927.55	35.71	41.49	-31.07	46.12	54.00	7.88	Horizontal
2	6450.5	39.41	35.40	-16.67	58.15	68.20	10.05	Horizontal
3	9015.05	49.29	38.00	-39.32	47.97	74.00	26.03	Horizontal
4	10012.8667	46.48	38.12	-37.32	47.27	68.20	20.93	Horizontal
5	13622.3333	46.54	40.21	-34.33	52.42	68.20	15.78	Horizontal
6	17982.3667	43.32	41.65	-30.97	54.00	74.00	20.00	Horizontal