





Plot on 6825 MHz




10:41:14 PM 09/08/2026

Plot on 6985 MHz



10:47:24 PM 09/08/2026

Plot on 6505 MHz




10:30:01 PM 09/08/2026



EUT Mode

802.11be EHT160 996T+484T94

Plot on 6985 MHz






EUT Mode

802.11be EHT160 996T+484T95

Plot on 6025 MHz






EUT Mode

802.11be EHT160 Puncture20 1

Plot on 6985 MHz






EUT Mode

802.11be EHT160 Puncture20 8

Plot on 6025 MHz






EUT Mode

802.11be EHT160 Puncture40 1

Plot on 6985 MHz






EUT Mode

802.11be EHT160 Puncture40 4

Plot on 6025 MHz






EUT Mode


802.11be EHT320 FullIRU

Plot on 6105 MHz




10:54:58 PM 09/08/2026

Plot on 6265 MHz




11:00:32 PM 09/08/2026

Plot on 6425 MHz



11:13:27 PM 09/08/2026


Plot on 6585 MHz



11:19:47 PM 09/08/2026




Plot on 6745 MHz



11:26:36 PM 09/08/2026

Plot on 6905 MHz




11:32:16 PM 09/08/2026



EUT Mode

802.11be EHT320 3x996T+484T5

Plot on 6905 MHz






EUT Mode


802.11be EHT320 (H160+H80)3x996T104

Plot on 6105 MHz

Plot on 6905 MHz



10:24:14 PM 09/13/2026




12:20:01 AM 09/14/2026



EUT Mode

802.11be EHT320 (H160+H80)3x996T+484T106

Plot on 6105 MHz






EUT Mode

802.11be EHT320 (L160+L80)2x996T+484T101

Plot on 6905 MHz






EUT Mode

802.11be EHT320 (L160+S80)2x996T+484T102

Plot on 6105 MHz






EUT Mode

802.11be EHT320 Puncture40 1

Plot on 6905 MHz






EUT Mode

802.11be EHT320 Puncture40 8

Plot on 6105 MHz






EUT Mode

802.11be EHT320 Puncture80 1

Plot on 6905 MHz






EUT Mode

802.11be EHT320 Puncture80 4

Plot on 6105 MHz






EUT Mode

802.11be EHT320 Puncture120 3

Plot on 6105 MHz






EUT Mode

802.11be EHT320 Puncture120 8

Plot on 6905 MHz



11:54:26 PM 09/13/2026




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Brian Chen	Temperature :	23~26°C
		Relative Humidity :	45~55%

EUT Information

Report NO : 672112
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum


**Final Result**

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.177000	---	30.55	54.63	24.08	L1	OFF	19.9
0.177000	41.45	---	64.63	23.18	L1	OFF	19.9
0.195000	---	33.89	53.82	19.93	L1	OFF	19.9
0.195000	42.33	---	63.82	21.49	L1	OFF	19.9
0.217500	---	26.97	52.91	25.94	L1	OFF	19.9
0.217500	35.10	---	62.91	27.81	L1	OFF	19.9
0.579750	---	21.39	46.00	24.61	L1	OFF	19.9
0.579750	32.09	---	56.00	23.91	L1	OFF	19.9
0.656250	---	33.08	46.00	12.92	L1	OFF	19.9
0.656250	38.48	---	56.00	17.52	L1	OFF	19.9
7.311750	---	21.92	50.00	28.08	L1	OFF	20.3
7.311750	28.57	---	60.00	31.43	L1	OFF	20.3

EUT Information

Report NO : 672112
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.181860	---	28.27	54.40	26.13	N	OFF	19.9
0.181860	41.49	---	64.40	22.91	N	OFF	19.9
0.199500	---	32.19	53.63	21.44	N	OFF	19.9
0.199500	42.63	---	63.63	21.00	N	OFF	19.9
0.242250	---	26.68	52.02	25.34	N	OFF	19.9
0.242250	37.44	---	62.02	24.58	N	OFF	19.9
0.663000	---	33.21	46.00	12.79	N	OFF	19.9
0.663000	38.80	---	56.00	17.20	N	OFF	19.9
0.721500	---	25.32	46.00	20.68	N	OFF	19.9
0.721500	33.72	---	56.00	22.28	N	OFF	19.9
6.497250	---	19.32	50.00	30.68	N	OFF	20.4
6.497250	27.03	---	60.00	32.97	N	OFF	20.4



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jesse Wang, Stan Hsieh, Ken Wu	Temperature :	23.1~25.6°C
		Relative Humidity :	49.8~58.3%

Note symbol

-L	Low channel location
-R	High channel location

C1.Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	4+9	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	4+9	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	4+9	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	4+9	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	4+9	802.11be EHT20	49	6195	MCS0	Full RU	-
Mode 6	U-NII-5	5.925-6.425	4+9	802.11be EHT20	93	6415	MCS0	Full RU	-
Mode 7	U-NII-5	5.925-6.425	4+9	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 8	U-NII-5	5.925-6.425	4+9	802.11be EHT40	51	6205	MCS0	Full RU	-
Mode 9	U-NII-5	5.925-6.425	4+9	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 10	U-NII-5	5.925-6.425	4+9	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 11	U-NII-5	5.925-6.425	4+9	802.11be EHT80	55	6225	MCS0	Full RU	-

C1.Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-5	5.925-6.425	4+9	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	4+9	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	4+9	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	4+9	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	4+9	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	4+9	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	4+9	802.11be EHT320	95	6425	MCS0	Full RU	-
Mode 19	U-NII-5	5.925-6.425	4+9	802.11be EHT20	1	5955	MCS0	Partial RU_26/0	-
Mode 20	U-NII-5	5.925-6.425	4+9	802.11be EHT20	1	5955	MCS0	Partial RU_52/37	-
Mode 21	U-NII-5	5.925-6.425	4+9	802.11be EHT20	1	5955	MCS0	Partial RU_106/53	-
Mode 22	U-NII-6	6.425-6.525	4+9	802.11a	97	6435	6Mbps	-	-

**C1.Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	U-NII-6	6.425-6.525	4+9	802.11a	105	6475	6Mbps	-	-
Mode 24	U-NII-6	6.425-6.525	4+9	802.11a	113	6515	6Mbps	-	-
Mode 25	U-NII-6	6.425-6.525	4+9	802.11be EHT20	97	6435	MCS0	Full RU	-
Mode 26	U-NII-6	6.425-6.525	4+9	802.11be EHT20	105	6475	MCS0	Full RU	-
Mode 27	U-NII-6	6.425-6.525	4+9	802.11be EHT20	113	6515	MCS0	Full RU	-
Mode 28	U-NII-6	6.425-6.525	4+9	802.11be EHT40	99	6445	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	4+9	802.11be EHT40	107	6485	MCS0	Full RU	-
Mode 30	U-NII-6	6.425-6.525	4+9	802.11be EHT40	115	6525	MCS0	Full RU	-
Mode 31	U-NII-6	6.425-6.525	4+9	802.11be EHT80	103	6465	MCS0	Full RU	-
Mode 32	U-NII-6	6.425-6.525	4+9	802.11be EHT80	119	6545	MCS0	Full RU	-
Mode 33	U-NII-6	6.425-6.525	4+9	802.11be EHT160	111	6505	MCS0	Full RU	-

**C1.Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-6	6.425-6.525	4+9	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 35	U-NII-7	6.525-6.875	4+9	802.11a	117	6535	6Mbps	-	-
Mode 36	U-NII-7	6.525-6.875	4+9	802.11a	149	6695	6Mbps	-	-
Mode 37	U-NII-7	6.525-6.875	4+9	802.11a	181	6855	6Mbps	-	-
Mode 38	U-NII-7	6.525-6.875	4+9	802.11a	185	6875	6Mbps	-	-
Mode 39	U-NII-7	6.525-6.875	4+9	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	4+9	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	4+9	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	4+9	802.11be EHT20	185	6875	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	4+9	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	4+9	802.11be EHT40	147	6685	MCS0	Full RU	-

**C1.Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 45	U-NII-7	6.525-6.875	4+9	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 46	U-NII-7	6.525-6.875	4+9	802.11be EHT40	187	6885	MCS0	Full RU	-
Mode 47	U-NII-7	6.525-6.875	4+9	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 48	U-NII-7	6.525-6.875	4+9	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 49	U-NII-7	6.525-6.875	4+9	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 50	U-NII-7	6.525-6.875	4+9	802.11be EHT80	183	6865	MCS0	Full RU	-
Mode 51	U-NII-7	6.525-6.875	4+9	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 52	U-NII-7	6.525-6.875	4+9	802.11be EHT160	175	6825	MCS0	Full RU	-
Mode 53	U-NII-7	6.525-6.875	4+9	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 54	U-NII-8	6.875-7.125	4+9	802.11a	189	6895	6Mbps	-	-
Mode 55	U-NII-8	6.875-7.125	4+9	802.11a	209	6995	6Mbps	-	-

C1.Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 56	U-NII-8	6.875-7.125	4+9	802.11a	229	7095	6Mbps	-	-
Mode 57	U-NII-8	6.875-7.125	4+9	802.11be EHT20	189	6895	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	4+9	802.11be EHT20	209	6995	MCS0	Full RU	-
Mode 59	U-NII-8	6.875-7.125	4+9	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 60	U-NII-8	6.875-7.125	4+9	802.11be EHT40	195	6925	MCS0	Full RU	-
Mode 61	U-NII-8	6.875-7.125	4+9	802.11be EHT40	211	7005	MCS0	Full RU	-
Mode 62	U-NII-8	6.875-7.125	4+9	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 63	U-NII-8	6.875-7.125	4+9	802.11be EHT80	199	6945	MCS0	Full RU	-
Mode 64	U-NII-8	6.875-7.125	4+9	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 65	U-NII-8	6.875-7.125	4+9	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 66	U-NII-8	6.875-7.125	4+9	802.11be EHT320	191	6905	MCS0	Full RU	-

C1.Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 67	U-NII-8	6.875-7.125	4+9	802.11be EHT20	229	7095	MCS0	Partial RU_26/8	-
Mode 68	U-NII-8	6.875-7.125	4+9	802.11be EHT20	229	7095	MCS0	Partial RU_52/40	-
Mode 69	U-NII-8	6.875-7.125	4+9	802.11be EHT20	229	7095	MCS0	Partial RU_106/54	-
Mode 70	U-NII-8	6.875-7.125	4+9	802.11be EHT320	191	6905	MCS0	Full RU	LF
Mode 71	U-NII-8	6.875-7.125	4+9	802.11be EHT320	191	6905	MCS0	Full RU	SHF

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5924.97	43.44	68.20	-24.76	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	51.06	74.00	-22.94	H	Peak	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	48.04	74.00	-25.96	H	Peak	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	19245.00	35.57	74.00	-38.43	H	Peak	Pass	-	Harmonic
4	802.11be EHT20	1	5924.32	43.21	68.20	-24.99	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	17865.00	50.95	74.00	-23.05	H	Peak	Pass	Full RU	Harmonic
5	802.11be EHT20	49	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	49	12390.00	48.81	74.00	-25.19	H	Peak	Pass	Full RU	Harmonic
6	802.11be EHT20	93	-	-	-	-	-	-	-	Full RU	Band Edge

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
6	802.11be EHT20	93	19245.00	35.34	74.00	-38.66	H	Peak	Pass	Full RU	Harmonic
7	802.11be EHT40	3	5924.90	44.65	68.20	-23.55	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	17895.00	51.46	74.00	-22.54	H	Peak	Pass	Full RU	Harmonic
8	802.11be EHT40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	51	12410.00	47.87	74.00	-26.13	V	Peak	Pass	Full RU	Harmonic
9	802.11be EHT40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	91	19215.00	36.07	74.00	-37.93	H	Peak	Pass	Full RU	Harmonic
10	802.11be EHT80	7	5924.20	43.19	68.20	-25.01	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	7	17955.00	51.65	74.00	-22.35	H	Peak	Pass	Full RU	Harmonic
11	802.11be EHT80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	55	12450.00	48.70	74.00	-25.30	H	Peak	Pass	Full RU	Harmonic

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
12	802.11be EHT80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	87	19155.00	36.39	74.00	-37.61	V	Peak	Pass	Full RU	Harmonic
13	802.11be EHT160	15	5887.20	43.73	68.20	-24.47	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	15	12050.00	48.28	74.00	-25.72	V	Peak	Pass	Full RU	Harmonic
14	802.11be EHT160	47	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	47	12370.00	48.13	74.00	-25.87	H	Peak	Pass	Full RU	Harmonic
15	802.11be EHT160	79	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	79	12690.00	48.76	74.00	-25.24	H	Peak	Pass	Full RU	Harmonic
16	802.11be EHT320	31	5842.64	46.77	68.20	-21.43	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT320	31	12210.00	48.18	74.00	-25.82	V	Peak	Pass	Full RU	Harmonic
17	802.11be EHT320	63	-	-	-	-	-	-	-	Full RU	Band Edge

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
17	802.11be EHT320	63	12530.00	48.69	74.00	-25.31	H	Peak	Pass	Full RU	Harmonic
18	802.11be EHT320	95	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	95	19275.00	36.37	74.00	-37.63	V	Peak	Pass	Full RU	Harmonic
19	802.11be EHT20	1	5912.49	43.54	68.20	-24.66	H	Avg.	Pass	Partial RU_26/0	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial RU_26/0	Harmonic
20	802.11be EHT20	1	5914.96	43.43	68.20	-24.77	H	Avg.	Pass	Partial RU_52/37	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial RU_52/37	Harmonic
21	802.11be EHT20	1	5924.84	42.90	68.20	-25.30	H	Avg.	Pass	Partial RU_106/53	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Partial RU_106/53	Harmonic
22	802.11a	97	-	-	-	-	-	-	-	-	Band Edge
	802.11a	97	19305.00	35.11	74.00	-38.89	V	Peak	Pass	-	Harmonic

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
23	802.11a	105	-	-	-	-	-	-	-	-	Band Edge
	802.11a	105	19425.00	36.29	74.00	-37.71	H	Peak	Pass	-	Harmonic
24	802.11a	113	-	-	-	-	-	-	-	-	Band Edge
	802.11a	113	19545.00	36.73	74.00	-37.27	V	Peak	Pass	-	Harmonic
25	802.11be EHT20	97	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	97	19305.00	35.33	74.00	-38.67	H	Peak	Pass	Full RU	Harmonic
26	802.11be EHT20	105	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	105	19425.00	36.17	74.00	-37.83	V	Peak	Pass	Full RU	Harmonic
27	802.11be EHT20	113	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	113	19545.00	36.60	74.00	-37.40	H	Peak	Pass	Full RU	Harmonic
28	802.11be EHT40	99	-	-	-	-	-	-	-	Full RU	Band Edge

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
28	802.11be EHT40	99	19335.00	35.35	74.00	-38.65	H	Peak	Pass	Full RU	Harmonic
29	802.11be EHT40	107	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	107	19455.00	36.53	74.00	-37.47	H	Peak	Pass	Full RU	Harmonic
30	802.11be EHT40	115	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	115	19575.00	35.61	74.00	-38.39	V	Peak	Pass	Full RU	Harmonic
31	802.11be EHT80	103	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	103	19395.00	37.22	74.00	-36.78	V	Peak	Pass	Full RU	Harmonic
32	802.11be EHT80	119	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	119	19635.00	36.03	74.00	-37.97	H	Peak	Pass	Full RU	Harmonic
33	802.11be EHT160	111	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	111	19515.00	36.89	74.00	-37.11	H	Peak	Pass	Full RU	Harmonic

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
34	802.11be EHT320	127	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	127	19755.00	36.74	74.00	-37.26	V	Peak	Pass	Full RU	Harmonic
35	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	19605.00	35.43	74.00	-38.57	H	Peak	Pass	-	Harmonic
36	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	47.70	74.00	-26.30	H	Peak	Pass	-	Harmonic
37	802.11a	181	-	-	-	-	-	-	-	-	Band Edge
	802.11a	181	20565.00	36.25	74.00	-37.75	H	Peak	Pass	-	Harmonic
38	802.11a	185	-	-	-	-	-	-	-	-	Band Edge
	802.11a	185	20625.00	36.36	74.00	-37.64	H	Peak	Pass	-	Harmonic
39	802.11be EHT20	117	-	-	-	-	-	-	-	Full RU	Band Edge

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
39	802.11be EHT20	117	19605.00	35.43	74.00	-38.57	V	Peak	Pass	Full RU	Harmonic
40	802.11be EHT20	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	149	13390.00	47.96	74.00	-26.04	H	Peak	Pass	Full RU	Harmonic
41	802.11be EHT20	181	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	181	20565.00	35.67	74.00	-38.33	V	Peak	Pass	Full RU	Harmonic
42	802.11be EHT20	185	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	185	20625.00	35.79	74.00	-38.21	H	Peak	Pass	Full RU	Harmonic
43	802.11be EHT40	123	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	123	19695.00	35.45	74.00	-38.55	H	Peak	Pass	Full RU	Harmonic
44	802.11be EHT40	147	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	147	13370.00	48.20	74.00	-25.80	V	Peak	Pass	Full RU	Harmonic

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
45	802.11be EHT40	179	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	179	20535.00	36.46	74.00	-37.54	H	Peak	Pass	Full RU	Harmonic
46	802.11be EHT40	187	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	187	20655.00	36.53	74.00	-37.47	H	Peak	Pass	Full RU	Harmonic
47	802.11be EHT80	135	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	135	13250.00	47.56	74.00	-26.44	V	Peak	Pass	Full RU	Harmonic
48	802.11be EHT80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	151	20115.00	36.13	74.00	-37.87	V	Peak	Pass	Full RU	Harmonic
49	802.11be EHT80	167	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	167	20355.00	36.98	74.00	-37.02	H	Peak	Pass	Full RU	Harmonic
50	802.11be EHT80	183	-	-	-	-	-	-	-	Full RU	Band Edge

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
50	802.11be EHT80	183	20595.00	36.78	74.00	-37.22	H	Peak	Pass	Full RU	Harmonic
51	802.11be EHT160	143	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	143	13330.00	48.11	74.00	-25.89	H	Peak	Pass	Full RU	Harmonic
52	802.11be EHT160	175	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	175	20475.00	37.66	74.00	-36.34	V	Peak	Pass	Full RU	Harmonic
53	802.11be EHT320	159	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	159	20235.00	36.94	74.00	-37.06	H	Peak	Pass	Full RU	Harmonic
54	802.11a	189	-	-	-	-	-	-	-	-	Band Edge
	802.11a	189	20685.00	36.24	74.00	-37.76	H	Peak	Pass	-	Harmonic
55	802.11a	209	-	-	-	-	-	-	-	-	Band Edge
	802.11a	209	20985.00	36.52	74.00	-37.48	V	Peak	Pass	-	Harmonic

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
56	802.11a	229	7225.95	44.56	68.20	-23.64	V	Avg.	Pass	-	Band Edge
	802.11a	229	21285.00	37.00	74.00	-37.00	H	Peak	Pass	-	Harmonic
57	802.11be EHT20	189	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	189	20685.00	37.22	74.00	-36.78	H	Peak	Pass	Full RU	Harmonic
58	802.11be EHT20	209	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	209	20985.00	37.13	74.00	-36.87	V	Peak	Pass	Full RU	Harmonic
59	802.11be EHT20	229	7226.85	44.51	68.20	-23.69	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	229	21285.00	37.60	74.00	-36.40	H	Peak	Pass	Full RU	Harmonic
60	802.11be EHT40	195	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	195	20775.00	38.11	74.00	-35.89	H	Peak	Pass	Full RU	Harmonic
61	802.11be EHT40	211	-	-	-	-	-	-	-	Full RU	Band Edge

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
61	802.11be EHT40	211	21015.00	36.77	74.00	-37.23	H	Peak	Pass	Full RU	Harmonic
62	802.11be EHT40	227	7125.16	44.63	68.20	-23.57	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	227	21255.00	37.35	74.00	-36.65	H	Peak	Pass	Full RU	Harmonic
63	802.11be EHT80	199	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	199	20835.00	37.92	74.00	-36.08	V	Peak	Pass	Full RU	Harmonic
64	802.11be EHT80	215	7226.08	44.52	68.20	-23.68	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	215	21075.00	37.31	74.00	-36.69	H	Peak	Pass	Full RU	Harmonic
65	802.11be EHT160	207	7258.04	44.58	54.00	-9.42	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	207	20955.00	37.54	74.00	-36.46	V	Peak	Pass	Full RU	Harmonic
66	802.11be EHT320	191	7255.40	44.60	54.00	-9.40	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT320	191	20715.00	37.61	74.00	-36.39	H	Peak	Pass	Full RU	Harmonic





C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
67	802.11be EHT20	229	7137.75	68.90	88.20	-19.30	V	Peak	Pass	Partial RU_26/8	Band Edge
	802.11be EHT20	229	-	-	-	-	-	-	-	Partial RU_26/8	Harmonic
68	802.11be EHT20	229	7208.55	44.59	68.20	-23.61	H	Avg.	Pass	Partial RU_52/40	Band Edge
	802.11be EHT20	229	-	-	-	-	-	-	-	Partial RU_52/40	Harmonic
69	802.11be EHT20	229	7237.80	44.52	68.20	-23.68	H	Avg.	Pass	Partial RU_106/54	Band Edge
	802.11be EHT20	229	-	-	-	-	-	-	-	Partial RU_106/54	Harmonic
70	LF	191	30.00	31.86	40.00	-8.14	V	Peak	Pass	-	LF
71	SHF	191	39494.00	45.75	74.00	-28.25	H	Peak	Pass	-	SHF



Mode	1																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																									
ANT	4+9																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5842.55</td><td>52.88</td><td>88.20 -35.32</td><td>39.34</td><td>35.20</td><td>13.40</td><td>35.06</td><td>0.00</td><td>100</td><td>106 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5842.55	52.88	88.20 -35.32	39.34	35.20	13.40	35.06	0.00	100	106 Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>106.40</td><td>-----</td><td>92.45</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>100</td><td>106 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	106.40	-----	92.45	35.50	13.50	35.05	0.00	100	106 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5842.55	52.88	88.20 -35.32	39.34	35.20	13.40	35.06	0.00	100	106 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	106.40	-----	92.45	35.50	13.50	35.05	0.00	100	106 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>43.44</td><td>68.20 -24.76</td><td>29.57</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>100</td><td>106 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.97	43.44	68.20 -24.76	29.57	35.45	13.47	35.05	0.00	100	106 Average	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>99.08</td><td>-----</td><td>85.13</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>100</td><td>106 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	99.08	-----	85.13	35.50	13.50	35.05	0.00	100	106 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5924.97	43.44	68.20 -24.76	29.57	35.45	13.47	35.05	0.00	100	106 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	99.08	-----	85.13	35.50	13.50	35.05	0.00	100	106 Average																																																																																	



		1																																																																																																														
Mode		Band Edge																																																																																																														
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																														
ANT		4+9																																																																																																														
Pol.		Vertical					Fundamental																																																																																																									
Peak	Level (dBuV/m) Date: 2026-09-07  Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5901.44</td><td>52.37</td><td>88.20</td><td>-35.83</td><td>38.58</td><td>35.40</td><td>13.45</td><td>35.06</td><td>0.00</td><td>397</td><td>274 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5901.44	52.37	88.20	-35.83	38.58	35.40	13.45	35.06	0.00	397	274 Peak	Level (dBuV/m) Date: 2026-09-07  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>103.03</td><td>-----</td><td>-----</td><td>89.00</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>397</td><td>274 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	103.03	-----	-----	89.00	35.50	13.50	35.05	0.00	397	274 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5901.44	52.37	88.20	-35.83	38.58	35.40	13.45	35.06	0.00	397	274 Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5955.00	103.03	-----	-----	89.00	35.50	13.50	35.05	0.00	397	274 Peak																																																																																																					
Avg	Level (dBuV/m) Date: 2026-09-07  Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5924.58</td><td>42.55</td><td>68.20</td><td>-25.65</td><td>28.68</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>397</td><td>274 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5924.58	42.55	68.20	-25.65	28.68	35.45	13.47	35.05	0.00	397	274 Average	Level (dBuV/m) Date: 2026-09-07  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>95.90</td><td>-----</td><td>-----</td><td>81.95</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>397</td><td>274 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	95.90	-----	-----	81.95	35.50	13.50	35.05	0.00	397	274 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5924.58	42.55	68.20	-25.65	28.68	35.45	13.47	35.05	0.00	397	274 Average																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5955.00	95.90	-----	-----	81.95	35.50	13.50	35.05	0.00	397	274 Average																																																																																																					



Mode	1																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-17 PEAK(UNII)_6E AVG(UNII)_6E						Level (dBuV/m) Date: 2026-09-17 PEAK(UNII)_6E AVG(UNII)_6E																																																																																																																		
	Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL						Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>44.39</td><td>39.00</td><td>19.12</td><td>56.27</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>51.06</td><td>74.00</td><td>-22.94</td><td>40.44</td><td>41.73</td><td>22.83</td><td>55.36</td><td>1.42</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.43	74.00	-26.57	44.39	39.00	19.12	56.27	1.19	--	Peak	2	17865.00	51.06	74.00	-22.94	40.44	41.73	22.83	55.36	1.42	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>44.75</td><td>39.00</td><td>19.12</td><td>56.27</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>51.05</td><td>74.00</td><td>-22.95</td><td>40.43</td><td>41.73</td><td>22.83</td><td>55.36</td><td>1.42</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.79	74.00	-26.21	44.75	39.00	19.12	56.27	1.19	--	Peak	2	17865.00	51.05	74.00	-22.95	40.43	41.73	22.83	55.36	1.42	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11910.00	47.43	74.00	-26.57	44.39	39.00	19.12	56.27	1.19	--	Peak																																																																																																														
2	17865.00	51.06	74.00	-22.94	40.44	41.73	22.83	55.36	1.42	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11910.00	47.79	74.00	-26.21	44.75	39.00	19.12	56.27	1.19	--	Peak																																																																																																														
2	17865.00	51.05	74.00	-22.95	40.43	41.73	22.83	55.36	1.42	--	Peak																																																																																																														



Mode	1	
	Harmonic	
	U-NII-5 5.925-6.425 802.11a CH1 5955MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	2																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>48.04</td><td>74.00</td><td>-25.96</td><td>44.46</td><td>39.30</td><td>19.55</td><td>56.50</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>36.47</td><td>74.00</td><td>-37.53</td><td>52.07</td><td>37.50</td><td>16.16</td><td>59.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	48.04	74.00	-25.96	44.46	39.30	19.55	56.50	1.23	--	Peak	2	18585.00	36.47	74.00	-37.53	52.07	37.50	16.16	59.72	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>43.99</td><td>39.30</td><td>19.55</td><td>56.50</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>35.51</td><td>74.00</td><td>-38.49</td><td>51.11</td><td>37.50</td><td>16.16</td><td>59.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.57	74.00	-26.43	43.99	39.30	19.55	56.50	1.23	--	Peak	2	18585.00	35.51	74.00	-38.49	51.11	37.50	16.16	59.72	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12390.00	48.04	74.00	-25.96	44.46	39.30	19.55	56.50	1.23	--	Peak																																																																																																															
2	18585.00	36.47	74.00	-37.53	52.07	37.50	16.16	59.72	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12390.00	47.57	74.00	-26.43	43.99	39.30	19.55	56.50	1.23	--	Peak																																																																																																															
2	18585.00	35.51	74.00	-38.49	51.11	37.50	16.16	59.72	-9.54	--	Peak																																																																																																															



Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	3																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>48.10</td><td>88.20</td><td>-40.10</td><td>44.58</td><td>39.64</td><td>19.93</td><td>57.33</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>35.57</td><td>74.00</td><td>-38.43</td><td>51.18</td><td>37.31</td><td>16.47</td><td>59.85</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	48.10	88.20	-40.10	44.58	39.64	19.93	57.33	1.28	--	Peak	2	19245.00	35.57	74.00	-38.43	51.18	37.31	16.47	59.85	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.83</td><td>88.20</td><td>-40.37</td><td>44.31</td><td>39.64</td><td>19.93</td><td>57.33</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>35.36</td><td>74.00</td><td>-38.64</td><td>50.97</td><td>37.31</td><td>16.47</td><td>59.85</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.83	88.20	-40.37	44.31	39.64	19.93	57.33	1.28	--	Peak	2	19245.00	35.36	74.00	-38.64	50.97	37.31	16.47	59.85	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	48.10	88.20	-40.10	44.58	39.64	19.93	57.33	1.28	--	Peak																																																																																																															
2	19245.00	35.57	74.00	-38.43	51.18	37.31	16.47	59.85	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	47.83	88.20	-40.37	44.31	39.64	19.93	57.33	1.28	--	Peak																																																																																																															
2	19245.00	35.36	74.00	-38.64	50.97	37.31	16.47	59.85	-9.54	--	Peak																																																																																																															



Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	4																																																																																																																																																																																																										
	Band Edge																																																																																																																																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																																																																																																																										
ANT	4+9																																																																																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																																																																																				
Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5908.46</td><td>52.84</td><td>88.20</td><td>-35.36</td><td>39.02</td><td>35.42</td><td>13.46</td><td>35.06</td><td>0.00</td><td>100</td><td>104 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>106.96</td><td>-----</td><td>-----</td><td>93.01</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>100</td><td>104 Peak</td></tr></tbody></table> <tr><td rowspan="2">Avg</td><td colspan="11"> Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.32</td><td>43.21</td><td>68.20</td><td>-24.99</td><td>29.34</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>100</td><td>104 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>98.66</td><td>-----</td><td>-----</td><td>84.71</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>100</td><td>104 Average</td></tr></tbody></table> </td></tr>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5908.46	52.84	88.20	-35.36	39.02	35.42	13.46	35.06	0.00	100	104 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.96	-----	-----	93.01	35.50	13.50	35.05	0.00	100	104 Peak	Avg	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.32</td><td>43.21</td><td>68.20</td><td>-24.99</td><td>29.34</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>100</td><td>104 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>98.66</td><td>-----</td><td>-----</td><td>84.71</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>100</td><td>104 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	43.21	68.20	-24.99	29.34	35.45	13.47	35.05	0.00	100	104 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.66	-----	-----	84.71	35.50	13.50	35.05	0.00	100	104 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	5908.46	52.84	88.20	-35.36	39.02	35.42	13.46	35.06	0.00	100	104 Peak																																																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	5955.00	106.96	-----	-----	93.01	35.50	13.50	35.05	0.00	100	104 Peak																																																																																																																																																																																																
Avg	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.32</td><td>43.21</td><td>68.20</td><td>-24.99</td><td>29.34</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>100</td><td>104 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>98.66</td><td>-----</td><td>-----</td><td>84.71</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>100</td><td>104 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	43.21	68.20	-24.99	29.34	35.45	13.47	35.05	0.00	100	104 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.66	-----	-----	84.71	35.50	13.50	35.05	0.00	100	104 Average																																																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	5924.32	43.21	68.20	-24.99	29.34	35.45	13.47	35.05	0.00	100	104 Average																																																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	5955.00	98.66	-----	-----	84.71	35.50	13.50	35.05	0.00	100	104 Average																																																																																																																																																																																																



Mode	4																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																									
ANT	4+9																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5908.72</td><td>52.09</td><td>88.20 -36.11</td><td>38.27</td><td>35.42</td><td>13.46</td><td>35.06</td><td>0.00</td><td>400</td><td>274 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5908.72	52.09	88.20 -36.11	38.27	35.42	13.46	35.06	0.00	400	274 Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>103.36</td><td>-----</td><td>89.41</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>400</td><td>274 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	103.36	-----	89.41	35.50	13.50	35.05	0.00	400	274 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5908.72	52.09	88.20 -36.11	38.27	35.42	13.46	35.06	0.00	400	274 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5955.00	103.36	-----	89.41	35.50	13.50	35.05	0.00	400	274 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.71</td><td>42.61</td><td>68.20 -25.59</td><td>28.74</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>400</td><td>274 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.71	42.61	68.20 -25.59	28.74	35.45	13.47	35.05	0.00	400	274 Average	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>96.12</td><td>-----</td><td>82.17</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>400</td><td>274 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	96.12	-----	82.17	35.50	13.50	35.05	0.00	400	274 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5924.71	42.61	68.20 -25.59	28.74	35.45	13.47	35.05	0.00	400	274 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5955.00	96.12	-----	82.17	35.50	13.50	35.05	0.00	400	274 Average																																																																																	



Mode	4																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>44.44</td><td>39.00</td><td>19.12</td><td>56.27</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>50.95</td><td>74.00</td><td>-23.05</td><td>40.33</td><td>41.73</td><td>22.83</td><td>55.36</td><td>1.42</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.48	74.00	-26.52	44.44	39.00	19.12	56.27	1.19	--	Peak	2	17865.00	50.95	74.00	-23.05	40.33	41.73	22.83	55.36	1.42	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.94</td><td>74.00</td><td>-26.06</td><td>44.90</td><td>39.00</td><td>19.12</td><td>56.27</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>40.24</td><td>41.73</td><td>22.83</td><td>55.36</td><td>1.42</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.94	74.00	-26.06	44.90	39.00	19.12	56.27	1.19	--	Peak	2	17865.00	50.86	74.00	-23.14	40.24	41.73	22.83	55.36	1.42	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11910.00	47.48	74.00	-26.52	44.44	39.00	19.12	56.27	1.19	--	Peak																																																																																																															
2	17865.00	50.95	74.00	-23.05	40.33	41.73	22.83	55.36	1.42	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11910.00	47.94	74.00	-26.06	44.90	39.00	19.12	56.27	1.19	--	Peak																																																																																																															
2	17865.00	50.86	74.00	-23.14	40.24	41.73	22.83	55.36	1.42	--	Peak																																																																																																															



Mode	4	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	5																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>45.23</td><td>39.30</td><td>19.55</td><td>56.50</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>35.04</td><td>74.00</td><td>-38.96</td><td>50.64</td><td>37.50</td><td>16.16</td><td>59.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	48.81	74.00	-25.19	45.23	39.30	19.55	56.50	1.23	--	Peak	2	18585.00	35.04	74.00	-38.96	50.64	37.50	16.16	59.72	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>43.91</td><td>39.30</td><td>19.55</td><td>56.50</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>36.63</td><td>74.00</td><td>-37.37</td><td>52.23</td><td>37.50</td><td>16.16</td><td>59.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.49	74.00	-26.51	43.91	39.30	19.55	56.50	1.23	--	Peak	2	18585.00	36.63	74.00	-37.37	52.23	37.50	16.16	59.72	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12390.00	48.81	74.00	-25.19	45.23	39.30	19.55	56.50	1.23	--	Peak																																																																																																														
2	18585.00	35.04	74.00	-38.96	50.64	37.50	16.16	59.72	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12390.00	47.49	74.00	-26.51	43.91	39.30	19.55	56.50	1.23	--	Peak																																																																																																														
2	18585.00	36.63	74.00	-37.37	52.23	37.50	16.16	59.72	-9.54	--	Peak																																																																																																														



Mode	5	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	6																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>48.01</td><td>88.20</td><td>-40.19</td><td>44.49</td><td>39.64</td><td>19.93</td><td>57.33</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>35.34</td><td>74.00</td><td>-38.66</td><td>50.95</td><td>37.31</td><td>16.47</td><td>59.85</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	48.01	88.20	-40.19	44.49	39.64	19.93	57.33	1.28	--	Peak	2	19245.00	35.34	74.00	-38.66	50.95	37.31	16.47	59.85	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>48.01</td><td>88.20</td><td>-40.19</td><td>44.49</td><td>39.64</td><td>19.93</td><td>57.33</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>35.20</td><td>74.00</td><td>-38.80</td><td>50.81</td><td>37.31</td><td>16.47</td><td>59.85</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	48.01	88.20	-40.19	44.49	39.64	19.93	57.33	1.28	--	Peak	2	19245.00	35.20	74.00	-38.80	50.81	37.31	16.47	59.85	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12830.00	48.01	88.20	-40.19	44.49	39.64	19.93	57.33	1.28	--	Peak																																																																																																														
2	19245.00	35.34	74.00	-38.66	50.95	37.31	16.47	59.85	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12830.00	48.01	88.20	-40.19	44.49	39.64	19.93	57.33	1.28	--	Peak																																																																																																														
2	19245.00	35.20	74.00	-38.80	50.81	37.31	16.47	59.85	-9.54	--	Peak																																																																																																														



Mode	6	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	7																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																			
ANT	4+9																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.30</td><td>53.84</td><td>88.20</td><td>-34.36</td><td>39.98</td><td>35.44</td><td>13.47</td><td>35.05</td><td>0.00</td><td>100</td><td>108</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.30	53.84	88.20	-34.36	39.98	35.44	13.47	35.05	0.00	100	108	Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>103.49</td><td>-----</td><td>-----</td><td>89.53</td><td>35.50</td><td>13.51</td><td>35.05</td><td>0.00</td><td>100</td><td>108</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	103.49	-----	-----	89.53	35.50	13.51	35.05	0.00	100	108	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5921.30	53.84	88.20	-34.36	39.98	35.44	13.47	35.05	0.00	100	108	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	103.49	-----	-----	89.53	35.50	13.51	35.05	0.00	100	108	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.90</td><td>44.65</td><td>68.20</td><td>-23.55</td><td>30.78</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>100</td><td>108</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.90	44.65	68.20	-23.55	30.78	35.45	13.47	35.05	0.00	100	108	Average	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>95.77</td><td>-----</td><td>-----</td><td>81.81</td><td>35.50</td><td>13.51</td><td>35.05</td><td>0.00</td><td>100</td><td>108</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	95.77	-----	-----	81.81	35.50	13.51	35.05	0.00	100	108	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.90	44.65	68.20	-23.55	30.78	35.45	13.47	35.05	0.00	100	108	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	95.77	-----	-----	81.81	35.50	13.51	35.05	0.00	100	108	Average																																																																																								



Mode	7																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																			
ANT	4+9																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5903.48</td><td>53.09</td><td>88.20</td><td>-35.11</td><td>39.29</td><td>35.41</td><td>13.45</td><td>35.06</td><td>0.00</td><td>400</td><td>271</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5903.48	53.09	88.20	-35.11	39.29	35.41	13.45	35.06	0.00	400	271	Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>100.54</td><td>-----</td><td>-----</td><td>86.59</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>400</td><td>271</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	100.54	-----	-----	86.59	35.50	13.50	35.05	0.00	400	271	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5903.48	53.09	88.20	-35.11	39.29	35.41	13.45	35.06	0.00	400	271	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	100.54	-----	-----	86.59	35.50	13.50	35.05	0.00	400	271	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.90</td><td>43.36</td><td>68.20</td><td>-24.84</td><td>29.49</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>400</td><td>271</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.90	43.36	68.20	-24.84	29.49	35.45	13.47	35.05	0.00	400	271	Average	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>92.24</td><td>-----</td><td>-----</td><td>78.29</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>400</td><td>271</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	92.24	-----	-----	78.29	35.50	13.50	35.05	0.00	400	271	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.90	43.36	68.20	-24.84	29.49	35.45	13.47	35.05	0.00	400	271	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	92.24	-----	-----	78.29	35.50	13.50	35.05	0.00	400	271	Average																																																																																								



Mode	7																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>46.93</td><td>74.00</td><td>-27.07</td><td>43.84</td><td>39.00</td><td>19.14</td><td>56.24</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>51.46</td><td>74.00</td><td>-22.54</td><td>40.71</td><td>41.79</td><td>22.85</td><td>55.32</td><td>1.43</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	46.93	74.00	-27.07	43.84	39.00	19.14	56.24	1.19	--	Peak	2	17895.00	51.46	74.00	-22.54	40.71	41.79	22.85	55.32	1.43	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>43.72</td><td>39.00</td><td>19.14</td><td>56.24</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>51.07</td><td>74.00</td><td>-22.93</td><td>40.32</td><td>41.79</td><td>22.85</td><td>55.32</td><td>1.43</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	46.81	74.00	-27.19	43.72	39.00	19.14	56.24	1.19	--	Peak	2	17895.00	51.07	74.00	-22.93	40.32	41.79	22.85	55.32	1.43	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11930.00	46.93	74.00	-27.07	43.84	39.00	19.14	56.24	1.19	--	Peak																																																																																																															
2	17895.00	51.46	74.00	-22.54	40.71	41.79	22.85	55.32	1.43	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11930.00	46.81	74.00	-27.19	43.72	39.00	19.14	56.24	1.19	--	Peak																																																																																																															
2	17895.00	51.07	74.00	-22.93	40.32	41.79	22.85	55.32	1.43	--	Peak																																																																																																															



Mode	7	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL





Mode	8																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>47.70</td><td>74.00</td><td>-26.30</td><td>44.12</td><td>39.30</td><td>19.56</td><td>56.52</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18615.00</td><td>37.12</td><td>74.00</td><td>-36.88</td><td>52.71</td><td>37.50</td><td>16.17</td><td>59.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	47.70	74.00	-26.30	44.12	39.30	19.56	56.52	1.24	--	Peak	2	18615.00	37.12	74.00	-36.88	52.71	37.50	16.17	59.72	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>44.29</td><td>39.30</td><td>19.56</td><td>56.52</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18615.00</td><td>35.68</td><td>74.00</td><td>-38.32</td><td>51.27</td><td>37.50</td><td>16.17</td><td>59.72</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	47.87	74.00	-26.13	44.29	39.30	19.56	56.52	1.24	--	Peak	2	18615.00	35.68	74.00	-38.32	51.27	37.50	16.17	59.72	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12410.00	47.70	74.00	-26.30	44.12	39.30	19.56	56.52	1.24	--	Peak																																																																																																															
2	18615.00	37.12	74.00	-36.88	52.71	37.50	16.17	59.72	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12410.00	47.87	74.00	-26.13	44.29	39.30	19.56	56.52	1.24	--	Peak																																																																																																															
2	18615.00	35.68	74.00	-38.32	51.27	37.50	16.17	59.72	-9.54	--	Peak																																																																																																															



Mode	8	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	9																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																																																																															
ANT	4+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-09-17  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>47.92</td><td>88.20</td><td>-40.28</td><td>44.34</td><td>39.68</td><td>19.91</td><td>57.29</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>36.07</td><td>74.00</td><td>-37.93</td><td>51.62</td><td>37.37</td><td>16.46</td><td>59.04</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	47.92	88.20	-40.28	44.34	39.68	19.91	57.29	1.28	--	Peak	2	19215.00	36.07	74.00	-37.93	51.62	37.37	16.46	59.04	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>47.99</td><td>88.20</td><td>-40.21</td><td>44.41</td><td>39.68</td><td>19.91</td><td>57.29</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>35.70</td><td>74.00</td><td>-38.30</td><td>51.25</td><td>37.37</td><td>16.46</td><td>59.04</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	47.99	88.20	-40.21	44.41	39.68	19.91	57.29	1.28	--	Peak	2	19215.00	35.70	74.00	-38.30	51.25	37.37	16.46	59.04	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12810.00	47.92	88.20	-40.28	44.34	39.68	19.91	57.29	1.28	--	Peak																																																																																																					
2	19215.00	36.07	74.00	-37.93	51.62	37.37	16.46	59.04	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12810.00	47.99	88.20	-40.21	44.41	39.68	19.91	57.29	1.28	--	Peak																																																																																																					
2	19215.00	35.70	74.00	-38.30	51.25	37.37	16.46	59.04	-9.54	--	Peak																																																																																																					



Mode	9	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	10																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																			
ANT	4+9																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5908.04</td><td>53.35</td><td>88.20</td><td>-34.85</td><td>39.53</td><td>35.42</td><td>13.46</td><td>35.06</td><td>0.00</td><td>100</td><td>102</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5908.04	53.35	88.20	-34.85	39.53	35.42	13.46	35.06	0.00	100	102	Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>100.51</td><td>-----</td><td>-----</td><td>86.53</td><td>35.50</td><td>13.53</td><td>35.05</td><td>0.00</td><td>100</td><td>102</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.51	-----	-----	86.53	35.50	13.53	35.05	0.00	100	102	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5908.04	53.35	88.20	-34.85	39.53	35.42	13.46	35.06	0.00	100	102	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	100.51	-----	-----	86.53	35.50	13.53	35.05	0.00	100	102	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.20</td><td>43.19</td><td>68.20</td><td>-25.01</td><td>29.32</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>100</td><td>102</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.20	43.19	68.20	-25.01	29.32	35.45	13.47	35.05	0.00	100	102	Average	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>91.56</td><td>-----</td><td>-----</td><td>77.54</td><td>35.52</td><td>13.55</td><td>35.05</td><td>0.00</td><td>100</td><td>102</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	91.56	-----	-----	77.54	35.52	13.55	35.05	0.00	100	102	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.20	43.19	68.20	-25.01	29.32	35.45	13.47	35.05	0.00	100	102	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	91.56	-----	-----	77.54	35.52	13.55	35.05	0.00	100	102	Average																																																																																								







Mode	10																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																									
ANT	4+9																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5924.36</td><td>52.68</td><td>88.20</td><td>-35.52</td><td>38.81</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>400</td><td>277</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1	5924.36	52.68	88.20	-35.52	38.81	35.45	13.47	35.05	0.00	400	277	Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5985.00</td><td>97.42</td><td>-----</td><td>-----</td><td>83.44</td><td>35.50</td><td>13.53</td><td>35.05</td><td>0.00</td><td>400</td><td>277</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1	5985.00	97.42	-----	-----	83.44	35.50	13.53	35.05	0.00	400	277	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																										
1	5924.36	52.68	88.20	-35.52	38.81	35.45	13.47	35.05	0.00	400	277	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																										
1	5985.00	97.42	-----	-----	83.44	35.50	13.53	35.05	0.00	400	277	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5924.68</td><td>42.66</td><td>68.20</td><td>-25.54</td><td>28.79</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>400</td><td>277</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1	5924.68	42.66	68.20	-25.54	28.79	35.45	13.47	35.05	0.00	400	277	Average	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5985.00</td><td>88.56</td><td>-----</td><td>-----</td><td>74.60</td><td>35.50</td><td>13.51</td><td>35.05</td><td>0.00</td><td>400</td><td>277</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1	5985.00	88.56	-----	-----	74.60	35.50	13.51	35.05	0.00	400	277	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																										
1	5924.68	42.66	68.20	-25.54	28.79	35.45	13.47	35.05	0.00	400	277	Average																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																										
1	5985.00	88.56	-----	-----	74.60	35.50	13.51	35.05	0.00	400	277	Average																																																																														



Mode	10																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>44.07</td><td>39.00</td><td>19.18</td><td>56.18</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>51.65</td><td>74.00</td><td>-22.35</td><td>40.67</td><td>41.90</td><td>22.87</td><td>55.24</td><td>1.45</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	47.26	74.00	-26.74	44.07	39.00	19.18	56.18	1.19	--	Peak	2	17955.00	51.65	74.00	-22.35	40.67	41.90	22.87	55.24	1.45	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>44.44</td><td>39.00</td><td>19.18</td><td>56.18</td><td>1.19</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>40.20</td><td>41.90</td><td>22.87</td><td>55.24</td><td>1.45</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	47.63	74.00	-26.37	44.44	39.00	19.18	56.18	1.19	--	Peak	2	17955.00	51.18	74.00	-22.82	40.20	41.90	22.87	55.24	1.45	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11970.00	47.26	74.00	-26.74	44.07	39.00	19.18	56.18	1.19	--	Peak																																																																																																															
2	17955.00	51.65	74.00	-22.35	40.67	41.90	22.87	55.24	1.45	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11970.00	47.63	74.00	-26.37	44.44	39.00	19.18	56.18	1.19	--	Peak																																																																																																															
2	17955.00	51.18	74.00	-22.82	40.20	41.90	22.87	55.24	1.45	--	Peak																																																																																																															







Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	11																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>48.70</td><td>74.00</td><td>-25.30</td><td>45.11</td><td>39.30</td><td>19.60</td><td>56.55</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18675.00</td><td>35.38</td><td>74.00</td><td>-38.62</td><td>50.86</td><td>37.60</td><td>16.20</td><td>59.74</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	48.70	74.00	-25.30	45.11	39.30	19.60	56.55	1.24	--	Peak	2	18675.00	35.38	74.00	-38.62	50.86	37.60	16.20	59.74	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>44.13</td><td>39.30</td><td>19.60</td><td>56.55</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18675.00</td><td>35.77</td><td>74.00</td><td>-38.23</td><td>51.25</td><td>37.60</td><td>16.20</td><td>59.74</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	47.72	74.00	-26.28	44.13	39.30	19.60	56.55	1.24	--	Peak	2	18675.00	35.77	74.00	-38.23	51.25	37.60	16.20	59.74	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12450.00	48.70	74.00	-25.30	45.11	39.30	19.60	56.55	1.24	--	Peak																																																																																																														
2	18675.00	35.38	74.00	-38.62	50.86	37.60	16.20	59.74	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12450.00	47.72	74.00	-26.28	44.13	39.30	19.60	56.55	1.24	--	Peak																																																																																																														
2	18675.00	35.77	74.00	-38.23	51.25	37.60	16.20	59.74	-9.54	--	Peak																																																																																																														



Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	12																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>48.13</td><td>88.20</td><td>-40.07</td><td>44.54</td><td>39.64</td><td>19.88</td><td>57.20</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>36.39</td><td>74.00</td><td>-37.61</td><td>51.93</td><td>37.40</td><td>16.43</td><td>59.83</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	48.13	88.20	-40.07	44.54	39.64	19.88	57.20	1.27	--	Peak	2	19155.00	36.39	74.00	-37.61	51.93	37.40	16.43	59.83	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>48.77</td><td>88.20</td><td>-39.43</td><td>45.18</td><td>39.64</td><td>19.88</td><td>57.20</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>36.39</td><td>74.00</td><td>-37.61</td><td>51.93</td><td>37.40</td><td>16.43</td><td>59.83</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	48.77	88.20	-39.43	45.18	39.64	19.88	57.20	1.27	--	Peak	2	19155.00	36.39	74.00	-37.61	51.93	37.40	16.43	59.83	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12770.00	48.13	88.20	-40.07	44.54	39.64	19.88	57.20	1.27	--	Peak																																																																																																															
2	19155.00	36.39	74.00	-37.61	51.93	37.40	16.43	59.83	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12770.00	48.77	88.20	-39.43	45.18	39.64	19.88	57.20	1.27	--	Peak																																																																																																															
2	19155.00	36.39	74.00	-37.61	51.93	37.40	16.43	59.83	-9.54	--	Peak																																																																																																															



Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL





		13																																																																																	
Mode	Band Edge																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																		
ANT	4+9																																																																																		
Pol.	Horizontal						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5887.40 55.54 88.20 -32.66 41.81 35.35 13.44 35.06 0.00 100 103 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5887.40 55.54 88.20 -32.66 41.81 35.35 13.44 35.06 0.00 100 103 Peak									Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 96.00 ----- 82.85 35.50 13.50 35.05 0.00 100 103 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6025.00 96.00 ----- 82.85 35.50 13.50 35.05 0.00 100 103 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																			
1 5887.40 55.54 88.20 -32.66 41.81 35.35 13.44 35.06 0.00 100 103 Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																			
1 6025.00 96.00 ----- 82.85 35.50 13.50 35.05 0.00 100 103 Peak																																																																																			
Avg	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5887.20 43.73 68.20 -24.47 30.00 35.35 13.44 35.06 0.00 100 103 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 5887.20 43.73 68.20 -24.47 30.00 35.35 13.44 35.06 0.00 100 103 Average									Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 6025.00 87.81 ----- 73.79 35.52 13.55 35.05 0.00 100 103 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dB dBuV dB/m dB dB dB cm deg									1 6025.00 87.81 ----- 73.79 35.52 13.55 35.05 0.00 100 103 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																			
1 5887.20 43.73 68.20 -24.47 30.00 35.35 13.44 35.06 0.00 100 103 Average																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB cm deg																																																																																			
1 6025.00 87.81 ----- 73.79 35.52 13.55 35.05 0.00 100 103 Average																																																																																			



Mode	13																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																			
ANT	4+9																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5892.00</td><td>53.78</td><td>88.20</td><td>-34.42</td><td>40.03</td><td>35.37</td><td>13.44</td><td>35.06</td><td>0.00</td><td>306</td><td>272</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5892.00	53.78	88.20	-34.42	40.03	35.37	13.44	35.06	0.00	306	272	Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>92.03</td><td>-----</td><td>-----</td><td>77.91</td><td>35.58</td><td>13.58</td><td>35.04</td><td>0.00</td><td>306</td><td>272</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	92.03	-----	-----	77.91	35.58	13.58	35.04	0.00	306	272	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5892.00	53.78	88.20	-34.42	40.03	35.37	13.44	35.06	0.00	306	272	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	92.03	-----	-----	77.91	35.58	13.58	35.04	0.00	306	272	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.00</td><td>43.08</td><td>68.20</td><td>-25.12</td><td>29.23</td><td>35.43</td><td>13.47</td><td>35.05</td><td>0.00</td><td>306</td><td>272</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.00	43.08	68.20	-25.12	29.23	35.43	13.47	35.05	0.00	306	272	Average	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>84.06</td><td>-----</td><td>-----</td><td>69.94</td><td>35.58</td><td>13.58</td><td>35.04</td><td>0.00</td><td>306</td><td>272</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	84.06	-----	-----	69.94	35.58	13.58	35.04	0.00	306	272	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5916.00	43.08	68.20	-25.12	29.23	35.43	13.47	35.05	0.00	306	272	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	84.06	-----	-----	69.94	35.58	13.58	35.04	0.00	306	272	Average																																																																																								



Mode	13																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-17  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>44.18</td><td>39.10</td><td>19.25</td><td>56.18</td><td>1.20</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18075.00</td><td>35.71</td><td>74.00</td><td>-38.29</td><td>51.59</td><td>37.35</td><td>15.92</td><td>59.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	47.55	74.00	-26.45	44.18	39.10	19.25	56.18	1.20	--	Peak	2	18075.00	35.71	74.00	-38.29	51.59	37.35	15.92	59.61	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>48.28</td><td>74.00</td><td>-25.72</td><td>44.91</td><td>39.10</td><td>19.25</td><td>56.18</td><td>1.20</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18075.00</td><td>35.57</td><td>74.00</td><td>-38.43</td><td>51.45</td><td>37.35</td><td>15.92</td><td>59.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	48.28	74.00	-25.72	44.91	39.10	19.25	56.18	1.20	--	Peak	2	18075.00	35.57	74.00	-38.43	51.45	37.35	15.92	59.61	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12050.00	47.55	74.00	-26.45	44.18	39.10	19.25	56.18	1.20	--	Peak																																																																																																															
2	18075.00	35.71	74.00	-38.29	51.59	37.35	15.92	59.61	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12050.00	48.28	74.00	-25.72	44.91	39.10	19.25	56.18	1.20	--	Peak																																																																																																															
2	18075.00	35.57	74.00	-38.43	51.45	37.35	15.92	59.61	-9.54	--	Peak																																																																																																															



Mode	13	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	14																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>44.55</td><td>39.30</td><td>19.53</td><td>56.48</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18555.00</td><td>35.67</td><td>74.00</td><td>-38.33</td><td>51.28</td><td>37.50</td><td>16.14</td><td>59.71</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	48.13	74.00	-25.87	44.55	39.30	19.53	56.48	1.23	--	Peak	2	18555.00	35.67	74.00	-38.33	51.28	37.50	16.14	59.71	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>44.03</td><td>39.30</td><td>19.53</td><td>56.48</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18555.00</td><td>36.68</td><td>74.00</td><td>-37.32</td><td>52.29</td><td>37.50</td><td>16.14</td><td>59.71</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	47.61	74.00	-26.39	44.03	39.30	19.53	56.48	1.23	--	Peak	2	18555.00	36.68	74.00	-37.32	52.29	37.50	16.14	59.71	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12370.00	48.13	74.00	-25.87	44.55	39.30	19.53	56.48	1.23	--	Peak																																																																																																															
2	18555.00	35.67	74.00	-38.33	51.28	37.50	16.14	59.71	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12370.00	47.61	74.00	-26.39	44.03	39.30	19.53	56.48	1.23	--	Peak																																																																																																															
2	18555.00	36.68	74.00	-37.32	52.29	37.50	16.14	59.71	-9.54	--	Peak																																																																																																															







Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL







Mode	15																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>48.76</td><td>74.00</td><td>-25.24</td><td>45.10</td><td>39.60</td><td>19.81</td><td>57.02</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19035.00</td><td>36.70</td><td>74.00</td><td>-37.30</td><td>52.25</td><td>37.43</td><td>16.37</td><td>59.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	48.76	74.00	-25.24	45.10	39.60	19.81	57.02	1.27	--	Peak	2	19035.00	36.70	74.00	-37.30	52.25	37.43	16.37	59.81	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>44.96</td><td>39.60</td><td>19.81</td><td>57.02</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19035.00</td><td>36.38</td><td>74.00</td><td>-37.62</td><td>51.93</td><td>37.43</td><td>16.37</td><td>59.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	48.62	74.00	-25.38	44.96	39.60	19.81	57.02	1.27	--	Peak	2	19035.00	36.38	74.00	-37.62	51.93	37.43	16.37	59.81	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12690.00	48.76	74.00	-25.24	45.10	39.60	19.81	57.02	1.27	--	Peak																																																																																																														
2	19035.00	36.70	74.00	-37.30	52.25	37.43	16.37	59.81	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12690.00	48.62	74.00	-25.38	44.96	39.60	19.81	57.02	1.27	--	Peak																																																																																																														
2	19035.00	36.38	74.00	-37.62	51.93	37.43	16.37	59.81	-9.54	--	Peak																																																																																																														



Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



		16																																																																																																												
Mode		Band Edge																																																																																																												
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																												
ANT		4+9																																																																																																												
Pol.		Horizontal					Fundamental																																																																																																							
Peak	Level (dBuV/m) Date: 2026-09-07  Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5834.00</td><td>57.35</td><td>88.20</td><td>-30.85</td><td>43.82</td><td>35.20</td><td>13.39</td><td>35.06</td><td>0.00</td><td>100</td><td>103</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5834.00	57.35	88.20	-30.85	43.82	35.20	13.39	35.06	0.00	100	103	Peak	Level (dBuV/m) Date: 2026-09-07  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>94.46</td><td>-----</td><td>-----</td><td>80.37</td><td>35.56</td><td>13.57</td><td>35.04</td><td>0.00</td><td>100</td><td>103</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	94.46	-----	-----	80.37	35.56	13.57	35.04	0.00	100	103	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5834.00	57.35	88.20	-30.85	43.82	35.20	13.39	35.06	0.00	100	103	Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	6105.00	94.46	-----	-----	80.37	35.56	13.57	35.04	0.00	100	103	Peak																																																																																																		
Avg	Level (dBuV/m) Date: 2026-09-07  Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5842.64</td><td>46.77</td><td>68.20</td><td>-21.43</td><td>33.23</td><td>35.20</td><td>13.40</td><td>35.06</td><td>0.00</td><td>100</td><td>103</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5842.64	46.77	68.20	-21.43	33.23	35.20	13.40	35.06	0.00	100	103	Average	Level (dBuV/m) Date: 2026-09-07  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>85.58</td><td>-----</td><td>-----</td><td>71.37</td><td>35.60</td><td>13.63</td><td>35.02</td><td>0.00</td><td>100</td><td>103</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	85.58	-----	-----	71.37	35.60	13.63	35.02	0.00	100	103	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5842.64	46.77	68.20	-21.43	33.23	35.20	13.40	35.06	0.00	100	103	Average																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	6105.00	85.58	-----	-----	71.37	35.60	13.63	35.02	0.00	100	103	Average																																																																																																		



Mode	16																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																			
ANT	4+9																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5830.88</td><td>55.97</td><td>88.20</td><td>-32.23</td><td>42.44</td><td>35.20</td><td>13.39</td><td>35.06</td><td>0.00</td><td>400</td><td>272</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5830.88	55.97	88.20	-32.23	42.44	35.20	13.39	35.06	0.00	400	272	Peak	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>89.77</td><td>-----</td><td>-----</td><td>75.00</td><td>35.50</td><td>13.52</td><td>35.05</td><td>0.00</td><td>400</td><td>272</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	89.77	-----	-----	75.00	35.50	13.52	35.05	0.00	400	272	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5830.88	55.97	88.20	-32.23	42.44	35.20	13.39	35.06	0.00	400	272	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6105.00	89.77	-----	-----	75.00	35.50	13.52	35.05	0.00	400	272	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5833.40</td><td>45.52</td><td>68.20</td><td>-22.68</td><td>31.99</td><td>35.20</td><td>13.39</td><td>35.06</td><td>0.00</td><td>400</td><td>272</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5833.40	45.52	68.20	-22.68	31.99	35.20	13.39	35.06	0.00	400	272	Average	Level (dBuV/m) Date: 2026-09-07 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>81.84</td><td>-----</td><td>-----</td><td>67.89</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>400</td><td>272</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	81.84	-----	-----	67.89	35.50	13.50	35.05	0.00	400	272	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5833.40	45.52	68.20	-22.68	31.99	35.20	13.39	35.06	0.00	400	272	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6105.00	81.84	-----	-----	67.89	35.50	13.50	35.05	0.00	400	272	Average																																																																																								



Mode	16																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																															
ANT	4+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>44.63</td><td>39.22</td><td>19.39</td><td>56.33</td><td>1.21</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18315.00</td><td>36.20</td><td>74.00</td><td>-37.80</td><td>51.87</td><td>37.50</td><td>16.03</td><td>59.66</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	48.12	74.00	-25.88	44.63	39.22	19.39	56.33	1.21	--	Peak	2	18315.00	36.20	74.00	-37.80	51.87	37.50	16.03	59.66	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>48.18</td><td>74.00</td><td>-25.82</td><td>44.69</td><td>39.22</td><td>19.39</td><td>56.33</td><td>1.21</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18315.00</td><td>36.22</td><td>74.00</td><td>-37.78</td><td>51.89</td><td>37.50</td><td>16.03</td><td>59.66</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12210.00	48.18	74.00	-25.82	44.69	39.22	19.39	56.33	1.21	--	Peak	2	18315.00	36.22	74.00	-37.78	51.89	37.50	16.03	59.66	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12210.00	48.12	74.00	-25.88	44.63	39.22	19.39	56.33	1.21	--	Peak																																																																																																					
2	18315.00	36.20	74.00	-37.80	51.87	37.50	16.03	59.66	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12210.00	48.18	74.00	-25.82	44.69	39.22	19.39	56.33	1.21	--	Peak																																																																																																					
2	18315.00	36.22	74.00	-37.78	51.89	37.50	16.03	59.66	-9.54	--	Peak																																																																																																					