











Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	17																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>48.69</td><td>74.00</td><td>-25.31</td><td>45.04</td><td>39.40</td><td>19.67</td><td>56.67</td><td>1.25</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18795.00</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>51.97</td><td>37.59</td><td>16.26</td><td>59.76</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12530.00	48.69	74.00	-25.31	45.04	39.40	19.67	56.67	1.25	--	Peak	2	18795.00	36.52	74.00	-37.48	51.97	37.59	16.26	59.76	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>44.91</td><td>39.40</td><td>19.67</td><td>56.67</td><td>1.25</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18795.00</td><td>36.09</td><td>74.00</td><td>-37.91</td><td>51.54</td><td>37.59</td><td>16.26</td><td>59.76</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12530.00	48.56	74.00	-25.44	44.91	39.40	19.67	56.67	1.25	--	Peak	2	18795.00	36.09	74.00	-37.91	51.54	37.59	16.26	59.76	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12530.00	48.69	74.00	-25.31	45.04	39.40	19.67	56.67	1.25	--	Peak																																																																																																															
2	18795.00	36.52	74.00	-37.48	51.97	37.59	16.26	59.76	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12530.00	48.56	74.00	-25.44	44.91	39.40	19.67	56.67	1.25	--	Peak																																																																																																															
2	18795.00	36.09	74.00	-37.91	51.54	37.59	16.26	59.76	-9.54	--	Peak																																																																																																															



Mode	17	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	18																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH95_Full RU_6425MHz																																																																																																															
ANT	4+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>49.06</td><td>88.20</td><td>-39.14</td><td>45.61</td><td>39.60</td><td>19.95</td><td>57.38</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19275.00</td><td>36.37</td><td>74.00</td><td>-37.63</td><td>51.97</td><td>37.30</td><td>16.49</td><td>59.85</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	49.06	88.20	-39.14	45.61	39.60	19.95	57.38	1.28	--	Peak	2	19275.00	36.37	74.00	-37.63	51.97	37.30	16.49	59.85	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>48.06</td><td>88.20</td><td>-39.34</td><td>45.41</td><td>39.60</td><td>19.95</td><td>57.38</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19275.00</td><td>36.37</td><td>74.00</td><td>-37.63</td><td>51.97</td><td>37.30</td><td>16.49</td><td>59.85</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	48.06	88.20	-39.34	45.41	39.60	19.95	57.38	1.28	--	Peak	2	19275.00	36.37	74.00	-37.63	51.97	37.30	16.49	59.85	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12850.00	49.06	88.20	-39.14	45.61	39.60	19.95	57.38	1.28	--	Peak																																																																																																					
2	19275.00	36.37	74.00	-37.63	51.97	37.30	16.49	59.85	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12850.00	48.06	88.20	-39.34	45.41	39.60	19.95	57.38	1.28	--	Peak																																																																																																					
2	19275.00	36.37	74.00	-37.63	51.97	37.30	16.49	59.85	-9.54	--	Peak																																																																																																					



Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH95_Full RU_6425MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	19																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU_26/0_5955MHz																																																																																																			
ANT	4+9																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5846.97</td><td>53.59</td><td>88.20</td><td>-34.61</td><td>40.05</td><td>35.20</td><td>13.40</td><td>35.06</td><td>0.00</td><td>100</td><td>243</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5846.97	53.59	88.20	-34.61	40.05	35.20	13.40	35.06	0.00	100	243	Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.15</td><td>-----</td><td>-----</td><td>97.21</td><td>35.50</td><td>13.49</td><td>35.05</td><td>0.00</td><td>100</td><td>243</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.15	-----	-----	97.21	35.50	13.49	35.05	0.00	100	243	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5846.97	53.59	88.20	-34.61	40.05	35.20	13.40	35.06	0.00	100	243	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	111.15	-----	-----	97.21	35.50	13.49	35.05	0.00	100	243	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.49</td><td>43.54</td><td>68.20</td><td>-24.66</td><td>29.72</td><td>35.42</td><td>13.46</td><td>35.06</td><td>0.00</td><td>100</td><td>243</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.49	43.54	68.20	-24.66	29.72	35.42	13.46	35.06	0.00	100	243	Average	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.06</td><td>-----</td><td>-----</td><td>91.12</td><td>35.50</td><td>13.49</td><td>35.05</td><td>0.00</td><td>100</td><td>243</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.06	-----	-----	91.12	35.50	13.49	35.05	0.00	100	243	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5912.49	43.54	68.20	-24.66	29.72	35.42	13.46	35.06	0.00	100	243	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	105.06	-----	-----	91.12	35.50	13.49	35.05	0.00	100	243	Average																																																																																								







Mode	19																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU_26/0_5955MHz																																																																																																
ANT	4+9																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5903.65</td><td>52.21</td><td>88.20</td><td>-35.99</td><td>38.41</td><td>35.41</td><td>13.45</td><td>35.06</td><td>0.00</td><td>400</td><td>272 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5903.65	52.21	88.20	-35.99	38.41	35.41	13.45	35.06	0.00	400	272 Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.89</td><td>-----</td><td>-----</td><td>97.95</td><td>35.50</td><td>13.49</td><td>35.05</td><td>0.00</td><td>400</td><td>272 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.89	-----	-----	97.95	35.50	13.49	35.05	0.00	400	272 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5903.65	52.21	88.20	-35.99	38.41	35.41	13.45	35.06	0.00	400	272 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	111.89	-----	-----	97.95	35.50	13.49	35.05	0.00	400	272 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>42.84</td><td>68.20</td><td>-25.36</td><td>28.97</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>400</td><td>272 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	42.84	68.20	-25.36	28.97	35.45	13.47	35.05	0.00	400	272 Average	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.79</td><td>-----</td><td>-----</td><td>90.85</td><td>35.50</td><td>13.49</td><td>35.05</td><td>0.00</td><td>400</td><td>272 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.79	-----	-----	90.85	35.50	13.49	35.05	0.00	400	272 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.58	42.84	68.20	-25.36	28.97	35.45	13.47	35.05	0.00	400	272 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	104.79	-----	-----	90.85	35.50	13.49	35.05	0.00	400	272 Average																																																																																						







Mode	20																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU_52/37_5955MHz																																																																									
ANT	4+9																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5902.09 53.06 88.20 -35.14 39.27 35.40 13.45 35.06 0.00 100 117 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 5902.09 53.06 88.20 -35.14 39.27 35.40 13.45 35.06 0.00 100 117 Peak									Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5955.00 111.53 ----- 97.58 35.50 13.50 35.05 0.00 100 117 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 5955.00 111.53 ----- 97.58 35.50 13.50 35.05 0.00 100 117 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																										
1 5902.09 53.06 88.20 -35.14 39.27 35.40 13.45 35.06 0.00 100 117 Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																										
1 5955.00 111.53 ----- 97.58 35.50 13.50 35.05 0.00 100 117 Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5914.96 43.43 68.20 -24.77 29.60 35.43 13.46 35.06 0.00 100 117 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 5914.96 43.43 68.20 -24.77 29.60 35.43 13.46 35.06 0.00 100 117 Average									Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5955.00 103.64 ----- 89.69 35.50 13.50 35.05 0.00 100 117 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg									1 5955.00 103.64 ----- 89.69 35.50 13.50 35.05 0.00 100 117 Average								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																										
1 5914.96 43.43 68.20 -24.77 29.60 35.43 13.46 35.06 0.00 100 117 Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dB/dB dB dB dB dB cm deg																																																																										
1 5955.00 103.64 ----- 89.69 35.50 13.50 35.05 0.00 100 117 Average																																																																										



Mode	20																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU_52/37_5955MHz																																																																																																
ANT	4+9																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-09-08  Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.06</td><td>52.41</td><td>88.20</td><td>-35.79</td><td>38.54</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>400</td><td>272 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.06	52.41	88.20	-35.79	38.54	35.45	13.47	35.05	0.00	400	272 Peak	Level (dBuV/m) Date: 2026-09-08  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.83</td><td>-----</td><td>-----</td><td>95.88</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>400</td><td>272 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.83	-----	-----	95.88	35.50	13.50	35.05	0.00	400	272 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.06	52.41	88.20	-35.79	38.54	35.45	13.47	35.05	0.00	400	272 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	109.83	-----	-----	95.88	35.50	13.50	35.05	0.00	400	272 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-09-08  Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>42.90</td><td>68.20</td><td>-25.30</td><td>29.03</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>400</td><td>272 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	42.90	68.20	-25.30	29.03	35.45	13.47	35.05	0.00	400	272 Average	Level (dBuV/m) Date: 2026-09-08  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>181.98</td><td>-----</td><td>-----</td><td>88.04</td><td>35.50</td><td>13.49</td><td>35.05</td><td>0.00</td><td>400</td><td>272 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	181.98	-----	-----	88.04	35.50	13.49	35.05	0.00	400	272 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.58	42.90	68.20	-25.30	29.03	35.45	13.47	35.05	0.00	400	272 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	181.98	-----	-----	88.04	35.50	13.49	35.05	0.00	400	272 Average																																																																																						



Mode	21																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU_106/53_5955MHz																																																																																																
ANT	4+9																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-09-08  Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.39</td><td>52.68</td><td>88.20</td><td>-35.52</td><td>38.85</td><td>35.43</td><td>13.46</td><td>35.06</td><td>0.00</td><td>100</td><td>109 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.39	52.68	88.20	-35.52	38.85	35.43	13.46	35.06	0.00	100	109 Peak	Level (dBuV/m) Date: 2026-09-08  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.23</td><td>-----</td><td>-----</td><td>96.28</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>100</td><td>109 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.23	-----	-----	96.28	35.50	13.50	35.05	0.00	100	109 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5916.39	52.68	88.20	-35.52	38.85	35.43	13.46	35.06	0.00	100	109 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	110.23	-----	-----	96.28	35.50	13.50	35.05	0.00	100	109 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-09-08  Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>42.90</td><td>68.20</td><td>-25.30</td><td>29.03</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>100</td><td>109 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	42.90	68.20	-25.30	29.03	35.45	13.47	35.05	0.00	100	109 Average	Level (dBuV/m) Date: 2026-09-08  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>101.26</td><td>-----</td><td>-----</td><td>87.31</td><td>35.50</td><td>13.50</td><td>35.05</td><td>0.00</td><td>100</td><td>109 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.26	-----	-----	87.31	35.50	13.50	35.05	0.00	100	109 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.84	42.90	68.20	-25.30	29.03	35.45	13.47	35.05	0.00	100	109 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	101.26	-----	-----	87.31	35.50	13.50	35.05	0.00	100	109 Average																																																																																						



Mode	21																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Partial RU_106/53_5955MHz																																																																																																	
ANT	4+9																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5886.75</td><td>52.42</td><td>88.20</td><td>-35.78</td><td>38.69</td><td>35.35</td><td>13.44</td><td>35.06</td><td>0.00</td><td>400</td><td>271 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5886.75	52.42	88.20	-35.78	38.69	35.35	13.44	35.06	0.00	400	271 Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.56</td><td>-----</td><td>-----</td><td>91.62</td><td>35.50</td><td>13.49</td><td>35.05</td><td>0.00</td><td>400</td><td>271 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.56	-----	-----	91.62	35.50	13.49	35.05	0.00	400	271 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5886.75	52.42	88.20	-35.78	38.69	35.35	13.44	35.06	0.00	400	271 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	105.56	-----	-----	91.62	35.50	13.49	35.05	0.00	400	271 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>42.57</td><td>68.20</td><td>-25.63</td><td>28.70</td><td>35.45</td><td>13.47</td><td>35.05</td><td>0.00</td><td>400</td><td>271 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	42.57	68.20	-25.63	28.70	35.45	13.47	35.05	0.00	400	271 Average	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.46</td><td>-----</td><td>-----</td><td>84.52</td><td>35.50</td><td>13.49</td><td>35.05</td><td>0.00</td><td>400</td><td>271 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.46	-----	-----	84.52	35.50	13.49	35.05	0.00	400	271 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.97	42.57	68.20	-25.63	28.70	35.45	13.47	35.05	0.00	400	271 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	98.46	-----	-----	84.52	35.50	13.49	35.05	0.00	400	271 Average																																																																																							



Mode	22																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.25</td><td>88.20</td><td>-39.95</td><td>44.82</td><td>39.60</td><td>19.96</td><td>57.42</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>35.07</td><td>74.00</td><td>-38.93</td><td>50.67</td><td>37.30</td><td>16.50</td><td>59.86</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	48.25	88.20	-39.95	44.82	39.60	19.96	57.42	1.29	--	Peak	2	19305.00	35.07	74.00	-38.93	50.67	37.30	16.50	59.86	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.39</td><td>88.20</td><td>-39.81</td><td>44.96</td><td>39.60</td><td>19.96</td><td>57.42</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>35.11</td><td>74.00</td><td>-38.89</td><td>50.71</td><td>37.30</td><td>16.50</td><td>59.86</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	48.39	88.20	-39.81	44.96	39.60	19.96	57.42	1.29	--	Peak	2	19305.00	35.11	74.00	-38.89	50.71	37.30	16.50	59.86	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	48.25	88.20	-39.95	44.82	39.60	19.96	57.42	1.29	--	Peak																																																																																																															
2	19305.00	35.07	74.00	-38.93	50.67	37.30	16.50	59.86	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	48.39	88.20	-39.81	44.96	39.60	19.96	57.42	1.29	--	Peak																																																																																																															
2	19305.00	35.11	74.00	-38.89	50.71	37.30	16.50	59.86	-9.54	--	Peak																																																																																																															



Mode	22	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	23																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.66</td><td>88.20</td><td>-39.54</td><td>45.24</td><td>39.70</td><td>20.03</td><td>57.60</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.29</td><td>74.00</td><td>-37.71</td><td>51.86</td><td>37.30</td><td>16.56</td><td>59.89</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.66	88.20	-39.54	45.24	39.70	20.03	57.60	1.29	--	Peak	2	19425.00	36.29	74.00	-37.71	51.86	37.30	16.56	59.89	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.61</td><td>88.20</td><td>-39.59</td><td>45.19</td><td>39.70</td><td>20.03</td><td>57.60</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.05</td><td>74.00</td><td>-37.95</td><td>51.62</td><td>37.30</td><td>16.56</td><td>59.89</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.61	88.20	-39.59	45.19	39.70	20.03	57.60	1.29	--	Peak	2	19425.00	36.05	74.00	-37.95	51.62	37.30	16.56	59.89	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12950.00	48.66	88.20	-39.54	45.24	39.70	20.03	57.60	1.29	--	Peak																																																																																																														
2	19425.00	36.29	74.00	-37.71	51.86	37.30	16.56	59.89	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12950.00	48.61	88.20	-39.59	45.19	39.70	20.03	57.60	1.29	--	Peak																																																																																																														
2	19425.00	36.05	74.00	-37.95	51.62	37.30	16.56	59.89	-9.54	--	Peak																																																																																																														



Mode	23	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	24																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>49.16</td><td>88.20</td><td>-39.04</td><td>45.99</td><td>39.48</td><td>20.10</td><td>57.71</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>36.12</td><td>74.00</td><td>-37.88</td><td>51.65</td><td>37.30</td><td>16.61</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	49.16	88.20	-39.04	45.99	39.48	20.10	57.71	1.30	--	Peak	2	19545.00	36.12	74.00	-37.88	51.65	37.30	16.61	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>48.13</td><td>88.20</td><td>-40.07</td><td>44.96</td><td>39.48</td><td>20.10</td><td>57.71</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>36.73</td><td>74.00</td><td>-37.27</td><td>52.26</td><td>37.30</td><td>16.61</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	48.13	88.20	-40.07	44.96	39.48	20.10	57.71	1.30	--	Peak	2	19545.00	36.73	74.00	-37.27	52.26	37.30	16.61	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	49.16	88.20	-39.04	45.99	39.48	20.10	57.71	1.30	--	Peak																																																																																																															
2	19545.00	36.12	74.00	-37.88	51.65	37.30	16.61	59.90	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	48.13	88.20	-40.07	44.96	39.48	20.10	57.71	1.30	--	Peak																																																																																																															
2	19545.00	36.73	74.00	-37.27	52.26	37.30	16.61	59.90	-9.54	--	Peak																																																																																																															







Mode	24	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	25																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full RU_6435MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.58</td><td>88.20</td><td>-39.62</td><td>45.15</td><td>39.60</td><td>19.96</td><td>57.42</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>35.33</td><td>74.00</td><td>-38.67</td><td>50.93</td><td>37.30</td><td>16.50</td><td>59.86</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	48.58	88.20	-39.62	45.15	39.60	19.96	57.42	1.29	--	Peak	2	19305.00	35.33	74.00	-38.67	50.93	37.30	16.50	59.86	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.21</td><td>88.20</td><td>-39.99</td><td>44.78</td><td>39.60</td><td>19.96</td><td>57.42</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>35.07</td><td>74.00</td><td>-38.93</td><td>50.67</td><td>37.30</td><td>16.50</td><td>59.86</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	48.21	88.20	-39.99	44.78	39.60	19.96	57.42	1.29	--	Peak	2	19305.00	35.07	74.00	-38.93	50.67	37.30	16.50	59.86	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	48.58	88.20	-39.62	45.15	39.60	19.96	57.42	1.29	--	Peak																																																																																																															
2	19305.00	35.33	74.00	-38.67	50.93	37.30	16.50	59.86	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	48.21	88.20	-39.99	44.78	39.60	19.96	57.42	1.29	--	Peak																																																																																																															
2	19305.00	35.07	74.00	-38.93	50.67	37.30	16.50	59.86	-9.54	--	Peak																																																																																																															



Mode	25	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full RU_6435MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	26																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.71</td><td>88.20</td><td>-39.49</td><td>45.29</td><td>39.70</td><td>20.03</td><td>57.60</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.17</td><td>74.00</td><td>-37.83</td><td>51.74</td><td>37.30</td><td>16.56</td><td>59.89</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.71	88.20	-39.49	45.29	39.70	20.03	57.60	1.29	--	Peak	2	19425.00	36.17	74.00	-37.83	51.74	37.30	16.56	59.89	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.79</td><td>88.20</td><td>-39.41</td><td>45.37</td><td>39.70</td><td>20.03</td><td>57.60</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.17</td><td>74.00</td><td>-37.83</td><td>51.74</td><td>37.30</td><td>16.56</td><td>59.89</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.79	88.20	-39.41	45.37	39.70	20.03	57.60	1.29	--	Peak	2	19425.00	36.17	74.00	-37.83	51.74	37.30	16.56	59.89	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12950.00	48.71	88.20	-39.49	45.29	39.70	20.03	57.60	1.29	--	Peak																																																																																																														
2	19425.00	36.17	74.00	-37.83	51.74	37.30	16.56	59.89	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12950.00	48.79	88.20	-39.41	45.37	39.70	20.03	57.60	1.29	--	Peak																																																																																																														
2	19425.00	36.17	74.00	-37.83	51.74	37.30	16.56	59.89	-9.54	--	Peak																																																																																																														



Mode	26	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full RU_6475MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	27																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz																																																																																																															
ANT	4+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>48.12</td><td>88.20</td><td>-40.08</td><td>44.95</td><td>39.48</td><td>20.10</td><td>57.71</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>36.60</td><td>74.00</td><td>-37.40</td><td>52.13</td><td>37.30</td><td>16.61</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	48.12	88.20	-40.08	44.95	39.48	20.10	57.71	1.30	--	Peak	2	19545.00	36.60	74.00	-37.40	52.13	37.30	16.61	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.89</td><td>88.20</td><td>-40.31</td><td>44.72</td><td>39.48</td><td>20.10</td><td>57.71</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>35.69</td><td>74.00</td><td>-38.31</td><td>51.22</td><td>37.30</td><td>16.61</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	47.89	88.20	-40.31	44.72	39.48	20.10	57.71	1.30	--	Peak	2	19545.00	35.69	74.00	-38.31	51.22	37.30	16.61	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	48.12	88.20	-40.08	44.95	39.48	20.10	57.71	1.30	--	Peak																																																																																																					
2	19545.00	36.60	74.00	-37.40	52.13	37.30	16.61	59.90	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	47.89	88.20	-40.31	44.72	39.48	20.10	57.71	1.30	--	Peak																																																																																																					
2	19545.00	35.69	74.00	-38.31	51.22	37.30	16.61	59.90	-9.54	--	Peak																																																																																																					



Mode	27	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full RU_6515MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-15 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	28																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz																																																																																																															
ANT	4+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>47.95</td><td>88.20</td><td>-40.25</td><td>44.55</td><td>39.60</td><td>19.98</td><td>57.47</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>35.35</td><td>74.00</td><td>-38.65</td><td>50.95</td><td>37.30</td><td>16.51</td><td>59.87</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	47.95	88.20	-40.25	44.55	39.60	19.98	57.47	1.29	--	Peak	2	19335.00	35.35	74.00	-38.65	50.95	37.30	16.51	59.87	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>48.55</td><td>88.20</td><td>-39.65</td><td>45.15</td><td>39.60</td><td>19.98</td><td>57.47</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>35.13</td><td>74.00</td><td>-38.87</td><td>50.73</td><td>37.30</td><td>16.51</td><td>59.87</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	48.55	88.20	-39.65	45.15	39.60	19.98	57.47	1.29	--	Peak	2	19335.00	35.13	74.00	-38.87	50.73	37.30	16.51	59.87	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12890.00	47.95	88.20	-40.25	44.55	39.60	19.98	57.47	1.29	--	Peak																																																																																																					
2	19335.00	35.35	74.00	-38.65	50.95	37.30	16.51	59.87	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12890.00	48.55	88.20	-39.65	45.15	39.60	19.98	57.47	1.29	--	Peak																																																																																																					
2	19335.00	35.13	74.00	-38.87	50.73	37.30	16.51	59.87	-9.54	--	Peak																																																																																																					



Mode	28	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL





Mode	29																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																																																																																															
ANT	4+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>48.52</td><td>88.20</td><td>-39.68</td><td>45.15</td><td>39.66</td><td>20.05</td><td>57.64</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>36.53</td><td>74.00</td><td>-37.47</td><td>52.09</td><td>37.30</td><td>16.57</td><td>59.89</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	48.52	88.20	-39.68	45.15	39.66	20.05	57.64	1.30	--	Peak	2	19455.00	36.53	74.00	-37.47	52.09	37.30	16.57	59.89	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>44.50</td><td>39.66</td><td>20.05</td><td>57.64</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>36.33</td><td>74.00</td><td>-37.67</td><td>51.89</td><td>37.30</td><td>16.57</td><td>59.89</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	47.87	88.20	-40.33	44.50	39.66	20.05	57.64	1.30	--	Peak	2	19455.00	36.33	74.00	-37.67	51.89	37.30	16.57	59.89	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12970.00	48.52	88.20	-39.68	45.15	39.66	20.05	57.64	1.30	--	Peak																																																																																																					
2	19455.00	36.53	74.00	-37.47	52.09	37.30	16.57	59.89	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12970.00	47.87	88.20	-40.33	44.50	39.66	20.05	57.64	1.30	--	Peak																																																																																																					
2	19455.00	36.33	74.00	-37.67	51.89	37.30	16.57	59.89	-9.54	--	Peak																																																																																																					



Mode	29	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	30																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>49.13</td><td>88.20</td><td>-39.07</td><td>46.02</td><td>39.40</td><td>20.12</td><td>57.71</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>35.45</td><td>74.00</td><td>-38.55</td><td>50.96</td><td>37.30</td><td>16.63</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	49.13	88.20	-39.07	46.02	39.40	20.12	57.71	1.30	--	Peak	2	19575.00	35.45	74.00	-38.55	50.96	37.30	16.63	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>48.53</td><td>88.20</td><td>-39.67</td><td>45.42</td><td>39.40</td><td>20.12</td><td>57.71</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>35.61</td><td>74.00</td><td>-38.39</td><td>51.12</td><td>37.30</td><td>16.63</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	48.53	88.20	-39.67	45.42	39.40	20.12	57.71	1.30	--	Peak	2	19575.00	35.61	74.00	-38.39	51.12	37.30	16.63	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13050.00	49.13	88.20	-39.07	46.02	39.40	20.12	57.71	1.30	--	Peak																																																																																																															
2	19575.00	35.45	74.00	-38.55	50.96	37.30	16.63	59.90	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13050.00	48.53	88.20	-39.67	45.42	39.40	20.12	57.71	1.30	--	Peak																																																																																																															
2	19575.00	35.61	74.00	-38.39	51.12	37.30	16.63	59.90	-9.54	--	Peak																																																																																																															







Mode	30	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	31																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>48.46</td><td>88.20</td><td>-39.74</td><td>45.05</td><td>39.66</td><td>20.01</td><td>57.55</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>36.63</td><td>74.00</td><td>-37.37</td><td>52.21</td><td>37.30</td><td>16.54</td><td>59.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	48.46	88.20	-39.74	45.05	39.66	20.01	57.55	1.29	--	Peak	2	19395.00	36.63	74.00	-37.37	52.21	37.30	16.54	59.88	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>48.44</td><td>88.20</td><td>-39.76</td><td>45.03</td><td>39.66</td><td>20.01</td><td>57.55</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19395.00</td><td>37.22</td><td>74.00</td><td>-36.78</td><td>52.00</td><td>37.30</td><td>16.54</td><td>59.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	48.44	88.20	-39.76	45.03	39.66	20.01	57.55	1.29	--	Peak	2	19395.00	37.22	74.00	-36.78	52.00	37.30	16.54	59.88	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12930.00	48.46	88.20	-39.74	45.05	39.66	20.01	57.55	1.29	--	Peak																																																																																																															
2	19395.00	36.63	74.00	-37.37	52.21	37.30	16.54	59.88	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12930.00	48.44	88.20	-39.76	45.03	39.66	20.01	57.55	1.29	--	Peak																																																																																																															
2	19395.00	37.22	74.00	-36.78	52.00	37.30	16.54	59.88	-9.54	--	Peak																																																																																																															







Mode	31	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	32																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT80_CH119_Full RU_6545MHz																																																																																																															
ANT	4+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>47.79</td><td>88.20</td><td>-40.41</td><td>44.58</td><td>39.48</td><td>20.15</td><td>57.71</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19635.00</td><td>36.03</td><td>74.00</td><td>-37.97</td><td>51.51</td><td>37.30</td><td>16.66</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	47.79	88.20	-40.41	44.58	39.48	20.15	57.71	1.29	--	Peak	2	19635.00	36.03	74.00	-37.97	51.51	37.30	16.66	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>48.56</td><td>88.20</td><td>-39.64</td><td>45.35</td><td>39.48</td><td>20.15</td><td>57.71</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19635.00</td><td>35.67</td><td>74.00</td><td>-38.33</td><td>51.15</td><td>37.30</td><td>16.66</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	48.56	88.20	-39.64	45.35	39.48	20.15	57.71	1.29	--	Peak	2	19635.00	35.67	74.00	-38.33	51.15	37.30	16.66	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13090.00	47.79	88.20	-40.41	44.58	39.48	20.15	57.71	1.29	--	Peak																																																																																																					
2	19635.00	36.03	74.00	-37.97	51.51	37.30	16.66	59.90	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13090.00	48.56	88.20	-39.64	45.35	39.48	20.15	57.71	1.29	--	Peak																																																																																																					
2	19635.00	35.67	74.00	-38.33	51.15	37.30	16.66	59.90	-9.54	--	Peak																																																																																																					



Mode	32	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT80_CH119_Full RU_6545MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	33																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>48.62</td><td>88.20</td><td>-39.58</td><td>45.39</td><td>39.56</td><td>20.08</td><td>57.71</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>36.89</td><td>74.00</td><td>-37.11</td><td>52.43</td><td>37.30</td><td>16.60</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	48.62	88.20	-39.58	45.39	39.56	20.08	57.71	1.30	--	Peak	2	19515.00	36.89	74.00	-37.11	52.43	37.30	16.60	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>48.93</td><td>88.20</td><td>-39.27</td><td>45.70</td><td>39.56</td><td>20.08</td><td>57.71</td><td>1.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>36.19</td><td>74.00</td><td>-37.81</td><td>51.73</td><td>37.30</td><td>16.60</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	48.93	88.20	-39.27	45.70	39.56	20.08	57.71	1.30	--	Peak	2	19515.00	36.19	74.00	-37.81	51.73	37.30	16.60	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13010.00	48.62	88.20	-39.58	45.39	39.56	20.08	57.71	1.30	--	Peak																																																																																																														
2	19515.00	36.89	74.00	-37.11	52.43	37.30	16.60	59.90	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13010.00	48.93	88.20	-39.27	45.70	39.56	20.08	57.71	1.30	--	Peak																																																																																																														
2	19515.00	36.19	74.00	-37.81	51.73	37.30	16.60	59.90	-9.54	--	Peak																																																																																																														



Mode	33	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	34																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11be EHT320_CH127_Full RU_6585MHz																																																																																																															
ANT	4+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(U-NII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>48.78</td><td>88.20</td><td>-39.42</td><td>45.63</td><td>39.36</td><td>20.22</td><td>57.71</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19755.00</td><td>36.49</td><td>74.00</td><td>-37.51</td><td>51.82</td><td>37.40</td><td>16.71</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	48.78	88.20	-39.42	45.63	39.36	20.22	57.71	1.28	--	Peak	2	19755.00	36.49	74.00	-37.51	51.82	37.40	16.71	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(U-NII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>48.92</td><td>88.20</td><td>-39.28</td><td>45.77</td><td>39.36</td><td>20.22</td><td>57.71</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19755.00</td><td>36.74</td><td>74.00</td><td>-37.26</td><td>52.07</td><td>37.40</td><td>16.71</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	48.92	88.20	-39.28	45.77	39.36	20.22	57.71	1.28	--	Peak	2	19755.00	36.74	74.00	-37.26	52.07	37.40	16.71	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13170.00	48.78	88.20	-39.42	45.63	39.36	20.22	57.71	1.28	--	Peak																																																																																																					
2	19755.00	36.49	74.00	-37.51	51.82	37.40	16.71	59.90	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13170.00	48.92	88.20	-39.28	45.77	39.36	20.22	57.71	1.28	--	Peak																																																																																																					
2	19755.00	36.74	74.00	-37.26	52.07	37.40	16.71	59.90	-9.54	--	Peak																																																																																																					



Mode	34	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT320_CH127_Full RU_6585MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL





Mode	35																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>47.57</td><td>88.20</td><td>-40.63</td><td>44.41</td><td>39.44</td><td>20.14</td><td>57.71</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>35.43</td><td>74.00</td><td>-38.57</td><td>50.93</td><td>37.30</td><td>16.64</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	47.57	88.20	-40.63	44.41	39.44	20.14	57.71	1.29	--	Peak	2	19605.00	35.43	74.00	-38.57	50.93	37.30	16.64	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.91</td><td>88.20</td><td>-41.29</td><td>43.75</td><td>39.44</td><td>20.14</td><td>57.71</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>35.13</td><td>74.00</td><td>-38.87</td><td>50.63</td><td>37.30</td><td>16.64</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.91	88.20	-41.29	43.75	39.44	20.14	57.71	1.29	--	Peak	2	19605.00	35.13	74.00	-38.87	50.63	37.30	16.64	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13070.00	47.57	88.20	-40.63	44.41	39.44	20.14	57.71	1.29	--	Peak																																																																																																														
2	19605.00	35.43	74.00	-38.57	50.93	37.30	16.64	59.90	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13070.00	46.91	88.20	-41.29	43.75	39.44	20.14	57.71	1.29	--	Peak																																																																																																														
2	19605.00	35.13	74.00	-38.87	50.63	37.30	16.64	59.90	-9.54	--	Peak																																																																																																														



Mode	35	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL





Mode	36																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.70</td><td>74.00</td><td>-26.30</td><td>44.51</td><td>39.24</td><td>20.41</td><td>57.72</td><td>1.26</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20085.00</td><td>35.69</td><td>74.00</td><td>-38.31</td><td>50.85</td><td>37.43</td><td>16.87</td><td>59.92</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.70	74.00	-26.30	44.51	39.24	20.41	57.72	1.26	--	Peak	2	20085.00	35.69	74.00	-38.31	50.85	37.43	16.87	59.92	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.47</td><td>74.00</td><td>-27.53</td><td>43.28</td><td>39.24</td><td>20.41</td><td>57.72</td><td>1.26</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20085.00</td><td>35.81</td><td>74.00</td><td>-38.19</td><td>50.97</td><td>37.43</td><td>16.87</td><td>59.92</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.47	74.00	-27.53	43.28	39.24	20.41	57.72	1.26	--	Peak	2	20085.00	35.81	74.00	-38.19	50.97	37.43	16.87	59.92	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13390.00	47.70	74.00	-26.30	44.51	39.24	20.41	57.72	1.26	--	Peak																																																																																																														
2	20085.00	35.69	74.00	-38.31	50.85	37.43	16.87	59.92	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13390.00	46.47	74.00	-27.53	43.28	39.24	20.41	57.72	1.26	--	Peak																																																																																																														
2	20085.00	35.81	74.00	-38.19	50.97	37.43	16.87	59.92	-9.54	--	Peak																																																																																																														







Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL





Mode	37																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																															
ANT	4+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-09-18  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>48.28</td><td>88.20</td><td>-39.92</td><td>45.01</td><td>39.02</td><td>20.69</td><td>57.68</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>36.25</td><td>74.00</td><td>-37.75</td><td>50.09</td><td>37.00</td><td>17.10</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	48.28	88.20	-39.92	45.01	39.02	20.69	57.68	1.24	--	Peak	2	20565.00	36.25	74.00	-37.75	50.09	37.00	17.10	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.59</td><td>88.20</td><td>-40.61</td><td>44.32</td><td>39.02</td><td>20.69</td><td>57.68</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>35.84</td><td>74.00</td><td>-38.16</td><td>50.48</td><td>37.00</td><td>17.10</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.59	88.20	-40.61	44.32	39.02	20.69	57.68	1.24	--	Peak	2	20565.00	35.84	74.00	-38.16	50.48	37.00	17.10	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13710.00	48.28	88.20	-39.92	45.01	39.02	20.69	57.68	1.24	--	Peak																																																																																																					
2	20565.00	36.25	74.00	-37.75	50.09	37.00	17.10	60.00	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13710.00	47.59	88.20	-40.61	44.32	39.02	20.69	57.68	1.24	--	Peak																																																																																																					
2	20565.00	35.84	74.00	-38.16	50.48	37.00	17.10	60.00	-9.54	--	Peak																																																																																																					







Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	38																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.92</td><td>88.20</td><td>-40.28</td><td>44.55</td><td>39.10</td><td>20.72</td><td>57.68</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>36.36</td><td>74.00</td><td>-37.64</td><td>50.92</td><td>37.85</td><td>17.13</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.92	88.20	-40.28	44.55	39.10	20.72	57.68	1.23	--	Peak	2	20625.00	36.36	74.00	-37.64	50.92	37.85	17.13	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>43.86</td><td>39.10</td><td>20.72</td><td>57.68</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>35.94</td><td>74.00</td><td>-38.06</td><td>50.50</td><td>37.85</td><td>17.13</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.23	88.20	-40.97	43.86	39.10	20.72	57.68	1.23	--	Peak	2	20625.00	35.94	74.00	-38.06	50.50	37.85	17.13	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13750.00	47.92	88.20	-40.28	44.55	39.10	20.72	57.68	1.23	--	Peak																																																																																																															
2	20625.00	36.36	74.00	-37.64	50.92	37.85	17.13	60.00	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13750.00	47.23	88.20	-40.97	43.86	39.10	20.72	57.68	1.23	--	Peak																																																																																																															
2	20625.00	35.94	74.00	-38.06	50.50	37.85	17.13	60.00	-9.54	--	Peak																																																																																																															







Mode	38	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	39																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>47.38</td><td>88.20</td><td>-40.82</td><td>44.22</td><td>39.44</td><td>20.14</td><td>57.71</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>35.17</td><td>74.00</td><td>-38.83</td><td>50.67</td><td>37.30</td><td>16.64</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	47.38	88.20	-40.82	44.22	39.44	20.14	57.71	1.29	--	Peak	2	19605.00	35.17	74.00	-38.83	50.67	37.30	16.64	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>47.14</td><td>88.20</td><td>-41.06</td><td>43.98</td><td>39.44</td><td>20.14</td><td>57.71</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>35.43</td><td>74.00</td><td>-38.57</td><td>50.93</td><td>37.30</td><td>16.64</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	47.14	88.20	-41.06	43.98	39.44	20.14	57.71	1.29	--	Peak	2	19605.00	35.43	74.00	-38.57	50.93	37.30	16.64	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	47.38	88.20	-40.82	44.22	39.44	20.14	57.71	1.29	--	Peak																																																																																																															
2	19605.00	35.17	74.00	-38.83	50.67	37.30	16.64	59.90	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13070.00	47.14	88.20	-41.06	43.98	39.44	20.14	57.71	1.29	--	Peak																																																																																																															
2	19605.00	35.43	74.00	-38.57	50.93	37.30	16.64	59.90	-9.54	--	Peak																																																																																																															







Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	40																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>44.77</td><td>39.24</td><td>20.41</td><td>57.72</td><td>1.26</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20805.00</td><td>35.39</td><td>74.00</td><td>-38.61</td><td>50.55</td><td>37.43</td><td>16.87</td><td>59.92</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.96	74.00	-26.04	44.77	39.24	20.41	57.72	1.26	--	Peak	2	20805.00	35.39	74.00	-38.61	50.55	37.43	16.87	59.92	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>44.18</td><td>39.24</td><td>20.41</td><td>57.72</td><td>1.26</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20805.00</td><td>34.96</td><td>74.00</td><td>-39.04</td><td>50.12</td><td>37.43</td><td>16.87</td><td>59.92</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.37	74.00	-26.63	44.18	39.24	20.41	57.72	1.26	--	Peak	2	20805.00	34.96	74.00	-39.04	50.12	37.43	16.87	59.92	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13390.00	47.96	74.00	-26.04	44.77	39.24	20.41	57.72	1.26	--	Peak																																																																																																															
2	20805.00	35.39	74.00	-38.61	50.55	37.43	16.87	59.92	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13390.00	47.37	74.00	-26.63	44.18	39.24	20.41	57.72	1.26	--	Peak																																																																																																															
2	20805.00	34.96	74.00	-39.04	50.12	37.43	16.87	59.92	-9.54	--	Peak																																																																																																															



Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	41																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.90</td><td>88.20</td><td>-40.30</td><td>44.63</td><td>39.02</td><td>20.69</td><td>57.68</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>35.57</td><td>74.00</td><td>-38.43</td><td>50.21</td><td>37.00</td><td>17.10</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.90	88.20	-40.30	44.63	39.02	20.69	57.68	1.24	--	Peak	2	20565.00	35.57	74.00	-38.43	50.21	37.00	17.10	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>48.16</td><td>88.20</td><td>-40.04</td><td>44.89</td><td>39.02</td><td>20.69</td><td>57.68</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>35.67</td><td>74.00</td><td>-38.33</td><td>50.31</td><td>37.00</td><td>17.10</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	48.16	88.20	-40.04	44.89	39.02	20.69	57.68	1.24	--	Peak	2	20565.00	35.67	74.00	-38.33	50.31	37.00	17.10	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13710.00	47.90	88.20	-40.30	44.63	39.02	20.69	57.68	1.24	--	Peak																																																																																																														
2	20565.00	35.57	74.00	-38.43	50.21	37.00	17.10	60.00	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13710.00	48.16	88.20	-40.04	44.89	39.02	20.69	57.68	1.24	--	Peak																																																																																																														
2	20565.00	35.67	74.00	-38.33	50.31	37.00	17.10	60.00	-9.54	--	Peak																																																																																																														



Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	42																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.63</td><td>88.20</td><td>-40.57</td><td>44.26</td><td>39.10</td><td>20.72</td><td>57.68</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>35.79</td><td>74.00</td><td>-38.21</td><td>50.35</td><td>37.85</td><td>17.13</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.63	88.20	-40.57	44.26	39.10	20.72	57.68	1.23	--	Peak	2	20625.00	35.79	74.00	-38.21	50.35	37.85	17.13	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.33</td><td>88.20</td><td>-40.87</td><td>43.96</td><td>39.10</td><td>20.72</td><td>57.68</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>35.44</td><td>74.00</td><td>-38.56</td><td>50.00</td><td>37.85</td><td>17.13</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.33	88.20	-40.87	43.96	39.10	20.72	57.68	1.23	--	Peak	2	20625.00	35.44	74.00	-38.56	50.00	37.85	17.13	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13750.00	47.63	88.20	-40.57	44.26	39.10	20.72	57.68	1.23	--	Peak																																																																																																														
2	20625.00	35.79	74.00	-38.21	50.35	37.85	17.13	60.00	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13750.00	47.33	88.20	-40.87	43.96	39.10	20.72	57.68	1.23	--	Peak																																																																																																														
2	20625.00	35.44	74.00	-38.56	50.00	37.85	17.13	60.00	-9.54	--	Peak																																																																																																														



Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full RU_6875MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	43																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>48.19</td><td>88.20</td><td>-40.01</td><td>44.98</td><td>39.44</td><td>20.19</td><td>57.71</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>35.45</td><td>74.00</td><td>-38.55</td><td>50.81</td><td>37.39</td><td>16.69</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	48.19	88.20	-40.01	44.98	39.44	20.19	57.71	1.29	--	Peak	2	19695.00	35.45	74.00	-38.55	50.81	37.39	16.69	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>47.49</td><td>88.20</td><td>-40.71</td><td>44.28</td><td>39.44</td><td>20.19</td><td>57.71</td><td>1.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19695.00</td><td>34.91</td><td>74.00</td><td>-39.09</td><td>50.27</td><td>37.39</td><td>16.69</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	47.49	88.20	-40.71	44.28	39.44	20.19	57.71	1.29	--	Peak	2	19695.00	34.91	74.00	-39.09	50.27	37.39	16.69	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13130.00	48.19	88.20	-40.01	44.98	39.44	20.19	57.71	1.29	--	Peak																																																																																																														
2	19695.00	35.45	74.00	-38.55	50.81	37.39	16.69	59.90	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13130.00	47.49	88.20	-40.71	44.28	39.44	20.19	57.71	1.29	--	Peak																																																																																																														
2	19695.00	34.91	74.00	-39.09	50.27	37.39	16.69	59.90	-9.54	--	Peak																																																																																																														



Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL





Mode	44																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																																															
ANT	4+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>47.68</td><td>74.00</td><td>-26.32</td><td>44.41</td><td>39.32</td><td>20.40</td><td>57.72</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20855.00</td><td>35.82</td><td>74.00</td><td>-38.18</td><td>50.92</td><td>37.49</td><td>16.86</td><td>59.91</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	47.68	74.00	-26.32	44.41	39.32	20.40	57.72	1.27	--	Peak	2	20855.00	35.82	74.00	-38.18	50.92	37.49	16.86	59.91	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>48.20</td><td>74.00</td><td>-25.80</td><td>44.93</td><td>39.32</td><td>20.40</td><td>57.72</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20855.00</td><td>35.78</td><td>74.00</td><td>-38.22</td><td>50.88</td><td>37.49</td><td>16.86</td><td>59.91</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	48.20	74.00	-25.80	44.93	39.32	20.40	57.72	1.27	--	Peak	2	20855.00	35.78	74.00	-38.22	50.88	37.49	16.86	59.91	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13370.00	47.68	74.00	-26.32	44.41	39.32	20.40	57.72	1.27	--	Peak																																																																																																					
2	20855.00	35.82	74.00	-38.18	50.92	37.49	16.86	59.91	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13370.00	48.20	74.00	-25.80	44.93	39.32	20.40	57.72	1.27	--	Peak																																																																																																					
2	20855.00	35.78	74.00	-38.22	50.88	37.49	16.86	59.91	-9.54	--	Peak																																																																																																					



Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	45																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>48.58</td><td>88.20</td><td>-39.62</td><td>45.36</td><td>39.00</td><td>20.67</td><td>57.69</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20535.00</td><td>36.46</td><td>74.00</td><td>-37.54</td><td>51.14</td><td>37.77</td><td>17.09</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	48.58	88.20	-39.62	45.36	39.00	20.67	57.69	1.24	--	Peak	2	20535.00	36.46	74.00	-37.54	51.14	37.77	17.09	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>48.30</td><td>88.20</td><td>-39.90</td><td>45.00</td><td>39.00</td><td>20.67</td><td>57.69</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20535.00</td><td>35.76</td><td>74.00</td><td>-38.24</td><td>50.44</td><td>37.77</td><td>17.09</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	48.30	88.20	-39.90	45.00	39.00	20.67	57.69	1.24	--	Peak	2	20535.00	35.76	74.00	-38.24	50.44	37.77	17.09	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13690.00	48.58	88.20	-39.62	45.36	39.00	20.67	57.69	1.24	--	Peak																																																																																																															
2	20535.00	36.46	74.00	-37.54	51.14	37.77	17.09	60.00	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13690.00	48.30	88.20	-39.90	45.00	39.00	20.67	57.69	1.24	--	Peak																																																																																																															
2	20535.00	35.76	74.00	-38.24	50.44	37.77	17.09	60.00	-9.54	--	Peak																																																																																																															



Mode	45	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	46																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>48.09</td><td>88.20</td><td>-40.11</td><td>44.73</td><td>39.06</td><td>20.74</td><td>57.67</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>36.53</td><td>74.00</td><td>-37.47</td><td>51.03</td><td>37.89</td><td>17.15</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	48.09	88.20	-40.11	44.73	39.06	20.74	57.67	1.23	--	Peak	2	20655.00	36.53	74.00	-37.47	51.03	37.89	17.15	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>47.90</td><td>88.20</td><td>-40.30</td><td>44.54</td><td>39.06</td><td>20.74</td><td>57.67</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>36.33</td><td>74.00</td><td>-37.67</td><td>50.83</td><td>37.89</td><td>17.15</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	47.90	88.20	-40.30	44.54	39.06	20.74	57.67	1.23	--	Peak	2	20655.00	36.33	74.00	-37.67	50.83	37.89	17.15	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13770.00	48.09	88.20	-40.11	44.73	39.06	20.74	57.67	1.23	--	Peak																																																																																																														
2	20655.00	36.53	74.00	-37.47	51.03	37.89	17.15	60.00	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13770.00	47.90	88.20	-40.30	44.54	39.06	20.74	57.67	1.23	--	Peak																																																																																																														
2	20655.00	36.33	74.00	-37.67	50.83	37.89	17.15	60.00	-9.54	--	Peak																																																																																																														







Mode	46	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	47																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>44.25</td><td>39.30</td><td>20.29</td><td>57.72</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19875.00</td><td>36.89</td><td>74.00</td><td>-37.11</td><td>52.11</td><td>37.45</td><td>16.77</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	47.40	74.00	-26.60	44.25	39.30	20.29	57.72	1.28	--	Peak	2	19875.00	36.89	74.00	-37.11	52.11	37.45	16.77	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>44.41</td><td>39.30</td><td>20.29</td><td>57.72</td><td>1.28</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19875.00</td><td>36.06</td><td>74.00</td><td>-37.94</td><td>51.28</td><td>37.45</td><td>16.77</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	47.56	74.00	-26.44	44.41	39.30	20.29	57.72	1.28	--	Peak	2	19875.00	36.06	74.00	-37.94	51.28	37.45	16.77	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13250.00	47.40	74.00	-26.60	44.25	39.30	20.29	57.72	1.28	--	Peak																																																																																																														
2	19875.00	36.89	74.00	-37.11	52.11	37.45	16.77	59.90	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13250.00	47.56	74.00	-26.44	44.41	39.30	20.29	57.72	1.28	--	Peak																																																																																																														
2	19875.00	36.06	74.00	-37.94	51.28	37.45	16.77	59.90	-9.54	--	Peak																																																																																																														







Mode	47	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	48																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>44.33</td><td>39.22</td><td>20.43</td><td>57.72</td><td>1.26</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>36.00</td><td>74.00</td><td>-38.00</td><td>51.14</td><td>37.43</td><td>16.89</td><td>59.92</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	47.52	88.20	-40.68	44.33	39.22	20.43	57.72	1.26	--	Peak	2	20115.00	36.00	74.00	-38.00	51.14	37.43	16.89	59.92	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>47.50</td><td>88.20</td><td>-40.70</td><td>44.31</td><td>39.22</td><td>20.43</td><td>57.72</td><td>1.26</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>36.13</td><td>74.00</td><td>-37.87</td><td>51.27</td><td>37.43</td><td>16.89</td><td>59.92</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	47.50	88.20	-40.70	44.31	39.22	20.43	57.72	1.26	--	Peak	2	20115.00	36.13	74.00	-37.87	51.27	37.43	16.89	59.92	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13410.00	47.52	88.20	-40.68	44.33	39.22	20.43	57.72	1.26	--	Peak																																																																																																														
2	20115.00	36.00	74.00	-38.00	51.14	37.43	16.89	59.92	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13410.00	47.50	88.20	-40.70	44.31	39.22	20.43	57.72	1.26	--	Peak																																																																																																														
2	20115.00	36.13	74.00	-37.87	51.27	37.43	16.89	59.92	-9.54	--	Peak																																																																																																														



Mode	48	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	49																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>48.00</td><td>88.20</td><td>-39.40</td><td>45.41</td><td>39.28</td><td>20.57</td><td>57.71</td><td>1.25</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20355.00</td><td>36.98</td><td>74.00</td><td>-37.02</td><td>51.88</td><td>37.61</td><td>17.00</td><td>59.97</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	48.00	88.20	-39.40	45.41	39.28	20.57	57.71	1.25	--	Peak	2	20355.00	36.98	74.00	-37.02	51.88	37.61	17.00	59.97	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>48.21</td><td>88.20</td><td>-39.99</td><td>44.82</td><td>39.28</td><td>20.57</td><td>57.71</td><td>1.25</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20355.00</td><td>36.18</td><td>74.00</td><td>-37.82</td><td>51.08</td><td>37.61</td><td>17.00</td><td>59.97</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	48.21	88.20	-39.99	44.82	39.28	20.57	57.71	1.25	--	Peak	2	20355.00	36.18	74.00	-37.82	51.08	37.61	17.00	59.97	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13570.00	48.00	88.20	-39.40	45.41	39.28	20.57	57.71	1.25	--	Peak																																																																																																															
2	20355.00	36.98	74.00	-37.02	51.88	37.61	17.00	59.97	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13570.00	48.21	88.20	-39.99	44.82	39.28	20.57	57.71	1.25	--	Peak																																																																																																															
2	20355.00	36.18	74.00	-37.82	51.08	37.61	17.00	59.97	-9.54	--	Peak																																																																																																															



Mode	49	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	50																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz																																																																																																															
ANT	4+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>48.10</td><td>88.20</td><td>-40.10</td><td>44.78</td><td>39.06</td><td>20.71</td><td>57.68</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20595.00</td><td>36.78</td><td>74.00</td><td>-37.22</td><td>51.40</td><td>37.00</td><td>17.12</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	48.10	88.20	-40.10	44.78	39.06	20.71	57.68	1.23	--	Peak	2	20595.00	36.78	74.00	-37.22	51.40	37.00	17.12	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>48.01</td><td>88.20</td><td>-40.19</td><td>44.69</td><td>39.06</td><td>20.71</td><td>57.68</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20595.00</td><td>36.20</td><td>74.00</td><td>-37.80</td><td>50.82</td><td>37.00</td><td>17.12</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	48.01	88.20	-40.19	44.69	39.06	20.71	57.68	1.23	--	Peak	2	20595.00	36.20	74.00	-37.80	50.82	37.00	17.12	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13730.00	48.10	88.20	-40.10	44.78	39.06	20.71	57.68	1.23	--	Peak																																																																																																					
2	20595.00	36.78	74.00	-37.22	51.40	37.00	17.12	60.00	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13730.00	48.01	88.20	-40.19	44.69	39.06	20.71	57.68	1.23	--	Peak																																																																																																					
2	20595.00	36.20	74.00	-37.80	50.82	37.00	17.12	60.00	-9.54	--	Peak																																																																																																					







Mode	50	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	51																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>44.76</td><td>39.44</td><td>20.36</td><td>57.72</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19995.00</td><td>36.32</td><td>74.00</td><td>-37.68</td><td>51.44</td><td>37.49</td><td>16.83</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	48.11	74.00	-25.89	44.76	39.44	20.36	57.72	1.27	--	Peak	2	19995.00	36.32	74.00	-37.68	51.44	37.49	16.83	59.90	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>44.25</td><td>39.44</td><td>20.36</td><td>57.72</td><td>1.27</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19995.00</td><td>36.19</td><td>74.00</td><td>-37.81</td><td>51.31</td><td>37.49</td><td>16.83</td><td>59.90</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	47.60	74.00	-26.40	44.25	39.44	20.36	57.72	1.27	--	Peak	2	19995.00	36.19	74.00	-37.81	51.31	37.49	16.83	59.90	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13330.00	48.11	74.00	-25.89	44.76	39.44	20.36	57.72	1.27	--	Peak																																																																																																															
2	19995.00	36.32	74.00	-37.68	51.44	37.49	16.83	59.90	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13330.00	47.60	74.00	-26.40	44.25	39.44	20.36	57.72	1.27	--	Peak																																																																																																															
2	19995.00	36.19	74.00	-37.81	51.31	37.49	16.83	59.90	-9.54	--	Peak																																																																																																															



Mode	51	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	52																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>48.18</td><td>88.20</td><td>-40.02</td><td>44.99</td><td>39.00</td><td>20.64</td><td>57.69</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20475.00</td><td>36.37</td><td>74.00</td><td>-37.63</td><td>51.14</td><td>37.70</td><td>17.06</td><td>59.99</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	48.18	88.20	-40.02	44.99	39.00	20.64	57.69	1.24	--	Peak	2	20475.00	36.37	74.00	-37.63	51.14	37.70	17.06	59.99	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>48.52</td><td>88.20</td><td>-39.68</td><td>45.33</td><td>39.00</td><td>20.64</td><td>57.69</td><td>1.24</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20475.00</td><td>37.66</td><td>74.00</td><td>-36.34</td><td>52.43</td><td>37.70</td><td>17.06</td><td>59.99</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	48.52	88.20	-39.68	45.33	39.00	20.64	57.69	1.24	--	Peak	2	20475.00	37.66	74.00	-36.34	52.43	37.70	17.06	59.99	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13650.00	48.18	88.20	-40.02	44.99	39.00	20.64	57.69	1.24	--	Peak																																																																																																															
2	20475.00	36.37	74.00	-37.63	51.14	37.70	17.06	59.99	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13650.00	48.52	88.20	-39.68	45.33	39.00	20.64	57.69	1.24	--	Peak																																																																																																															
2	20475.00	37.66	74.00	-36.34	52.43	37.70	17.06	59.99	-9.54	--	Peak																																																																																																															







Mode	52	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	53																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>48.59</td><td>88.20</td><td>-39.61</td><td>45.25</td><td>39.30</td><td>20.50</td><td>57.72</td><td>1.26</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20235.00</td><td>36.94</td><td>74.00</td><td>-37.06</td><td>51.99</td><td>37.50</td><td>16.94</td><td>59.95</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	48.59	88.20	-39.61	45.25	39.30	20.50	57.72	1.26	--	Peak	2	20235.00	36.94	74.00	-37.06	51.99	37.50	16.94	59.95	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>49.04</td><td>88.20</td><td>-39.16</td><td>45.70</td><td>39.30</td><td>20.50</td><td>57.72</td><td>1.26</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20235.00</td><td>36.71</td><td>74.00</td><td>-37.29</td><td>51.76</td><td>37.50</td><td>16.94</td><td>59.95</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	49.04	88.20	-39.16	45.70	39.30	20.50	57.72	1.26	--	Peak	2	20235.00	36.71	74.00	-37.29	51.76	37.50	16.94	59.95	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13490.00	48.59	88.20	-39.61	45.25	39.30	20.50	57.72	1.26	--	Peak																																																																																																														
2	20235.00	36.94	74.00	-37.06	51.99	37.50	16.94	59.95	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13490.00	49.04	88.20	-39.16	45.70	39.30	20.50	57.72	1.26	--	Peak																																																																																																														
2	20235.00	36.71	74.00	-37.29	51.76	37.50	16.94	59.95	-9.54	--	Peak																																																																																																														



Mode	53	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	54																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>48.37</td><td>88.20</td><td>-39.83</td><td>45.03</td><td>39.02</td><td>20.76</td><td>57.67</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>36.24</td><td>74.00</td><td>-37.76</td><td>50.79</td><td>37.83</td><td>17.16</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	48.37	88.20	-39.83	45.03	39.02	20.76	57.67	1.23	--	Peak	2	20685.00	36.24	74.00	-37.76	50.79	37.83	17.16	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>44.36</td><td>39.02</td><td>20.76</td><td>57.67</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>36.14</td><td>74.00</td><td>-37.86</td><td>50.69</td><td>37.83</td><td>17.16</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	47.70	88.20	-40.50	44.36	39.02	20.76	57.67	1.23	--	Peak	2	20685.00	36.14	74.00	-37.86	50.69	37.83	17.16	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13790.00	48.37	88.20	-39.83	45.03	39.02	20.76	57.67	1.23	--	Peak																																																																																																															
2	20685.00	36.24	74.00	-37.76	50.79	37.83	17.16	60.00	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13790.00	47.70	88.20	-40.50	44.36	39.02	20.76	57.67	1.23	--	Peak																																																																																																															
2	20685.00	36.14	74.00	-37.86	50.69	37.83	17.16	60.00	-9.54	--	Peak																																																																																																															







Mode	54	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	55																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>48.29</td><td>88.20</td><td>-39.91</td><td>44.68</td><td>39.10</td><td>20.93</td><td>57.63</td><td>1.21</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20985.00</td><td>36.37</td><td>74.00</td><td>-37.63</td><td>50.60</td><td>38.00</td><td>17.31</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	48.29	88.20	-39.91	44.68	39.10	20.93	57.63	1.21	--	Peak	2	20985.00	36.37	74.00	-37.63	50.60	38.00	17.31	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>48.45</td><td>88.20</td><td>-39.75</td><td>44.84</td><td>39.10</td><td>20.93</td><td>57.63</td><td>1.21</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20985.00</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>50.75</td><td>38.00</td><td>17.31</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	48.45	88.20	-39.75	44.84	39.10	20.93	57.63	1.21	--	Peak	2	20985.00	36.52	74.00	-37.48	50.75	38.00	17.31	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	48.29	88.20	-39.91	44.68	39.10	20.93	57.63	1.21	--	Peak																																																																																																														
2	20985.00	36.37	74.00	-37.63	50.60	38.00	17.31	60.00	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	48.45	88.20	-39.75	44.84	39.10	20.93	57.63	1.21	--	Peak																																																																																																														
2	20985.00	36.52	74.00	-37.48	50.75	38.00	17.31	60.00	-9.54	--	Peak																																																																																																														



Mode	55	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	56																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																			
ANT	4+9																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-08 PEAK_BE(UNII)_6E Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7222.95</td><td>54.84</td><td>88.20</td><td>-33.36</td><td>38.00</td><td>36.10</td><td>14.87</td><td>34.93</td><td>0.00</td><td>100</td><td>131</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7222.95	54.84	88.20	-33.36	38.00	36.10	14.87	34.93	0.00	100	131	Peak	Level (dBuV/m) Date: 2026-09-08 PEAK(UNII)_6E Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>99.76</td><td>-----</td><td>-----</td><td>83.85</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>100</td><td>131</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	99.76	-----	-----	83.85	36.00	14.84	34.93	0.00	100	131	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7222.95	54.84	88.20	-33.36	38.00	36.10	14.87	34.93	0.00	100	131	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	99.76	-----	-----	83.85	36.00	14.84	34.93	0.00	100	131	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-08 AVG_BE(UNII)_6E Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7233.45</td><td>44.48</td><td>68.20</td><td>-23.72</td><td>28.43</td><td>36.10</td><td>14.88</td><td>34.93</td><td>0.00</td><td>100</td><td>131</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7233.45	44.48	68.20	-23.72	28.43	36.10	14.88	34.93	0.00	100	131	Average	Level (dBuV/m) Date: 2026-09-08 AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>93.58</td><td>-----</td><td>-----</td><td>77.67</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>100</td><td>131</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	93.58	-----	-----	77.67	36.00	14.84	34.93	0.00	100	131	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7233.45	44.48	68.20	-23.72	28.43	36.10	14.88	34.93	0.00	100	131	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	93.58	-----	-----	77.67	36.00	14.84	34.93	0.00	100	131	Average																																																																																								



Mode	56																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																			
ANT	4+9																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-08 PEAK_BE(UNII)_6E Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7177.50</td><td>54.54</td><td>88.20</td><td>-33.66</td><td>38.56</td><td>36.06</td><td>14.85</td><td>34.93</td><td>0.00</td><td>400</td><td>351</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7177.50	54.54	88.20	-33.66	38.56	36.06	14.85	34.93	0.00	400	351	Peak	Level (dBuV/m) Date: 2026-09-08 PEAK(UNII)_6E Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>101.59</td><td>-----</td><td>-----</td><td>85.69</td><td>36.00</td><td>14.83</td><td>34.93</td><td>0.00</td><td>400</td><td>351</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	101.59	-----	-----	85.69	36.00	14.83	34.93	0.00	400	351	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7177.50	54.54	88.20	-33.66	38.56	36.06	14.85	34.93	0.00	400	351	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	101.59	-----	-----	85.69	36.00	14.83	34.93	0.00	400	351	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-08 AVG_BE(UNII)_6E Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7225.95</td><td>44.56</td><td>68.20</td><td>-23.64</td><td>28.51</td><td>36.10</td><td>14.88</td><td>34.93</td><td>0.00</td><td>400</td><td>351</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7225.95	44.56	68.20	-23.64	28.51	36.10	14.88	34.93	0.00	400	351	Average	Level (dBuV/m) Date: 2026-09-08 AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>94.44</td><td>-----</td><td>-----</td><td>78.54</td><td>36.00</td><td>14.83</td><td>34.93</td><td>0.00</td><td>400</td><td>351</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	94.44	-----	-----	78.54	36.00	14.83	34.93	0.00	400	351	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7225.95	44.56	68.20	-23.64	28.51	36.10	14.88	34.93	0.00	400	351	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	94.44	-----	-----	78.54	36.00	14.83	34.93	0.00	400	351	Average																																																																																								



Mode	56																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>47.81</td><td>88.20</td><td>-40.39</td><td>43.82</td><td>39.28</td><td>21.05</td><td>57.56</td><td>1.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21285.00</td><td>37.00</td><td>74.00</td><td>-37.00</td><td>50.86</td><td>38.17</td><td>17.45</td><td>59.94</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	47.81	88.20	-40.39	43.82	39.28	21.05	57.56	1.22	--	Peak	2	21285.00	37.00	74.00	-37.00	50.86	38.17	17.45	59.94	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>48.03</td><td>88.20</td><td>-40.17</td><td>44.04</td><td>39.28</td><td>21.05</td><td>57.56</td><td>1.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21285.00</td><td>36.65</td><td>74.00</td><td>-37.35</td><td>50.51</td><td>38.17</td><td>17.45</td><td>59.94</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	48.03	88.20	-40.17	44.04	39.28	21.05	57.56	1.22	--	Peak	2	21285.00	36.65	74.00	-37.35	50.51	38.17	17.45	59.94	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14190.00	47.81	88.20	-40.39	43.82	39.28	21.05	57.56	1.22	--	Peak																																																																																																															
2	21285.00	37.00	74.00	-37.00	50.86	38.17	17.45	59.94	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14190.00	48.03	88.20	-40.17	44.04	39.28	21.05	57.56	1.22	--	Peak																																																																																																															
2	21285.00	36.65	74.00	-37.35	50.51	38.17	17.45	59.94	-9.54	--	Peak																																																																																																															







Mode	56	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	57																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>48.09</td><td>88.20</td><td>-40.11</td><td>44.75</td><td>39.02</td><td>20.76</td><td>57.67</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>37.22</td><td>74.00</td><td>-36.78</td><td>51.77</td><td>37.83</td><td>17.16</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	48.09	88.20	-40.11	44.75	39.02	20.76	57.67	1.23	--	Peak	2	20685.00	37.22	74.00	-36.78	51.77	37.83	17.16	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>48.44</td><td>88.20</td><td>-39.76</td><td>45.10</td><td>39.02</td><td>20.76</td><td>57.67</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>36.50</td><td>74.00</td><td>-37.50</td><td>51.05</td><td>37.83</td><td>17.16</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	48.44	88.20	-39.76	45.10	39.02	20.76	57.67	1.23	--	Peak	2	20685.00	36.50	74.00	-37.50	51.05	37.83	17.16	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13790.00	48.09	88.20	-40.11	44.75	39.02	20.76	57.67	1.23	--	Peak																																																																																																															
2	20685.00	37.22	74.00	-36.78	51.77	37.83	17.16	60.00	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13790.00	48.44	88.20	-39.76	45.10	39.02	20.76	57.67	1.23	--	Peak																																																																																																															
2	20685.00	36.50	74.00	-37.50	51.05	37.83	17.16	60.00	-9.54	--	Peak																																																																																																															







Mode	57	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	58																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>48.10</td><td>88.20</td><td>-40.10</td><td>44.49</td><td>39.10</td><td>20.93</td><td>57.63</td><td>1.21</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20985.00</td><td>36.22</td><td>74.00</td><td>-37.78</td><td>50.45</td><td>38.00</td><td>17.31</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	48.10	88.20	-40.10	44.49	39.10	20.93	57.63	1.21	--	Peak	2	20985.00	36.22	74.00	-37.78	50.45	38.00	17.31	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>48.06</td><td>88.20</td><td>-39.34</td><td>45.25</td><td>39.10</td><td>20.93</td><td>57.63</td><td>1.21</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20985.00</td><td>37.13</td><td>74.00</td><td>-36.87</td><td>51.36</td><td>38.00</td><td>17.31</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	48.06	88.20	-39.34	45.25	39.10	20.93	57.63	1.21	--	Peak	2	20985.00	37.13	74.00	-36.87	51.36	38.00	17.31	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	48.10	88.20	-40.10	44.49	39.10	20.93	57.63	1.21	--	Peak																																																																																																														
2	20985.00	36.22	74.00	-37.78	50.45	38.00	17.31	60.00	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	48.06	88.20	-39.34	45.25	39.10	20.93	57.63	1.21	--	Peak																																																																																																														
2	20985.00	37.13	74.00	-36.87	51.36	38.00	17.31	60.00	-9.54	--	Peak																																																																																																														



Mode	58	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	59																																																																																			
	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																			
ANT	4+9																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7198.50</td><td>55.10</td><td>88.20</td><td>-33.10</td><td>39.07</td><td>36.10</td><td>14.86</td><td>34.93</td><td>0.00</td><td>100</td><td>124</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7198.50	55.10	88.20	-33.10	39.07	36.10	14.86	34.93	0.00	100	124	Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>101.00</td><td>-----</td><td>-----</td><td>85.10</td><td>36.00</td><td>14.83</td><td>34.93</td><td>0.00</td><td>100</td><td>124</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	101.00	-----	-----	85.10	36.00	14.83	34.93	0.00	100	124	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7198.50	55.10	88.20	-33.10	39.07	36.10	14.86	34.93	0.00	100	124	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7095.00	101.00	-----	-----	85.10	36.00	14.83	34.93	0.00	100	124	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7226.85</td><td>44.51</td><td>68.20</td><td>-23.69</td><td>28.46</td><td>36.10</td><td>14.88</td><td>34.93</td><td>0.00</td><td>100</td><td>124</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7226.85	44.51	68.20	-23.69	28.46	36.10	14.88	34.93	0.00	100	124	Average	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>93.74</td><td>-----</td><td>-----</td><td>77.84</td><td>36.00</td><td>14.83</td><td>34.93</td><td>0.00</td><td>100</td><td>124</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	93.74	-----	-----	77.84	36.00	14.83	34.93	0.00	100	124	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7226.85	44.51	68.20	-23.69	28.46	36.10	14.88	34.93	0.00	100	124	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7095.00	93.74	-----	-----	77.84	36.00	14.83	34.93	0.00	100	124	Average																																																																									







Mode	59																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																		
ANT	4+9																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7240.50</td><td>54.22</td><td>88.20</td><td>-33.98</td><td>38.16</td><td>36.10</td><td>14.89</td><td>34.93</td><td>0.00</td><td>400</td><td>351</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7240.50	54.22	88.20	-33.98	38.16	36.10	14.89	34.93	0.00	400	351	Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>101.87</td><td>85.97</td><td>15.90</td><td>36.00</td><td>14.83</td><td>34.93</td><td>0.00</td><td>400</td><td>351</td><td>Peak</td><td></td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	101.87	85.97	15.90	36.00	14.83	34.93	0.00	400	351	Peak	
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7240.50	54.22	88.20	-33.98	38.16	36.10	14.89	34.93	0.00	400	351	Peak																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7095.00	101.87	85.97	15.90	36.00	14.83	34.93	0.00	400	351	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7225.05</td><td>44.50</td><td>68.20</td><td>-23.70</td><td>28.45</td><td>36.10</td><td>14.88</td><td>34.93</td><td>0.00</td><td>400</td><td>351</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7225.05	44.50	68.20	-23.70	28.45	36.10	14.88	34.93	0.00	400	351	Average	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>94.37</td><td>78.47</td><td>15.90</td><td>36.00</td><td>14.83</td><td>34.93</td><td>0.00</td><td>400</td><td>351</td><td>Average</td><td></td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	94.37	78.47	15.90	36.00	14.83	34.93	0.00	400	351	Average	
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7225.05	44.50	68.20	-23.70	28.45	36.10	14.88	34.93	0.00	400	351	Average																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7095.00	94.37	78.47	15.90	36.00	14.83	34.93	0.00	400	351	Average																																																																									



Mode	59																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>48.57</td><td>88.20</td><td>-39.63</td><td>44.58</td><td>39.28</td><td>21.05</td><td>57.56</td><td>1.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21285.00</td><td>37.60</td><td>74.00</td><td>-36.40</td><td>51.46</td><td>38.17</td><td>17.45</td><td>59.94</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	48.57	88.20	-39.63	44.58	39.28	21.05	57.56	1.22	--	Peak	2	21285.00	37.60	74.00	-36.40	51.46	38.17	17.45	59.94	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>48.26</td><td>88.20</td><td>-39.94</td><td>44.27</td><td>39.28</td><td>21.05</td><td>57.56</td><td>1.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21285.00</td><td>37.11</td><td>74.00</td><td>-36.89</td><td>50.97</td><td>38.17</td><td>17.45</td><td>59.94</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	48.26	88.20	-39.94	44.27	39.28	21.05	57.56	1.22	--	Peak	2	21285.00	37.11	74.00	-36.89	50.97	38.17	17.45	59.94	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14190.00	48.57	88.20	-39.63	44.58	39.28	21.05	57.56	1.22	--	Peak																																																																																																															
2	21285.00	37.60	74.00	-36.40	51.46	38.17	17.45	59.94	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14190.00	48.26	88.20	-39.94	44.27	39.28	21.05	57.56	1.22	--	Peak																																																																																																															
2	21285.00	37.11	74.00	-36.89	50.97	38.17	17.45	59.94	-9.54	--	Peak																																																																																																															



Mode	59	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	60																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>47.55</td><td>88.20</td><td>-40.65</td><td>44.18</td><td>39.00</td><td>20.81</td><td>57.66</td><td>1.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20775.00</td><td>38.11</td><td>74.00</td><td>-35.89</td><td>52.49</td><td>37.95</td><td>17.21</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	47.55	88.20	-40.65	44.18	39.00	20.81	57.66	1.22	--	Peak	2	20775.00	38.11	74.00	-35.89	52.49	37.95	17.21	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>48.02</td><td>88.20</td><td>-40.18</td><td>44.65</td><td>39.00</td><td>20.81</td><td>57.66</td><td>1.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20775.00</td><td>36.39</td><td>74.00</td><td>-37.61</td><td>50.77</td><td>37.95</td><td>17.21</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	48.02	88.20	-40.18	44.65	39.00	20.81	57.66	1.22	--	Peak	2	20775.00	36.39	74.00	-37.61	50.77	37.95	17.21	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13850.00	47.55	88.20	-40.65	44.18	39.00	20.81	57.66	1.22	--	Peak																																																																																																															
2	20775.00	38.11	74.00	-35.89	52.49	37.95	17.21	60.00	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13850.00	48.02	88.20	-40.18	44.65	39.00	20.81	57.66	1.22	--	Peak																																																																																																															
2	20775.00	36.39	74.00	-37.61	50.77	37.95	17.21	60.00	-9.54	--	Peak																																																																																																															



Mode	60	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	61																																																																																																	
	Harmonic																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_Full RU_7005MHz																																																																																																	
ANT	4+9																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg	Level (dBuV/m) Date: 2026-09-18 PEAK(UWII)_6E AVG(UWII)_6E 180002240026800312003560040000 Frequency (MHz) Site : 03CH07-HY Condition: PEAK(UWII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>21015.00</td><td>36.77</td><td>74.00</td><td>-37.23</td><td>50.93</td><td>38.06</td><td>17.32</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	21015.00	36.77	74.00	-37.23	50.93	38.06	17.32	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 PEAK(UWII)_6E AVG(UWII)_6E 180002240026800312003560040000 Frequency (MHz) Site : 03CH07-HY Condition: PEAK(UWII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>21015.00</td><td>36.25</td><td>74.00</td><td>-37.75</td><td>50.41</td><td>38.06</td><td>17.32</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	21015.00	36.25	74.00	-37.75	50.41	38.06	17.32	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	21015.00	36.77	74.00	-37.23	50.93	38.06	17.32	60.00	-9.54	--	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	21015.00	36.25	74.00	-37.75	50.41	38.06	17.32	60.00	-9.54	--	Peak																																																																																							



Mode	61	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH211_Full RU_7005MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Frequency (MHz) Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Frequency (MHz) Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Frequency (MHz) Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Frequency (MHz) Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	62																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																									
ANT	4+9																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-09-08 PEAK_BE(UNII)_6E Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7192.04</td><td>55.01</td><td>88.20</td><td>-33.19</td><td>38.99</td><td>36.09</td><td>14.86</td><td>34.93</td><td>0.00</td><td>100</td><td>86</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7192.04	55.01	88.20	-33.19	38.99	36.09	14.86	34.93	0.00	100	86	Peak	Level (dBuV/m) Date: 2026-09-08 PEAK(UNII)_6E Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7085.00</td><td>99.04</td><td>-----</td><td>-----</td><td>83.13</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>100</td><td>86</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7085.00	99.04	-----	-----	83.13	36.00	14.84	34.93	0.00	100	86	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																										
1	7192.04	55.01	88.20	-33.19	38.99	36.09	14.86	34.93	0.00	100	86	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																										
1	7085.00	99.04	-----	-----	83.13	36.00	14.84	34.93	0.00	100	86	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-09-08 AVG_BE(UNII)_6E Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7230.92</td><td>44.53</td><td>68.20</td><td>-23.67</td><td>28.48</td><td>36.10</td><td>14.88</td><td>34.93</td><td>0.00</td><td>100</td><td>86</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7230.92	44.53	68.20	-23.67	28.48	36.10	14.88	34.93	0.00	100	86	Average	Level (dBuV/m) Date: 2026-09-08 AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7085.00</td><td>90.68</td><td>-----</td><td>-----</td><td>74.78</td><td>36.00</td><td>14.83</td><td>34.93</td><td>0.00</td><td>100</td><td>86</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7085.00	90.68	-----	-----	74.78	36.00	14.83	34.93	0.00	100	86	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																										
1	7230.92	44.53	68.20	-23.67	28.48	36.10	14.88	34.93	0.00	100	86	Average																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																										
1	7085.00	90.68	-----	-----	74.78	36.00	14.83	34.93	0.00	100	86	Average																																																																														



		62																																																																																	
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																		
ANT	4+9																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-09-08 PEAK_BE(UNII)_6E Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7193.96</td><td>54.59</td><td>88.20</td><td>-33.61</td><td>38.57</td><td>36.09</td><td>14.86</td><td>34.93</td><td>0.00</td><td>367</td><td>351</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7193.96	54.59	88.20	-33.61	38.57	36.09	14.86	34.93	0.00	367	351	Peak	Level (dBuV/m) Date: 2026-09-08 PEAK(UNII)_6E Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7085.00</td><td>100.34</td><td>-----</td><td>-----</td><td>84.44</td><td>36.00</td><td>14.83</td><td>34.93</td><td>0.00</td><td>367</td><td>351</td><td>Peak</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7085.00	100.34	-----	-----	84.44	36.00	14.83	34.93	0.00	367	351	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7193.96	54.59	88.20	-33.61	38.57	36.09	14.86	34.93	0.00	367	351	Peak																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7085.00	100.34	-----	-----	84.44	36.00	14.83	34.93	0.00	367	351	Peak																																																																								
Avg	Level (dBuV/m) Date: 2026-09-08 AVG_BE(UNII)_6E Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.16</td><td>44.63</td><td>68.20</td><td>-23.57</td><td>28.72</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>367</td><td>351</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.16	44.63	68.20	-23.57	28.72	36.00	14.84	34.93	0.00	367	351	Average	Level (dBuV/m) Date: 2026-09-08 AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7085.00</td><td>92.50</td><td>-----</td><td>-----</td><td>76.60</td><td>36.00</td><td>14.83</td><td>34.93</td><td>0.00</td><td>367</td><td>351</td><td>Average</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7085.00	92.50	-----	-----	76.60	36.00	14.83	34.93	0.00	367	351	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7125.16	44.63	68.20	-23.57	28.72	36.00	14.84	34.93	0.00	367	351	Average																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 7085.00	92.50	-----	-----	76.60	36.00	14.83	34.93	0.00	367	351	Average																																																																								



Mode	62																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																															
ANT	4+9																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>48.94</td><td>88.20</td><td>-39.26</td><td>45.02</td><td>39.24</td><td>21.03</td><td>57.57</td><td>1.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21255.00</td><td>37.35</td><td>74.00</td><td>-36.65</td><td>51.29</td><td>38.11</td><td>17.44</td><td>59.95</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	48.94	88.20	-39.26	45.02	39.24	21.03	57.57	1.22	--	Peak	2	21255.00	37.35	74.00	-36.65	51.29	38.11	17.44	59.95	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>48.42</td><td>88.20</td><td>-39.78</td><td>44.50</td><td>39.24</td><td>21.03</td><td>57.57</td><td>1.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21255.00</td><td>36.93</td><td>74.00</td><td>-37.07</td><td>50.87</td><td>38.11</td><td>17.44</td><td>59.95</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	48.42	88.20	-39.78	44.50	39.24	21.03	57.57	1.22	--	Peak	2	21255.00	36.93	74.00	-37.07	50.87	38.11	17.44	59.95	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14170.00	48.94	88.20	-39.26	45.02	39.24	21.03	57.57	1.22	--	Peak																																																																																																					
2	21255.00	37.35	74.00	-36.65	51.29	38.11	17.44	59.95	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14170.00	48.42	88.20	-39.78	44.50	39.24	21.03	57.57	1.22	--	Peak																																																																																																					
2	21255.00	36.93	74.00	-37.07	50.87	38.11	17.44	59.95	-9.54	--	Peak																																																																																																					