







Mode	62	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	63																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full RU_6945MHz																																																																																																																									
ANT	4+9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>48.63</td><td>88.20</td><td>-39.57</td><td>45.14</td><td>39.00</td><td>20.84</td><td>57.65</td><td>1.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20835.00</td><td>37.00</td><td>74.00</td><td>-37.00</td><td>51.38</td><td>37.93</td><td>17.23</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	48.63	88.20	-39.57	45.14	39.00	20.84	57.65	1.22	--	Peak	2	20835.00	37.00	74.00	-37.00	51.38	37.93	17.23	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>47.74</td><td>88.20</td><td>-40.46</td><td>44.25</td><td>39.00</td><td>20.84</td><td>57.65</td><td>1.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20835.00</td><td>37.92</td><td>74.00</td><td>-36.08</td><td>52.30</td><td>37.93</td><td>17.23</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	47.74	88.20	-40.46	44.25	39.00	20.84	57.65	1.22	--	Peak	2	20835.00	37.92	74.00	-36.08	52.30	37.93	17.23	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13890.00	48.63	88.20	-39.57	45.14	39.00	20.84	57.65	1.22	--	Peak																																																																																																															
2	20835.00	37.00	74.00	-37.00	51.38	37.93	17.23	60.00	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13890.00	47.74	88.20	-40.46	44.25	39.00	20.84	57.65	1.22	--	Peak																																																																																																															
2	20835.00	37.92	74.00	-36.08	52.30	37.93	17.23	60.00	-9.54	--	Peak																																																																																																															



Mode	63	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full RU_6945MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16  Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL





Mode	64																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																									
ANT	4+9																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7224.32</td><td>54.81</td><td>88.20</td><td>-33.39</td><td>38.76</td><td>36.10</td><td>14.88</td><td>34.93</td><td>0.00</td><td>100</td><td>23</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1	7224.32	54.81	88.20	-33.39	38.76	36.10	14.88	34.93	0.00	100	23	Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7025.00</td><td>94.93</td><td>-----</td><td>-----</td><td>79.04</td><td>36.00</td><td>14.82</td><td>34.93</td><td>0.00</td><td>100</td><td>23</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1	7025.00	94.93	-----	-----	79.04	36.00	14.82	34.93	0.00	100	23	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																										
1	7224.32	54.81	88.20	-33.39	38.76	36.10	14.88	34.93	0.00	100	23	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																										
1	7025.00	94.93	-----	-----	79.04	36.00	14.82	34.93	0.00	100	23	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7219.48</td><td>44.51</td><td>68.20</td><td>-23.69</td><td>28.47</td><td>36.10</td><td>14.87</td><td>34.93</td><td>0.00</td><td>100</td><td>23</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1	7219.48	44.51	68.20	-23.69	28.47	36.10	14.87	34.93	0.00	100	23	Average	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7025.00</td><td>87.92</td><td>-----</td><td>-----</td><td>72.04</td><td>36.00</td><td>14.81</td><td>34.93</td><td>0.00</td><td>100</td><td>23</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1	7025.00	87.92	-----	-----	72.04	36.00	14.81	34.93	0.00	100	23	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																										
1	7219.48	44.51	68.20	-23.69	28.47	36.10	14.87	34.93	0.00	100	23	Average																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																			
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																										
1	7025.00	87.92	-----	-----	72.04	36.00	14.81	34.93	0.00	100	23	Average																																																																														



Mode	64																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																	
ANT	4+9																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7109.34 54.93 88.20 -33.27</td><td>38.92</td><td>36.00</td><td>14.86</td><td>34.93</td><td>0.00</td><td>309</td><td>350</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7109.34 54.93 88.20 -33.27	38.92	36.00	14.86	34.93	0.00	309	350	Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7025.00 96.68 -----</td><td>80.79</td><td>36.00</td><td>14.82</td><td>34.93</td><td>0.00</td><td>309</td><td>350</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7025.00 96.68 -----	80.79	36.00	14.82	34.93	0.00	309	350	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																											
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7109.34 54.93 88.20 -33.27	38.92	36.00	14.86	34.93	0.00	309	350	Peak																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																											
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7025.00 96.68 -----	80.79	36.00	14.82	34.93	0.00	309	350	Peak																																																																										
Avg	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7226.08 44.52 68.20 -23.68</td><td>28.47</td><td>36.10</td><td>14.88</td><td>34.93</td><td>0.00</td><td>309</td><td>350</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7226.08 44.52 68.20 -23.68	28.47	36.10	14.88	34.93	0.00	309	350	Average	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7025.00 88.10 -----</td><td>72.21</td><td>36.00</td><td>14.82</td><td>34.93</td><td>0.00</td><td>309</td><td>350</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 7025.00 88.10 -----	72.21	36.00	14.82	34.93	0.00	309	350	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																											
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7226.08 44.52 68.20 -23.68	28.47	36.10	14.88	34.93	0.00	309	350	Average																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																											
MHz dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																																		
1 7025.00 88.10 -----	72.21	36.00	14.82	34.93	0.00	309	350	Average																																																																										







Mode	64																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>48.23</td><td>88.20</td><td>-39.97</td><td>44.46</td><td>39.20</td><td>20.97</td><td>57.61</td><td>1.21</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21075.00</td><td>37.31</td><td>74.00</td><td>-36.69</td><td>51.34</td><td>38.15</td><td>17.35</td><td>59.99</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	48.23	88.20	-39.97	44.46	39.20	20.97	57.61	1.21	--	Peak	2	21075.00	37.31	74.00	-36.69	51.34	38.15	17.35	59.99	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18  Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>48.88</td><td>88.20</td><td>-39.32</td><td>45.11</td><td>39.20</td><td>20.97</td><td>57.61</td><td>1.21</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21075.00</td><td>36.59</td><td>74.00</td><td>-37.41</td><td>50.62</td><td>38.15</td><td>17.35</td><td>59.99</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	48.88	88.20	-39.32	45.11	39.20	20.97	57.61	1.21	--	Peak	2	21075.00	36.59	74.00	-37.41	50.62	38.15	17.35	59.99	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	14050.00	48.23	88.20	-39.97	44.46	39.20	20.97	57.61	1.21	--	Peak																																																																																																														
2	21075.00	37.31	74.00	-36.69	51.34	38.15	17.35	59.99	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	14050.00	48.88	88.20	-39.32	45.11	39.20	20.97	57.61	1.21	--	Peak																																																																																																														
2	21075.00	36.59	74.00	-37.41	50.62	38.15	17.35	59.99	-9.54	--	Peak																																																																																																														



Mode	64	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



		65																																																																																																											
Mode		Band Edge																																																																																																											
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																											
ANT		4+9																																																																																																											
Pol.		Horizontal					Fundamental																																																																																																						
Peak																																																																																																													
	Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7209.32</td><td>54.32</td><td>88.20 -33.88</td><td>38.28</td><td>36.10</td><td>14.87</td><td>34.93</td><td>0.00</td><td>100</td><td>147 Peak</td></tr><tr><td>2 7629.53</td><td>55.05</td><td>74.00 -18.95</td><td>38.68</td><td>36.10</td><td>15.22</td><td>34.95</td><td>0.00</td><td>100</td><td>147 Peak</td></tr><tr><td>3 7984.78</td><td>55.08</td><td>88.20 -33.12</td><td>38.19</td><td>36.30</td><td>15.58</td><td>34.99</td><td>0.00</td><td>100</td><td>147 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7209.32	54.32	88.20 -33.88	38.28	36.10	14.87	34.93	0.00	100	147 Peak	2 7629.53	55.05	74.00 -18.95	38.68	36.10	15.22	34.95	0.00	100	147 Peak	3 7984.78	55.08	88.20 -33.12	38.19	36.30	15.58	34.99	0.00	100	147 Peak	Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>95.15</td><td>-----</td><td>79.32</td><td>36.00</td><td>14.76</td><td>34.93</td><td>0.00</td><td>100</td><td>147 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	95.15	-----	79.32	36.00	14.76	34.93	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 7209.32	54.32	88.20 -33.88	38.28	36.10	14.87	34.93	0.00	100	147 Peak																																																																																																				
2 7629.53	55.05	74.00 -18.95	38.68	36.10	15.22	34.95	0.00	100	147 Peak																																																																																																				
3 7984.78	55.08	88.20 -33.12	38.19	36.30	15.58	34.99	0.00	100	147 Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 6985.00	95.15	-----	79.32	36.00	14.76	34.93	0.00	100	147 Peak																																																																																																				
Avg																																																																																																													
	Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7212.36</td><td>44.61</td><td>68.20 -23.59</td><td>28.57</td><td>36.10</td><td>14.87</td><td>34.93</td><td>0.00</td><td>100</td><td>147 Average</td></tr><tr><td>2 7258.93</td><td>44.56</td><td>54.00 -9.44</td><td>28.51</td><td>36.10</td><td>14.89</td><td>34.94</td><td>0.00</td><td>100</td><td>147 Average</td></tr><tr><td>3 7997.97</td><td>45.32</td><td>68.20 -22.88</td><td>28.41</td><td>36.30</td><td>15.60</td><td>34.99</td><td>0.00</td><td>100</td><td>147 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7212.36	44.61	68.20 -23.59	28.57	36.10	14.87	34.93	0.00	100	147 Average	2 7258.93	44.56	54.00 -9.44	28.51	36.10	14.89	34.94	0.00	100	147 Average	3 7997.97	45.32	68.20 -22.88	28.41	36.30	15.60	34.99	0.00	100	147 Average	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>84.63</td><td>-----</td><td>68.81</td><td>36.00</td><td>14.75</td><td>34.93</td><td>0.00</td><td>100</td><td>147 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	84.63	-----	68.81	36.00	14.75	34.93	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 7212.36	44.61	68.20 -23.59	28.57	36.10	14.87	34.93	0.00	100	147 Average																																																																																																				
2 7258.93	44.56	54.00 -9.44	28.51	36.10	14.89	34.94	0.00	100	147 Average																																																																																																				
3 7997.97	45.32	68.20 -22.88	28.41	36.30	15.60	34.99	0.00	100	147 Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 6985.00	84.63	-----	68.81	36.00	14.75	34.93	0.00	100	147 Average																																																																																																				



		65																																																																																																																		
Mode	Band Edge																																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																																			
ANT	4+9																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7201.20</td><td>54.42</td><td>88.20</td><td>-33.78</td><td>38.39</td><td>36.10</td><td>14.86</td><td>34.93</td><td>0.00</td><td>400</td><td>350</td><td>Peak</td></tr><tr><td>2</td><td>7346.34</td><td>54.89</td><td>74.00</td><td>-19.11</td><td>38.87</td><td>36.00</td><td>14.96</td><td>34.94</td><td>0.00</td><td>400</td><td>350</td><td>Peak</td></tr><tr><td>3</td><td>7978.69</td><td>54.45</td><td>88.20</td><td>-33.75</td><td>37.57</td><td>36.30</td><td>15.57</td><td>34.99</td><td>0.00</td><td>400</td><td>350</td><td>Peak</td></tr></table>						Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7201.20	54.42	88.20	-33.78	38.39	36.10	14.86	34.93	0.00	400	350	Peak	2	7346.34	54.89	74.00	-19.11	38.87	36.00	14.96	34.94	0.00	400	350	Peak	3	7978.69	54.45	88.20	-33.75	37.57	36.30	15.57	34.99	0.00	400	350	Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6985.00</td><td>92.15</td><td>-----</td><td>-----</td><td>76.35</td><td>36.00</td><td>14.73</td><td>34.93</td><td>0.00</td><td>400</td><td>350</td><td>Peak</td></tr></table>						Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6985.00	92.15	-----	-----	76.35	36.00	14.73	34.93	0.00	400	350	Peak
	Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	7201.20	54.42	88.20	-33.78	38.39	36.10	14.86	34.93	0.00	400	350	Peak																																																																																																								
2	7346.34	54.89	74.00	-19.11	38.87	36.00	14.96	34.94	0.00	400	350	Peak																																																																																																								
3	7978.69	54.45	88.20	-33.75	37.57	36.30	15.57	34.99	0.00	400	350	Peak																																																																																																								
Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	6985.00	92.15	-----	-----	76.35	36.00	14.73	34.93	0.00	400	350	Peak																																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Avg</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7222.51</td><td>44.60</td><td>68.20</td><td>-23.60</td><td>28.56</td><td>36.10</td><td>14.87</td><td>34.93</td><td>0.00</td><td>400</td><td>350</td><td>Average</td></tr><tr><td>2</td><td>7258.04</td><td>44.58</td><td>54.00</td><td>-9.42</td><td>28.54</td><td>36.08</td><td>14.90</td><td>34.94</td><td>0.00</td><td>400</td><td>350</td><td>Average</td></tr><tr><td>3</td><td>8000.00</td><td>45.31</td><td>68.20</td><td>-22.89</td><td>28.40</td><td>36.30</td><td>15.60</td><td>34.99</td><td>0.00</td><td>400</td><td>350</td><td>Average</td></tr></table>						Avg	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7222.51	44.60	68.20	-23.60	28.56	36.10	14.87	34.93	0.00	400	350	Average	2	7258.04	44.58	54.00	-9.42	28.54	36.08	14.90	34.94	0.00	400	350	Average	3	8000.00	45.31	68.20	-22.89	28.40	36.30	15.60	34.99	0.00	400	350	Average	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Avg</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6985.00</td><td>84.28</td><td>-----</td><td>-----</td><td>68.48</td><td>36.00</td><td>14.73</td><td>34.93</td><td>0.00</td><td>400</td><td>350</td><td>Average</td></tr></table>						Avg	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6985.00	84.28	-----	-----	68.48	36.00	14.73	34.93	0.00	400	350	Average
	Avg	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	7222.51	44.60	68.20	-23.60	28.56	36.10	14.87	34.93	0.00	400	350	Average																																																																																																								
2	7258.04	44.58	54.00	-9.42	28.54	36.08	14.90	34.94	0.00	400	350	Average																																																																																																								
3	8000.00	45.31	68.20	-22.89	28.40	36.30	15.60	34.99	0.00	400	350	Average																																																																																																								
Avg	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	6985.00	84.28	-----	-----	68.48	36.00	14.73	34.93	0.00	400	350	Average																																																																																																								





Mode	65																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>48.87</td><td>88.20</td><td>-39.33</td><td>45.29</td><td>39.10</td><td>20.91</td><td>57.64</td><td>1.21</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20955.00</td><td>37.27</td><td>74.00</td><td>-36.73</td><td>51.52</td><td>38.00</td><td>17.29</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	48.87	88.20	-39.33	45.29	39.10	20.91	57.64	1.21	--	Peak	2	20955.00	37.27	74.00	-36.73	51.52	38.00	17.29	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>48.44</td><td>88.20</td><td>-39.76</td><td>44.86</td><td>39.10</td><td>20.91</td><td>57.64</td><td>1.21</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20955.00</td><td>37.54</td><td>74.00</td><td>-36.46</td><td>51.79</td><td>38.00</td><td>17.29</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13970.00	48.44	88.20	-39.76	44.86	39.10	20.91	57.64	1.21	--	Peak	2	20955.00	37.54	74.00	-36.46	51.79	38.00	17.29	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13970.00	48.87	88.20	-39.33	45.29	39.10	20.91	57.64	1.21	--	Peak																																																																																																														
2	20955.00	37.27	74.00	-36.73	51.52	38.00	17.29	60.00	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13970.00	48.44	88.20	-39.76	44.86	39.10	20.91	57.64	1.21	--	Peak																																																																																																														
2	20955.00	37.54	74.00	-36.46	51.79	38.00	17.29	60.00	-9.54	--	Peak																																																																																																														



Mode	65	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



		66																																																																																																																							
Mode	Band Edge																																																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal																																																																																																																								
Peak	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Peak	Level (dBuV/m) Date: 2026-09-08  Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7212.70</td><td>55.94</td><td>88.20 -32.26</td><td>39.90</td><td>36.10</td><td>14.87</td><td>34.93</td><td>0.00</td><td>100</td><td>138 Peak</td></tr><tr><td>2</td><td>7672.00</td><td>55.14</td><td>74.00 -18.86</td><td>38.70</td><td>36.15</td><td>15.25</td><td>34.96</td><td>0.00</td><td>100</td><td>138 Peak</td></tr><tr><td>3</td><td>7979.20</td><td>55.26</td><td>88.20 -32.94</td><td>38.37</td><td>36.30</td><td>15.58</td><td>34.99</td><td>0.00</td><td>100</td><td>138 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-09-08  Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>92.89</td><td>-----</td><td>77.43</td><td>36.00</td><td>14.37</td><td>34.91</td><td>0.00</td><td>100</td><td>138 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	7212.70	55.94	88.20 -32.26	39.90	36.10	14.87	34.93	0.00	100	138 Peak	2	7672.00	55.14	74.00 -18.86	38.70	36.15	15.25	34.96	0.00	100	138 Peak	3	7979.20	55.26	88.20 -32.94	38.37	36.30	15.58	34.99	0.00	100	138 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	6905.00	92.89	-----	77.43	36.00	14.37	34.91	0.00	100	138 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	7212.70	55.94	88.20 -32.26	39.90	36.10	14.87	34.93	0.00	100	138 Peak																																																																																																															
2	7672.00	55.14	74.00 -18.86	38.70	36.15	15.25	34.96	0.00	100	138 Peak																																																																																																															
3	7979.20	55.26	88.20 -32.94	38.37	36.30	15.58	34.99	0.00	100	138 Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	6905.00	92.89	-----	77.43	36.00	14.37	34.91	0.00	100	138 Peak																																																																																																															
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								
	Horizontal																																																																																																																								
Avg	Horizontal																																																																																																																								
	Horizontal																																																																																																																								
Avg	Fundamental																																																																																																																								



		66																																																																																																																									
Mode	Band Edge																																																																																																																										
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																										
ANT	4+9																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																				
Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7217.00</td><td>54.41</td><td>88.20</td><td>-33.79</td><td>38.37</td><td>36.10</td><td>14.87</td><td>34.93</td><td>0.00</td><td>100</td><td>232</td><td>Peak</td></tr><tr><td>2</td><td>7658.36</td><td>55.32</td><td>74.00</td><td>-18.68</td><td>38.92</td><td>36.12</td><td>15.24</td><td>34.96</td><td>0.00</td><td>100</td><td>232</td><td>Peak</td></tr><tr><td>3</td><td>7962.77</td><td>55.45</td><td>88.20</td><td>-32.75</td><td>38.58</td><td>36.30</td><td>15.56</td><td>34.99</td><td>0.00</td><td>100</td><td>232</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7217.00	54.41	88.20	-33.79	38.37	36.10	14.87	34.93	0.00	100	232	Peak	2	7658.36	55.32	74.00	-18.68	38.92	36.12	15.24	34.96	0.00	100	232	Peak	3	7962.77	55.45	88.20	-32.75	38.58	36.30	15.56	34.99	0.00	100	232	Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>91.21</td><td>-----</td><td>-----</td><td>75.77</td><td>36.00</td><td>14.35</td><td>34.91</td><td>0.00</td><td>100</td><td>232</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	91.21	-----	-----	75.77	36.00	14.35	34.91	0.00	100	232	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	7217.00	54.41	88.20	-33.79	38.37	36.10	14.87	34.93	0.00	100	232	Peak																																																																																																															
2	7658.36	55.32	74.00	-18.68	38.92	36.12	15.24	34.96	0.00	100	232	Peak																																																																																																															
3	7962.77	55.45	88.20	-32.75	38.58	36.30	15.56	34.99	0.00	100	232	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	6905.00	91.21	-----	-----	75.77	36.00	14.35	34.91	0.00	100	232	Peak																																																																																																															
Avg	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7219.27</td><td>44.64</td><td>68.20</td><td>-23.56</td><td>28.60</td><td>36.10</td><td>14.87</td><td>34.93</td><td>0.00</td><td>100</td><td>232</td><td>Average</td></tr><tr><td>2</td><td>7255.40</td><td>44.60</td><td>54.00</td><td>-9.40</td><td>28.55</td><td>36.09</td><td>14.90</td><td>34.94</td><td>0.00</td><td>100</td><td>232</td><td>Average</td></tr><tr><td>3</td><td>7996.72</td><td>45.30</td><td>68.20</td><td>-22.90</td><td>28.39</td><td>36.30</td><td>15.60</td><td>34.99</td><td>0.00</td><td>100</td><td>232</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7219.27	44.64	68.20	-23.56	28.60	36.10	14.87	34.93	0.00	100	232	Average	2	7255.40	44.60	54.00	-9.40	28.55	36.09	14.90	34.94	0.00	100	232	Average	3	7996.72	45.30	68.20	-22.90	28.39	36.30	15.60	34.99	0.00	100	232	Average	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>83.15</td><td>-----</td><td>-----</td><td>67.71</td><td>36.00</td><td>14.35</td><td>34.91</td><td>0.00</td><td>100</td><td>232</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	83.15	-----	-----	67.71	36.00	14.35	34.91	0.00	100	232	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	7219.27	44.64	68.20	-23.56	28.60	36.10	14.87	34.93	0.00	100	232	Average																																																																																																															
2	7255.40	44.60	54.00	-9.40	28.55	36.09	14.90	34.94	0.00	100	232	Average																																																																																																															
3	7996.72	45.30	68.20	-22.90	28.39	36.30	15.60	34.99	0.00	100	232	Average																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	6905.00	83.15	-----	-----	67.71	36.00	14.35	34.91	0.00	100	232	Average																																																																																																															



Mode	66																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																								
ANT	4+9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>49.48</td><td>88.20</td><td>-38.72</td><td>46.13</td><td>39.00</td><td>20.78</td><td>57.66</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20715.00</td><td>37.61</td><td>74.00</td><td>-36.39</td><td>52.14</td><td>37.83</td><td>17.18</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	49.48	88.20	-38.72	46.13	39.00	20.78	57.66	1.23	--	Peak	2	20715.00	37.61	74.00	-36.39	52.14	37.83	17.18	60.00	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>48.47</td><td>88.20</td><td>-39.73</td><td>45.12</td><td>39.00</td><td>20.78</td><td>57.66</td><td>1.23</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20715.00</td><td>37.41</td><td>74.00</td><td>-36.59</td><td>51.94</td><td>37.83</td><td>17.18</td><td>60.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	48.47	88.20	-39.73	45.12	39.00	20.78	57.66	1.23	--	Peak	2	20715.00	37.41	74.00	-36.59	51.94	37.83	17.18	60.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13810.00	49.48	88.20	-38.72	46.13	39.00	20.78	57.66	1.23	--	Peak																																																																																																														
2	20715.00	37.61	74.00	-36.39	52.14	37.83	17.18	60.00	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13810.00	48.47	88.20	-39.73	45.12	39.00	20.78	57.66	1.23	--	Peak																																																																																																														
2	20715.00	37.41	74.00	-36.59	51.94	37.83	17.18	60.00	-9.54	--	Peak																																																																																																														



Mode	66	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz	
ANT	4+9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-16 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL







Mode	67																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial RU_26/8_7095MHz																																																																																																	
ANT	4+9																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-09-08 PEAK_BE(UNII)_6E Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7140.00</td><td>64.17</td><td>88.20</td><td>-24.03</td><td>48.25</td><td>36.00</td><td>14.85</td><td>34.93</td><td>0.00</td><td>100</td><td>28 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7140.00	64.17	88.20	-24.03	48.25	36.00	14.85	34.93	0.00	100	28 Peak	Level (dBuV/m) Date: 2026-09-08 PEAK(UNII)_6E Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>110.56</td><td>-----</td><td>-----</td><td>94.65</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>100</td><td>28 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	110.56	-----	-----	94.65	36.00	14.84	34.93	0.00	100	28 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7140.00	64.17	88.20	-24.03	48.25	36.00	14.85	34.93	0.00	100	28 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7095.00	110.56	-----	-----	94.65	36.00	14.84	34.93	0.00	100	28 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-09-08 AVG_BE(UNII)_6E Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7228.00</td><td>44.57</td><td>68.20</td><td>-23.63</td><td>28.52</td><td>36.10</td><td>14.88</td><td>34.93</td><td>0.00</td><td>100</td><td>28 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7228.00	44.57	68.20	-23.63	28.52	36.10	14.88	34.93	0.00	100	28 Average	Level (dBuV/m) Date: 2026-09-08 AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>103.65</td><td>-----</td><td>-----</td><td>87.74</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>100</td><td>28 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	103.65	-----	-----	87.74	36.00	14.84	34.93	0.00	100	28 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7228.00	44.57	68.20	-23.63	28.52	36.10	14.88	34.93	0.00	100	28 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7095.00	103.65	-----	-----	87.74	36.00	14.84	34.93	0.00	100	28 Average																																																																																							



Mode	67																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial RU_26/8_7095MHz																																																																																																			
ANT	4+9																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-08 PEAK_BE(UNII)_6E Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7137.75</td><td>68.90</td><td>88.20</td><td>-19.30</td><td>52.99</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>398</td><td>342</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7137.75	68.90	88.20	-19.30	52.99	36.00	14.84	34.93	0.00	398	342	Peak	Level (dBuV/m) Date: 2026-09-08 PEAK(UNII)_6E Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>111.21</td><td>-----</td><td>-----</td><td>95.30</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>398</td><td>342</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	111.21	-----	-----	95.30	36.00	14.84	34.93	0.00	398	342	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7137.75	68.90	88.20	-19.30	52.99	36.00	14.84	34.93	0.00	398	342	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	111.21	-----	-----	95.30	36.00	14.84	34.93	0.00	398	342	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-08 AVG_BE(UNII)_6E Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7137.90</td><td>48.06</td><td>68.20</td><td>-20.14</td><td>32.15</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>398</td><td>342</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7137.90	48.06	68.20	-20.14	32.15	36.00	14.84	34.93	0.00	398	342	Average	Level (dBuV/m) Date: 2026-09-08 AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>103.78</td><td>-----</td><td>-----</td><td>87.87</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>398</td><td>342</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	103.78	-----	-----	87.87	36.00	14.84	34.93	0.00	398	342	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7137.90	48.06	68.20	-20.14	32.15	36.00	14.84	34.93	0.00	398	342	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	103.78	-----	-----	87.87	36.00	14.84	34.93	0.00	398	342	Average																																																																																								



Mode	68																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial RU_52/40_7095MHz																																																																																																	
ANT	4+9																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-09-08  PEAK_BE(UNII)_6E Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7244.05</td><td>54.28</td><td>88.20</td><td>-33.92</td><td>38.22</td><td>36.10</td><td>14.89</td><td>34.93</td><td>0.00</td><td>100</td><td>29 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7244.05	54.28	88.20	-33.92	38.22	36.10	14.89	34.93	0.00	100	29 Peak	Level (dBuV/m) Date: 2026-09-08  PEAK(UNII)_6E Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>106.27</td><td>-----</td><td>-----</td><td>90.36</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>100</td><td>29 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7095.00	106.27	-----	-----	90.36	36.00	14.84	34.93	0.00	100	29 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7244.05	54.28	88.20	-33.92	38.22	36.10	14.89	34.93	0.00	100	29 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7095.00	106.27	-----	-----	90.36	36.00	14.84	34.93	0.00	100	29 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-09-08  AVG_BE(UNII)_6E Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7208.55</td><td>44.59</td><td>68.20</td><td>-23.61</td><td>28.55</td><td>36.10</td><td>14.87</td><td>34.93</td><td>0.00</td><td>100</td><td>29 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7208.55	44.59	68.20	-23.61	28.55	36.10	14.87	34.93	0.00	100	29 Average	Level (dBuV/m) Date: 2026-09-08  AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>100.33</td><td>-----</td><td>-----</td><td>84.42</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>100</td><td>29 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7095.00	100.33	-----	-----	84.42	36.00	14.84	34.93	0.00	100	29 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7208.55	44.59	68.20	-23.61	28.55	36.10	14.87	34.93	0.00	100	29 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																								
1	7095.00	100.33	-----	-----	84.42	36.00	14.84	34.93	0.00	100	29 Average																																																																																							



Mode	68																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial RU_52/40_7095MHz																																																																																																			
ANT	4+9																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7239.30</td><td>55.07</td><td>88.20</td><td>-33.13</td><td>39.01</td><td>36.10</td><td>14.89</td><td>34.93</td><td>0.00</td><td>398</td><td>342</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7239.30	55.07	88.20	-33.13	39.01	36.10	14.89	34.93	0.00	398	342	Peak	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>106.65</td><td>-----</td><td>-----</td><td>90.74</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>398</td><td>342</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	106.65	-----	-----	90.74	36.00	14.84	34.93	0.00	398	342	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7239.30	55.07	88.20	-33.13	39.01	36.10	14.89	34.93	0.00	398	342	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	106.65	-----	-----	90.74	36.00	14.84	34.93	0.00	398	342	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7226.25</td><td>44.56</td><td>68.20</td><td>-23.64</td><td>28.51</td><td>36.10</td><td>14.88</td><td>34.93</td><td>0.00</td><td>398</td><td>342</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7226.25	44.56	68.20	-23.64	28.51	36.10	14.88	34.93	0.00	398	342	Average	Level (dBuV/m) Date: 2026-09-08 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>100.41</td><td>-----</td><td>-----</td><td>84.50</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>398</td><td>342</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	100.41	-----	-----	84.50	36.00	14.84	34.93	0.00	398	342	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7226.25	44.56	68.20	-23.64	28.51	36.10	14.88	34.93	0.00	398	342	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	100.41	-----	-----	84.50	36.00	14.84	34.93	0.00	398	342	Average																																																																																								



Mode	69																																																																																			
	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial RU_106/54_7095MHz																																																																																			
ANT	4+9																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-09-08 PEAK_BE(UNII)_6E Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7242.90</td><td>54.92</td><td>88.20</td><td>-33.28</td><td>38.86</td><td>36.10</td><td>14.89</td><td>34.93</td><td>0.00</td><td>100</td><td>29</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7242.90	54.92	88.20	-33.28	38.86	36.10	14.89	34.93	0.00	100	29	Peak	Level (dBuV/m) Date: 2026-09-08 PEAK(UNII)_6E Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>104.53</td><td>-----</td><td>-----</td><td>88.62</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>100</td><td>29</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	104.53	-----	-----	88.62	36.00	14.84	34.93	0.00	100	29	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7242.90	54.92	88.20	-33.28	38.86	36.10	14.89	34.93	0.00	100	29	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7095.00	104.53	-----	-----	88.62	36.00	14.84	34.93	0.00	100	29	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-09-08 AVG_BE(UNII)_6E Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7237.80</td><td>44.52</td><td>68.20</td><td>-23.68</td><td>28.47</td><td>36.10</td><td>14.88</td><td>34.93</td><td>0.00</td><td>100</td><td>29</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7237.80	44.52	68.20	-23.68	28.47	36.10	14.88	34.93	0.00	100	29	Average	Level (dBuV/m) Date: 2026-09-08 AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7095.00</td><td>97.14</td><td>-----</td><td>-----</td><td>81.23</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>100</td><td>29</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7095.00	97.14	-----	-----	81.23	36.00	14.84	34.93	0.00	100	29	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7237.80	44.52	68.20	-23.68	28.47	36.10	14.88	34.93	0.00	100	29	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7095.00	97.14	-----	-----	81.23	36.00	14.84	34.93	0.00	100	29	Average																																																																									



Mode	69																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Partial RU_106/54_7095MHz																																																																																																
ANT	4+9																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-09-08 PEAK_BE(UNII)_6E Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7208.25</td><td>55.16</td><td>88.20</td><td>-33.04</td><td>39.12</td><td>36.10</td><td>14.87</td><td>34.93</td><td>0.00</td><td>400</td><td>342 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7208.25	55.16	88.20	-33.04	39.12	36.10	14.87	34.93	0.00	400	342 Peak	Level (dBuV/m) Date: 2026-09-08 PEAK(UNII)_6E Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>103.09</td><td>-----</td><td>-----</td><td>87.98</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>400</td><td>342 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	103.09	-----	-----	87.98	36.00	14.84	34.93	0.00	400	342 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7208.25	55.16	88.20	-33.04	39.12	36.10	14.87	34.93	0.00	400	342 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	103.09	-----	-----	87.98	36.00	14.84	34.93	0.00	400	342 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-09-08 AVG_BE(UNII)_6E Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7228.20</td><td>44.50</td><td>68.20</td><td>-23.70</td><td>28.45</td><td>36.10</td><td>14.88</td><td>34.93</td><td>0.00</td><td>400</td><td>342 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7228.20	44.50	68.20	-23.70	28.45	36.10	14.88	34.93	0.00	400	342 Average	Level (dBuV/m) Date: 2026-09-08 AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>96.80</td><td>-----</td><td>-----</td><td>80.89</td><td>36.00</td><td>14.84</td><td>34.93</td><td>0.00</td><td>400</td><td>342 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	96.80	-----	-----	80.89	36.00	14.84	34.93	0.00	400	342 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7228.20	44.50	68.20	-23.70	28.45	36.10	14.88	34.93	0.00	400	342 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7095.00	96.80	-----	-----	80.89	36.00	14.84	34.93	0.00	400	342 Average																																																																																						



Mode	70																																																																																																																																																																																													
	LF																																																																																																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																																																																																													
ANT	4+9																																																																																																																																																																																													
Pol.	Horizontal					Vertical																																																																																																																																																																																								
Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: QP 3m Bilog_35419 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>19.02</td><td>40.00</td><td>-20.98</td><td>24.30</td><td>23.74</td><td>0.97</td><td>29.99</td><td>0.00 -- -- Peak</td></tr><tr><td>2</td><td>92.08</td><td>25.85</td><td>43.50</td><td>-17.65</td><td>39.35</td><td>14.75</td><td>1.70</td><td>29.95</td><td>0.00 -- -- Peak</td></tr><tr><td>3</td><td>129.91</td><td>19.28</td><td>43.50</td><td>-24.22</td><td>29.61</td><td>17.58</td><td>2.01</td><td>29.92</td><td>0.00 -- -- Peak</td></tr><tr><td>4</td><td>914.64</td><td>27.77</td><td>46.00</td><td>-18.23</td><td>22.44</td><td>29.00</td><td>5.33</td><td>29.00</td><td>0.00 -- -- Peak</td></tr><tr><td>5</td><td>931.13</td><td>28.01</td><td>46.00</td><td>-17.99</td><td>21.91</td><td>29.61</td><td>5.38</td><td>28.89</td><td>0.00 -- -- Peak</td></tr><tr><td>6</td><td>963.14</td><td>29.78</td><td>54.00</td><td>-24.22</td><td>22.06</td><td>30.92</td><td>5.48</td><td>28.68</td><td>0.00 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	19.02	40.00	-20.98	24.30	23.74	0.97	29.99	0.00 -- -- Peak	2	92.08	25.85	43.50	-17.65	39.35	14.75	1.70	29.95	0.00 -- -- Peak	3	129.91	19.28	43.50	-24.22	29.61	17.58	2.01	29.92	0.00 -- -- Peak	4	914.64	27.77	46.00	-18.23	22.44	29.00	5.33	29.00	0.00 -- -- Peak	5	931.13	28.01	46.00	-17.99	21.91	29.61	5.38	28.89	0.00 -- -- Peak	6	963.14	29.78	54.00	-24.22	22.06	30.92	5.48	28.68	0.00 -- -- Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: QP 3m Bilog_35419 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.00</td><td>31.06</td><td>40.00</td><td>-8.14</td><td>36.96</td><td>23.93</td><td>0.96</td><td>29.99</td><td>0.00 -- -- Peak</td></tr><tr><td>2</td><td>58.13</td><td>23.22</td><td>40.00</td><td>-16.78</td><td>40.28</td><td>11.59</td><td>1.33</td><td>29.98</td><td>0.00 -- -- Peak</td></tr><tr><td>3</td><td>91.11</td><td>25.97</td><td>43.50</td><td>-17.53</td><td>39.55</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00 -- -- Peak</td></tr><tr><td>4</td><td>937.92</td><td>27.58</td><td>46.00</td><td>-18.42</td><td>21.11</td><td>29.91</td><td>5.40</td><td>28.84</td><td>0.00 -- -- Peak</td></tr><tr><td>5</td><td>952.47</td><td>28.83</td><td>46.00</td><td>-17.17</td><td>21.37</td><td>30.76</td><td>5.44</td><td>28.74</td><td>0.00 -- -- Peak</td></tr><tr><td>6</td><td>976.72</td><td>30.02</td><td>54.00</td><td>-23.98</td><td>22.26</td><td>30.81</td><td>5.54</td><td>28.59</td><td>0.00 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.00	31.06	40.00	-8.14	36.96	23.93	0.96	29.99	0.00 -- -- Peak	2	58.13	23.22	40.00	-16.78	40.28	11.59	1.33	29.98	0.00 -- -- Peak	3	91.11	25.97	43.50	-17.53	39.55	14.67	1.69	29.94	0.00 -- -- Peak	4	937.92	27.58	46.00	-18.42	21.11	29.91	5.40	28.84	0.00 -- -- Peak	5	952.47	28.83	46.00	-17.17	21.37	30.76	5.44	28.74	0.00 -- -- Peak	6	976.72	30.02	54.00	-23.98	22.26	30.81	5.54	28.59	0.00 -- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																					
1	30.97	19.02	40.00	-20.98	24.30	23.74	0.97	29.99	0.00 -- -- Peak																																																																																																																																																																																					
2	92.08	25.85	43.50	-17.65	39.35	14.75	1.70	29.95	0.00 -- -- Peak																																																																																																																																																																																					
3	129.91	19.28	43.50	-24.22	29.61	17.58	2.01	29.92	0.00 -- -- Peak																																																																																																																																																																																					
4	914.64	27.77	46.00	-18.23	22.44	29.00	5.33	29.00	0.00 -- -- Peak																																																																																																																																																																																					
5	931.13	28.01	46.00	-17.99	21.91	29.61	5.38	28.89	0.00 -- -- Peak																																																																																																																																																																																					
6	963.14	29.78	54.00	-24.22	22.06	30.92	5.48	28.68	0.00 -- -- Peak																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																					
1	30.00	31.06	40.00	-8.14	36.96	23.93	0.96	29.99	0.00 -- -- Peak																																																																																																																																																																																					
2	58.13	23.22	40.00	-16.78	40.28	11.59	1.33	29.98	0.00 -- -- Peak																																																																																																																																																																																					
3	91.11	25.97	43.50	-17.53	39.55	14.67	1.69	29.94	0.00 -- -- Peak																																																																																																																																																																																					
4	937.92	27.58	46.00	-18.42	21.11	29.91	5.40	28.84	0.00 -- -- Peak																																																																																																																																																																																					
5	952.47	28.83	46.00	-17.17	21.37	30.76	5.44	28.74	0.00 -- -- Peak																																																																																																																																																																																					
6	976.72	30.02	54.00	-23.98	22.26	30.81	5.54	28.59	0.00 -- -- Peak																																																																																																																																																																																					






Mode	71																																																																																												
	SHF																																																																																												
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																												
ANT	4+9																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UWII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39494.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>45.32</td><td>44.22</td><td>24.56</td><td>58.81</td><td>-9.54</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	39494.00	45.75	74.00	-28.25	45.32	44.22	24.56	58.81	-9.54	-- Peak	Level (dBuV/m) Date: 2026-09-18 Site : 03CH07-HY Condition: PEAK(UWII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>38482.00</td><td>45.66</td><td>88.20</td><td>-42.54</td><td>47.71</td><td>42.74</td><td>24.09</td><td>59.34</td><td>-9.54</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	38482.00	45.66	88.20	-42.54	47.71	42.74	24.09	59.34	-9.54	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																				
1	39494.00	45.75	74.00	-28.25	45.32	44.22	24.56	58.81	-9.54	-- Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																				
1	38482.00	45.66	88.20	-42.54	47.71	42.74	24.09	59.34	-9.54	-- Peak																																																																																			




Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
4+9	6G 802.11a	99.05	-	-	10Hz
4+9	6GHz 802.11be EHT20 Full RU	99.69	-	-	10Hz
4+9	6GHz 802.11be EHT20 26 RU	99.22	-	-	10Hz
4+9	6GHz 802.11be EHT20 52 RU	99.02	-	-	10Hz
4+9	6GHz 802.11be EHT20 106 RU	99.34	-	-	10Hz
4+9	6GHz 802.11be EHT40 Full RU	99.63	-	-	10Hz
4+9	6GHz 802.11be EHT80 Full RU	99.51	-	-	10Hz
4+9	6GHz 802.11be EHT160 Full RU	99.58	-	-	10Hz
4+9	6GHz 802.11be EHT320 Full RU	99.63	-	-	10Hz






802.11be EHT80 Full RU



802.11be EHT160 Full RU



802.11be EHT320 Full RU

