




**Power Spectral Density (dBm/3kHz)**


<GFSK 1M>

Power Density (dBm/3kHz) Plot Channel 02**Power Density (dBm/3kHz) Plot Channel 38****Power Density (dBm/3kHz) Plot Channel 76**




<GFSK 2M>


Power Density (dBm/3kHz) Plot Channel 02



Power Density (dBm/3kHz) Plot Channel 38







Power Density (dBm/3kHz) Plot Channel 76



**Band Edge and Conducted Spurious Emission**


<GFSK 1M>

Channel 02**100kHz PSD reference Level Plot****Plot on Channel 02****Spurious Emission 30MHz~1GHz Plot****Spurious Emission 1GHz~26.5GHz Plot**




Channel 38


100kHz PSD reference Level Plot



Spurious Emission 30MHz~1GHz Plot




Spurious Emission 1GHz~26.5GHz Plot






Channel 76


100kHz PSD reference Level Plot




Plot on Channel 76



Spurious Emission 30MHz~1GHz Plot



Spurious Emission 1GHz~26.5GHz Plot







<GFSK 2M>

Channel 02


100kHz PSD reference Level Plot




Plot on Channel 02



Spurious Emission 30MHz~1GHz Plot




Spurious Emission 1GHz~26.5GHz Plot






Channel 38


100kHz PSD reference Level Plot



Spurious Emission 30MHz~1GHz Plot




Spurious Emission 1GHz~26.5GHz Plot






Channel 76


100kHz PSD reference Level Plot




Plot on Channel 76



Spurious Emission 30MHz~1GHz Plot



Spurious Emission 1GHz~26.5GHz Plot






Number of TX = 2, Ant. 9 (Measured)


6dB Bandwidth

<GFSK 1M>


6 dB Bandwidth Plot on Channel 02



6 dB Bandwidth Plot on Channel 38




6 dB Bandwidth Plot on Channel 76






<GFSK 2M>


6 dB Bandwidth Plot on Channel 02



6 dB Bandwidth Plot on Channel 38






6 dB Bandwidth Plot on Channel 76



**99% Occupied Bandwidth**


<GFSK 1M>

99% Occupied Bandwidth Plot on Channel 02**99% Occupied Bandwidth Plot on Channel 38****99% Occupied Bandwidth Plot on Channel 76**




<GFSK 2M>

99% Occupied Bandwidth Plot on Channel 02




11:42:07 PM 09/14/2024

99% Occupied Bandwidth Plot on Channel 38



11:47:22 PM 09/14/2024




99% Occupied Bandwidth Plot on Channel 76



11:52:26 PM 09/14/2024

**Power Spectral Density (dBm/3kHz)**


<GFSK 1M>

Power Density (dBm/3kHz) Plot Channel 02**Power Density (dBm/3kHz) Plot Channel 38****Power Density (dBm/3kHz) Plot Channel 76**




<GFSK 2M>


Power Density (dBm/3kHz) Plot Channel 02



Power Density (dBm/3kHz) Plot Channel 38







Power Density (dBm/3kHz) Plot Channel 76



**Band Edge and Conducted Spurious Emission**


<GFSK 1M>

Channel 02**100kHz PSD reference Level Plot****Plot on Channel 02****Spurious Emission 30MHz~1GHz Plot****Spurious Emission 1GHz~26.5GHz Plot**




Channel 38


100kHz PSD reference Level Plot



Spurious Emission 30MHz~1GHz Plot




Spurious Emission 1GHz~26.5GHz Plot






Channel 76


100kHz PSD reference Level Plot




Plot on Channel 76



Spurious Emission 30MHz~1GHz Plot



Spurious Emission 1GHz~26.5GHz Plot







<GFSK 2M>

Channel 02


100kHz PSD reference Level Plot




Plot on Channel 02



Spurious Emission 30MHz~1GHz Plot




Spurious Emission 1GHz~26.5GHz Plot






Channel 38


100kHz PSD reference Level Plot



Spurious Emission 30MHz~1GHz Plot




Spurious Emission 1GHz~26.5GHz Plot






Channel 76


100kHz PSD reference Level Plot




Plot on Channel 76



Spurious Emission 30MHz~1GHz Plot



Spurious Emission 1GHz~26.5GHz Plot






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Brian Chen	Temperature :	23 ~ 26°C
		Relative Humidity :	45 ~ 55%

EUT Information

Report NO : 672112
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum



Final Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	25.92	56.00	30.08	L1	OFF	19.9
0.150000	39.85	---	66.00	26.15	L1	OFF	19.9
0.168000	---	27.97	55.06	27.09	L1	OFF	19.9
0.168000	41.90	---	65.06	23.16	L1	OFF	19.9
0.177000	---	37.13	54.63	17.50	L1	OFF	19.9
0.177000	49.15	---	64.63	15.48	L1	OFF	19.9
0.195000	---	28.34	53.82	25.48	L1	OFF	19.9
0.195000	40.33	---	63.82	23.49	L1	OFF	19.9
0.210750	---	27.71	53.18	25.47	L1	OFF	19.9
0.210750	39.05	---	63.18	24.13	L1	OFF	19.9
0.235500	---	33.16	52.25	19.09	L1	OFF	19.9
0.235500	43.66	---	62.25	18.59	L1	OFF	19.9
0.260250	---	24.81	51.42	26.61	L1	OFF	19.9
0.260250	35.57	---	61.42	25.85	L1	OFF	19.9
0.282750	---	26.01	50.74	24.73	L1	OFF	19.9
0.282750	38.84	---	60.74	21.90	L1	OFF	19.9
0.294000	---	28.52	50.41	21.89	L1	OFF	19.9
0.294000	39.99	---	60.41	20.42	L1	OFF	19.9
0.325500	---	23.72	49.57	25.85	L1	OFF	19.9
0.325500	34.75	---	59.57	24.82	L1	OFF	19.9
0.357000	---	26.56	48.80	22.24	L1	OFF	19.9

0.357000	37.19	---	58.80	21.61	L1	OFF	19.9
0.660750	---	29.74	46.00	16.26	L1	OFF	19.9
0.660750	38.32	---	56.00	17.68	L1	OFF	19.9
7.570500	---	21.38	50.00	28.62	L1	OFF	20.4
7.570500	27.76	---	60.00	32.24	L1	OFF	20.4

EUT Information

Report NO : 672112
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.174750	---	30.70	54.73	24.03	N	OFF	19.9
0.174750	45.51	---	64.73	19.22	N	OFF	19.9
0.197250	---	31.67	53.73	22.06	N	OFF	19.9
0.197250	45.50	---	63.73	18.23	N	OFF	19.9
0.235500	---	29.95	52.25	22.30	N	OFF	19.9
0.235500	41.53	---	62.25	20.72	N	OFF	19.9
0.654000	---	32.35	46.00	13.65	N	OFF	19.9
0.654000	38.13	---	56.00	17.87	N	OFF	19.9
0.712500	---	28.02	46.00	17.98	N	OFF	19.9
0.712500	36.32	---	56.00	19.68	N	OFF	19.9
8.632500	---	19.57	50.00	30.43	N	OFF	20.5
8.632500	26.55	---	60.00	33.45	N	OFF	20.5



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jesse Wang, Stan Hsieh, Ken Wu	Temperature :	23.1~25.6°C
		Relative Humidity :	49.8~58.3%

Note symbol

-L	Low channel location
-R	High channel location

C1. Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 32	2400-2483.5	5	Bluetooth-LE CS GFSK	2	2404	1Mbps	-	-
Mode 33	2400-2483.5	5	Bluetooth-LE CS GFSK	38	2440	1Mbps	-	-
Mode 34	2400-2483.5	5	Bluetooth-LE CS GFSK	76	2478	1Mbps	-	-
Mode 35	2400-2483.5	5	Bluetooth-LE CS GFSK	2	2404	2Mbps	-	-
Mode 36	2400-2483.5	5	Bluetooth-LE CS GFSK	38	2440	2Mbps	-	-
Mode 37	2400-2483.5	5	Bluetooth-LE CS GFSK	76	2478	2Mbps	-	-
Mode 38	2400-2483.5	9	Bluetooth-LE CS GFSK	2	2404	1Mbps	-	-
Mode 39	2400-2483.5	9	Bluetooth-LE CS GFSK	38	2440	1Mbps	-	-
Mode 40	2400-2483.5	9	Bluetooth-LE CS GFSK	76	2478	1Mbps	-	-
Mode 41	2400-2483.5	9	Bluetooth-LE CS GFSK	2	2404	2Mbps	-	-
Mode 42	2400-2483.5	9	Bluetooth-LE CS GFSK	38	2440	2Mbps	-	-
Mode 43	2400-2483.5	9	Bluetooth-LE CS GFSK	76	2478	2Mbps	-	-
Mode 44	2400-2483.5	5+9	Bluetooth-LE CS GFSK	2	2404	1Mbps	-	-
Mode 45	2400-2483.5	5+9	Bluetooth-LE CS GFSK	38	2440	1Mbps	-	-
Mode 46	2400-2483.5	5+9	Bluetooth-LE CS GFSK	76	2478	1Mbps	-	-
Mode 47	2400-2483.5	5+9	Bluetooth-LE CS GFSK	2	2404	2Mbps	-	-
Mode 48	2400-2483.5	5+9	Bluetooth-LE CS GFSK	38	2440	2Mbps	-	-
Mode 49	2400-2483.5	5+9	Bluetooth-LE CS GFSK	76	2478	2Mbps	-	-
Mode 50	2400-2483.5	9	Bluetooth-LE CS GFSK	76	2478	2Mbps	-	LF
Mode 51	2400-2483.5	9	Bluetooth-LE CS GFSK	76	2478	2Mbps	-	SHF

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
32	Bluetooth-LE CS GFSK	2	2383.32	47.24	54.00	-6.76	H	Avg.	Pass	-	Band Edge
32	Bluetooth-LE CS GFSK	2	4808.00	42.67	74.00	-31.33	H	Peak	Pass	-	Harmonic
33	Bluetooth-LE CS GFSK	38	-	-	-	-	-	-	-	-	Band Edge
33	Bluetooth-LE CS GFSK	38	4880.00	42.65	74.00	-31.35	H	Peak	Pass	-	Harmonic
34	Bluetooth-LE CS GFSK	76	2483.96	47.96	54.00	-6.04	H	Avg.	Pass	-	Band Edge
34	Bluetooth-LE CS GFSK	76	4956.00	42.55	74.00	-31.45	V	Peak	Pass	-	Harmonic
35	Bluetooth-LE CS GFSK	2	2352.68	48.75	54.00	-5.25	V	Avg.	Pass	-	Band Edge
35	Bluetooth-LE CS GFSK	2	4808.00	42.41	74.00	-31.59	H	Peak	Pass	-	Harmonic
36	Bluetooth-LE CS GFSK	38	-	-	-	-	-	-	-	-	Band Edge
36	Bluetooth-LE CS GFSK	38	4880.00	42.67	74.00	-31.33	H	Peak	Pass	-	Harmonic
37	Bluetooth-LE CS GFSK	76	2499.32	48.77	54.00	-5.23	V	Avg.	Pass	-	Band Edge
37	Bluetooth-LE CS GFSK	76	4956.00	43.75	74.00	-30.25	H	Peak	Pass	-	Harmonic
38	Bluetooth-LE CS GFSK	2	2366.31	47.42	54.00	-6.58	H	Avg.	Pass	-	Band Edge
38	Bluetooth-LE CS GFSK	2	4808.00	42.78	74.00	-31.22	V	Peak	Pass	-	Harmonic
39	Bluetooth-LE CS GFSK	38	-	-	-	-	-	-	-	-	Band Edge
39	Bluetooth-LE CS GFSK	38	7320.00	45.64	74.00	-28.36	V	Peak	Pass	-	Harmonic
40	Bluetooth-LE CS GFSK	76	2499.87	47.91	54.00	-6.09	H	Avg.	Pass	-	Band Edge
40	Bluetooth-LE CS GFSK	76	7434.00	44.91	74.00	-29.09	V	Peak	Pass	-	Harmonic
41	Bluetooth-LE CS GFSK	2	2354.27	47.93	54.00	-6.07	V	Avg.	Pass	-	Band Edge
41	Bluetooth-LE CS GFSK	2	4808.00	43.81	74.00	-30.19	V	Peak	Pass	-	Harmonic
42	Bluetooth-LE CS GFSK	38	-	-	-	-	-	-	-	-	Band Edge
42	Bluetooth-LE CS GFSK	38	7320.00	45.92	74.00	-28.08	V	Peak	Pass	-	Harmonic
43	Bluetooth-LE CS GFSK	76	2484.53	48.93	54.00	-5.07	H	Avg.	Pass	-	Band Edge
43	Bluetooth-LE CS GFSK	76	7434.00	45.34	74.00	-28.66	V	Peak	Pass	-	Harmonic
44	Bluetooth-LE CS GFSK	2	2345.53	46.67	54.00	-7.33	H	Avg.	Pass	-	Band Edge
44	Bluetooth-LE CS GFSK	2	4808.00	42.95	74.00	-31.05	V	Peak	Pass	-	Harmonic
45	Bluetooth-LE CS GFSK	38	-	-	-	-	-	-	-	-	Band Edge
45	Bluetooth-LE CS GFSK	38	4880.00	43.34	74.00	-30.66	V	Peak	Pass	-	Harmonic
46	Bluetooth-LE CS GFSK	76	2485.50	47.62	54.00	-6.38	H	Avg.	Pass	-	Band Edge
46	Bluetooth-LE CS GFSK	76	4956.00	42.61	74.00	-31.39	H	Peak	Pass	-	Harmonic
47	Bluetooth-LE CS GFSK	2	2355.87	47.65	54.00	-6.35	H	Avg.	Pass	-	Band Edge
47	Bluetooth-LE CS GFSK	2	4808.00	43.36	74.00	-30.64	V	Peak	Pass	-	Harmonic
48	Bluetooth-LE CS GFSK	38	-	-	-	-	-	-	-	-	Band Edge
48	Bluetooth-LE CS GFSK	38	4880.00	42.87	74.00	-31.13	V	Peak	Pass	-	Harmonic
49	Bluetooth-LE CS GFSK	76	2483.57	48.75	54.00	-5.25	H	Avg.	Pass	-	Band Edge



FCC RADIO TEST REPORT

Report No. :FR672112J

49	Bluetooth-LE CS GFSK	76	4956.00	41.95	74.00	-32.05	V	Peak	Pass	-	Harmonic
50	LF	76	30.97	31.47	40.00	-8.53	V	Peak	Pass	-	LF
51	SHF	76	23461.06	37.45	74.00	-36.55	V	Peak	Pass	-	SHF



Mode	32																																																																																										
	Band Edge																																																																																										
	2400-2483.5_Bluetooth-LE CS GFSK_CH2_2404MHz																																																																																										
ANT	5																																																																																										
Pol.	Horizontal												Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2378.53</td><td>55.70</td><td>74.00</td><td>-18.30</td><td>39.50</td><td>32.10</td><td>8.65</td><td>34.58</td><td>10.03</td><td>303</td><td>360</td><td>Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>105.56</td><td>-----</td><td>-----</td><td>89.26</td><td>32.16</td><td>8.70</td><td>34.60</td><td>10.04</td><td>303</td><td>360</td><td>Peak</td></tr></tbody></table>														Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2378.53	55.70	74.00	-18.30	39.50	32.10	8.65	34.58	10.03	303	360	Peak		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2404.00	105.56	-----	-----	89.26	32.16	8.70	34.60	10.04	303	360	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2378.53	55.70	74.00	-18.30	39.50	32.10	8.65	34.58	10.03	303	360	Peak																																																																															
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2404.00	105.56	-----	-----	89.26	32.16	8.70	34.60	10.04	303	360	Peak																																																																															
Avg	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2383.32</td><td>47.24</td><td>54.00</td><td>-6.76</td><td>31.04</td><td>32.10</td><td>8.66</td><td>34.59</td><td>10.03</td><td>303</td><td>360</td><td>Average</td></tr></tbody></table> Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>104.73</td><td>-----</td><td>-----</td><td>88.45</td><td>32.14</td><td>8.70</td><td>34.60</td><td>10.04</td><td>303</td><td>360</td><td>Average</td></tr></tbody></table>														Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2383.32	47.24	54.00	-6.76	31.04	32.10	8.66	34.59	10.03	303	360	Average		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2404.00	104.73	-----	-----	88.45	32.14	8.70	34.60	10.04	303	360	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2383.32	47.24	54.00	-6.76	31.04	32.10	8.66	34.59	10.03	303	360	Average																																																																															
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2404.00	104.73	-----	-----	88.45	32.14	8.70	34.60	10.04	303	360	Average																																																																															







Mode	32																																																																																														
	Band Edge																																																																																														
	2400-2483.5_Bluetooth-LE CS GFSK_CH2_2404MHz																																																																																														
ANT	5																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2026-09-03 Frequency (MHz) Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2355.40</td><td>56.18</td><td>74.00</td><td>-17.82</td><td>39.97</td><td>32.15</td><td>8.61</td><td>34.57</td><td>10.02</td><td>271 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2355.40	56.18	74.00	-17.82	39.97	32.15	8.61	34.57	10.02	271 Peak	Level (dBuV/m) Date: 2026-09-03 Frequency (MHz) Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>105.99</td><td>-----</td><td>-----</td><td>89.69</td><td>32.16</td><td>8.70</td><td>34.60</td><td>10.04</td><td>271 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	105.99	-----	-----	89.69	32.16	8.70	34.60	10.04	271 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2355.40	56.18	74.00	-17.82	39.97	32.15	8.61	34.57	10.02	271 Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2404.00	105.99	-----	-----	89.69	32.16	8.70	34.60	10.04	271 Peak																																																																																					
Avg	Level (dBuV/m) Date: 2026-09-03 Frequency (MHz) Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2361.61</td><td>47.12</td><td>54.00</td><td>-6.88</td><td>30.87</td><td>32.18</td><td>8.62</td><td>34.57</td><td>10.02</td><td>271 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2361.61	47.12	54.00	-6.88	30.87	32.18	8.62	34.57	10.02	271 Average	Level (dBuV/m) Date: 2026-09-03 Frequency (MHz) Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>105.40</td><td>-----</td><td>-----</td><td>89.12</td><td>32.14</td><td>8.70</td><td>34.60</td><td>10.04</td><td>271 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	105.40	-----	-----	89.12	32.14	8.70	34.60	10.04	271 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2361.61	47.12	54.00	-6.88	30.87	32.18	8.62	34.57	10.02	271 Average																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2404.00	105.40	-----	-----	89.12	32.14	8.70	34.60	10.04	271 Average																																																																																					





Mode	32																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth-LE CS GFSK_CH2_2404MHz																																																																																																
ANT	5																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>42.67</td><td>74.00</td><td>-31.33</td><td>53.04</td><td>34.50</td><td>12.32</td><td>58.09</td><td>0.90</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4800.00	42.67	74.00	-31.33	53.04	34.50	12.32	58.09	0.90	--	Peak	Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>42.16</td><td>74.00</td><td>-31.84</td><td>52.53</td><td>34.50</td><td>12.32</td><td>58.09</td><td>0.90</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4800.00	42.16	74.00	-31.84	52.53	34.50	12.32	58.09	0.90	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4800.00	42.67	74.00	-31.33	53.04	34.50	12.32	58.09	0.90	--	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4800.00	42.16	74.00	-31.84	52.53	34.50	12.32	58.09	0.90	--	Peak																																																																																						



Mode	32	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS GFSK_CH2_2404MHz	
ANT	5	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



Mode	33																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_Bluetooth-LE CS GFSK_CH38_2440MHz																																																																																																																								
ANT	5																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	 Level (dBuV/m) Date: 2026-09-14 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) PEAK_74 AVG_54						 Level (dBuV/m) Date: 2026-09-14 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) PEAK_74 AVG_54																																																																																																																		
	Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>42.65</td><td>74.00</td><td>-31.35</td><td>52.90</td><td>34.44</td><td>12.41</td><td>57.99</td><td>0.89</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>42.59</td><td>74.00</td><td>-31.41</td><td>48.57</td><td>36.00</td><td>14.94</td><td>57.87</td><td>0.95</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.65	74.00	-31.35	52.90	34.44	12.41	57.99	0.89	--	Peak	2	7320.00	42.59	74.00	-31.41	48.57	36.00	14.94	57.87	0.95	--	Peak	Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>42.50</td><td>74.00</td><td>-31.50</td><td>52.75</td><td>34.44</td><td>12.41</td><td>57.99</td><td>0.89</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>42.44</td><td>74.00</td><td>-31.56</td><td>48.42</td><td>36.00</td><td>14.94</td><td>57.87</td><td>0.95</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.50	74.00	-31.50	52.75	34.44	12.41	57.99	0.89	--	Peak	2	7320.00	42.44	74.00	-31.56	48.42	36.00	14.94	57.87	0.95	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4880.00	42.65	74.00	-31.35	52.90	34.44	12.41	57.99	0.89	--	Peak																																																																																																														
2	7320.00	42.59	74.00	-31.41	48.57	36.00	14.94	57.87	0.95	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4880.00	42.50	74.00	-31.50	52.75	34.44	12.41	57.99	0.89	--	Peak																																																																																																														
2	7320.00	42.44	74.00	-31.56	48.42	36.00	14.94	57.87	0.95	--	Peak																																																																																																														



Mode	33	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS GFSK_CH38_2440MHz	
ANT	5	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL





Mode	34																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE CS GFSK_CH76_2478MHz																																																																																			
ANT	5																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.92</td><td>57.90</td><td>74.00</td><td>-16.10</td><td>40.99</td><td>32.74</td><td>8.85</td><td>34.65</td><td>9.97</td><td>399</td><td>46</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.92	57.90	74.00	-16.10	40.99	32.74	8.85	34.65	9.97	399	46	Peak	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>106.55</td><td>-----</td><td>-----</td><td>89.68</td><td>32.70</td><td>8.84</td><td>34.65</td><td>9.98</td><td>399</td><td>46</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	106.55	-----	-----	89.68	32.70	8.84	34.65	9.98	399	46	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2483.92	57.90	74.00	-16.10	40.99	32.74	8.85	34.65	9.97	399	46	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2478.00	106.55	-----	-----	89.68	32.70	8.84	34.65	9.98	399	46	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.96</td><td>47.96</td><td>54.00</td><td>-6.04</td><td>31.05</td><td>32.74</td><td>8.85</td><td>34.65</td><td>9.97</td><td>399</td><td>46</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.96	47.96	54.00	-6.04	31.05	32.74	8.85	34.65	9.97	399	46	Average	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>106.31</td><td>-----</td><td>-----</td><td>89.45</td><td>32.70</td><td>8.83</td><td>34.65</td><td>9.98</td><td>399</td><td>46</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	106.31	-----	-----	89.45	32.70	8.83	34.65	9.98	399	46	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2483.96	47.96	54.00	-6.04	31.05	32.74	8.85	34.65	9.97	399	46	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2478.00	106.31	-----	-----	89.45	32.70	8.83	34.65	9.98	399	46	Average																																																																									







Mode	34																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE CS GFSK_CH76_2478MHz																																																																																			
ANT	5																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.74</td><td>58.24</td><td>74.00</td><td>-15.76</td><td>41.34</td><td>32.74</td><td>8.84</td><td>34.65</td><td>9.97</td><td>300</td><td>282</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.74	58.24	74.00	-15.76	41.34	32.74	8.84	34.65	9.97	300	282	Peak	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>104.72</td><td>-----</td><td>-----</td><td>87.85</td><td>32.70</td><td>8.84</td><td>34.65</td><td>9.98</td><td>300</td><td>282</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	104.72	-----	-----	87.85	32.70	8.84	34.65	9.98	300	282	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2483.74	58.24	74.00	-15.76	41.34	32.74	8.84	34.65	9.97	300	282	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2478.00	104.72	-----	-----	87.85	32.70	8.84	34.65	9.98	300	282	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.79</td><td>47.75</td><td>54.00</td><td>-6.25</td><td>30.84</td><td>32.74</td><td>8.85</td><td>34.65</td><td>9.97</td><td>300</td><td>282</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.79	47.75	54.00	-6.25	30.84	32.74	8.85	34.65	9.97	300	282	Average	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>104.56</td><td>-----</td><td>-----</td><td>87.70</td><td>32.70</td><td>8.83</td><td>34.65</td><td>9.98</td><td>300</td><td>282</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	104.56	-----	-----	87.70	32.70	8.83	34.65	9.98	300	282	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2483.79	47.75	54.00	-6.25	30.84	32.74	8.85	34.65	9.97	300	282	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2478.00	104.56	-----	-----	87.70	32.70	8.83	34.65	9.98	300	282	Average																																																																									



Mode	34																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth-LE CS GFSK_CH76_2478MHz																																																																																																																									
ANT	5																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>42.41</td><td>74.00</td><td>-31.59</td><td>52.40</td><td>34.52</td><td>12.50</td><td>57.89</td><td>0.88</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>41.48</td><td>74.00</td><td>-32.52</td><td>47.60</td><td>36.00</td><td>15.02</td><td>58.06</td><td>0.92</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	42.41	74.00	-31.59	52.40	34.52	12.50	57.89	0.88	--	Peak	2	7434.00	41.48	74.00	-32.52	47.60	36.00	15.02	58.06	0.92	--	Peak	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>42.55</td><td>74.00</td><td>-31.45</td><td>52.54</td><td>34.52</td><td>12.50</td><td>57.89</td><td>0.88</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>41.21</td><td>74.00</td><td>-32.79</td><td>47.33</td><td>36.00</td><td>15.02</td><td>58.06</td><td>0.92</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	42.55	74.00	-31.45	52.54	34.52	12.50	57.89	0.88	--	Peak	2	7434.00	41.21	74.00	-32.79	47.33	36.00	15.02	58.06	0.92	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4956.00	42.41	74.00	-31.59	52.40	34.52	12.50	57.89	0.88	--	Peak																																																																																																															
2	7434.00	41.48	74.00	-32.52	47.60	36.00	15.02	58.06	0.92	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4956.00	42.55	74.00	-31.45	52.54	34.52	12.50	57.89	0.88	--	Peak																																																																																																															
2	7434.00	41.21	74.00	-32.79	47.33	36.00	15.02	58.06	0.92	--	Peak																																																																																																															



Mode	34	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS GFSK_CH76_2478MHz	
ANT	5	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



Mode	35																																																																																								
	Band Edge																																																																																								
	2400-2483.5_Bluetooth-LE CS GFSK _CH2_2404MHz																																																																																								
ANT	5																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2363.06</td><td>55.77</td><td>74.00</td><td>-18.23</td><td>39.52</td><td>32.16</td><td>8.63</td><td>34.57</td><td>10.03</td><td>100</td><td>104</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2363.06	55.77	74.00	-18.23	39.52	32.16	8.63	34.57	10.03	100	104	Peak	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>106.21</td><td>-----</td><td>-----</td><td>89.91</td><td>32.16</td><td>8.70</td><td>34.60</td><td>10.04</td><td>100</td><td>104</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2404.00	106.21	-----	-----	89.91	32.16	8.70	34.60	10.04	100	104	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2363.06	55.77	74.00	-18.23	39.52	32.16	8.63	34.57	10.03	100	104	Peak																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2404.00	106.21	-----	-----	89.91	32.16	8.70	34.60	10.04	100	104	Peak																																																																													
Avg	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:11.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2334.44</td><td>48.18</td><td>54.00</td><td>-5.82</td><td>32.04</td><td>32.10</td><td>8.58</td><td>34.55</td><td>10.01</td><td>100</td><td>104</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2334.44	48.18	54.00	-5.82	32.04	32.10	8.58	34.55	10.01	100	104	Average	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:11.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>107.02</td><td>-----</td><td>-----</td><td>90.74</td><td>32.14</td><td>8.70</td><td>34.60</td><td>10.04</td><td>100</td><td>104</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2404.00	107.02	-----	-----	90.74	32.14	8.70	34.60	10.04	100	104	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2334.44	48.18	54.00	-5.82	32.04	32.10	8.58	34.55	10.01	100	104	Average																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2404.00	107.02	-----	-----	90.74	32.14	8.70	34.60	10.04	100	104	Average																																																																													



Mode	35										
	Band Edge										
	2400-2483.5_Bluetooth-LE CS GFSK _CH2_2404MHz										
ANT	5										
Pol.	Vertical						Fundamental				
Peak	Level (dBuV/m)										



Mode	35																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_Bluetooth-LE CS GFSK _CH2_2404MHz																																																																																																	
ANT	5																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>42.41</td><td>74.00</td><td>-31.59</td><td>52.78</td><td>34.50</td><td>12.32</td><td>58.09</td><td>0.90</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4800.00	42.41	74.00	-31.59	52.78	34.50	12.32	58.09	0.90	--	Peak	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>42.07</td><td>74.00</td><td>-31.93</td><td>52.44</td><td>34.50</td><td>12.32</td><td>58.09</td><td>0.90</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4800.00	42.07	74.00	-31.93	52.44	34.50	12.32	58.09	0.90	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4800.00	42.41	74.00	-31.59	52.78	34.50	12.32	58.09	0.90	--	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4800.00	42.07	74.00	-31.93	52.44	34.50	12.32	58.09	0.90	--	Peak																																																																																							







Mode	35	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS GFSK _CH2_2404MHz	
ANT	5	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



Mode	36																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_Bluetooth-LE CS GFSK _CH38_2440MHz																																																																																																																								
ANT	5																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>42.67</td><td>74.00</td><td>-31.33</td><td>52.92</td><td>34.44</td><td>12.41</td><td>57.99</td><td>0.89</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>42.13</td><td>74.00</td><td>-31.87</td><td>48.11</td><td>36.00</td><td>14.94</td><td>57.87</td><td>0.95</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.67	74.00	-31.33	52.92	34.44	12.41	57.99	0.89	--	Peak	2	7320.00	42.13	74.00	-31.87	48.11	36.00	14.94	57.87	0.95	--	Peak	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.83</td><td>74.00</td><td>-32.17</td><td>52.00</td><td>34.44</td><td>12.41</td><td>57.99</td><td>0.89</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>42.63</td><td>74.00</td><td>-31.37</td><td>48.61</td><td>36.00</td><td>14.94</td><td>57.87</td><td>0.95</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	41.83	74.00	-32.17	52.00	34.44	12.41	57.99	0.89	--	Peak	2	7320.00	42.63	74.00	-31.37	48.61	36.00	14.94	57.87	0.95	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4880.00	42.67	74.00	-31.33	52.92	34.44	12.41	57.99	0.89	--	Peak																																																																																																														
2	7320.00	42.13	74.00	-31.87	48.11	36.00	14.94	57.87	0.95	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4880.00	41.83	74.00	-32.17	52.00	34.44	12.41	57.99	0.89	--	Peak																																																																																																														
2	7320.00	42.63	74.00	-31.37	48.61	36.00	14.94	57.87	0.95	--	Peak																																																																																																														



Mode	36	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS GFSK _CH38_2440MHz	
ANT	5	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



Mode	37																																																																																		
	Band Edge																																																																																		
	2400-2483.5_Bluetooth-LE CS GFSK_CH76_2478MHz																																																																																		
ANT	5																																																																																		
Pol.	Horizontal						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2484.25</td><td>58.32</td><td>74.00</td><td>-15.68</td><td>41.41</td><td>32.74</td><td>8.85</td><td>34.65</td><td>9.97</td><td>100</td><td>153</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2484.25	58.32	74.00	-15.68	41.41	32.74	8.85	34.65	9.97	100	153	Peak	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>102.95</td><td>-----</td><td>-----</td><td>86.00</td><td>32.70</td><td>8.84</td><td>34.65</td><td>9.98</td><td>100</td><td>153</td><td>Peak</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	102.95	-----	-----	86.00	32.70	8.84	34.65	9.98	100	153	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2484.25	58.32	74.00	-15.68	41.41	32.74	8.85	34.65	9.97	100	153	Peak																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2478.00	102.95	-----	-----	86.00	32.70	8.84	34.65	9.98	100	153	Peak																																																																								
Avg	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:11.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.72</td><td>48.12</td><td>54.00</td><td>-5.88</td><td>31.22</td><td>32.74</td><td>8.84</td><td>34.65</td><td>9.97</td><td>100</td><td>153</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.72	48.12	54.00	-5.88	31.22	32.74	8.84	34.65	9.97	100	153	Average	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:11.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>101.40</td><td>-----</td><td>-----</td><td>84.54</td><td>32.70</td><td>8.83</td><td>34.65</td><td>9.98</td><td>100</td><td>153</td><td>Average</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	101.40	-----	-----	84.54	32.70	8.83	34.65	9.98	100	153	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2483.72	48.12	54.00	-5.88	31.22	32.74	8.84	34.65	9.97	100	153	Average																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2478.00	101.40	-----	-----	84.54	32.70	8.83	34.65	9.98	100	153	Average																																																																								







Mode	37																																																																																		
	Band Edge																																																																																		
	2400-2483.5_Bluetooth-LE CS GFSK_CH76_2478MHz																																																																																		
ANT	5																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.54</td><td>56.88</td><td>74.00</td><td>-17.12</td><td>39.98</td><td>32.74</td><td>8.84</td><td>34.65</td><td>9.97</td><td>300</td><td>327</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.54	56.88	74.00	-17.12	39.98	32.74	8.84	34.65	9.97	300	327	Peak	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>101.20</td><td>-----</td><td>-----</td><td>84.33</td><td>32.70</td><td>8.84</td><td>34.65</td><td>9.98</td><td>300</td><td>327</td><td>Peak</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	101.20	-----	-----	84.33	32.70	8.84	34.65	9.98	300	327	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2483.54	56.88	74.00	-17.12	39.98	32.74	8.84	34.65	9.97	300	327	Peak																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2478.00	101.20	-----	-----	84.33	32.70	8.84	34.65	9.98	300	327	Peak																																																																								
Avg	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:11.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2499.32</td><td>48.77</td><td>54.00</td><td>-5.23</td><td>31.71</td><td>32.89</td><td>8.87</td><td>34.66</td><td>9.96</td><td>300</td><td>327</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2499.32	48.77	54.00	-5.23	31.71	32.89	8.87	34.66	9.96	300	327	Average	Level (dBuV/m) Date: 2026-09-02 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:11.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>100.43</td><td>-----</td><td>-----</td><td>83.57</td><td>32.70</td><td>8.83</td><td>34.65</td><td>9.98</td><td>300</td><td>327</td><td>Average</td></tr></table>					Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	100.43	-----	-----	83.57	32.70	8.83	34.65	9.98	300	327	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2499.32	48.77	54.00	-5.23	31.71	32.89	8.87	34.66	9.96	300	327	Average																																																																								
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2478.00	100.43	-----	-----	83.57	32.70	8.83	34.65	9.98	300	327	Average																																																																								



Mode	37																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth-LE CS GFSK_CH76_2478MHz																																																																																																																									
ANT	5																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>43.75</td><td>74.00</td><td>-30.25</td><td>53.74</td><td>34.52</td><td>12.50</td><td>57.89</td><td>0.88</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>41.39</td><td>74.00</td><td>-32.61</td><td>47.51</td><td>36.00</td><td>15.02</td><td>58.06</td><td>0.92</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	43.75	74.00	-30.25	53.74	34.52	12.50	57.89	0.88	--	Peak	2	7434.00	41.39	74.00	-32.61	47.51	36.00	15.02	58.06	0.92	--	Peak	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>41.77</td><td>74.00</td><td>-32.23</td><td>51.76</td><td>34.52</td><td>12.50</td><td>57.89</td><td>0.88</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>42.55</td><td>74.00</td><td>-31.45</td><td>48.67</td><td>36.00</td><td>15.02</td><td>58.06</td><td>0.92</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	41.77	74.00	-32.23	51.76	34.52	12.50	57.89	0.88	--	Peak	2	7434.00	42.55	74.00	-31.45	48.67	36.00	15.02	58.06	0.92	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4956.00	43.75	74.00	-30.25	53.74	34.52	12.50	57.89	0.88	--	Peak																																																																																																															
2	7434.00	41.39	74.00	-32.61	47.51	36.00	15.02	58.06	0.92	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4956.00	41.77	74.00	-32.23	51.76	34.52	12.50	57.89	0.88	--	Peak																																																																																																															
2	7434.00	42.55	74.00	-31.45	48.67	36.00	15.02	58.06	0.92	--	Peak																																																																																																															







Mode	37	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS GFSK_CH76_2478MHz	
ANT	5	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



Mode	38																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE CS GFSK_CH2_2404MHz																																																																																																			
ANT	9																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.34</td><td>56.36</td><td>74.00</td><td>-17.64</td><td>40.14</td><td>32.10</td><td>8.67</td><td>34.59</td><td>10.04</td><td>400</td><td>28</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2389.34	56.36	74.00	-17.64	40.14	32.10	8.67	34.59	10.04	400	28	Peak	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>104.43</td><td>-----</td><td>-----</td><td>88.13</td><td>32.16</td><td>8.70</td><td>34.60</td><td>10.04</td><td>400</td><td>28</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2404.00	104.43	-----	-----	88.13	32.16	8.70	34.60	10.04	400	28	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																										
1	2389.34	56.36	74.00	-17.64	40.14	32.10	8.67	34.59	10.04	400	28	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																										
1	2404.00	104.43	-----	-----	88.13	32.16	8.70	34.60	10.04	400	28	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2366.31</td><td>47.42</td><td>54.00</td><td>-6.58</td><td>31.19</td><td>32.14</td><td>8.63</td><td>34.57</td><td>10.03</td><td>400</td><td>28</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2366.31	47.42	54.00	-6.58	31.19	32.14	8.63	34.57	10.03	400	28	Average	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>104.53</td><td>-----</td><td>-----</td><td>88.25</td><td>32.14</td><td>8.70</td><td>34.60</td><td>10.04</td><td>400</td><td>28</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2404.00	104.53	-----	-----	88.25	32.14	8.70	34.60	10.04	400	28	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																										
1	2366.31	47.42	54.00	-6.58	31.19	32.14	8.63	34.57	10.03	400	28	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																										
1	2404.00	104.53	-----	-----	88.25	32.14	8.70	34.60	10.04	400	28	Average																																																																																								







Mode	38																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE CS GFSK_CH2_2404MHz																																																																																									
ANT	9																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-09-03  23102328.82347.62366.42385.22404 Frequency (MHz) Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2346.75</td><td>55.85</td><td>74.00</td><td>-18.15</td><td>39.69</td><td>32.10</td><td>8.60</td><td>34.56</td><td>10.02</td><td>334</td><td>322</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2346.75	55.85	74.00	-18.15	39.69	32.10	8.60	34.56	10.02	334	322	Peak	Level (dBuV/m) Date: 2026-09-03  10001400.1800.2200.2600.3000 Frequency (MHz) Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto Detector : PEAK Mode : 38 Setting : 11 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2404.00</td><td>105.82</td><td>-----</td><td>-----</td><td>89.52</td><td>32.16</td><td>8.70</td><td>34.60</td><td>10.04</td><td>334</td><td>322</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2404.00	105.82	-----	-----	89.52	32.16	8.70	34.60	10.04	334	322	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2346.75	55.85	74.00	-18.15	39.69	32.10	8.60	34.56	10.02	334	322	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2404.00	105.82	-----	-----	89.52	32.16	8.70	34.60	10.04	334	322	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-09-03  23102328.82347.62366.42385.22404 Frequency (MHz) Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2382.57</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>30.88</td><td>32.10</td><td>8.66</td><td>34.58</td><td>10.03</td><td>334</td><td>322</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2382.57	47.09	54.00	-6.91	30.88	32.10	8.66	34.58	10.03	334	322	Average	Level (dBuV/m) Date: 2026-09-03  10001400.1800.2200.2600.3000 Frequency (MHz) Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto Detector : PEAK Mode : 38 Setting : 11 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2404.00</td><td>106.25</td><td>-----</td><td>-----</td><td>89.97</td><td>32.14</td><td>8.70</td><td>34.60</td><td>10.04</td><td>334</td><td>322</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2404.00	106.25	-----	-----	89.97	32.14	8.70	34.60	10.04	334	322	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2382.57	47.09	54.00	-6.91	30.88	32.10	8.66	34.58	10.03	334	322	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2404.00	106.25	-----	-----	89.97	32.14	8.70	34.60	10.04	334	322	Average																																																																														



Mode	38																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth-LE CS GFSK_CH2_2404MHz																																																																																																
ANT	9																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>41.77</td><td>74.00</td><td>-32.23</td><td>52.12</td><td>34.50</td><td>12.33</td><td>58.08</td><td>0.90</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4800.00	41.77	74.00	-32.23	52.12	34.50	12.33	58.08	0.90	--	Peak	Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>42.78</td><td>74.00</td><td>-31.22</td><td>53.13</td><td>34.50</td><td>12.33</td><td>58.08</td><td>0.90</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4800.00	42.78	74.00	-31.22	53.13	34.50	12.33	58.08	0.90	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4800.00	41.77	74.00	-32.23	52.12	34.50	12.33	58.08	0.90	--	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4800.00	42.78	74.00	-31.22	53.13	34.50	12.33	58.08	0.90	--	Peak																																																																																						



Mode	38	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS GFSK_CH2_2404MHz	
ANT	9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



Mode	39																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_Bluetooth-LE CS GFSK_CH38_2440MHz																																																																																																																								
ANT	9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>42.49</td><td>74.00</td><td>-31.51</td><td>52.74</td><td>34.44</td><td>12.41</td><td>57.99</td><td>0.89</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>42.26</td><td>74.00</td><td>-31.74</td><td>48.24</td><td>36.00</td><td>14.94</td><td>57.87</td><td>0.95</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.49	74.00	-31.51	52.74	34.44	12.41	57.99	0.89	--	Peak	2	7320.00	42.26	74.00	-31.74	48.24	36.00	14.94	57.87	0.95	--	Peak	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>42.27</td><td>74.00</td><td>-31.73</td><td>52.52</td><td>34.44</td><td>12.41</td><td>57.99</td><td>0.89</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>45.64</td><td>74.00</td><td>-28.36</td><td>51.62</td><td>36.00</td><td>14.94</td><td>57.87</td><td>0.95</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.27	74.00	-31.73	52.52	34.44	12.41	57.99	0.89	--	Peak	2	7320.00	45.64	74.00	-28.36	51.62	36.00	14.94	57.87	0.95	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4880.00	42.49	74.00	-31.51	52.74	34.44	12.41	57.99	0.89	--	Peak																																																																																																														
2	7320.00	42.26	74.00	-31.74	48.24	36.00	14.94	57.87	0.95	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4880.00	42.27	74.00	-31.73	52.52	34.44	12.41	57.99	0.89	--	Peak																																																																																																														
2	7320.00	45.64	74.00	-28.36	51.62	36.00	14.94	57.87	0.95	--	Peak																																																																																																														







Mode	39	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS GFSK_CH38_2440MHz	
ANT	9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



Mode	40																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE CS GFSK_CH76_2478MHz																																																																																			
ANT	9																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.81</td><td>58.26</td><td>74.00</td><td>-15.74</td><td>41.35</td><td>32.74</td><td>8.85</td><td>34.65</td><td>9.97</td><td>357</td><td>150</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.81	58.26	74.00	-15.74	41.35	32.74	8.85	34.65	9.97	357	150	Peak	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>101.11</td><td>74.00</td><td>27.11</td><td>84.24</td><td>32.70</td><td>8.84</td><td>34.65</td><td>9.98</td><td>360</td><td>147</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	101.11	74.00	27.11	84.24	32.70	8.84	34.65	9.98	360	147	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2483.81	58.26	74.00	-15.74	41.35	32.74	8.85	34.65	9.97	357	150	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2478.00	101.11	74.00	27.11	84.24	32.70	8.84	34.65	9.98	360	147	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2499.87</td><td>47.91</td><td>54.00</td><td>-6.09</td><td>30.84</td><td>32.90</td><td>8.87</td><td>34.66</td><td>9.96</td><td>357</td><td>150</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2499.87	47.91	54.00	-6.09	30.84	32.90	8.87	34.66	9.96	357	150	Average	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>100.56</td><td>54.00</td><td>46.56</td><td>83.70</td><td>32.70</td><td>8.83</td><td>34.65</td><td>9.98</td><td>360</td><td>147</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	100.56	54.00	46.56	83.70	32.70	8.83	34.65	9.98	360	147	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2499.87	47.91	54.00	-6.09	30.84	32.90	8.87	34.66	9.96	357	150	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2478.00	100.56	54.00	46.56	83.70	32.70	8.83	34.65	9.98	360	147	Average																																																																									







Mode	40																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE CS GFSK_CH76_2478MHz																																																																																			
ANT	9																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2026-09-03  Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2484.01</td><td>59.60</td><td>74.00</td><td>-14.40</td><td>42.69</td><td>32.74</td><td>8.85</td><td>34.65</td><td>9.97</td><td>317</td><td>360</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2484.01	59.60	74.00	-14.40	42.69	32.74	8.85	34.65	9.97	317	360	Peak	Level (dBuV/m) Date: 2026-09-03  Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>104.16</td><td>-----</td><td>-----</td><td>87.29</td><td>32.70</td><td>8.84</td><td>34.65</td><td>9.98</td><td>322</td><td>353</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	104.16	-----	-----	87.29	32.70	8.84	34.65	9.98	322	353	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2484.01	59.60	74.00	-14.40	42.69	32.74	8.85	34.65	9.97	317	360	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2478.00	104.16	-----	-----	87.29	32.70	8.84	34.65	9.98	322	353	Peak																																																																									
Avg	Level (dBuV/m) Date: 2026-09-03  Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2486.40</td><td>47.84</td><td>54.00</td><td>-6.16</td><td>30.91</td><td>32.76</td><td>8.85</td><td>34.65</td><td>9.97</td><td>317</td><td>360</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2486.40	47.84	54.00	-6.16	30.91	32.76	8.85	34.65	9.97	317	360	Average	Level (dBuV/m) Date: 2026-09-03  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:6.200kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>103.86</td><td>-----</td><td>-----</td><td>87.00</td><td>32.70</td><td>8.83</td><td>34.65</td><td>9.98</td><td>322</td><td>353</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	103.86	-----	-----	87.00	32.70	8.83	34.65	9.98	322	353	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2486.40	47.84	54.00	-6.16	30.91	32.76	8.85	34.65	9.97	317	360	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2478.00	103.86	-----	-----	87.00	32.70	8.83	34.65	9.98	322	353	Average																																																																									







Mode	40																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_Bluetooth-LE CS GFSK_CH76_2478MHz																																																																																																																								
ANT	9																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>42.55</td><td>74.00</td><td>-31.45</td><td>52.54</td><td>34.52</td><td>12.50</td><td>57.89</td><td>0.88</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>41.38</td><td>74.00</td><td>-32.62</td><td>47.50</td><td>36.00</td><td>15.02</td><td>58.06</td><td>0.92</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	42.55	74.00	-31.45	52.54	34.52	12.50	57.89	0.88	--	Peak	2	7434.00	41.38	74.00	-32.62	47.50	36.00	15.02	58.06	0.92	--	Peak	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>42.46</td><td>74.00</td><td>-31.54</td><td>52.45</td><td>34.52</td><td>12.50</td><td>57.89</td><td>0.88</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>51.03</td><td>36.00</td><td>15.02</td><td>58.06</td><td>0.92</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	42.46	74.00	-31.54	52.45	34.52	12.50	57.89	0.88	--	Peak	2	7434.00	44.91	74.00	-29.09	51.03	36.00	15.02	58.06	0.92	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4956.00	42.55	74.00	-31.45	52.54	34.52	12.50	57.89	0.88	--	Peak																																																																																																														
2	7434.00	41.38	74.00	-32.62	47.50	36.00	15.02	58.06	0.92	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4956.00	42.46	74.00	-31.54	52.45	34.52	12.50	57.89	0.88	--	Peak																																																																																																														
2	7434.00	44.91	74.00	-29.09	51.03	36.00	15.02	58.06	0.92	--	Peak																																																																																																														



Mode	40	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS GFSK_CH76_2478MHz	
ANT	9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



Mode	41																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE CS GFSK _CH2_2404MHz																																																																																									
ANT	9																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-09-03  Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2319.87</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>39.47</td><td>32.10</td><td>8.55</td><td>34.54</td><td>10.01</td><td>400</td><td>28</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2319.87	55.59	74.00	-18.41	39.47	32.10	8.55	34.54	10.01	400	28	Peak	Level (dBuV/m) Date: 2026-09-03  Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>105.27</td><td>-----</td><td>-----</td><td>88.97</td><td>32.16</td><td>8.70</td><td>34.60</td><td>10.04</td><td>400</td><td>28</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2404.00	105.27	-----	-----	88.97	32.16	8.70	34.60	10.04	400	28	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2319.87	55.59	74.00	-18.41	39.47	32.10	8.55	34.54	10.01	400	28	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2404.00	105.27	-----	-----	88.97	32.16	8.70	34.60	10.04	400	28	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-09-03  Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:11.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2307.93</td><td>47.93</td><td>54.00</td><td>-6.07</td><td>31.71</td><td>32.10</td><td>8.67</td><td>34.59</td><td>10.04</td><td>400</td><td>28</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2307.93	47.93	54.00	-6.07	31.71	32.10	8.67	34.59	10.04	400	28	Average	Level (dBuV/m) Date: 2026-09-03  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:11.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>104.40</td><td>-----</td><td>-----</td><td>88.12</td><td>32.14</td><td>8.70</td><td>34.60</td><td>10.04</td><td>400</td><td>28</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2404.00	104.40	-----	-----	88.12	32.14	8.70	34.60	10.04	400	28	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2307.93	47.93	54.00	-6.07	31.71	32.10	8.67	34.59	10.04	400	28	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2404.00	104.40	-----	-----	88.12	32.14	8.70	34.60	10.04	400	28	Average																																																																														



Mode	41																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE CS GFSK_CH2_2404MHz																																																																																									
ANT	9																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.01</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>39.28</td><td>32.10</td><td>8.67</td><td>34.59</td><td>10.04</td><td>334</td><td>322</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2389.01	55.50	74.00	-18.50	39.28	32.10	8.67	34.59	10.04	334	322	Peak	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2404.00</td><td>107.31</td><td>74.00</td><td>33.31</td><td>91.01</td><td>32.16</td><td>8.70</td><td>34.60</td><td>10.04</td><td>334</td><td>322</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2404.00	107.31	74.00	33.31	91.01	32.16	8.70	34.60	10.04	334	322	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2389.01	55.50	74.00	-18.50	39.28	32.10	8.67	34.59	10.04	334	322	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2404.00	107.31	74.00	33.31	91.01	32.16	8.70	34.60	10.04	334	322	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:11.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2354.27</td><td>47.93</td><td>54.00</td><td>-6.07</td><td>31.73</td><td>32.14</td><td>8.61</td><td>34.57</td><td>10.02</td><td>334</td><td>322</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2354.27	47.93	54.00	-6.07	31.73	32.14	8.61	34.57	10.02	334	322	Average	Level (dBuV/m) Date: 2026-09-03 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:11.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2404.00</td><td>105.95</td><td>54.00</td><td>51.95</td><td>89.67</td><td>32.14</td><td>8.70</td><td>34.60</td><td>10.04</td><td>334</td><td>322</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2404.00	105.95	54.00	51.95	89.67	32.14	8.70	34.60	10.04	334	322	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2354.27	47.93	54.00	-6.07	31.73	32.14	8.61	34.57	10.02	334	322	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2404.00	105.95	54.00	51.95	89.67	32.14	8.70	34.60	10.04	334	322	Average																																																																														



Mode	41																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth-LE CS GFSK _CH2_2404MHz																																																																																																
ANT	9																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2026-09-14 PEAK_74 AVG_54 Frequency (MHz) Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4800.00</td><td>41.80</td><td>74.00</td><td>-32.20</td><td>52.15</td><td>34.50</td><td>12.33</td><td>58.08</td><td>0.90</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4800.00	41.80	74.00	-32.20	52.15	34.50	12.33	58.08	0.90	--	Peak	Level (dBuV/m) Date: 2026-09-14 PEAK_74 AVG_54 Frequency (MHz) Site : 03CH07-HY Condition: PEAK_74 3m HF_ANT_00075962 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4800.00</td><td>43.81</td><td>74.00</td><td>-30.19</td><td>54.16</td><td>34.50</td><td>12.33</td><td>58.08</td><td>0.90</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4800.00	43.81	74.00	-30.19	54.16	34.50	12.33	58.08	0.90	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4800.00	41.80	74.00	-32.20	52.15	34.50	12.33	58.08	0.90	--	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4800.00	43.81	74.00	-30.19	54.16	34.50	12.33	58.08	0.90	--	Peak																																																																																						



Mode	41	
	Harmonic	
	2400-2483.5_Bluetooth-LE CS GFSK _CH2_2404MHz	
ANT	9	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-14 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL