





Conducted Spurious Emission

FR1 n25 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



**Frequency Stability**

Test Conditions		FR1 n25 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0014	2.7	Yes	PASS
40	Normal Voltage	0.0030	-5.6	Yes	
30	Normal Voltage	0.0005	0.9	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0029	-5.4	Yes	
0	Normal Voltage	0.0082	-15.5	Yes	
-10	Normal Voltage	0.0039	-7.4	Yes	
-20	Normal Voltage	0.0006	1.1	Yes	
-30	Normal Voltage	0.0046	-8.6	Yes	
20	Maximum Voltage	0.0026	-4.8	Yes	
20	Normal Voltage	0.0000	0	Yes	
20	Minimum Voltage	0.0002	0.4	Yes	

Note:

1. Normal Voltage = 3.75 V. ; Minimum Voltage = 3.5 V. ; Maximum Voltage = 4.57 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.


**FR1 n25****<TxD Mode>****MIMO <Ant. 3+2> (Ant. 2)****Peak-to-Average Ratio**

Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	3.76	4.40	5.40	5.80	PASS
Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.60				PASS




FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM




**26dB Bandwidth**

Mode	FR1 n25 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	5.15	5.12	9.88	9.86	14.58	14.57	19.39	19.51
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	5.13		9.86		14.63		19.37	
BW	25MHz		30MHz		35MHz		40MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	24.38	24.31	31.03	31.03	34.66	34.70	41.14	41.29
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	24.42		31.01		34.65		41.18	




FR1 n25 / 5MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM






FR1 n25 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n25 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




01:45:46 PM 09/21/2026

QPSK



01:46:38 PM 09/21/2026

16QAM




01:47:31 PM 09/21/2026




FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n25 / 25MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n25 / 30MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n25 / 35MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM






**Occupied Bandwidth**

Mode	FR1 n25 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	4.50	4.47	8.98	8.99	13.46	13.51	18.00	17.99
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	4.49		9.03		13.53		17.96	
BW	25MHz		30MHz		35MHz		40MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	22.97	23.00	28.95	28.95	32.48	32.53	38.73	38.98
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	22.97		28.90		32.44		38.78	




FR1 n25 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




01:39:58 PM 09/21/2026

QPSK



01:40:51 PM 09/21/2026

16QAM




01:41:44 PM 09/21/2026




FR1 n25 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




01:42:39 PM 09/21/2026

QPSK



01:43:32 PM 09/21/2026

16QAM




01:44:25 PM 09/21/2026




FR1 n25 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




01:48:00 PM 09/21/2026

QPSK



01:49:12 PM 09/21/2026

16QAM




01:50:24 PM 09/21/2026




FR1 n25 / 25MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n25 / 30MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




01:58:38 PM 09/21/2026

QPSK



01:59:31 PM 09/21/2026

16QAM




02:00:24 PM 09/21/2026




FR1 n25 / 35MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




01:55:57 PM 09/21/2026

QPSK



01:56:50 PM 09/21/2026

16QAM




01:57:44 PM 09/21/2026




FR1 n25 / 40MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




02:01:19 PM 09/21/2026

QPSK



02:02:12 PM 09/21/2026

16QAM



02:03:04 PM 09/21/2026





Conducted Band Edge

FR1 n25 / 5MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n25 / 5MHz / DFT-S OFDM / QPSK


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n25 / 10MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 10MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n25 / 15MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 15MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n25 / 20MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 20MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n25 / 25MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 25MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n25 / 30MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 30MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n25 / 35MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 35MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n25 / 40MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n25 / 40MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







Conducted Spurious Emission

FR1 n25 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n25 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0060	11.3	Yes	PASS
40	Normal Voltage	0.0089	16.7	Yes	
30	Normal Voltage	0.0006	-1.2	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0061	11.5	Yes	
0	Normal Voltage	0.0003	-0.6	Yes	
-10	Normal Voltage	0.0087	16.3	Yes	
-20	Normal Voltage	0.0054	10.1	Yes	
-30	Normal Voltage	0.0089	16.7	Yes	
20	Maximum Voltage	0.0064	12	Yes	
20	Normal Voltage	0.0000	0	Yes	
20	Minimum Voltage	0.0085	15.9	Yes	

Note:

1. Normal Voltage = 3.75 V. ; Minimum Voltage = 3.5 V. ; Maximum Voltage = 4.57 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.

**FR1 n30****<CP Mode>****MIMO <Ant. 3+2> (Ant. 3)****Peak-to-Average Ratio**

Mode	FR1 n30 / 10MHz / CP OFDM				
Mod.	QPSK	16QAM	64QAM	256QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	6.76	6.76	7.12	8.64	PASS