



FCC CO-LOCATION RADIO TEST REPORT

FCC ID : IHDT56AX7
Equipment : Mobile Cellular Phone
Brand Name : Motorola
Model Name : XT2761-1, XT2761-2, XT2761-3, XT2761V
Applicant : Motorola Mobility LLC
222 W. Merchandise Mart Plaza, Chicago, IL
60654, USA
Manufacturer : Motorola Mobility LLC
222 W. Merchandise Mart Plaza, Chicago, IL
60654, USA
Standard : FCC Part 15 Subpart C §15.247
FCC Part 15 Subpart E §15.407
FCC 47 CFR Part 2, 96
47 CFR FCC Part 15.519

The product was received on Aug. 13, 2026 and testing was performed from Aug. 29, 2026 to Sep. 22, 2026. We, Sporton International Inc. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval from Sporton International Inc. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.

Louis Wu

Approved by: Louis Wu

Sporton International Inc. EMC & Wireless Communications Laboratory

No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333



Table of Contents

History of this test report.....	3
Summary of Test Result.....	4
1 General Description	5
1.1 Product Feature of Equipment Under Test.....	5
1.2 Modification of EUT	7
1.3 Testing Location	7
1.4 Applicable Standards.....	7
2 Test Configuration of Equipment Under Test	8
2.1 Carrier Frequency and Channel	8
2.2 Test Mode.....	8
2.3 Connection Diagram of Test System.....	9
2.4 EUT Operation Test Setup	9
3 Test Result	10
3.1 Unwanted Emissions Measurement	10
3.2 Antenna Requirements	18
4 List of Measuring Equipment.....	19
5 Measurement Uncertainty	20
Appendix A. Radiated Spurious Emission Test Result	
Appendix B. Duty Cycle Plots	



History of this test report

Report No.	Version	Description	Issue Date
FR672112K	01	Initial issue of report	Sep. 29, 2026

Summary of Test Result

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3.1	15.247(d) 15.407(b)	Unwanted Emissions	Pass	-
3.2	15.203	Antenna Requirement	Pass	-

Conformity Assessment Condition:

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the section "Measurement Uncertainty".

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Keven Cheng

Report Producer: Julia Chang

1 General Description

1.1 Product Feature of Equipment Under Test

Product Specification subject to this standard	
General Specs	GSM/WCDMA/LTE/5G NR, Bluetooth, Wi-Fi 2.4GHz 802.11b/g/n/ax/be, Wi-Fi 5GHz 802.11a/n/ac/ax/be, Wi-Fi 6GHz 802.11a/ax/be, NFC, WPT, UWB and GNSS.
Antenna Type	WWAN : IFA Antenna / Monopole Antenna WLAN : Loop Antenna Bluetooth : Loop Antenna GNSS: Loop Antenna / IFA Antenna NFC: Coil Loop Antenna WPT: Copper Coil Antenna UWB: Loop Antenna / IFA Antenna

Antenna information		
2400 MHz ~ 2483.5 MHz	Peak Gain (dBi)	<Ant5>: -3.5 <Ant9>: -4.2
5470 MHz ~ 5730 MHz	Peak Gain (dBi)	<Ant. 4>-3.40 <Ant. 9>-2.30
6525 MHz ~ 6875 MHz	Peak Gain (dBi)	<Ant. 4>-5.4 <Ant. 9>-5.2
6875 MHz ~ 7125 MHz	Peak Gain (dBi)	<Ant. 4>-5.4 <Ant. 9>-5.4

Remark: The EUT's information above is declared by manufacturer. Please refer to Disclaimer in report summary.

EUT Information List	
IMEI	Performed Test Item
351797130019470 351797130019488	Radiated Spurious Emission

Specification of Accessory				
AC Adapter 1 (US)	Brand Name	Motorola(AOHAI)	Model Name	MC-601
AC Adapter 1 (EU)	Brand Name	Motorola(AOHAI)	Model Name	MC-602
AC Adapter 1 (UK)	Brand Name	Motorola(AOHAI)	Model Name	MC-603
AC Adapter 1 (AR)	Brand Name	Motorola(AOHAI)	Model Name	MC-606
AC Adapter 1 (BR)	Brand Name	Motorola(AOHAI)	Model Name	MC-607
AC Adapter 1 (CHILE)	Brand Name	Motorola(AOHAI)	Model Name	MC-609
AC Adapter 2 (IN)	Brand Name	Motorola(AOHAI)	Model Name	MC-604
AC Adapter 3 (US)	Brand Name	Motorola(Chenyang)	Model Name	MC-601
AC Adapter 3 (EU)	Brand Name	Motorola(Chenyang)	Model Name	MC-602
AC Adapter 3 (UK)	Brand Name	Motorola(Chenyang)	Model Name	MC-603
AC Adapter 3 (AR)	Brand Name	Motorola(Chenyang)	Model Name	MC-606
AC Adapter 3 (BR)	Brand Name	Motorola(Chenyang)	Model Name	MC-607
AC Adapter 3 (CHILE)	Brand Name	Motorola(Chenyang)	Model Name	MC-609
AC Adapter 4 (IN)	Brand Name	Motorola(Chenyang)	Model Name	MC-604
Battery 1	Brand Name	Motorola(ATL)	Model Name	TP21
Battery 2	Brand Name	Motorola(ATL)	Model Name	TP29
USB Cable 1	Brand Name	Motorola(CABLETECH)	Model Name	SC18E05246
USB Cable 2	Brand Name	Motorola(SAIBAO)	Model Name	SC18D86732
Protective case 1	Brand Name	Motorola(Xinxiu)	Model Name	SS68F42393
Protective case 2	Brand Name	Motorola(Xinxiu)	Model Name	SS68F42394
Protective case 3	Brand Name	Motorola(Xinxiu)	Model Name	SS68F45123
Protective case 4	Brand Name	Motorola(Xinxiu)	Model Name	SS68F45124

1.2 Modification of EUT

No modifications made to the EUT during the testing.

1.3 Testing Location

The test location is accredited based on TAF code 1190 designated by NCC (National Communication Commission).

Test Site	Sporton International Inc. EMC & Wireless Communications Laboratory
Test Site Location	No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333

FCC designation No.: TW1190

Note: The test site complies with ANSI C63.4 2014 requirement.

1.4 Applicable Standards

According to the specifications declared by the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01.
- ♦ FCC KDB Publication No. 558074 D01 15.247 Meas Guidance v05r02
- ♦ FCC KDB 414788 D01 Radiated Test Site v01r01.
- ♦ FCC KDB 987594 D02 U-NII 6 GHz EMC Measurement v03
- ♦ FCC KDB 662911 D01 Multiple Transmitter Output v02r01
- ♦ FCC Part 15 Subpart C §15.247
- ♦ FCC Part 15 Subpart E
- ♦ ANSI C63.10-2020 + Cor.1-2023

Remark:

1. All the test items were validated and recorded in accordance with the standards without any modification during the testing.
2. The TAF code is not including all the FCC KDB listed without accreditation.
3. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.

2 Test Configuration of Equipment Under Test

- a. The EUT has been associated with peripherals and configuration operated in a manner tended to maximize its emission characteristics in a typical application. Frequency range investigated: radiation emission (9 kHz to the 10th harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower). For radiated measurement, the measured emission level of the EUT was maximized by rotating the EUT on a turntable, adjusting the orientation of the EUT and EUT antenna in three orthogonal axis (X: flat, Y: portrait, Z: landscape), and adjusting the measurement antenna orientation, following C63.10 exploratory test procedures and only the worst case emissions were reported in this report.

2.1 Carrier Frequency and Channel

2400-2483.5 MHz	
Bluetooth-LE GSKF	
Channel	Freq. (MHz)
39	2441

2400-2483.5 MHz	
802.11a / 802.11be EHT40	
Channel	Freq. (MHz)
05	2432


5470 MHz ~ 5725 MHz	
802.11a	
Channel	Freq. (MHz)
140	5700

6525 MHz ~ 7125 MHz	
802.11be EHT320	
Channel	Freq. (MHz)
191	6905
802.11be EHT160	
Channel	Freq. (MHz)
207	6985

2.2 Test Mode

The detailed Radiated test modes are shown in Appendix A

2.3 Connection Diagram of Test System



2.4 EUT Operation Test Setup

The RF test items, utility "QRCT Version 4.0.168.0" was installed in EUT which was programmed in order to make the EUT get into the engineering modes to provide channel selection, power level, data rate and the application type and for continuous transmitting signals.

3 Test Result

3.1 Unwanted Emissions Measurement

This section is to measure unwanted emissions through radiated measurement for band edge spurious emissions and out of band emissions measurement.

3.1.1 Limit of Unwanted Emissions

<For 2400 MHz ~ 2483.5 MHz>

In any 100 kHz bandwidth outside the intentional radiator frequency band, all harmonics/spurious must be at least 20 dB below the highest emission level within the authorized band. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, the attenuation required shall be 30 dB instead of 20 dB. In addition, radiated emissions which fall in the restricted bands must also comply with the limits as below.

<For 5470 MHz ~ 5725 MHz >

- (1) For transmitters operating in the 5470-5600 MHz and 5650-5725MHz band: all emissions outside of the 5470-5600 MHz and 5650-5725MHz band shall not exceed an EIRP of -27 dBm/MHz.
- (2) Unwanted spurious emissions falls in restricted bands shall comply with the general field strength limits as below table:

Frequency (MHz)	Field Strength (microvolts/meter)	Measurement Distance (meters)
0.009 – 0.490	2400/F(kHz)	300
0.490 – 1.705	24000/F(kHz)	30
1.705 – 30.0	30	30
30 – 88	100	3
88 – 216	150	3
216 - 960	200	3
Above 960	500	3

Note: The following formula is used to convert the EIRP to field strength.

$$E = \frac{1000000\sqrt{30P}}{3} \text{ } \mu\text{V/m, where P is the eirp (Watts)}$$

EIRP (dBm)	Field Strength at 3m (dBμV/m)
- 27	68.3

<For 6875 MHz ~ 7125 MHz >

- (1) For transmitters operating within the 5.925-7.125 GHz band: Any emissions outside of the 5.925-7.125 GHz band must not exceed an e.i.r.p. of -27 dBm/MHz.

EIRP (dBm)	Field Strength at 3m (dBμV/m)
- 27 (RMS)	68.3
- 7 (Peak)	88.3

According 987594 D02 U-NII 6GHz EMC Measurement v03 section G:

Unwanted emissions outside of restricted bands are measured with a RMS detector.

In addition, 15.35(b) applies where the peak emissions must be limited to no more than 20 dB above the average limit

- (2) Unwanted spurious emissions fallen in restricted bands shall comply with the general field strength limits as below table:

Frequency (MHz)	Field Strength (microvolts/meter)	Measurement Distance (meters)
0.009 – 0.490	2400/F(kHz)	300
0.490 – 1.705	24000/F(kHz)	30
1.705 – 30.0	30	30
30 – 88	100	3
88 – 216	150	3
216 - 960	200	3
Above 960	500	3

Note: The following formula is used to convert the EIRP to field strength.

$$E = \frac{1000000\sqrt{30P}}{3} \mu\text{V/m, where P is the eirp (Watts)}$$

3.1.2 Measuring Instruments

Please refer to the measuring equipment list in this test report.

3.1.3 Test Procedures

<For 2400 MHz ~ 2483.5 MHz>

1. The testing follows the ANSI C63.10 Section 11.12.1 Radiated emission measurements.
2. The EUT is arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading. A pre-amp and a high pass filter are used for the test in order to get better signal level.
3. The EUT is placed on a turntable with 0.8 meter for frequency below 1 GHz and 1.5 meter for frequency above 1 GHz respectively above ground.
4. The EUT is set 3 meters away from the receiving antenna, which is mounted on the top of a variable height antenna tower.
5. Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level
6. Radiated testing below 1 GHz is performed by adjusting the antenna tower from 1 m to 4 m and by rotating the turn table from 0 degree to 360 degrees to find the peak maximum hold reading. When there is no suspected emission found and the emission level is with at least 6 dB margin against QP limit line, the position is marked as “-”.
7. Radiated testing above 1 GHz is performed by adjusting the antenna tower from 1 m to 4 m and by rotating the turn table from 0 degree to 360 degrees to find the peak maximum hold reading for scanning all frequencies. When there is no suspected emission found and the harmonic emission level is with at least 6 dB margin against average limit line, the position is marked as “-”.
8. Use the following spectrum analyzer settings:
 - (1) Span shall wide enough to fully capture the emission being measured;
 - (2) Set RBW = 100 kHz for $f < 1$ GHz; VBW $\geq$ RBW; Sweep = auto; Detector function = peak; Trace = max hold;
 - (3) Set RBW = 1 MHz, VBW = 3 MHz for $f \geq 1$ GHz for peak measurement.
For average measurement:
 - VBW = 10 Hz, when duty cycle is no less than 98 percent.
 - VBW $\geq 1/T$, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.

**<For 5470 MHz ~ 5725 MHz >**

1. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01.
Section G) Unwanted emissions measurement.
(1) Procedure for Unwanted Emissions Measurements Below 1000 MHz
 - RBW = 120 kHz
 - VBW = 300 kHz
 - Detector = Peak
 - Trace mode = max hold(2) Procedure for Peak Unwanted Emissions Measurements Above 1000 MHz
 - RBW = 1 MHz
 - VBW $\geq$ 3 MHz
 - Detector = Peak
 - Sweep time = auto
 - Trace mode = max hold(3) Procedures for Average Unwanted Emissions Measurements Above 1000 MHz
 - RBW = 1 MHz
 - VBW = 10 Hz, when duty cycle is no less than 98 percent.
 - VBW $\geq$ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
2. The EUT is placed on a turntable with 0.8 meter for frequency below 1 GHz and 1.5 meter for frequency above 1 GHz respectively above ground.
3. The EUT is set 3 meters away from the receiving antenna which is mounted on the top of a variable height antenna tower.
4. The antenna is a broadband antenna and its height is adjusted between one meter and four meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
5. For each suspected emission, the EUT is arranged to its worst case and then adjust the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
6. Radiated testing below 1 GHz is performed by adjusting the antenna tower from 1 m to 4 m and by rotating the turn table from 0 degree to 360 degrees to find the peak maximum hold reading. When there is no suspected emission found and the emission level is with at least 6 dB margin against QP limit line, the position is marked as “-”.



7. Radiated testing above 1 GHz is performed by adjusting the antenna tower from 1 m to 4 m and by rotating the turn table from 0 degree to 360 degrees to find the peak maximum hold reading for scanning all frequencies. When there is no suspected emission found and the harmonic emission level is with at least 6 dB margin against average limit line, the position is marked as “-”.

<For 6525 MHz ~ 7125 MHz >


1. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01.
Section G) Unwanted emissions measurement.
(4) Procedure for Unwanted Emissions Measurements Below 1000MHz
 - RBW = 120 kHz
 - VBW = 300 kHz
 - Detector = Peak
 - Trace mode = max hold
(5) Procedure for Peak Unwanted Emissions Measurements Above 1000 MHz
 - RBW = 1 MHz
 - VBW $\geq$ 3 MHz
 - Detector = Peak
 - Sweep time = auto
 - Trace mode = max hold
(6) Procedures for Average Unwanted Emissions Measurements Above 1000MHz
 - RBW = 1 MHz
 - VBW = 10 Hz, when duty cycle is no less than 98 percent.
 - VBW $\geq$ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
2. The EUT is placed on a turntable with 0.8 meter for frequency below 1 GHz and 1.5 meter for frequency above 1 GHz respectively above ground.
3. The EUT is set 3 meters away from the receiving antenna which is mounted on the top of a variable height antenna tower.
4. The antenna is a broadband antenna and its height is adjusted between one meter and four meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
5. For each suspected emission, the EUT is arranged to its worst case and then adjust the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.

6. Radiated testing below 1 GHz is performed by adjusting the antenna tower from 1 m to 4 m and by rotating the turn table from 0 degree to 360 degrees to find the peak maximum hold reading. When there is no suspected emission found and the emission level is with at least 6 dB margin against QP limit line, the position is marked as “-”.


Radiated testing above 1 GHz is performed by adjusting the antenna tower from 1 m to 4 m and by rotating the turn table from 0 degree to 360 degrees to find the peak maximum hold reading for scanning all frequencies. When there is no suspected emission found and the harmonic emission level is with at least 6 dB margin against average limit line, the position is marked as “-”.

3.1.4 Test Setup


For radiated emissions below 30MHz




For radiated emissions from 30MHz to 1GHz



For radiated test from 1GHz to 18GHz



For radiated test above 18GHz



3.1.5 Test Results of Radiated Spurious Emissions (9 kHz ~ 30 MHz)

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

There is adequate comparison measurement of both open-field test site and alternative test site - semi-Anechoic chamber according to 414788 D01 Radiated Test Site **v01r01**, and the result came out very similar.



3.1.6 Test Result of Radiated Spurious at Band Edges

Please refer to Appendix A.

3.1.7 Duty Cycle

Please refer to Appendix B.

3.1.8 Test Result of Radiated Spurious Emissions (30MHz ~ 10th Harmonic)

Please refer to Appendix A.



3.2 Antenna Requirements

3.2.1 Standard Applicable

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of § 15.211, 15.213, 15.217, 15.219, 15.221, or § 15.236. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with § 15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.

3.2.2 Antenna Anti-Replacement Construction

Antenna permanently attached.



4 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Bilog Antenna	TESEQ	CBL 6111D & 00800N1D01N-06	35419 & 03	30MHz~1GHz	Mar. 21, 2026	Aug. 29, 2026 ~ Sep. 22, 2026	Mar. 20, 2027	Radiation (03CH07-HY)
Double Ridged Guide Horn Antenna	ETS-Lindgren	3117	00075962	1GHz ~ 18GHz	Dec. 09, 2025	Aug. 29, 2026 ~ Sep. 22, 2026	Dec. 08, 2026	Radiation (03CH07-HY)
Loop Antenna	Rohde & Schwarz	HFH2-Z2	100315	9 kHz~30 MHz	Mar. 16, 2026	Aug. 29, 2026 ~ Sep. 22, 2026	Mar. 15, 2027	Radiation (03CH07-HY)
Preamplifier	MITEQ	AMF-7D-0010 1800-30-10P	1590075	1GHz~18GHz	Apr. 17, 2026	Aug. 29, 2026 ~ Sep. 22, 2026	Apr. 16, 2027	Radiation (03CH07-HY)
Preamplifier	COM-POWER	PA-103A	161241	10MHz~1GHz	Sep. 30, 2025	Aug. 29, 2026 ~ Sep. 22, 2026	Sep. 29, 2026	Radiation (03CH07-HY)
Preamplifier	Agilent	8449B	3008A02362	1GHz~26.5GHz	Mar. 21, 2026	Aug. 29, 2026 ~ Sep. 22, 2026	Mar. 20, 2027	Radiation (03CH07-HY)
Preamplifier	EMEC	EM18G40G	0600789	18-40GHz	Aug. 14, 2026	Aug. 29, 2026 ~ Sep. 22, 2026	Aug. 13, 2027	Radiation (03CH07-HY)
Signal Analyzer	Agilent	N9030A	MY52350276	3Hz~44GHz	Apr. 09, 2026	Aug. 29, 2026 ~ Sep. 22, 2026	Apr. 08, 2027	Radiation (03CH07-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 104	MY28655/4 MY24971/4 MY15682/4	30MHz to 18GHz	Feb. 19, 2026	Aug. 29, 2026 ~ Sep. 22, 2026	Feb. 18, 2027	Radiation (03CH07-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 104	MY28655/4 MY24971/4	9kHz to 30MHz	Feb. 19, 2026	Aug. 29, 2026 ~ Sep. 22, 2026	Feb. 18, 2027	Radiation (03CH07-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 126	532078/126E	30MHz~18GHz	Sep. 13, 2025	Aug. 29, 2026 ~ Sep. 22, 2026	Sep. 12, 2026	Radiation (03CH07-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 126	532078/126E	30MHz~18GHz	Sep. 12, 2026		Sep. 11, 2027	Radiation (03CH07-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 126	532078/126E	30MHz~18GHz	Sep. 13, 2025	Aug. 29, 2026 ~ Sep. 22, 2026	Sep. 12, 2026	Radiation (03CH07-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 126	532078/126E	30MHz~18GHz	Sep. 12, 2026		Sep. 11, 2027	Radiation (03CH07-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	MY2858/2	18GHz~40GHz	Feb. 19, 2026	Aug. 29, 2026 ~ Sep. 22, 2026	Feb. 18, 2027	Radiation (03CH07-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	801606/2	9KHz ~ 40GHz	Apr. 22, 2026	Aug. 29, 2026 ~ Sep. 22, 2026	Apr. 21, 2027	Radiation (03CH07-HY)
Controller	EMEC	EM1000	N/A	Control Ant Mast	N/A	Aug. 29, 2026 ~ Sep. 22, 2026	N/A	Radiation (03CH07-HY)
Controller	MF	MF-7802	N/A	Control Turn table	N/A	Aug. 29, 2026 ~ Sep. 22, 2026	N/A	Radiation (03CH07-HY)
Antenna Mast	EMEC	AM-BS-4500E	N/A	Boresight mast 1M~4M	N/A	Aug. 29, 2026 ~ Sep. 22, 2026	N/A	Radiation (03CH07-HY)
Turn Table	ChainTek	Chaintek 3000	N/A	0~360 Degree	N/A	Aug. 29, 2026 ~ Sep. 22, 2026	N/A	Radiation (03CH07-HY)
Software	Audix	E3	RK-002396	N/A	N/A	Aug. 29, 2026 ~ Sep. 22, 2026	N/A	Radiation (03CH07-HY)
USB Data Logger	TECPEL	TR-32	HE17XB2495	N/A	Mar. 02, 2026	Aug. 29, 2026 ~ Sep. 22, 2026	Mar. 01, 2027	Radiation (03CH07-HY)
Horn Antenna	SCHWARZBECK	BBHA 9170	00991	18GHz~40GHz	Jun. 03, 2026	Aug. 29, 2026 ~ Sep. 22, 2026	Jun. 02, 2027	Radiation (03CH07-HY)

5 Measurement Uncertainty

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	6.20 dB
--	---------

Uncertainty of Radiated Emission Measurement (1000 MHz ~ 6000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.20 dB
--	---------

Uncertainty of Radiated Emission Measurement (6000 MHz ~ 18000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.38 dB
--	---------

Uncertainty of Radiated Emission Measurement (18000 MHz ~ 40000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.20 dB
--	---------



Appendix A. Radiated Spurious Emission Test Data

Test Engineer :	Jesse Wang, Stan Hsieh, Ken Wu	Temperature :	23.1~25.6°C
		Relative Humidity :	49.8~58.3%

Note symbol

-L	Low channel location
-R	High channel location



A1-1.Radiated Spurious Emission Test Modes

Mode	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2.400-2.4835	5+9	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
	5.47-5.725	4+9	802.11a	140	5700	6Mbps	-	-
			UWB1					
			LTE CA 48C_20M Ch55891 1RB99+ LTE CA 48C_20M Ch56089 1RB0					
Mode 2	2.400-2.4835	4+9	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
	5.47-5.725	4+9	802.11a	140	5700	6Mbps	-	-
			UWB2					
			LTE CA 48C_20M Ch55891 1RB99+ LTE CA 48C_20M Ch56089 1RB0					

**FCC RADIO TEST REPORT**

Report No. : FR672112K

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 3	2.400-2.4835	5+9	802.11be EHT40	05	2432	MCS0	Full RU	-
	5.47-5.725	4+9	802.11a	140	5700	6Mbps	-	-
			UWB1					
			LTE CA 48C_20M Ch55891 1RB99+ LTE CA 48C_20M Ch56089 1RB0					
Mode 4	2.400-2.4835	4+9	802.11be EHT40	05	2432	MCS0	Full RU	-
	5.47-5.725	4+9	802.11a	140	5700	6Mbps	-	-
			UWB2					
			LTE CA 48C_20M Ch55891 1RB99+ LTE CA 48C_20M Ch56089 1RB0					

A1-2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	-	Band Edge
	+	+									
	802.11a	140									
	+	+									
	UWB1	05	80.44	32.96	40.00	-7.04	H	QP	Pass	-	Harmonic
	+	+									
	LTE CA	48C									
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	-	Band Edge
	+	+									
	802.11a	140									
	+	+									
	UWB2	09	30.97	32.41	40.00	-7.59	V	Peak	Pass	-	Harmonic
	+	+									
	LTE CA	48C									



FCC RADIO TEST REPORT

Report No. : FR672112K

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
3	802.11be EHT40	05	-	-	-	-	-	-	-	Full RU	Band Edge
	+	+									
	802.11a	140									
	+	+									
	UWB1	05	7296.00	46.52	54.00	-7.48	H	Avg.	Pass	Full RU	Harmonic
	+	+									
	LTE CA	48C									
4	802.11be EHT40	05	-	-	-	-	-	-	-	Full RU	Band Edge
	+	+									
	802.11a	140									
	+	+									
	UWB2	09	7296.00	46.52	54.00	-7.48	V	Avg.	Pass	Full RU	Harmonic
	+	+									
	LTE CA	48C									



Mode	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	UWB_CH05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	LTE CA 48C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
ANT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Peak	Level (dBuV/m) Date: 2026-09-22 Site : 03CH07-HY Condition: PEAK(UNII) 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>56.19</td><td>24.88</td><td>40.00</td><td>-15.12</td><td>41.77</td><td>11.79</td><td>1.31</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>80.44</td><td>32.96</td><td>40.00</td><td>-7.04</td><td>47.71</td><td>13.61</td><td>1.56</td><td>29.92</td><td>0.00</td><td>200</td><td>48</td><td>QP</td><td></td></tr><tr><td>3</td><td>91.11</td><td>27.95</td><td>43.50</td><td>-15.55</td><td>41.53</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>377.26</td><td>25.71</td><td>46.00</td><td>-20.29</td><td>31.50</td><td>20.71</td><td>3.39</td><td>29.89</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>741.98</td><td>30.06</td><td>46.00</td><td>-15.94</td><td>27.04</td><td>27.04</td><td>4.81</td><td>29.63</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>948.59</td><td>28.36</td><td>46.00</td><td>-17.64</td><td>21.11</td><td>30.59</td><td>5.43</td><td>28.77</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2441.00</td><td>107.33</td><td>-----</td><td>-----</td><td>100.76</td><td>32.42</td><td>8.77</td><td>34.62</td><td>0.00</td><td>200</td><td>189</td><td>Peak</td><td></td></tr><tr><td>8</td><td>3625.00</td><td>95.53</td><td>-----</td><td>-----</td><td>85.45</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>100</td><td>179</td><td>Peak</td><td></td></tr><tr><td>9</td><td>4882.00</td><td>54.70</td><td>74.00</td><td>-19.30</td><td>43.08</td><td>34.43</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4882.00</td><td>43.30</td><td>54.00</td><td>-10.70</td><td>31.67</td><td>34.44</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>5700.00</td><td>108.69</td><td>-----</td><td>-----</td><td>95.39</td><td>35.10</td><td>13.27</td><td>35.07</td><td>0.00</td><td>100</td><td>246</td><td>Peak</td><td></td></tr><tr><td>12</td><td>6407.00</td><td>63.02</td><td>-----</td><td>-----</td><td>47.85</td><td>35.81</td><td>14.25</td><td>34.89</td><td>0.00</td><td>100</td><td>123</td><td>Peak</td><td></td></tr><tr><td>13</td><td>7323.00</td><td>56.50</td><td>74.00</td><td>-17.50</td><td>40.50</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>14</td><td>7323.00</td><td>46.12</td><td>54.00</td><td>-7.88</td><td>30.12</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>15</td><td>10875.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>46.62</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>11400.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>43.96</td><td>38.40</td><td>18.64</td><td>57.14</td><td>1.17</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>17100.00</td><td>50.36</td><td>68.20</td><td>-17.84</td><td>40.56</td><td>42.10</td><td>22.51</td><td>56.04</td><td>1.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table> <td> Level (dBuV/m) Date: 2026-09-22 Site : 03CH07-HY Condition: PEAK(UNII) 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>30.00</td><td>31.32</td><td>40.00</td><td>-8.68</td><td>36.42</td><td>23.93</td><td>0.96</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>89.17</td><td>35.37</td><td>43.50</td><td>-8.13</td><td>49.06</td><td>14.57</td><td>1.68</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>121.18</td><td>30.38</td><td>43.50</td><td>-13.12</td><td>40.71</td><td>17.67</td><td>1.96</td><td>29.96</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>241.46</td><td>31.24</td><td>46.00</td><td>-14.76</td><td>41.15</td><td>17.22</td><td>2.74</td><td>29.87</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>372.41</td><td>28.97</td><td>46.00</td><td>-17.03</td><td>34.86</td><td>20.64</td><td>3.37</td><td>29.90</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>741.01</td><td>34.09</td><td>46.00</td><td>-11.91</td><td>31.06</td><td>27.85</td><td>4.81</td><td>29.63</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2441.00</td><td>106.12</td><td>-----</td><td>-----</td><td>99.56</td><td>32.41</td><td>8.77</td><td>34.62</td><td>0.00</td><td>400</td><td>352</td><td>Peak</td><td></td></tr><tr><td>8</td><td>3625.00</td><td>92.80</td><td>-----</td><td>-----</td><td>82.72</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>400</td><td>298</td><td>Peak</td><td></td></tr><tr><td>9</td><td>4882.00</td><td>52.51</td><td>74.00</td><td>-21.49</td><td>40.88</td><td>34.44</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4882.00</td><td>43.74</td><td>54.00</td><td>-10.26</td><td>32.11</td><td>34.44</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>5700.00</td><td>106.05</td><td>-----</td><td>-----</td><td>93.55</td><td>35.10</td><td>13.27</td><td>35.07</td><td>0.00</td><td>400</td><td>262</td><td>Peak</td><td></td></tr><tr><td>12</td><td>6407.00</td><td>63.52</td><td>-----</td><td>-----</td><td>48.51</td><td>35.00</td><td>14.12</td><td>34.91</td><td>0.00</td><td>100</td><td>69</td><td>Peak</td><td></td></tr><tr><td>13</td><td>7323.00</td><td>56.05</td><td>74.00</td><td>-17.15</td><td>40.85</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>14</td><td>7323.00</td><td>46.11</td><td>54.00</td><td>-7.89</td><td>30.11</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>15</td><td>10875.00</td><td>49.56</td><td>74.00</td><td>-24.44</td><td>50.47</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>11400.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>43.05</td><td>38.40</td><td>18.64</td><td>57.14</td><td>1.17</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>17100.00</td><td>49.95</td><td>68.20</td><td>-18.25</td><td>40.15</td><td>42.10</td><td>22.51</td><td>56.04</td><td>1.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table> </td>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB		1	56.19	24.88	40.00	-15.12	41.77	11.79	1.31	29.99	0.00	--	--	--	Peak	2	80.44	32.96	40.00	-7.04	47.71	13.61	1.56	29.92	0.00	200	48	QP		3	91.11	27.95	43.50	-15.55	41.53	14.67	1.69	29.94	0.00	--	--	--	Peak	4	377.26	25.71	46.00	-20.29	31.50	20.71	3.39	29.89	0.00	--	--	--	Peak	5	741.98	30.06	46.00	-15.94	27.04	27.04	4.81	29.63	0.00	--	--	--	Peak	6	948.59	28.36	46.00	-17.64	21.11	30.59	5.43	28.77	0.00	--	--	--	Peak	7	2441.00	107.33	-----	-----	100.76	32.42	8.77	34.62	0.00	200	189	Peak		8	3625.00	95.53	-----	-----	85.45	33.30	10.70	33.92	0.00	100	179	Peak		9	4882.00	54.70	74.00	-19.30	43.08	34.43	12.41	35.22	0.00	--	--	--	Peak	10	4882.00	43.30	54.00	-10.70	31.67	34.44	12.41	35.22	0.00	--	--	--	Average	11	5700.00	108.69	-----	-----	95.39	35.10	13.27	35.07	0.00	100	246	Peak		12	6407.00	63.02	-----	-----	47.85	35.81	14.25	34.89	0.00	100	123	Peak		13	7323.00	56.50	74.00	-17.50	40.50	36.00	14.94	34.94	0.00	--	--	--	Peak	14	7323.00	46.12	54.00	-7.88	30.12	36.00	14.94	34.94	0.00	--	--	--	Average	15	10875.00	45.71	74.00	-28.29	46.62	38.00	18.14	58.21	1.16	--	--	--	Peak	16	11400.00	45.03	74.00	-28.97	43.96	38.40	18.64	57.14	1.17	--	--	--	Peak	17	17100.00	50.36	68.20	-17.84	40.56	42.10	22.51	56.04	1.23	--	--	--	Peak	Level (dBuV/m) Date: 2026-09-22 Site : 03CH07-HY Condition: PEAK(UNII) 1m SHF-EHF_9170991 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>30.00</td><td>31.32</td><td>40.00</td><td>-8.68</td><td>36.42</td><td>23.93</td><td>0.96</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>89.17</td><td>35.37</td><td>43.50</td><td>-8.13</td><td>49.06</td><td>14.57</td><td>1.68</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>121.18</td><td>30.38</td><td>43.50</td><td>-13.12</td><td>40.71</td><td>17.67</td><td>1.96</td><td>29.96</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>241.46</td><td>31.24</td><td>46.00</td><td>-14.76</td><td>41.15</td><td>17.22</td><td>2.74</td><td>29.87</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>372.41</td><td>28.97</td><td>46.00</td><td>-17.03</td><td>34.86</td><td>20.64</td><td>3.37</td><td>29.90</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>741.01</td><td>34.09</td><td>46.00</td><td>-11.91</td><td>31.06</td><td>27.85</td><td>4.81</td><td>29.63</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2441.00</td><td>106.12</td><td>-----</td><td>-----</td><td>99.56</td><td>32.41</td><td>8.77</td><td>34.62</td><td>0.00</td><td>400</td><td>352</td><td>Peak</td><td></td></tr><tr><td>8</td><td>3625.00</td><td>92.80</td><td>-----</td><td>-----</td><td>82.72</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>400</td><td>298</td><td>Peak</td><td></td></tr><tr><td>9</td><td>4882.00</td><td>52.51</td><td>74.00</td><td>-21.49</td><td>40.88</td><td>34.44</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4882.00</td><td>43.74</td><td>54.00</td><td>-10.26</td><td>32.11</td><td>34.44</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>5700.00</td><td>106.05</td><td>-----</td><td>-----</td><td>93.55</td><td>35.10</td><td>13.27</td><td>35.07</td><td>0.00</td><td>400</td><td>262</td><td>Peak</td><td></td></tr><tr><td>12</td><td>6407.00</td><td>63.52</td><td>-----</td><td>-----</td><td>48.51</td><td>35.00</td><td>14.12</td><td>34.91</td><td>0.00</td><td>100</td><td>69</td><td>Peak</td><td></td></tr><tr><td>13</td><td>7323.00</td><td>56.05</td><td>74.00</td><td>-17.15</td><td>40.85</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>14</td><td>7323.00</td><td>46.11</td><td>54.00</td><td>-7.89</td><td>30.11</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>15</td><td>10875.00</td><td>49.56</td><td>74.00</td><td>-24.44</td><td>50.47</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>11400.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>43.05</td><td>38.40</td><td>18.64</td><td>57.14</td><td>1.17</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>17100.00</td><td>49.95</td><td>68.20</td><td>-18.25</td><td>40.15</td><td>42.10</td><td>22.51</td><td>56.04</td><td>1.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB		1	30.00	31.32	40.00	-8.68	36.42	23.93	0.96	29.99	0.00	--	--	--	Peak	2	89.17	35.37	43.50	-8.13	49.06	14.57	1.68	29.94	0.00	--	--	--	Peak	3	121.18	30.38	43.50	-13.12	40.71	17.67	1.96	29.96	0.00	--	--	--	Peak	4	241.46	31.24	46.00	-14.76	41.15	17.22	2.74	29.87	0.00	--	--	--	Peak	5	372.41	28.97	46.00	-17.03	34.86	20.64	3.37	29.90	0.00	--	--	--	Peak	6	741.01	34.09	46.00	-11.91	31.06	27.85	4.81	29.63	0.00	--	--	--	Peak	7	2441.00	106.12	-----	-----	99.56	32.41	8.77	34.62	0.00	400	352	Peak		8	3625.00	92.80	-----	-----	82.72	33.30	10.70	33.92	0.00	400	298	Peak		9	4882.00	52.51	74.00	-21.49	40.88	34.44	12.41	35.22	0.00	--	--	--	Peak	10	4882.00	43.74	54.00	-10.26	32.11	34.44	12.41	35.22	0.00	--	--	--	Average	11	5700.00	106.05	-----	-----	93.55	35.10	13.27	35.07	0.00	400	262	Peak		12	6407.00	63.52	-----	-----	48.51	35.00	14.12	34.91	0.00	100	69	Peak		13	7323.00	56.05	74.00	-17.15	40.85	36.00	14.94	34.94	0.00	--	--	--	Peak	14	7323.00	46.11	54.00	-7.89	30.11	36.00	14.94	34.94	0.00	--	--	--	Average	15	10875.00	49.56	74.00	-24.44	50.47	38.00	18.14	58.21	1.16	--	--	--	Peak	16	11400.00	44.92	74.00	-29.08	43.05	38.40	18.64	57.14	1.17	--	--	--	Peak	17	17100.00	49.95	68.20	-18.25	40.15	42.10	22.51	56.04	1.23	--	--	--	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
1	56.19	24.88	40.00	-15.12	41.77	11.79	1.31	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
2	80.44	32.96	40.00	-7.04	47.71	13.61	1.56	29.92	0.00	200	48	QP																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
3	91.11	27.95	43.50	-15.55	41.53	14.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
4	377.26	25.71	46.00	-20.29	31.50	20.71	3.39	29.89	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
5	741.98	30.06	46.00	-15.94	27.04	27.04	4.81	29.63	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
6	948.59	28.36	46.00	-17.64	21.11	30.59	5.43	28.77	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
7	2441.00	107.33	-----	-----	100.76	32.42	8.77	34.62	0.00	200	189	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
8	3625.00	95.53	-----	-----	85.45	33.30	10.70	33.92	0.00	100	179	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
9	4882.00	54.70	74.00	-19.30	43.08	34.43	12.41	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
10	4882.00	43.30	54.00	-10.70	31.67	34.44	12.41	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
11	5700.00	108.69	-----	-----	95.39	35.10	13.27	35.07	0.00	100	246	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
12	6407.00	63.02	-----	-----	47.85	35.81	14.25	34.89	0.00	100	123	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
13	7323.00	56.50	74.00	-17.50	40.50	36.00	14.94	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
14	7323.00	46.12	54.00	-7.88	30.12	36.00	14.94	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
15	10875.00	45.71	74.00	-28.29	46.62	38.00	18.14	58.21	1.16	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
16	11400.00	45.03	74.00	-28.97	43.96	38.40	18.64	57.14	1.17	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
17	17100.00	50.36	68.20	-17.84	40.56	42.10	22.51	56.04	1.23	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
1	30.00	31.32	40.00	-8.68	36.42	23.93	0.96	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
2	89.17	35.37	43.50	-8.13	49.06	14.57	1.68	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
3	121.18	30.38	43.50	-13.12	40.71	17.67	1.96	29.96	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
4	241.46	31.24	46.00	-14.76	41.15	17.22	2.74	29.87	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
5	372.41	28.97	46.00	-17.03	34.86	20.64	3.37	29.90	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
6	741.01	34.09	46.00	-11.91	31.06	27.85	4.81	29.63	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
7	2441.00	106.12	-----	-----	99.56	32.41	8.77	34.62	0.00	400	352	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
8	3625.00	92.80	-----	-----	82.72	33.30	10.70	33.92	0.00	400	298	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
9	4882.00	52.51	74.00	-21.49	40.88	34.44	12.41	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
10	4882.00	43.74	54.00	-10.26	32.11	34.44	12.41	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
11	5700.00	106.05	-----	-----	93.55	35.10	13.27	35.07	0.00	400	262	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
12	6407.00	63.52	-----	-----	48.51	35.00	14.12	34.91	0.00	100	69	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
13	7323.00	56.05	74.00	-17.15	40.85	36.00	14.94	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
14	7323.00	46.11	54.00	-7.89	30.11	36.00	14.94	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
15	10875.00	49.56	74.00	-24.44	50.47	38.00	18.14	58.21	1.16	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
16	11400.00	44.92	74.00	-29.08	43.05	38.40	18.64	57.14	1.17	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
17	17100.00	49.95	68.20	-18.25	40.15	42.10	22.51	56.04	1.23	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									



Remark: The unwanted signal 2441.000MHz、3625.000MHz、5700.000MHz、6407.000MHz、2441.000MHz、3625.000MHz、5700.000MHz、6407.000MHz can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	1	
	Harmonic	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz	
	+	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
	+	
	UWB_CH05	
	+	
	LTE CA 48C	
ANT		
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-22 AVG_54 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-22 AVG_54 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



17.7G
~18G
Avg





Mode	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	UWB_CH09																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	LTE CA 48C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
ANT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Peak	Site : 03CH07-HY Condition: PEAK(UNII) 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>19.75</td><td>40.00</td><td>-20.25</td><td>25.03</td><td>23.74</td><td>0.97</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>55.22</td><td>19.22</td><td>40.00</td><td>-20.78</td><td>35.90</td><td>12.02</td><td>1.29</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>91.11</td><td>30.50</td><td>43.50</td><td>-13.00</td><td>44.08</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>267.65</td><td>27.86</td><td>46.00</td><td>-18.14</td><td>35.70</td><td>19.11</td><td>2.89</td><td>29.84</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>744.89</td><td>32.34</td><td>46.00</td><td>-13.66</td><td>29.23</td><td>27.91</td><td>4.83</td><td>29.63</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>959.26</td><td>28.71</td><td>46.00</td><td>-17.29</td><td>21.87</td><td>30.87</td><td>5.47</td><td>28.70</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2441.00</td><td>187.35</td><td>-----</td><td>-----</td><td>100.78</td><td>32.42</td><td>8.77</td><td>34.62</td><td>0.00</td><td>200</td><td>171</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>96.52</td><td>-----</td><td>-----</td><td>86.44</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>300</td><td>183</td><td>Peak</td></tr><tr><td>9</td><td>4882.00</td><td>54.77</td><td>74.00</td><td>-19.23</td><td>43.15</td><td>34.43</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4882.00</td><td>43.82</td><td>54.00</td><td>-10.18</td><td>32.20</td><td>34.43</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>5700.00</td><td>108.95</td><td>-----</td><td>-----</td><td>95.65</td><td>35.10</td><td>13.27</td><td>35.07</td><td>0.00</td><td>100</td><td>242</td><td>Peak</td></tr><tr><td>12</td><td>7323.00</td><td>55.84</td><td>74.00</td><td>-18.16</td><td>39.84</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>13</td><td>7323.00</td><td>46.05</td><td>54.00</td><td>-7.95</td><td>30.05</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>14</td><td>7974.00</td><td>56.65</td><td>-----</td><td>-----</td><td>39.77</td><td>36.30</td><td>15.57</td><td>34.99</td><td>0.00</td><td>100</td><td>220</td><td>Peak</td></tr><tr><td>15</td><td>10875.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>45.40</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>11400.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>44.64</td><td>38.40</td><td>18.64</td><td>57.14</td><td>1.17</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>17100.00</td><td>50.36</td><td>68.20</td><td>-17.84</td><td>40.56</td><td>42.10</td><td>22.51</td><td>56.04</td><td>1.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table> Site : 03CH07-HY Condition: PEAK(UNII) 1m SHF-EHF_9170991 VERTICAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>32.41</td><td>40.00</td><td>-7.59</td><td>37.69</td><td>23.74</td><td>0.97</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>50.37</td><td>32.31</td><td>40.00</td><td>-7.69</td><td>47.20</td><td>13.87</td><td>1.24</td><td>30.00</td><td>0.00</td><td>100</td><td>98</td><td>QP</td></tr><tr><td>3</td><td>91.11</td><td>34.85</td><td>43.50</td><td>-8.65</td><td>48.43</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>283.63</td><td>26.07</td><td>43.50</td><td>-17.43</td><td>38.58</td><td>14.92</td><td>2.51</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>341.37</td><td>26.46</td><td>46.00</td><td>-19.54</td><td>33.15</td><td>19.95</td><td>3.25</td><td>29.89</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>739.07</td><td>37.32</td><td>46.00</td><td>-8.68</td><td>34.36</td><td>27.79</td><td>4.80</td><td>29.63</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2441.00</td><td>185.08</td><td>-----</td><td>-----</td><td>98.52</td><td>32.41</td><td>8.77</td><td>34.62</td><td>0.00</td><td>400</td><td>349</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>93.66</td><td>-----</td><td>-----</td><td>83.58</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>400</td><td>280</td><td>Peak</td></tr><tr><td>9</td><td>4882.00</td><td>52.39</td><td>74.00</td><td>-21.61</td><td>40.76</td><td>34.44</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4882.00</td><td>41.07</td><td>54.00</td><td>-12.93</td><td>29.44</td><td>34.44</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>5700.00</td><td>107.03</td><td>-----</td><td>-----</td><td>93.73</td><td>35.10</td><td>13.27</td><td>35.07</td><td>0.00</td><td>300</td><td>278</td><td>Peak</td></tr><tr><td>12</td><td>7323.00</td><td>56.35</td><td>74.00</td><td>-17.65</td><td>40.35</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>13</td><td>7323.00</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>29.97</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>14</td><td>7974.00</td><td>57.02</td><td>-----</td><td>-----</td><td>40.14</td><td>36.30</td><td>15.57</td><td>34.99</td><td>0.00</td><td>100</td><td>178</td><td>Peak</td></tr><tr><td>15</td><td>10875.00</td><td>51.82</td><td>74.00</td><td>-22.18</td><td>52.73</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>11400.00</td><td>44.77</td><td>74.00</td><td>-29.23</td><td>43.70</td><td>38.40</td><td>18.64</td><td>57.14</td><td>1.17</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>17100.00</td><td>50.57</td><td>68.20</td><td>-17.63</td><td>40.77</td><td>42.10</td><td>22.51</td><td>56.04</td><td>1.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	30.97	19.75	40.00	-20.25	25.03	23.74	0.97	29.99	0.00	--	--	--	Peak	2	55.22	19.22	40.00	-20.78	35.90	12.02	1.29	29.99	0.00	--	--	--	Peak	3	91.11	30.50	43.50	-13.00	44.08	14.67	1.69	29.94	0.00	--	--	--	Peak	4	267.65	27.86	46.00	-18.14	35.70	19.11	2.89	29.84	0.00	--	--	--	Peak	5	744.89	32.34	46.00	-13.66	29.23	27.91	4.83	29.63	0.00	--	--	--	Peak	6	959.26	28.71	46.00	-17.29	21.87	30.87	5.47	28.70	0.00	--	--	--	Peak	7	2441.00	187.35	-----	-----	100.78	32.42	8.77	34.62	0.00	200	171	Peak	8	3625.00	96.52	-----	-----	86.44	33.30	10.70	33.92	0.00	300	183	Peak	9	4882.00	54.77	74.00	-19.23	43.15	34.43	12.41	35.22	0.00	--	--	--	Peak	10	4882.00	43.82	54.00	-10.18	32.20	34.43	12.41	35.22	0.00	--	--	--	Average	11	5700.00	108.95	-----	-----	95.65	35.10	13.27	35.07	0.00	100	242	Peak	12	7323.00	55.84	74.00	-18.16	39.84	36.00	14.94	34.94	0.00	--	--	--	Peak	13	7323.00	46.05	54.00	-7.95	30.05	36.00	14.94	34.94	0.00	--	--	--	Average	14	7974.00	56.65	-----	-----	39.77	36.30	15.57	34.99	0.00	100	220	Peak	15	10875.00	44.49	74.00	-29.51	45.40	38.00	18.14	58.21	1.16	--	--	--	Peak	16	11400.00	45.71	74.00	-28.29	44.64	38.40	18.64	57.14	1.17	--	--	--	Peak	17	17100.00	50.36	68.20	-17.84	40.56	42.10	22.51	56.04	1.23	--	--	--	Peak	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	30.97	32.41	40.00	-7.59	37.69	23.74	0.97	29.99	0.00	--	--	--	Peak	2	50.37	32.31	40.00	-7.69	47.20	13.87	1.24	30.00	0.00	100	98	QP	3	91.11	34.85	43.50	-8.65	48.43	14.67	1.69	29.94	0.00	--	--	--	Peak	4	283.63	26.07	43.50	-17.43	38.58	14.92	2.51	29.94	0.00	--	--	--	Peak	5	341.37	26.46	46.00	-19.54	33.15	19.95	3.25	29.89	0.00	--	--	--	Peak	6	739.07	37.32	46.00	-8.68	34.36	27.79	4.80	29.63	0.00	--	--	--	Peak	7	2441.00	185.08	-----	-----	98.52	32.41	8.77	34.62	0.00	400	349	Peak	8	3625.00	93.66	-----	-----	83.58	33.30	10.70	33.92	0.00	400	280	Peak	9	4882.00	52.39	74.00	-21.61	40.76	34.44	12.41	35.22	0.00	--	--	--	Peak	10	4882.00	41.07	54.00	-12.93	29.44	34.44	12.41	35.22	0.00	--	--	--	Average	11	5700.00	107.03	-----	-----	93.73	35.10	13.27	35.07	0.00	300	278	Peak	12	7323.00	56.35	74.00	-17.65	40.35	36.00	14.94	34.94	0.00	--	--	--	Peak	13	7323.00	45.97	54.00	-8.03	29.97	36.00	14.94	34.94	0.00	--	--	--	Average	14	7974.00	57.02	-----	-----	40.14	36.30	15.57	34.99	0.00	100	178	Peak	15	10875.00	51.82	74.00	-22.18	52.73	38.00	18.14	58.21	1.16	--	--	--	Peak	16	11400.00	44.77	74.00	-29.23	43.70	38.40	18.64	57.14	1.17	--	--	--	Peak	17	17100.00	50.57	68.20	-17.63	40.77	42.10	22.51	56.04	1.23	--	--	--	Peak
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
1	30.97	19.75	40.00	-20.25	25.03	23.74	0.97	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
2	55.22	19.22	40.00	-20.78	35.90	12.02	1.29	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
3	91.11	30.50	43.50	-13.00	44.08	14.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
4	267.65	27.86	46.00	-18.14	35.70	19.11	2.89	29.84	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
5	744.89	32.34	46.00	-13.66	29.23	27.91	4.83	29.63	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
6	959.26	28.71	46.00	-17.29	21.87	30.87	5.47	28.70	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
7	2441.00	187.35	-----	-----	100.78	32.42	8.77	34.62	0.00	200	171	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
8	3625.00	96.52	-----	-----	86.44	33.30	10.70	33.92	0.00	300	183	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
9	4882.00	54.77	74.00	-19.23	43.15	34.43	12.41	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
10	4882.00	43.82	54.00	-10.18	32.20	34.43	12.41	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
11	5700.00	108.95	-----	-----	95.65	35.10	13.27	35.07	0.00	100	242	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
12	7323.00	55.84	74.00	-18.16	39.84	36.00	14.94	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
13	7323.00	46.05	54.00	-7.95	30.05	36.00	14.94	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
14	7974.00	56.65	-----	-----	39.77	36.30	15.57	34.99	0.00	100	220	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
15	10875.00	44.49	74.00	-29.51	45.40	38.00	18.14	58.21	1.16	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
16	11400.00	45.71	74.00	-28.29	44.64	38.40	18.64	57.14	1.17	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
17	17100.00	50.36	68.20	-17.84	40.56	42.10	22.51	56.04	1.23	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
1	30.97	32.41	40.00	-7.59	37.69	23.74	0.97	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
2	50.37	32.31	40.00	-7.69	47.20	13.87	1.24	30.00	0.00	100	98	QP																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
3	91.11	34.85	43.50	-8.65	48.43	14.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
4	283.63	26.07	43.50	-17.43	38.58	14.92	2.51	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
5	341.37	26.46	46.00	-19.54	33.15	19.95	3.25	29.89	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
6	739.07	37.32	46.00	-8.68	34.36	27.79	4.80	29.63	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
7	2441.00	185.08	-----	-----	98.52	32.41	8.77	34.62	0.00	400	349	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
8	3625.00	93.66	-----	-----	83.58	33.30	10.70	33.92	0.00	400	280	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
9	4882.00	52.39	74.00	-21.61	40.76	34.44	12.41	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
10	4882.00	41.07	54.00	-12.93	29.44	34.44	12.41	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
11	5700.00	107.03	-----	-----	93.73	35.10	13.27	35.07	0.00	300	278	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
12	7323.00	56.35	74.00	-17.65	40.35	36.00	14.94	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
13	7323.00	45.97	54.00	-8.03	29.97	36.00	14.94	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
14	7974.00	57.02	-----	-----	40.14	36.30	15.57	34.99	0.00	100	178	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
15	10875.00	51.82	74.00	-22.18	52.73	38.00	18.14	58.21	1.16	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
16	11400.00	44.77	74.00	-29.23	43.70	38.40	18.64	57.14	1.17	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
17	17100.00	50.57	68.20	-17.63	40.77	42.10	22.51	56.04	1.23	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															



Remark: The unwanted signal 2441.000MHz、3625.000MHz、5700.000MHz、7974.000MHz、2441.000MHz、3625.000MHz、5700.000MHz、7974.000MHz can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).





Mode	2	
	Harmonic	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz	
	+	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
	+	
	UWB_CH09	
	+	
	LTE CA 48C	
ANT		
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-22 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-22 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



17.7G
~18G
Avg





Mode	3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	2400-2483.5_802.11be EHT40_CH05_Full RU_2432MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	UWB_CH05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	LTE CA 48C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
ANT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Peak	 Site : 03CH07-HY Condition: PEAK(UNII) 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>32.91</td><td>20.08</td><td>40.00</td><td>-19.92</td><td>26.29</td><td>22.00</td><td>0.99</td><td>30.00</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>91.11</td><td>27.15</td><td>43.50</td><td>-16.35</td><td>40.73</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>107.60</td><td>23.10</td><td>43.50</td><td>-20.40</td><td>34.57</td><td>16.64</td><td>1.83</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>720.64</td><td>30.17</td><td>46.00</td><td>-15.83</td><td>28.18</td><td>26.90</td><td>4.71</td><td>29.62</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>744.89</td><td>29.39</td><td>46.00</td><td>-16.61</td><td>26.28</td><td>27.91</td><td>4.83</td><td>29.63</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>945.68</td><td>28.59</td><td>46.00</td><td>-17.41</td><td>21.66</td><td>30.30</td><td>5.42</td><td>28.79</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2432.00</td><td>99.41</td><td>-----</td><td>-----</td><td>92.99</td><td>32.30</td><td>8.73</td><td>34.61</td><td>0.00</td><td>300</td><td>144</td><td>Peak</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>95.64</td><td>-----</td><td>-----</td><td>85.56</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>300</td><td>189</td><td>Peak</td><td>Peak</td></tr><tr><td>9</td><td>4864.00</td><td>51.91</td><td>74.00</td><td>-22.09</td><td>40.27</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4864.00</td><td>41.61</td><td>54.00</td><td>-12.39</td><td>29.97</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>5700.00</td><td>108.45</td><td>-----</td><td>-----</td><td>95.15</td><td>35.10</td><td>13.27</td><td>35.07</td><td>0.00</td><td>100</td><td>122</td><td>Peak</td><td>Peak</td></tr><tr><td>12</td><td>6407.00</td><td>63.25</td><td>-----</td><td>-----</td><td>48.23</td><td>35.00</td><td>14.13</td><td>34.91</td><td>0.00</td><td>100</td><td>131</td><td>Peak</td><td>Peak</td></tr><tr><td>13</td><td>7296.00</td><td>57.24</td><td>74.00</td><td>-16.76</td><td>41.25</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>14</td><td>7296.00</td><td>46.52</td><td>54.00</td><td>-7.48</td><td>30.53</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>15</td><td>10875.00</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>45.19</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>11400.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>43.92</td><td>38.40</td><td>18.64</td><td>57.14</td><td>1.31</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>17100.00</td><td>49.00</td><td>68.20</td><td>-18.40</td><td>39.82</td><td>42.10</td><td>22.51</td><td>56.04</td><td>1.41</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	32.91	20.08	40.00	-19.92	26.29	22.00	0.99	30.00	0.00	--	--	--	Peak	2	91.11	27.15	43.50	-16.35	40.73	14.67	1.69	29.94	0.00	--	--	--	Peak	3	107.60	23.10	43.50	-20.40	34.57	16.64	1.83	29.94	0.00	--	--	--	Peak	4	720.64	30.17	46.00	-15.83	28.18	26.90	4.71	29.62	0.00	--	--	--	Peak	5	744.89	29.39	46.00	-16.61	26.28	27.91	4.83	29.63	0.00	--	--	--	Peak	6	945.68	28.59	46.00	-17.41	21.66	30.30	5.42	28.79	0.00	--	--	--	Peak	7	2432.00	99.41	-----	-----	92.99	32.30	8.73	34.61	0.00	300	144	Peak	Peak	8	3625.00	95.64	-----	-----	85.56	33.30	10.70	33.92	0.00	300	189	Peak	Peak	9	4864.00	51.91	74.00	-22.09	40.27	34.47	12.39	35.22	0.00	--	--	--	Peak	10	4864.00	41.61	54.00	-12.39	29.97	34.47	12.39	35.22	0.00	--	--	--	Average	11	5700.00	108.45	-----	-----	95.15	35.10	13.27	35.07	0.00	100	122	Peak	Peak	12	6407.00	63.25	-----	-----	48.23	35.00	14.13	34.91	0.00	100	131	Peak	Peak	13	7296.00	57.24	74.00	-16.76	41.25	36.01	14.92	34.94	0.00	--	--	--	Peak	14	7296.00	46.52	54.00	-7.48	30.53	36.01	14.92	34.94	0.00	--	--	--	Average	15	10875.00	44.35	74.00	-29.65	45.19	38.00	18.14	58.21	1.23	--	--	--	Peak	16	11400.00	45.13	74.00	-28.87	43.92	38.40	18.64	57.14	1.31	--	--	--	Peak	17	17100.00	49.00	68.20	-18.40	39.82	42.10	22.51	56.04	1.41	--	--	--	Peak	 Site : 03CH07-HY Condition: PEAK(UNII) 1m SHF-EHF_9170991 VERTICAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>31.84</td><td>40.00</td><td>-8.16</td><td>37.12</td><td>23.74</td><td>0.97</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>52.31</td><td>29.46</td><td>40.00</td><td>-10.54</td><td>45.33</td><td>12.87</td><td>1.26</td><td>30.00</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>91.11</td><td>35.83</td><td>43.50</td><td>-7.67</td><td>49.41</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>731.31</td><td>31.21</td><td>46.00</td><td>-14.79</td><td>28.09</td><td>27.38</td><td>4.76</td><td>29.62</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>737.13</td><td>32.25</td><td>46.00</td><td>-13.75</td><td>29.39</td><td>27.69</td><td>4.79</td><td>29.62</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>956.35</td><td>28.50</td><td>46.00</td><td>-17.50</td><td>21.01</td><td>30.75</td><td>5.46</td><td>28.72</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2432.00</td><td>100.51</td><td>-----</td><td>-----</td><td>94.00</td><td>32.30</td><td>8.74</td><td>34.61</td><td>0.00</td><td>400</td><td>325</td><td>Peak</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>95.28</td><td>-----</td><td>-----</td><td>85.20</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>400</td><td>303</td><td>Peak</td><td>Peak</td></tr><tr><td>9</td><td>4864.00</td><td>52.24</td><td>74.00</td><td>-21.76</td><td>40.60</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4864.00</td><td>42.19</td><td>54.00</td><td>-11.81</td><td>30.55</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>5700.00</td><td>107.09</td><td>-----</td><td>-----</td><td>93.80</td><td>35.09</td><td>13.27</td><td>35.07</td><td>0.00</td><td>300</td><td>287</td><td>Peak</td><td>Peak</td></tr><tr><td>12</td><td>6407.00</td><td>64.05</td><td>-----</td><td>-----</td><td>48.99</td><td>35.00</td><td>14.16</td><td>34.90</td><td>0.00</td><td>300</td><td>256</td><td>Peak</td><td>Peak</td></tr><tr><td>13</td><td>7296.00</td><td>56.50</td><td>74.00</td><td>-17.50</td><td>40.51</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>14</td><td>7296.00</td><td>45.87</td><td>54.00</td><td>-8.13</td><td>29.88</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>15</td><td>10875.00</td><td>50.47</td><td>74.00</td><td>-23.53</td><td>51.31</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>11400.00</td><td>44.74</td><td>74.00</td><td>-29.26</td><td>43.53</td><td>38.40</td><td>18.64</td><td>57.14</td><td>1.31</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>17100.00</td><td>50.53</td><td>68.20</td><td>-17.67</td><td>40.55</td><td>42.10</td><td>22.51</td><td>56.04</td><td>1.41</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.97	31.84	40.00	-8.16	37.12	23.74	0.97	29.99	0.00	--	--	--	Peak	2	52.31	29.46	40.00	-10.54	45.33	12.87	1.26	30.00	0.00	--	--	--	Peak	3	91.11	35.83	43.50	-7.67	49.41	14.67	1.69	29.94	0.00	--	--	--	Peak	4	731.31	31.21	46.00	-14.79	28.09	27.38	4.76	29.62	0.00	--	--	--	Peak	5	737.13	32.25	46.00	-13.75	29.39	27.69	4.79	29.62	0.00	--	--	--	Peak	6	956.35	28.50	46.00	-17.50	21.01	30.75	5.46	28.72	0.00	--	--	--	Peak	7	2432.00	100.51	-----	-----	94.00	32.30	8.74	34.61	0.00	400	325	Peak	Peak	8	3625.00	95.28	-----	-----	85.20	33.30	10.70	33.92	0.00	400	303	Peak	Peak	9	4864.00	52.24	74.00	-21.76	40.60	34.47	12.39	35.22	0.00	--	--	--	Peak	10	4864.00	42.19	54.00	-11.81	30.55	34.47	12.39	35.22	0.00	--	--	--	Average	11	5700.00	107.09	-----	-----	93.80	35.09	13.27	35.07	0.00	300	287	Peak	Peak	12	6407.00	64.05	-----	-----	48.99	35.00	14.16	34.90	0.00	300	256	Peak	Peak	13	7296.00	56.50	74.00	-17.50	40.51	36.01	14.92	34.94	0.00	--	--	--	Peak	14	7296.00	45.87	54.00	-8.13	29.88	36.01	14.92	34.94	0.00	--	--	--	Average	15	10875.00	50.47	74.00	-23.53	51.31	38.00	18.14	58.21	1.23	--	--	--	Peak	16	11400.00	44.74	74.00	-29.26	43.53	38.40	18.64	57.14	1.31	--	--	--	Peak	17	17100.00	50.53	68.20	-17.67	40.55	42.10	22.51	56.04	1.41	--	--	--	Peak
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
1	32.91	20.08	40.00	-19.92	26.29	22.00	0.99	30.00	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
2	91.11	27.15	43.50	-16.35	40.73	14.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
3	107.60	23.10	43.50	-20.40	34.57	16.64	1.83	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
4	720.64	30.17	46.00	-15.83	28.18	26.90	4.71	29.62	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
5	744.89	29.39	46.00	-16.61	26.28	27.91	4.83	29.63	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
6	945.68	28.59	46.00	-17.41	21.66	30.30	5.42	28.79	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
7	2432.00	99.41	-----	-----	92.99	32.30	8.73	34.61	0.00	300	144	Peak	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
8	3625.00	95.64	-----	-----	85.56	33.30	10.70	33.92	0.00	300	189	Peak	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
9	4864.00	51.91	74.00	-22.09	40.27	34.47	12.39	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
10	4864.00	41.61	54.00	-12.39	29.97	34.47	12.39	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
11	5700.00	108.45	-----	-----	95.15	35.10	13.27	35.07	0.00	100	122	Peak	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
12	6407.00	63.25	-----	-----	48.23	35.00	14.13	34.91	0.00	100	131	Peak	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
13	7296.00	57.24	74.00	-16.76	41.25	36.01	14.92	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
14	7296.00	46.52	54.00	-7.48	30.53	36.01	14.92	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
15	10875.00	44.35	74.00	-29.65	45.19	38.00	18.14	58.21	1.23	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
16	11400.00	45.13	74.00	-28.87	43.92	38.40	18.64	57.14	1.31	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
17	17100.00	49.00	68.20	-18.40	39.82	42.10	22.51	56.04	1.41	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
1	30.97	31.84	40.00	-8.16	37.12	23.74	0.97	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
2	52.31	29.46	40.00	-10.54	45.33	12.87	1.26	30.00	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
3	91.11	35.83	43.50	-7.67	49.41	14.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
4	731.31	31.21	46.00	-14.79	28.09	27.38	4.76	29.62	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
5	737.13	32.25	46.00	-13.75	29.39	27.69	4.79	29.62	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
6	956.35	28.50	46.00	-17.50	21.01	30.75	5.46	28.72	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
7	2432.00	100.51	-----	-----	94.00	32.30	8.74	34.61	0.00	400	325	Peak	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
8	3625.00	95.28	-----	-----	85.20	33.30	10.70	33.92	0.00	400	303	Peak	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
9	4864.00	52.24	74.00	-21.76	40.60	34.47	12.39	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
10	4864.00	42.19	54.00	-11.81	30.55	34.47	12.39	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
11	5700.00	107.09	-----	-----	93.80	35.09	13.27	35.07	0.00	300	287	Peak	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
12	6407.00	64.05	-----	-----	48.99	35.00	14.16	34.90	0.00	300	256	Peak	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
13	7296.00	56.50	74.00	-17.50	40.51	36.01	14.92	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
14	7296.00	45.87	54.00	-8.13	29.88	36.01	14.92	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
15	10875.00	50.47	74.00	-23.53	51.31	38.00	18.14	58.21	1.23	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
16	11400.00	44.74	74.00	-29.26	43.53	38.40	18.64	57.14	1.31	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
17	17100.00	50.53	68.20	-17.67	40.55	42.10	22.51	56.04	1.41	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									



Remark: The unwanted signal 2432.000MHz、3625.000MHz、5700.000MHz、6407.000MHz、2432.000MHz、3625.000MHz、5700.000MHz、6407.000MHz can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).





Mode	3	
	Harmonic	
	2400-2483.5_802.11be EHT40_CH05_Full RU_2432MHz	
	+ U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
	+ UWB_CH05	
	+ LTE CA 48C	
ANT		
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-22 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-22 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



17.7G
~18G
Avg









Mode	4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	2400-2483.5_802.11be EHT40_CH05_Full RU_2432MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	UWB_CH09																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	LTE CA 48C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
ANT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
Peak	Level (dBuV/m) Date: 2026-09-22  Site : 03CH07-HY Condition: PEAK(UNII) 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>32.91</td><td>19.84</td><td>40.00</td><td>-20.16</td><td>26.05</td><td>22.00</td><td>0.99</td><td>30.00</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>91.11</td><td>31.66</td><td>43.50</td><td>-11.84</td><td>45.24</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>107.60</td><td>24.86</td><td>43.50</td><td>-18.64</td><td>36.33</td><td>16.64</td><td>1.83</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>215.27</td><td>20.97</td><td>43.50</td><td>-22.53</td><td>33.47</td><td>14.84</td><td>2.58</td><td>29.92</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>709.97</td><td>32.33</td><td>46.00</td><td>-13.67</td><td>30.74</td><td>26.53</td><td>4.67</td><td>29.61</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>958.29</td><td>28.72</td><td>46.00</td><td>-17.28</td><td>21.11</td><td>30.86</td><td>5.46</td><td>28.71</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2432.00</td><td>99.76</td><td>-----</td><td>-----</td><td>93.34</td><td>32.30</td><td>8.73</td><td>34.61</td><td>0.00</td><td>300</td><td>140</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>93.84</td><td>-----</td><td>-----</td><td>83.76</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>300</td><td>193</td><td>Peak</td></tr><tr><td>9</td><td>4864.00</td><td>51.79</td><td>74.00</td><td>-22.21</td><td>40.15</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4864.00</td><td>41.88</td><td>54.00</td><td>-12.12</td><td>30.24</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>5700.00</td><td>108.41</td><td>-----</td><td>-----</td><td>95.11</td><td>35.10</td><td>13.27</td><td>35.07</td><td>0.00</td><td>100</td><td>245</td><td>Peak</td></tr><tr><td>12</td><td>7296.00</td><td>56.00</td><td>74.00</td><td>-18.00</td><td>40.01</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>13</td><td>7296.00</td><td>45.47</td><td>54.00</td><td>-8.53</td><td>29.48</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>14</td><td>7974.00</td><td>57.13</td><td>-----</td><td>-----</td><td>40.25</td><td>36.30</td><td>15.57</td><td>34.99</td><td>0.00</td><td>200</td><td>104</td><td>Peak</td></tr><tr><td>15</td><td>10875.00</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>45.40</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>11400.00</td><td>45.06</td><td>74.00</td><td>-28.94</td><td>43.85</td><td>38.40</td><td>18.64</td><td>57.14</td><td>1.31</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>17100.00</td><td>50.05</td><td>68.20</td><td>-18.15</td><td>40.07</td><td>42.10</td><td>22.51</td><td>56.04</td><td>1.41</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2026-09-22  Site : 03CH07-HY Condition: PEAK(UNII) 1m SHF-EHF_9170991 VERTICAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>31.63</td><td>40.00</td><td>-8.37</td><td>36.91</td><td>23.74</td><td>0.97</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>91.11</td><td>35.79</td><td>43.50</td><td>-7.71</td><td>49.37</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>107.60</td><td>27.46</td><td>43.50</td><td>-16.04</td><td>38.93</td><td>16.64</td><td>1.83</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>730.34</td><td>34.33</td><td>46.00</td><td>-11.67</td><td>31.86</td><td>27.33</td><td>4.76</td><td>29.62</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>741.01</td><td>31.67</td><td>46.00</td><td>-14.33</td><td>28.64</td><td>27.85</td><td>4.81</td><td>29.63</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>955.38</td><td>29.09</td><td>46.00</td><td>-16.91</td><td>21.65</td><td>30.72</td><td>5.45</td><td>28.73</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2432.00</td><td>99.77</td><td>-----</td><td>-----</td><td>93.35</td><td>32.30</td><td>8.73</td><td>34.61</td><td>0.00</td><td>400</td><td>324</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>93.24</td><td>-----</td><td>-----</td><td>83.16</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>400</td><td>306</td><td>Peak</td></tr><tr><td>9</td><td>4864.00</td><td>51.41</td><td>74.00</td><td>-22.59</td><td>39.77</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4864.00</td><td>40.61</td><td>54.00</td><td>-13.39</td><td>28.97</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>5700.00</td><td>106.14</td><td>-----</td><td>-----</td><td>92.84</td><td>35.10</td><td>13.27</td><td>35.07</td><td>0.00</td><td>300</td><td>287</td><td>Peak</td></tr><tr><td>12</td><td>7296.00</td><td>56.28</td><td>74.00</td><td>-17.72</td><td>40.29</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>13</td><td>7296.00</td><td>46.52</td><td>54.00</td><td>-7.48</td><td>30.53</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>14</td><td>7974.00</td><td>58.12</td><td>-----</td><td>-----</td><td>41.24</td><td>36.30</td><td>15.57</td><td>34.99</td><td>0.00</td><td>100</td><td>85</td><td>Peak</td></tr><tr><td>15</td><td>10875.00</td><td>50.27</td><td>74.00</td><td>-23.73</td><td>51.11</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>11400.00</td><td>45.94</td><td>74.00</td><td>-28.06</td><td>44.73</td><td>38.40</td><td>18.64</td><td>57.14</td><td>1.31</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>17100.00</td><td>50.19</td><td>68.20</td><td>-18.01</td><td>40.21</td><td>42.10</td><td>22.51</td><td>56.04</td><td>1.41</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table> Avg	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	32.91	19.84	40.00	-20.16	26.05	22.00	0.99	30.00	0.00	--	--	--	Peak	2	91.11	31.66	43.50	-11.84	45.24	14.67	1.69	29.94	0.00	--	--	--	Peak	3	107.60	24.86	43.50	-18.64	36.33	16.64	1.83	29.94	0.00	--	--	--	Peak	4	215.27	20.97	43.50	-22.53	33.47	14.84	2.58	29.92	0.00	--	--	--	Peak	5	709.97	32.33	46.00	-13.67	30.74	26.53	4.67	29.61	0.00	--	--	--	Peak	6	958.29	28.72	46.00	-17.28	21.11	30.86	5.46	28.71	0.00	--	--	--	Peak	7	2432.00	99.76	-----	-----	93.34	32.30	8.73	34.61	0.00	300	140	Peak	8	3625.00	93.84	-----	-----	83.76	33.30	10.70	33.92	0.00	300	193	Peak	9	4864.00	51.79	74.00	-22.21	40.15	34.47	12.39	35.22	0.00	--	--	--	Peak	10	4864.00	41.88	54.00	-12.12	30.24	34.47	12.39	35.22	0.00	--	--	--	Average	11	5700.00	108.41	-----	-----	95.11	35.10	13.27	35.07	0.00	100	245	Peak	12	7296.00	56.00	74.00	-18.00	40.01	36.01	14.92	34.94	0.00	--	--	--	Peak	13	7296.00	45.47	54.00	-8.53	29.48	36.01	14.92	34.94	0.00	--	--	--	Average	14	7974.00	57.13	-----	-----	40.25	36.30	15.57	34.99	0.00	200	104	Peak	15	10875.00	44.56	74.00	-29.44	45.40	38.00	18.14	58.21	1.23	--	--	--	Peak	16	11400.00	45.06	74.00	-28.94	43.85	38.40	18.64	57.14	1.31	--	--	--	Peak	17	17100.00	50.05	68.20	-18.15	40.07	42.10	22.51	56.04	1.41	--	--	--	Peak	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.97	31.63	40.00	-8.37	36.91	23.74	0.97	29.99	0.00	--	--	--	Peak	2	91.11	35.79	43.50	-7.71	49.37	14.67	1.69	29.94	0.00	--	--	--	Peak	3	107.60	27.46	43.50	-16.04	38.93	16.64	1.83	29.94	0.00	--	--	--	Peak	4	730.34	34.33	46.00	-11.67	31.86	27.33	4.76	29.62	0.00	--	--	--	Peak	5	741.01	31.67	46.00	-14.33	28.64	27.85	4.81	29.63	0.00	--	--	--	Peak	6	955.38	29.09	46.00	-16.91	21.65	30.72	5.45	28.73	0.00	--	--	--	Peak	7	2432.00	99.77	-----	-----	93.35	32.30	8.73	34.61	0.00	400	324	Peak	8	3625.00	93.24	-----	-----	83.16	33.30	10.70	33.92	0.00	400	306	Peak	9	4864.00	51.41	74.00	-22.59	39.77	34.47	12.39	35.22	0.00	--	--	--	Peak	10	4864.00	40.61	54.00	-13.39	28.97	34.47	12.39	35.22	0.00	--	--	--	Average	11	5700.00	106.14	-----	-----	92.84	35.10	13.27	35.07	0.00	300	287	Peak	12	7296.00	56.28	74.00	-17.72	40.29	36.01	14.92	34.94	0.00	--	--	--	Peak	13	7296.00	46.52	54.00	-7.48	30.53	36.01	14.92	34.94	0.00	--	--	--	Average	14	7974.00	58.12	-----	-----	41.24	36.30	15.57	34.99	0.00	100	85	Peak	15	10875.00	50.27	74.00	-23.73	51.11	38.00	18.14	58.21	1.23	--	--	--	Peak	16	11400.00	45.94	74.00	-28.06	44.73	38.40	18.64	57.14	1.31	--	--	--	Peak	17	17100.00	50.19	68.20	-18.01	40.21	42.10	22.51	56.04	1.41	--	--	--	Peak
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1	32.91	19.84	40.00	-20.16	26.05	22.00	0.99	30.00	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
2	91.11	31.66	43.50	-11.84	45.24	14.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
3	107.60	24.86	43.50	-18.64	36.33	16.64	1.83	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
4	215.27	20.97	43.50	-22.53	33.47	14.84	2.58	29.92	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
5	709.97	32.33	46.00	-13.67	30.74	26.53	4.67	29.61	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
6	958.29	28.72	46.00	-17.28	21.11	30.86	5.46	28.71	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
7	2432.00	99.76	-----	-----	93.34	32.30	8.73	34.61	0.00	300	140	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
8	3625.00	93.84	-----	-----	83.76	33.30	10.70	33.92	0.00	300	193	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
9	4864.00	51.79	74.00	-22.21	40.15	34.47	12.39	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10	4864.00	41.88	54.00	-12.12	30.24	34.47	12.39	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
11	5700.00	108.41	-----	-----	95.11	35.10	13.27	35.07	0.00	100	245	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
12	7296.00	56.00	74.00	-18.00	40.01	36.01	14.92	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
13	7296.00	45.47	54.00	-8.53	29.48	36.01	14.92	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
14	7974.00	57.13	-----	-----	40.25	36.30	15.57	34.99	0.00	200	104	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
15	10875.00	44.56	74.00	-29.44	45.40	38.00	18.14	58.21	1.23	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
16	11400.00	45.06	74.00	-28.94	43.85	38.40	18.64	57.14	1.31	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
17	17100.00	50.05	68.20	-18.15	40.07	42.10	22.51	56.04	1.41	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1	30.97	31.63	40.00	-8.37	36.91	23.74	0.97	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
2	91.11	35.79	43.50	-7.71	49.37	14.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
3	107.60	27.46	43.50	-16.04	38.93	16.64	1.83	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
4	730.34	34.33	46.00	-11.67	31.86	27.33	4.76	29.62	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
5	741.01	31.67	46.00	-14.33	28.64	27.85	4.81	29.63	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
6	955.38	29.09	46.00	-16.91	21.65	30.72	5.45	28.73	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
7	2432.00	99.77	-----	-----	93.35	32.30	8.73	34.61	0.00	400	324	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
8	3625.00	93.24	-----	-----	83.16	33.30	10.70	33.92	0.00	400	306	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
9	4864.00	51.41	74.00	-22.59	39.77	34.47	12.39	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10	4864.00	40.61	54.00	-13.39	28.97	34.47	12.39	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
11	5700.00	106.14	-----	-----	92.84	35.10	13.27	35.07	0.00	300	287	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
12	7296.00	56.28	74.00	-17.72	40.29	36.01	14.92	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
13	7296.00	46.52	54.00	-7.48	30.53	36.01	14.92	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
14	7974.00	58.12	-----	-----	41.24	36.30	15.57	34.99	0.00	100	85	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
15	10875.00	50.27	74.00	-23.73	51.11	38.00	18.14	58.21	1.23	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
16	11400.00	45.94	74.00	-28.06	44.73	38.40	18.64	57.14	1.31	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
17	17100.00	50.19	68.20	-18.01	40.21	42.10	22.51	56.04	1.41	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

Remark: The unwanted signal 2432.000MHz、3625.000MHz、5700.000MHz、7974.000MHz、2432.000MHz、3625.000MHz、5700.000MHz、7974.000MHz can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	4	
	Harmonic	
	2400-2483.5_802.11be EHT40_CH05_Full RU_2432MHz + U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz + UWB_CH09 + LTE CA 48C	
ANT		
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-22  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-22  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



17.7G ~18G Avg	Level (dBuV/m) Date: 2026-09-22  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-22  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
---	---	--



Appendix A. Radiated Spurious Emission Test Data

Test Engineer :	Jesse Wang, Stan Hsieh, Ken Wu	Temperature :	23.1~25.6°C
		Relative Humidity :	49.8~58.3%

Note symbol

-L	Low channel location
-R	High channel location

A2-1.Radiated Spurious Emission Test Modes

Mode	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2.400-24835	5+9	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
	6.875-7.125	4+9	802.11be EHT320	191	6905	MCS0	Full RU	-
			UWB1					
			LTE CA 48C					
Mode 2	2.400-24835	5+9	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
	6.875-7.125	4+9	802.11be EHT320	191	6905	MCS0	Full RU	-
			UWB2					
			LTE CA 48C					



FCC RADIO TEST REPORT

Report No. :

Mode	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 3	2.400-2.4835	5+9	802.11be EHT40	05	2432	MCS0	Full RU	-
	6.875-7.125	4+9	802.11be EHT160	207	6985	MCS0	Full RU	-
			UWB1					
			LTE CA 48C					
Mode 4	2.400-2.4835	5+9	802.11be EHT40	05	2432	MCS0	Full RU	-
	6.875-7.125	4+9	802.11be EHT160	207	6985	MCS0	Full RU	-
			UWB2					
			LTE CA 48C					

A2-2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	-	Band Edge
	+	+									
	802.11be EHT320	191									
	+	+									
	UWB1	05	7323.00	46.67	54.00	-7.33	H	Avg.	Pass	-	Harmonic
	+	+									
	LTE CA	48C									
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	-	Band Edge
	+	+									
	802.11be EHT320	191									
	+	+									
	UWB2	09	7323.00	45.99	54.00	-8.01	V	Avg.	Pass	-	Harmonic
	+	+									
	LTE CA	48C									





FCC RADIO TEST REPORT

Report No. :

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
3	802.11be EHT40 + 802.11be EHT160 + UWB1 + LTE CA	05	-	-	-	-	-	-	-	Full RU	Band Edge
		+									
		207									
		+									
		05	7296.00	45.89	54.00	-8.11	V	Avg.	Pass	Full RU	Harmonic
		+									
		48C									
4	802.11be EHT40 + 802.11be EHT160 + UWB2 + LTE CA	05	-	-	-	-	-	-	-	Full RU	Band Edge
		+									
		207									
		+									
		09	7296.00	47.22	54.00	-6.78	V	Avg.	Pass	Full RU	Harmonic
		+									
		48C									



Mode	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	UWB_CH05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	LTE CA 48C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	ANT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Pol.	Horizontal										Vertical																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Peak	 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9178991 HORIZONTAL										 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9178991 VERTICAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Avg	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>19.68</td><td>40.00</td><td>-20.32</td><td>24.96</td><td>23.74</td><td>0.97</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>91.11</td><td>25.46</td><td>43.50</td><td>-18.04</td><td>39.84</td><td>34.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>188.11</td><td>32.69</td><td>43.50</td><td>-10.81</td><td>45.54</td><td>34.66</td><td>2.42</td><td>29.93</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>316.15</td><td>25.67</td><td>46.00</td><td>-20.33</td><td>33.18</td><td>19.20</td><td>3.13</td><td>29.84</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>745.86</td><td>30.24</td><td>46.00</td><td>-15.76</td><td>27.10</td><td>27.94</td><td>4.83</td><td>29.63</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>943.74</td><td>28.88</td><td>46.00</td><td>-17.92</td><td>21.29</td><td>30.18</td><td>5.41</td><td>28.80</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2441.00</td><td>106.40</td><td>-----</td><td>-----</td><td>99.83</td><td>32.42</td><td>8.77</td><td>34.62</td><td>0.00</td><td>100</td><td>136</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>95.23</td><td>-----</td><td>-----</td><td>85.15</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>300</td><td>186</td><td>Peak</td></tr><tr><td>9</td><td>4882.00</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>40.93</td><td>34.43</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4882.00</td><td>42.17</td><td>54.00</td><td>-11.83</td><td>38.54</td><td>34.44</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>6407.00</td><td>64.17</td><td>-----</td><td>-----</td><td>48.95</td><td>35.87</td><td>14.24</td><td>34.89</td><td>0.00</td><td>100</td><td>127</td><td>Peak</td></tr><tr><td>12</td><td>6905.00</td><td>90.54</td><td>-----</td><td>-----</td><td>75.09</td><td>36.00</td><td>14.36</td><td>34.91</td><td>0.00</td><td>100</td><td>127</td><td>Peak</td></tr><tr><td>13</td><td>7323.00</td><td>56.36</td><td>74.00</td><td>-17.64</td><td>40.36</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>14</td><td>7323.00</td><td>46.67</td><td>54.00</td><td>-7.33</td><td>38.67</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>15</td><td>13810.00</td><td>47.84</td><td>88.20</td><td>-40.36</td><td>44.49</td><td>39.00</td><td>20.78</td><td>57.66</td><td>1.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>20715.00</td><td>36.15</td><td>74.00</td><td>-37.85</td><td>50.68</td><td>37.83</td><td>17.18</td><td>60.00</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	30.97	19.68	40.00	-20.32	24.96	23.74	0.97	29.99	0.00	--	--	--	Peak	2	91.11	25.46	43.50	-18.04	39.84	34.67	1.69	29.94	0.00	--	--	--	Peak	3	188.11	32.69	43.50	-10.81	45.54	34.66	2.42	29.93	0.00	--	--	--	Peak	4	316.15	25.67	46.00	-20.33	33.18	19.20	3.13	29.84	0.00	--	--	--	Peak	5	745.86	30.24	46.00	-15.76	27.10	27.94	4.83	29.63	0.00	--	--	--	Peak	6	943.74	28.88	46.00	-17.92	21.29	30.18	5.41	28.80	0.00	--	--	--	Peak	7	2441.00	106.40	-----	-----	99.83	32.42	8.77	34.62	0.00	100	136	Peak	8	3625.00	95.23	-----	-----	85.15	33.30	10.70	33.92	0.00	300	186	Peak	9	4882.00	52.55	74.00	-21.45	40.93	34.43	12.41	35.22	0.00	--	--	--	Peak	10	4882.00	42.17	54.00	-11.83	38.54	34.44	12.41	35.22	0.00	--	--	--	Average	11	6407.00	64.17	-----	-----	48.95	35.87	14.24	34.89	0.00	100	127	Peak	12	6905.00	90.54	-----	-----	75.09	36.00	14.36	34.91	0.00	100	127	Peak	13	7323.00	56.36	74.00	-17.64	40.36	36.00	14.94	34.94	0.00	--	--	--	Peak	14	7323.00	46.67	54.00	-7.33	38.67	36.00	14.94	34.94	0.00	--	--	--	Average	15	13810.00	47.84	88.20	-40.36	44.49	39.00	20.78	57.66	1.23	--	--	--	Peak	16	20715.00	36.15	74.00	-37.85	50.68	37.83	17.18	60.00	-9.54	--	--	--	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>32.06</td><td>40.00</td><td>-7.94</td><td>37.34</td><td>23.74</td><td>0.97</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>91.11</td><td>34.53</td><td>43.50</td><td>-8.97</td><td>48.11</td><td>34.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>126.03</td><td>27.27</td><td>43.50</td><td>-16.23</td><td>37.63</td><td>17.59</td><td>1.99</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>452.92</td><td>27.70</td><td>46.00</td><td>-18.22</td><td>31.00</td><td>22.89</td><td>3.74</td><td>29.85</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>786.89</td><td>37.81</td><td>46.00</td><td>-8.19</td><td>36.25</td><td>26.52</td><td>4.65</td><td>29.61</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>721.61</td><td>33.33</td><td>46.00</td><td>-12.67</td><td>31.29</td><td>26.94</td><td>4.72</td><td>29.62</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2441.00</td><td>101.61</td><td>-----</td><td>-----</td><td>95.04</td><td>32.42</td><td>8.77</td><td>34.62</td><td>0.00</td><td>302</td><td>360</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>94.48</td><td>-----</td><td>-----</td><td>84.40</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>400</td><td>291</td><td>Peak</td></tr><tr><td>9</td><td>4882.00</td><td>51.55</td><td>74.00</td><td>-22.45</td><td>39.93</td><td>34.43</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4882.00</td><td>41.52</td><td>54.00</td><td>-12.48</td><td>29.89</td><td>34.44</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>6407.00</td><td>63.35</td><td>-----</td><td>-----</td><td>48.24</td><td>35.80</td><td>14.19</td><td>34.88</td><td>0.00</td><td>300</td><td>71</td><td>Peak</td></tr><tr><td>12</td><td>6905.00</td><td>89.15</td><td>-----</td><td>-----</td><td>73.70</td><td>36.00</td><td>14.36</td><td>34.91</td><td>0.00</td><td>100</td><td>215</td><td>Peak</td></tr><tr><td>13</td><td>7323.00</td><td>55.56</td><td>74.00</td><td>-18.44</td><td>39.56</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>14</td><td>7323.00</td><td>46.12</td><td>54.00</td><td>-7.88</td><td>30.12</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>15</td><td>13810.00</td><td>47.14</td><td>88.20</td><td>-41.06</td><td>43.79</td><td>39.00</td><td>20.78</td><td>57.66</td><td>1.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>20715.00</td><td>35.48</td><td>74.00</td><td>-38.52</td><td>50.01</td><td>37.83</td><td>17.18</td><td>60.00</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	30.97	32.06	40.00	-7.94	37.34	23.74	0.97	29.99	0.00	--	--	--	Peak	2	91.11	34.53	43.50	-8.97	48.11	34.67	1.69	29.94	0.00	--	--	--	Peak	3	126.03	27.27	43.50	-16.23	37.63	17.59	1.99	29.94	0.00	--	--	--	Peak	4	452.92	27.70	46.00	-18.22	31.00	22.89	3.74	29.85	0.00	--	--	--	Peak	5	786.89	37.81	46.00	-8.19	36.25	26.52	4.65	29.61	0.00	--	--	--	Peak	6	721.61	33.33	46.00	-12.67	31.29	26.94	4.72	29.62	0.00	--	--	--	Peak	7	2441.00	101.61	-----	-----	95.04	32.42	8.77	34.62	0.00	302	360	Peak	8	3625.00	94.48	-----	-----	84.40	33.30	10.70	33.92	0.00	400	291	Peak	9	4882.00	51.55	74.00	-22.45	39.93	34.43	12.41	35.22	0.00	--	--	--	Peak	10	4882.00	41.52	54.00	-12.48	29.89	34.44	12.41	35.22	0.00	--	--	--	Average	11	6407.00	63.35	-----	-----	48.24	35.80	14.19	34.88	0.00	300	71	Peak	12	6905.00	89.15	-----	-----	73.70	36.00	14.36	34.91	0.00	100	215	Peak	13	7323.00	55.56	74.00	-18.44	39.56	36.00	14.94	34.94	0.00	--	--	--	Peak	14	7323.00	46.12	54.00	-7.88	30.12	36.00	14.94	34.94	0.00	--	--	--	Average	15	13810.00	47.14	88.20	-41.06	43.79	39.00	20.78	57.66	1.23	--	--	--	Peak	16	20715.00	35.48	74.00	-38.52	50.01	37.83	17.18	60.00	-9.54	--	--	--	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
1	30.97	19.68	40.00	-20.32	24.96	23.74	0.97	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
2	91.11	25.46	43.50	-18.04	39.84	34.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
3	188.11	32.69	43.50	-10.81	45.54	34.66	2.42	29.93	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
4	316.15	25.67	46.00	-20.33	33.18	19.20	3.13	29.84	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5	745.86	30.24	46.00	-15.76	27.10	27.94	4.83	29.63	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
6	943.74	28.88	46.00	-17.92	21.29	30.18	5.41	28.80	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
7	2441.00	106.40	-----	-----	99.83	32.42	8.77	34.62	0.00	100	136	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
8	3625.00	95.23	-----	-----	85.15	33.30	10.70	33.92	0.00	300	186	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
9	4882.00	52.55	74.00	-21.45	40.93	34.43	12.41	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
10	4882.00	42.17	54.00	-11.83	38.54	34.44	12.41	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
11	6407.00	64.17	-----	-----	48.95	35.87	14.24	34.89	0.00	100	127	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
12	6905.00	90.54	-----	-----	75.09	36.00	14.36	34.91	0.00	100	127	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
13	7323.00	56.36	74.00	-17.64	40.36	36.00	14.94	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
14	7323.00	46.67	54.00	-7.33	38.67	36.00	14.94	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
15	13810.00	47.84	88.20	-40.36	44.49	39.00	20.78	57.66	1.23	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
16	20715.00	36.15	74.00	-37.85	50.68	37.83	17.18	60.00	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
1	30.97	32.06	40.00	-7.94	37.34	23.74	0.97	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
2	91.11	34.53	43.50	-8.97	48.11	34.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
3	126.03	27.27	43.50	-16.23	37.63	17.59	1.99	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
4	452.92	27.70	46.00	-18.22	31.00	22.89	3.74	29.85	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5	786.89	37.81	46.00	-8.19	36.25	26.52	4.65	29.61	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
6	721.61	33.33	46.00	-12.67	31.29	26.94	4.72	29.62	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
7	2441.00	101.61	-----	-----	95.04	32.42	8.77	34.62	0.00	302	360	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
8	3625.00	94.48	-----	-----	84.40	33.30	10.70	33.92	0.00	400	291	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
9	4882.00	51.55	74.00	-22.45	39.93	34.43	12.41	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
10	4882.00	41.52	54.00	-12.48	29.89	34.44	12.41	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
11	6407.00	63.35	-----	-----	48.24	35.80	14.19	34.88	0.00	300	71	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
12	6905.00	89.15	-----	-----	73.70	36.00	14.36	34.91	0.00	100	215	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
13	7323.00	55.56	74.00	-18.44	39.56	36.00	14.94	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
14	7323.00	46.12	54.00	-7.88	30.12	36.00	14.94	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
15	13810.00	47.14	88.20	-41.06	43.79	39.00	20.78	57.66	1.23	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
16	20715.00	35.48	74.00	-38.52	50.01	37.83	17.18	60.00	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							



Remark: The unwanted signal 2441.000MHz、3625.000MHz、6407.000MHz、6905.000MHz、2441.000MHz、3625.000MHz、6407.000MHz、6905.000MHz can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	1	
	Harmonic	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz	
	+	
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz	
	+	
	UWB_CH05	
	+	
	LTE CA 48C	
ANT		
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-22 AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-22 AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



17.7G
~18G
Avg





Mode	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	UWB_CH09																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	LTE CA 48C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
ANT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
Peak	Level (dBuV/m) Date: 2026-09-22 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>55.22</td><td>23.31</td><td>40.00</td><td>-16.69</td><td>39.99</td><td>12.02</td><td>1.29</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>91.11</td><td>29.24</td><td>43.50</td><td>-14.26</td><td>42.82</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>152.22</td><td>31.94</td><td>43.50</td><td>-11.56</td><td>42.00</td><td>16.82</td><td>2.16</td><td>29.84</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>745.86</td><td>30.71</td><td>46.00</td><td>-15.29</td><td>27.57</td><td>27.94</td><td>4.83</td><td>29.63</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>924.34</td><td>28.20</td><td>46.00</td><td>-17.80</td><td>22.44</td><td>29.33</td><td>5.36</td><td>28.93</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>952.47</td><td>28.83</td><td>46.00</td><td>-17.17</td><td>21.37</td><td>30.76</td><td>5.44</td><td>28.74</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2441.00</td><td>107.92</td><td>-----</td><td>-----</td><td>101.35</td><td>32.42</td><td>8.77</td><td>34.62</td><td>0.00</td><td>100</td><td>139</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>96.00</td><td>-----</td><td>-----</td><td>85.92</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>300</td><td>194</td><td>Peak</td></tr><tr><td>9</td><td>4882.00</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>41.78</td><td>34.43</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4882.00</td><td>43.74</td><td>54.00</td><td>-10.26</td><td>32.11</td><td>34.44</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>6905.00</td><td>89.34</td><td>-----</td><td>-----</td><td>73.89</td><td>36.00</td><td>14.36</td><td>34.91</td><td>0.00</td><td>100</td><td>126</td><td>Peak</td></tr><tr><td>12</td><td>7323.00</td><td>56.21</td><td>74.00</td><td>-17.79</td><td>40.21</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>13</td><td>7323.00</td><td>45.46</td><td>54.00</td><td>-8.54</td><td>29.46</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>14</td><td>7974.00</td><td>58.48</td><td>-----</td><td>-----</td><td>41.82</td><td>36.21</td><td>15.42</td><td>34.97</td><td>0.00</td><td>400</td><td>273</td><td>Peak</td></tr><tr><td>15</td><td>10875.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>47.37</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>13810.00</td><td>47.74</td><td>88.20</td><td>-40.46</td><td>44.39</td><td>39.00</td><td>20.78</td><td>57.66</td><td>1.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>20715.00</td><td>36.63</td><td>74.00</td><td>-37.37</td><td>51.16</td><td>37.83</td><td>17.18</td><td>60.00</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2026-09-22 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>31.41</td><td>40.00</td><td>-8.59</td><td>36.69</td><td>23.74</td><td>0.97</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>53.28</td><td>26.39</td><td>40.00</td><td>-13.61</td><td>42.60</td><td>12.51</td><td>1.27</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>91.11</td><td>34.57</td><td>43.50</td><td>-8.93</td><td>40.15</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>516.94</td><td>24.12</td><td>46.00</td><td>-21.88</td><td>26.30</td><td>23.71</td><td>3.99</td><td>29.88</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>717.73</td><td>29.99</td><td>46.00</td><td>-16.01</td><td>28.11</td><td>26.80</td><td>4.70</td><td>29.62</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>731.31</td><td>33.11</td><td>46.00</td><td>-12.89</td><td>30.59</td><td>27.38</td><td>4.76</td><td>29.62</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2441.00</td><td>102.88</td><td>-----</td><td>-----</td><td>96.31</td><td>32.42</td><td>8.77</td><td>34.62</td><td>0.00</td><td>400</td><td>311</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>93.59</td><td>-----</td><td>-----</td><td>83.51</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>400</td><td>284</td><td>Peak</td></tr><tr><td>9</td><td>4882.00</td><td>51.41</td><td>74.00</td><td>-22.59</td><td>39.79</td><td>34.43</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4882.00</td><td>42.11</td><td>54.00</td><td>-11.89</td><td>30.48</td><td>34.44</td><td>12.41</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>6905.00</td><td>87.45</td><td>-----</td><td>-----</td><td>72.00</td><td>36.00</td><td>14.36</td><td>34.91</td><td>0.00</td><td>100</td><td>229</td><td>Peak</td></tr><tr><td>12</td><td>7323.00</td><td>56.39</td><td>74.00</td><td>-17.61</td><td>40.39</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>13</td><td>7323.00</td><td>45.09</td><td>54.00</td><td>-8.01</td><td>29.99</td><td>36.00</td><td>14.94</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>14</td><td>7974.00</td><td>59.97</td><td>-----</td><td>-----</td><td>43.24</td><td>36.22</td><td>15.49</td><td>34.98</td><td>0.00</td><td>100</td><td>171</td><td>Peak</td></tr><tr><td>15</td><td>10875.00</td><td>47.59</td><td>74.00</td><td>-26.41</td><td>48.50</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>13810.00</td><td>47.81</td><td>88.20</td><td>-40.39</td><td>44.46</td><td>39.00</td><td>20.78</td><td>57.66</td><td>1.23</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>20715.00</td><td>36.28</td><td>74.00</td><td>-37.72</td><td>50.81</td><td>37.83</td><td>17.18</td><td>60.00</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	55.22	23.31	40.00	-16.69	39.99	12.02	1.29	29.99	0.00	--	--	--	Peak	2	91.11	29.24	43.50	-14.26	42.82	14.67	1.69	29.94	0.00	--	--	--	Peak	3	152.22	31.94	43.50	-11.56	42.00	16.82	2.16	29.84	0.00	--	--	--	Peak	4	745.86	30.71	46.00	-15.29	27.57	27.94	4.83	29.63	0.00	--	--	--	Peak	5	924.34	28.20	46.00	-17.80	22.44	29.33	5.36	28.93	0.00	--	--	--	Peak	6	952.47	28.83	46.00	-17.17	21.37	30.76	5.44	28.74	0.00	--	--	--	Peak	7	2441.00	107.92	-----	-----	101.35	32.42	8.77	34.62	0.00	100	139	Peak	8	3625.00	96.00	-----	-----	85.92	33.30	10.70	33.92	0.00	300	194	Peak	9	4882.00	53.40	74.00	-20.60	41.78	34.43	12.41	35.22	0.00	--	--	--	Peak	10	4882.00	43.74	54.00	-10.26	32.11	34.44	12.41	35.22	0.00	--	--	--	Average	11	6905.00	89.34	-----	-----	73.89	36.00	14.36	34.91	0.00	100	126	Peak	12	7323.00	56.21	74.00	-17.79	40.21	36.00	14.94	34.94	0.00	--	--	--	Peak	13	7323.00	45.46	54.00	-8.54	29.46	36.00	14.94	34.94	0.00	--	--	--	Average	14	7974.00	58.48	-----	-----	41.82	36.21	15.42	34.97	0.00	400	273	Peak	15	10875.00	46.46	74.00	-27.54	47.37	38.00	18.14	58.21	1.16	--	--	--	Peak	16	13810.00	47.74	88.20	-40.46	44.39	39.00	20.78	57.66	1.23	--	--	--	Peak	17	20715.00	36.63	74.00	-37.37	51.16	37.83	17.18	60.00	-9.54	--	--	--	Peak	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	30.97	31.41	40.00	-8.59	36.69	23.74	0.97	29.99	0.00	--	--	--	Peak	2	53.28	26.39	40.00	-13.61	42.60	12.51	1.27	29.99	0.00	--	--	--	Peak	3	91.11	34.57	43.50	-8.93	40.15	14.67	1.69	29.94	0.00	--	--	--	Peak	4	516.94	24.12	46.00	-21.88	26.30	23.71	3.99	29.88	0.00	--	--	--	Peak	5	717.73	29.99	46.00	-16.01	28.11	26.80	4.70	29.62	0.00	--	--	--	Peak	6	731.31	33.11	46.00	-12.89	30.59	27.38	4.76	29.62	0.00	--	--	--	Peak	7	2441.00	102.88	-----	-----	96.31	32.42	8.77	34.62	0.00	400	311	Peak	8	3625.00	93.59	-----	-----	83.51	33.30	10.70	33.92	0.00	400	284	Peak	9	4882.00	51.41	74.00	-22.59	39.79	34.43	12.41	35.22	0.00	--	--	--	Peak	10	4882.00	42.11	54.00	-11.89	30.48	34.44	12.41	35.22	0.00	--	--	--	Average	11	6905.00	87.45	-----	-----	72.00	36.00	14.36	34.91	0.00	100	229	Peak	12	7323.00	56.39	74.00	-17.61	40.39	36.00	14.94	34.94	0.00	--	--	--	Peak	13	7323.00	45.09	54.00	-8.01	29.99	36.00	14.94	34.94	0.00	--	--	--	Average	14	7974.00	59.97	-----	-----	43.24	36.22	15.49	34.98	0.00	100	171	Peak	15	10875.00	47.59	74.00	-26.41	48.50	38.00	18.14	58.21	1.16	--	--	--	Peak	16	13810.00	47.81	88.20	-40.39	44.46	39.00	20.78	57.66	1.23	--	--	--	Peak	17	20715.00	36.28	74.00	-37.72	50.81	37.83	17.18	60.00	-9.54	--	--	--	Peak
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1	55.22	23.31	40.00	-16.69	39.99	12.02	1.29	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
2	91.11	29.24	43.50	-14.26	42.82	14.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
3	152.22	31.94	43.50	-11.56	42.00	16.82	2.16	29.84	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
4	745.86	30.71	46.00	-15.29	27.57	27.94	4.83	29.63	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
5	924.34	28.20	46.00	-17.80	22.44	29.33	5.36	28.93	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
6	952.47	28.83	46.00	-17.17	21.37	30.76	5.44	28.74	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
7	2441.00	107.92	-----	-----	101.35	32.42	8.77	34.62	0.00	100	139	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
8	3625.00	96.00	-----	-----	85.92	33.30	10.70	33.92	0.00	300	194	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
9	4882.00	53.40	74.00	-20.60	41.78	34.43	12.41	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10	4882.00	43.74	54.00	-10.26	32.11	34.44	12.41	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
11	6905.00	89.34	-----	-----	73.89	36.00	14.36	34.91	0.00	100	126	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
12	7323.00	56.21	74.00	-17.79	40.21	36.00	14.94	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
13	7323.00	45.46	54.00	-8.54	29.46	36.00	14.94	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
14	7974.00	58.48	-----	-----	41.82	36.21	15.42	34.97	0.00	400	273	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
15	10875.00	46.46	74.00	-27.54	47.37	38.00	18.14	58.21	1.16	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
16	13810.00	47.74	88.20	-40.46	44.39	39.00	20.78	57.66	1.23	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
17	20715.00	36.63	74.00	-37.37	51.16	37.83	17.18	60.00	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1	30.97	31.41	40.00	-8.59	36.69	23.74	0.97	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
2	53.28	26.39	40.00	-13.61	42.60	12.51	1.27	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
3	91.11	34.57	43.50	-8.93	40.15	14.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
4	516.94	24.12	46.00	-21.88	26.30	23.71	3.99	29.88	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
5	717.73	29.99	46.00	-16.01	28.11	26.80	4.70	29.62	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
6	731.31	33.11	46.00	-12.89	30.59	27.38	4.76	29.62	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
7	2441.00	102.88	-----	-----	96.31	32.42	8.77	34.62	0.00	400	311	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
8	3625.00	93.59	-----	-----	83.51	33.30	10.70	33.92	0.00	400	284	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
9	4882.00	51.41	74.00	-22.59	39.79	34.43	12.41	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10	4882.00	42.11	54.00	-11.89	30.48	34.44	12.41	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
11	6905.00	87.45	-----	-----	72.00	36.00	14.36	34.91	0.00	100	229	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
12	7323.00	56.39	74.00	-17.61	40.39	36.00	14.94	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
13	7323.00	45.09	54.00	-8.01	29.99	36.00	14.94	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
14	7974.00	59.97	-----	-----	43.24	36.22	15.49	34.98	0.00	100	171	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
15	10875.00	47.59	74.00	-26.41	48.50	38.00	18.14	58.21	1.16	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
16	13810.00	47.81	88.20	-40.39	44.46	39.00	20.78	57.66	1.23	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
17	20715.00	36.28	74.00	-37.72	50.81	37.83	17.18	60.00	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																



Remark: The unwanted signal 2441.000MHz、3625.000MHz、6905.000MHz、7974.000MHz、2441.000MHz、3625.000MHz、6905.000MHz、7974.000MHz can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	2	
	Harmonic	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz	
	+	
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz	
	+	
	UWB_CH09	
	+	
	LTE CA 48C	
ANT		
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-22 AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-22 AVG(UNII)_6E Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



17.7G
~18G
Avg







Mode	3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	2400-2483.5_802.11be EHT40_CH05_Full RU_2432MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	UWB_CH05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	LTE CA 48C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
ANT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
Peak	Level (dBuV/m) Date: 2026-09-22 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>19.69</td><td>40.00</td><td>-20.31</td><td>24.97</td><td>23.74</td><td>0.97</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>91.11</td><td>28.80</td><td>43.50</td><td>-14.70</td><td>42.38</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>721.61</td><td>33.42</td><td>46.00</td><td>-12.58</td><td>31.38</td><td>26.94</td><td>4.72</td><td>29.62</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>738.34</td><td>30.92</td><td>46.00</td><td>-15.08</td><td>28.45</td><td>27.33</td><td>4.76</td><td>29.62</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>927.25</td><td>28.35</td><td>46.00</td><td>-17.65</td><td>22.48</td><td>29.41</td><td>5.37</td><td>28.91</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>959.26</td><td>29.01</td><td>46.00</td><td>-16.99</td><td>21.37</td><td>30.87</td><td>5.47</td><td>28.70</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2432.00</td><td>101.52</td><td>-----</td><td>-----</td><td>95.07</td><td>32.32</td><td>8.75</td><td>34.62</td><td>0.00</td><td>100</td><td>250</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>94.15</td><td>-----</td><td>-----</td><td>84.07</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>300</td><td>214</td><td>Peak</td></tr><tr><td>9</td><td>4864.00</td><td>51.65</td><td>74.00</td><td>-22.35</td><td>40.01</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4864.00</td><td>41.90</td><td>54.00</td><td>-12.10</td><td>30.26</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>6407.00</td><td>62.50</td><td>-----</td><td>-----</td><td>47.48</td><td>35.80</td><td>14.13</td><td>34.91</td><td>0.00</td><td>100</td><td>159</td><td>Peak</td></tr><tr><td>12</td><td>6985.00</td><td>93.77</td><td>-----</td><td>-----</td><td>77.92</td><td>36.00</td><td>14.78</td><td>34.93</td><td>0.00</td><td>100</td><td>115</td><td>Peak</td></tr><tr><td>13</td><td>7296.00</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>40.31</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>14</td><td>7296.00</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>29.45</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>15</td><td>10875.00</td><td>46.70</td><td>74.00</td><td>-27.30</td><td>47.61</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>13970.00</td><td>47.82</td><td>88.20</td><td>-40.38</td><td>44.24</td><td>39.10</td><td>20.91</td><td>57.64</td><td>1.21</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>20955.00</td><td>36.57</td><td>74.00</td><td>-37.43</td><td>50.82</td><td>38.00</td><td>17.29</td><td>60.00</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2026-09-22 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>31.82</td><td>40.00</td><td>-8.18</td><td>37.10</td><td>23.74</td><td>0.97</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>49.40</td><td>28.98</td><td>40.00</td><td>-11.02</td><td>43.44</td><td>14.31</td><td>1.23</td><td>30.00</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>91.11</td><td>32.35</td><td>43.50</td><td>-11.15</td><td>45.93</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>345.25</td><td>27.02</td><td>46.00</td><td>-18.98</td><td>33.57</td><td>20.88</td><td>3.27</td><td>29.90</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>707.06</td><td>35.34</td><td>46.00</td><td>-10.66</td><td>33.00</td><td>26.50</td><td>4.65</td><td>29.61</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>956.35</td><td>29.03</td><td>46.00</td><td>-16.97</td><td>21.54</td><td>30.75</td><td>5.46</td><td>28.72</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2432.00</td><td>99.49</td><td>-----</td><td>-----</td><td>93.04</td><td>32.32</td><td>8.75</td><td>34.62</td><td>0.00</td><td>400</td><td>316</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>92.91</td><td>-----</td><td>-----</td><td>82.83</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>300</td><td>303</td><td>Peak</td></tr><tr><td>9</td><td>4864.00</td><td>52.06</td><td>74.00</td><td>-21.94</td><td>40.42</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4864.00</td><td>41.88</td><td>54.00</td><td>-12.12</td><td>30.24</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>6407.00</td><td>67.77</td><td>-----</td><td>-----</td><td>52.75</td><td>35.80</td><td>14.13</td><td>34.91</td><td>0.00</td><td>400</td><td>262</td><td>Peak</td></tr><tr><td>12</td><td>6985.00</td><td>91.77</td><td>-----</td><td>-----</td><td>75.92</td><td>36.00</td><td>14.78</td><td>34.93</td><td>0.00</td><td>352</td><td>360</td><td>Peak</td></tr><tr><td>13</td><td>7296.00</td><td>56.41</td><td>74.00</td><td>-17.59</td><td>40.42</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>14</td><td>7296.00</td><td>45.89</td><td>54.00</td><td>-8.11</td><td>29.90</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>15</td><td>10875.00</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>52.09</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>13970.00</td><td>46.97</td><td>88.20</td><td>-41.23</td><td>43.39</td><td>39.10</td><td>20.91</td><td>57.64</td><td>1.21</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>20955.00</td><td>36.33</td><td>74.00</td><td>-37.67</td><td>50.58</td><td>38.00</td><td>17.29</td><td>60.00</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	30.97	19.69	40.00	-20.31	24.97	23.74	0.97	29.99	0.00	--	--	--	Peak	2	91.11	28.80	43.50	-14.70	42.38	14.67	1.69	29.94	0.00	--	--	--	Peak	3	721.61	33.42	46.00	-12.58	31.38	26.94	4.72	29.62	0.00	--	--	--	Peak	4	738.34	30.92	46.00	-15.08	28.45	27.33	4.76	29.62	0.00	--	--	--	Peak	5	927.25	28.35	46.00	-17.65	22.48	29.41	5.37	28.91	0.00	--	--	--	Peak	6	959.26	29.01	46.00	-16.99	21.37	30.87	5.47	28.70	0.00	--	--	--	Peak	7	2432.00	101.52	-----	-----	95.07	32.32	8.75	34.62	0.00	100	250	Peak	8	3625.00	94.15	-----	-----	84.07	33.30	10.70	33.92	0.00	300	214	Peak	9	4864.00	51.65	74.00	-22.35	40.01	34.47	12.39	35.22	0.00	--	--	--	Peak	10	4864.00	41.90	54.00	-12.10	30.26	34.47	12.39	35.22	0.00	--	--	--	Average	11	6407.00	62.50	-----	-----	47.48	35.80	14.13	34.91	0.00	100	159	Peak	12	6985.00	93.77	-----	-----	77.92	36.00	14.78	34.93	0.00	100	115	Peak	13	7296.00	56.30	74.00	-17.70	40.31	36.01	14.92	34.94	0.00	--	--	--	Peak	14	7296.00	45.44	54.00	-8.56	29.45	36.01	14.92	34.94	0.00	--	--	--	Average	15	10875.00	46.70	74.00	-27.30	47.61	38.00	18.14	58.21	1.16	--	--	--	Peak	16	13970.00	47.82	88.20	-40.38	44.24	39.10	20.91	57.64	1.21	--	--	--	Peak	17	20955.00	36.57	74.00	-37.43	50.82	38.00	17.29	60.00	-9.54	--	--	--	Peak	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	30.97	31.82	40.00	-8.18	37.10	23.74	0.97	29.99	0.00	--	--	--	Peak	2	49.40	28.98	40.00	-11.02	43.44	14.31	1.23	30.00	0.00	--	--	--	Peak	3	91.11	32.35	43.50	-11.15	45.93	14.67	1.69	29.94	0.00	--	--	--	Peak	4	345.25	27.02	46.00	-18.98	33.57	20.88	3.27	29.90	0.00	--	--	--	Peak	5	707.06	35.34	46.00	-10.66	33.00	26.50	4.65	29.61	0.00	--	--	--	Peak	6	956.35	29.03	46.00	-16.97	21.54	30.75	5.46	28.72	0.00	--	--	--	Peak	7	2432.00	99.49	-----	-----	93.04	32.32	8.75	34.62	0.00	400	316	Peak	8	3625.00	92.91	-----	-----	82.83	33.30	10.70	33.92	0.00	300	303	Peak	9	4864.00	52.06	74.00	-21.94	40.42	34.47	12.39	35.22	0.00	--	--	--	Peak	10	4864.00	41.88	54.00	-12.12	30.24	34.47	12.39	35.22	0.00	--	--	--	Average	11	6407.00	67.77	-----	-----	52.75	35.80	14.13	34.91	0.00	400	262	Peak	12	6985.00	91.77	-----	-----	75.92	36.00	14.78	34.93	0.00	352	360	Peak	13	7296.00	56.41	74.00	-17.59	40.42	36.01	14.92	34.94	0.00	--	--	--	Peak	14	7296.00	45.89	54.00	-8.11	29.90	36.01	14.92	34.94	0.00	--	--	--	Average	15	10875.00	51.18	74.00	-22.82	52.09	38.00	18.14	58.21	1.16	--	--	--	Peak	16	13970.00	46.97	88.20	-41.23	43.39	39.10	20.91	57.64	1.21	--	--	--	Peak	17	20955.00	36.33	74.00	-37.67	50.58	38.00	17.29	60.00	-9.54	--	--	--	Peak
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1	30.97	19.69	40.00	-20.31	24.97	23.74	0.97	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
2	91.11	28.80	43.50	-14.70	42.38	14.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
3	721.61	33.42	46.00	-12.58	31.38	26.94	4.72	29.62	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
4	738.34	30.92	46.00	-15.08	28.45	27.33	4.76	29.62	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
5	927.25	28.35	46.00	-17.65	22.48	29.41	5.37	28.91	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
6	959.26	29.01	46.00	-16.99	21.37	30.87	5.47	28.70	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
7	2432.00	101.52	-----	-----	95.07	32.32	8.75	34.62	0.00	100	250	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
8	3625.00	94.15	-----	-----	84.07	33.30	10.70	33.92	0.00	300	214	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
9	4864.00	51.65	74.00	-22.35	40.01	34.47	12.39	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10	4864.00	41.90	54.00	-12.10	30.26	34.47	12.39	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
11	6407.00	62.50	-----	-----	47.48	35.80	14.13	34.91	0.00	100	159	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
12	6985.00	93.77	-----	-----	77.92	36.00	14.78	34.93	0.00	100	115	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
13	7296.00	56.30	74.00	-17.70	40.31	36.01	14.92	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
14	7296.00	45.44	54.00	-8.56	29.45	36.01	14.92	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
15	10875.00	46.70	74.00	-27.30	47.61	38.00	18.14	58.21	1.16	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
16	13970.00	47.82	88.20	-40.38	44.24	39.10	20.91	57.64	1.21	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
17	20955.00	36.57	74.00	-37.43	50.82	38.00	17.29	60.00	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1	30.97	31.82	40.00	-8.18	37.10	23.74	0.97	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
2	49.40	28.98	40.00	-11.02	43.44	14.31	1.23	30.00	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
3	91.11	32.35	43.50	-11.15	45.93	14.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
4	345.25	27.02	46.00	-18.98	33.57	20.88	3.27	29.90	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
5	707.06	35.34	46.00	-10.66	33.00	26.50	4.65	29.61	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
6	956.35	29.03	46.00	-16.97	21.54	30.75	5.46	28.72	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
7	2432.00	99.49	-----	-----	93.04	32.32	8.75	34.62	0.00	400	316	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
8	3625.00	92.91	-----	-----	82.83	33.30	10.70	33.92	0.00	300	303	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
9	4864.00	52.06	74.00	-21.94	40.42	34.47	12.39	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10	4864.00	41.88	54.00	-12.12	30.24	34.47	12.39	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
11	6407.00	67.77	-----	-----	52.75	35.80	14.13	34.91	0.00	400	262	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
12	6985.00	91.77	-----	-----	75.92	36.00	14.78	34.93	0.00	352	360	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
13	7296.00	56.41	74.00	-17.59	40.42	36.01	14.92	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
14	7296.00	45.89	54.00	-8.11	29.90	36.01	14.92	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
15	10875.00	51.18	74.00	-22.82	52.09	38.00	18.14	58.21	1.16	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
16	13970.00	46.97	88.20	-41.23	43.39	39.10	20.91	57.64	1.21	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
17	20955.00	36.33	74.00	-37.67	50.58	38.00	17.29	60.00	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

Remark: The unwanted signal 2432.000MHz、3625.000MHz、6407.000MHz、6985.000MHz、2432.000MHz、3625.000MHz、6407.000MHz、6985.000MHz can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	3	
	Harmonic	
	2400-2483.5_802.11be EHT40_CH05_Full RU_2432MHz	
	+	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz	
	+	
	UWB_CH05	
	+	
	LTE CA 48C	
ANT		
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-22 AVG_54 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-22 AVG_54 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



17.7G ~18G Avg	Level (dBuV/m) Date: 2026-09-22  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-22  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
---	---	--





Mode	4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	2400-2483.5_802.11be EHT40_CH05_Full RU_2432MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	UWB_CH09																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	LTE CA 48C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
ANT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
Peak	Level (dBuV/m) Date: 2026-09-22 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 HORIZONTAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>20.34</td><td>40.00</td><td>-19.66</td><td>25.62</td><td>23.74</td><td>0.97</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>91.11</td><td>28.31</td><td>43.50</td><td>-15.19</td><td>41.89</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>110.51</td><td>33.43</td><td>43.50</td><td>-10.07</td><td>44.56</td><td>16.96</td><td>1.86</td><td>29.95</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>123.12</td><td>30.45</td><td>43.50</td><td>-13.05</td><td>48.76</td><td>17.67</td><td>1.97</td><td>29.95</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>745.86</td><td>30.36</td><td>46.00</td><td>-15.64</td><td>27.22</td><td>27.94</td><td>4.83</td><td>29.63</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>953.44</td><td>28.80</td><td>46.00</td><td>-17.20</td><td>21.37</td><td>30.73</td><td>5.44</td><td>28.74</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2432.00</td><td>100.40</td><td>-----</td><td>-----</td><td>93.98</td><td>32.30</td><td>8.73</td><td>34.61</td><td>0.00</td><td>100</td><td>220</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>96.82</td><td>-----</td><td>-----</td><td>85.94</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>300</td><td>183</td><td>Peak</td></tr><tr><td>9</td><td>4864.00</td><td>51.74</td><td>74.00</td><td>-22.26</td><td>40.10</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4864.00</td><td>41.69</td><td>54.00</td><td>-12.31</td><td>30.85</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>6985.00</td><td>95.29</td><td>-----</td><td>-----</td><td>79.41</td><td>36.00</td><td>14.81</td><td>34.93</td><td>0.00</td><td>100</td><td>118</td><td>Peak</td></tr><tr><td>12</td><td>7296.00</td><td>56.85</td><td>74.00</td><td>-17.15</td><td>40.86</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>13</td><td>7296.00</td><td>46.58</td><td>54.00</td><td>-7.42</td><td>30.59</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>14</td><td>7974.00</td><td>56.40</td><td>-----</td><td>-----</td><td>39.52</td><td>36.30</td><td>15.57</td><td>34.99</td><td>0.00</td><td>200</td><td>155</td><td>Peak</td></tr><tr><td>15</td><td>10875.00</td><td>43.89</td><td>74.00</td><td>-30.11</td><td>44.80</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>13970.00</td><td>46.93</td><td>88.20</td><td>-41.27</td><td>43.35</td><td>39.10</td><td>20.91</td><td>57.64</td><td>1.21</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>20955.00</td><td>36.70</td><td>74.00</td><td>-37.30</td><td>50.95</td><td>38.00</td><td>17.29</td><td>60.00</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2026-09-22 Site : 03CH07-HY Condition: PEAK(UNII)_6E 1m SHF-EHF_9170991 VERTICAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>32.68</td><td>40.00</td><td>-7.32</td><td>37.78</td><td>23.93</td><td>0.96</td><td>29.99</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>91.11</td><td>33.17</td><td>43.50</td><td>-10.33</td><td>46.75</td><td>14.67</td><td>1.69</td><td>29.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>213.33</td><td>21.58</td><td>43.50</td><td>-21.92</td><td>34.11</td><td>14.82</td><td>2.57</td><td>29.92</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>381.60</td><td>29.02</td><td>46.00</td><td>-16.98</td><td>36.67</td><td>19.09</td><td>3.67</td><td>29.81</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>713.85</td><td>32.58</td><td>46.00</td><td>-13.42</td><td>30.86</td><td>26.66</td><td>4.68</td><td>29.62</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>958.29</td><td>28.50</td><td>46.00</td><td>-17.50</td><td>20.89</td><td>30.86</td><td>5.46</td><td>28.71</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>2432.00</td><td>98.81</td><td>-----</td><td>-----</td><td>92.33</td><td>32.35</td><td>8.75</td><td>34.62</td><td>0.00</td><td>400</td><td>319</td><td>Peak</td></tr><tr><td>8</td><td>3625.00</td><td>93.14</td><td>-----</td><td>-----</td><td>83.06</td><td>33.30</td><td>10.70</td><td>33.92</td><td>0.00</td><td>400</td><td>285</td><td>Peak</td></tr><tr><td>9</td><td>4864.00</td><td>51.91</td><td>74.00</td><td>-22.09</td><td>40.27</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>4864.00</td><td>41.51</td><td>54.00</td><td>-12.49</td><td>29.87</td><td>34.47</td><td>12.39</td><td>35.22</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>11</td><td>6985.00</td><td>90.89</td><td>-----</td><td>-----</td><td>75.01</td><td>36.00</td><td>14.81</td><td>34.93</td><td>0.00</td><td>400</td><td>201</td><td>Peak</td></tr><tr><td>12</td><td>7296.00</td><td>57.92</td><td>74.00</td><td>-16.08</td><td>41.93</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>13</td><td>7296.00</td><td>47.22</td><td>54.00</td><td>-6.78</td><td>31.23</td><td>36.01</td><td>14.92</td><td>34.94</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>14</td><td>7974.00</td><td>57.48</td><td>-----</td><td>-----</td><td>40.60</td><td>36.30</td><td>15.57</td><td>34.99</td><td>0.00</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>15</td><td>10875.00</td><td>49.96</td><td>74.00</td><td>-24.04</td><td>50.87</td><td>38.00</td><td>18.14</td><td>58.21</td><td>1.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>16</td><td>13970.00</td><td>47.69</td><td>88.20</td><td>-40.51</td><td>44.11</td><td>39.10</td><td>20.91</td><td>57.64</td><td>1.21</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>17</td><td>20955.00</td><td>36.43</td><td>74.00</td><td>-37.57</td><td>50.68</td><td>38.00</td><td>17.29</td><td>60.00</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	30.97	20.34	40.00	-19.66	25.62	23.74	0.97	29.99	0.00	--	--	--	Peak	2	91.11	28.31	43.50	-15.19	41.89	14.67	1.69	29.94	0.00	--	--	--	Peak	3	110.51	33.43	43.50	-10.07	44.56	16.96	1.86	29.95	0.00	--	--	--	Peak	4	123.12	30.45	43.50	-13.05	48.76	17.67	1.97	29.95	0.00	--	--	--	Peak	5	745.86	30.36	46.00	-15.64	27.22	27.94	4.83	29.63	0.00	--	--	--	Peak	6	953.44	28.80	46.00	-17.20	21.37	30.73	5.44	28.74	0.00	--	--	--	Peak	7	2432.00	100.40	-----	-----	93.98	32.30	8.73	34.61	0.00	100	220	Peak	8	3625.00	96.82	-----	-----	85.94	33.30	10.70	33.92	0.00	300	183	Peak	9	4864.00	51.74	74.00	-22.26	40.10	34.47	12.39	35.22	0.00	--	--	--	Peak	10	4864.00	41.69	54.00	-12.31	30.85	34.47	12.39	35.22	0.00	--	--	--	Average	11	6985.00	95.29	-----	-----	79.41	36.00	14.81	34.93	0.00	100	118	Peak	12	7296.00	56.85	74.00	-17.15	40.86	36.01	14.92	34.94	0.00	--	--	--	Peak	13	7296.00	46.58	54.00	-7.42	30.59	36.01	14.92	34.94	0.00	--	--	--	Average	14	7974.00	56.40	-----	-----	39.52	36.30	15.57	34.99	0.00	200	155	Peak	15	10875.00	43.89	74.00	-30.11	44.80	38.00	18.14	58.21	1.16	--	--	--	Peak	16	13970.00	46.93	88.20	-41.27	43.35	39.10	20.91	57.64	1.21	--	--	--	Peak	17	20955.00	36.70	74.00	-37.30	50.95	38.00	17.29	60.00	-9.54	--	--	--	Peak	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	30.00	32.68	40.00	-7.32	37.78	23.93	0.96	29.99	0.00	--	--	--	Peak	2	91.11	33.17	43.50	-10.33	46.75	14.67	1.69	29.94	0.00	--	--	--	Peak	3	213.33	21.58	43.50	-21.92	34.11	14.82	2.57	29.92	0.00	--	--	--	Peak	4	381.60	29.02	46.00	-16.98	36.67	19.09	3.67	29.81	0.00	--	--	--	Peak	5	713.85	32.58	46.00	-13.42	30.86	26.66	4.68	29.62	0.00	--	--	--	Peak	6	958.29	28.50	46.00	-17.50	20.89	30.86	5.46	28.71	0.00	--	--	--	Peak	7	2432.00	98.81	-----	-----	92.33	32.35	8.75	34.62	0.00	400	319	Peak	8	3625.00	93.14	-----	-----	83.06	33.30	10.70	33.92	0.00	400	285	Peak	9	4864.00	51.91	74.00	-22.09	40.27	34.47	12.39	35.22	0.00	--	--	--	Peak	10	4864.00	41.51	54.00	-12.49	29.87	34.47	12.39	35.22	0.00	--	--	--	Average	11	6985.00	90.89	-----	-----	75.01	36.00	14.81	34.93	0.00	400	201	Peak	12	7296.00	57.92	74.00	-16.08	41.93	36.01	14.92	34.94	0.00	--	--	--	Peak	13	7296.00	47.22	54.00	-6.78	31.23	36.01	14.92	34.94	0.00	--	--	--	Average	14	7974.00	57.48	-----	-----	40.60	36.30	15.57	34.99	0.00	100	360	Peak	15	10875.00	49.96	74.00	-24.04	50.87	38.00	18.14	58.21	1.16	--	--	--	Peak	16	13970.00	47.69	88.20	-40.51	44.11	39.10	20.91	57.64	1.21	--	--	--	Peak	17	20955.00	36.43	74.00	-37.57	50.68	38.00	17.29	60.00	-9.54	--	--	--	Peak
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1	30.97	20.34	40.00	-19.66	25.62	23.74	0.97	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
2	91.11	28.31	43.50	-15.19	41.89	14.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
3	110.51	33.43	43.50	-10.07	44.56	16.96	1.86	29.95	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
4	123.12	30.45	43.50	-13.05	48.76	17.67	1.97	29.95	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
5	745.86	30.36	46.00	-15.64	27.22	27.94	4.83	29.63	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
6	953.44	28.80	46.00	-17.20	21.37	30.73	5.44	28.74	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
7	2432.00	100.40	-----	-----	93.98	32.30	8.73	34.61	0.00	100	220	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
8	3625.00	96.82	-----	-----	85.94	33.30	10.70	33.92	0.00	300	183	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
9	4864.00	51.74	74.00	-22.26	40.10	34.47	12.39	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10	4864.00	41.69	54.00	-12.31	30.85	34.47	12.39	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
11	6985.00	95.29	-----	-----	79.41	36.00	14.81	34.93	0.00	100	118	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
12	7296.00	56.85	74.00	-17.15	40.86	36.01	14.92	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
13	7296.00	46.58	54.00	-7.42	30.59	36.01	14.92	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
14	7974.00	56.40	-----	-----	39.52	36.30	15.57	34.99	0.00	200	155	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
15	10875.00	43.89	74.00	-30.11	44.80	38.00	18.14	58.21	1.16	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
16	13970.00	46.93	88.20	-41.27	43.35	39.10	20.91	57.64	1.21	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
17	20955.00	36.70	74.00	-37.30	50.95	38.00	17.29	60.00	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1	30.00	32.68	40.00	-7.32	37.78	23.93	0.96	29.99	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
2	91.11	33.17	43.50	-10.33	46.75	14.67	1.69	29.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
3	213.33	21.58	43.50	-21.92	34.11	14.82	2.57	29.92	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
4	381.60	29.02	46.00	-16.98	36.67	19.09	3.67	29.81	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
5	713.85	32.58	46.00	-13.42	30.86	26.66	4.68	29.62	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
6	958.29	28.50	46.00	-17.50	20.89	30.86	5.46	28.71	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
7	2432.00	98.81	-----	-----	92.33	32.35	8.75	34.62	0.00	400	319	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
8	3625.00	93.14	-----	-----	83.06	33.30	10.70	33.92	0.00	400	285	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
9	4864.00	51.91	74.00	-22.09	40.27	34.47	12.39	35.22	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10	4864.00	41.51	54.00	-12.49	29.87	34.47	12.39	35.22	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
11	6985.00	90.89	-----	-----	75.01	36.00	14.81	34.93	0.00	400	201	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
12	7296.00	57.92	74.00	-16.08	41.93	36.01	14.92	34.94	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
13	7296.00	47.22	54.00	-6.78	31.23	36.01	14.92	34.94	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
14	7974.00	57.48	-----	-----	40.60	36.30	15.57	34.99	0.00	100	360	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
15	10875.00	49.96	74.00	-24.04	50.87	38.00	18.14	58.21	1.16	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
16	13970.00	47.69	88.20	-40.51	44.11	39.10	20.91	57.64	1.21	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
17	20955.00	36.43	74.00	-37.57	50.68	38.00	17.29	60.00	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

Remark: The unwanted signal 2432.000MHz、3625.000MHz、6985.000MHz、7974.000MHz、2432.000MHz、3625.000MHz、6985.000MHz、7974.000MHz can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	4	
	Harmonic	
	2400-2483.5_802.11be EHT40_CH05_Full RU_2432MHz	
	+	
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz	
	+	
	UWB_CH09	
	+	
	LTE CA 48C	
ANT		
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-22 AVG_54 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-22 AVG_54 Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL



17.7G ~18G Avg	Level (dBuV/m) Date: 2026-09-22  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 HORIZONTAL	Level (dBuV/m) Date: 2026-09-22  Site : 03CH07-HY Condition: AVG_54 3m HF_ANT_00075962 VERTICAL
---	---	--



Appendix B. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
5+9	Bluetooth - LE CS GFSK for 1Mbps	28.64	179	5.59	6.2kHz
5+9	2.4GHz 802.11be EHT40 Full RU	99.63	-	-	10Hz
4+9	5GHz 802.11a	99.05	-	-	10Hz
4+9	6GHz 802.11be EHT160 Full RU	99.58	-	-	10Hz
4+9	6GHz 802.11be EHT320 Full RU	99.63	-	-	10Hz

