

Plot No.01 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Oakland	165.0 x 78.0 x 9.0	164.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n41	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	518598	2592.99

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

E _{max} [dB(V/m)]	E _{avg50x50 max} [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
33.53	27.75	-1.64	26.11



Plot No.03 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Oakland	165.0 x 78.0 x 9.0	164.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	633332	3499.98

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

E _{max} [dB(V/m)]	E _{avg50x50 max} [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
33.09	29.8	-1.64	28.16



Plot No.05 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Oakland	165.0 x 78.0 x 9.0	164.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	661334	3920.01

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

E _{max} [dB(V/m)]	E _{avg50x50 max} [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
34.15	30.44	-1.64	28.8

