




Conducted Spurious Emission

FR1 n70 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel

Middle Channel


Highest Channel



11:48:33 AM 09/01/2026



11:49:36 AM 09/01/2026



11:50:35 AM 09/01/2026

Frequency Stability

Test Conditions		FR1 n70 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0060	-10.2	Yes	PASS
40	Normal Voltage	0.0024	4.1	Yes	
30	Normal Voltage	0.0056	-9.6	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0001	-0.2	Yes	
0	Normal Voltage	0.0069	-11.7	Yes	
-10	Normal Voltage	0.0059	-10	Yes	
-20	Normal Voltage	0.0026	4.4	Yes	
-30	Normal Voltage	0.0013	2.2	Yes	
20	Maximum Voltage	0.0006	-1	Yes	
20	Normal Voltage	0.0000	0	Yes	
20	Minimum Voltage	0.0004	-0.7	Yes	

Note:

1. Normal Voltage = 3.81 V. ; Minimum Voltage = 3.4 V. ; Maximum Voltage = 4.53 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.


**FR1 n71****<SISO Mode>****Peak-to-Average Ratio**

Mode	FR1 n71 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	3.78	4.42	5.98	5.74	PASS
Mode	FR1 n71 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.64				PASS




FR1 n71 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM




**26dB Bandwidth**

Mode	FR1 n71 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	5.08	5.13	9.74	9.92	14.56	14.53	19.21	19.37
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	5.16		9.82		14.53		19.32	
BW	25MHz		30MHz		35MHz			
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK		
Middle CH	24.32	24.41	30.94	31.05	34.66	34.75		
Mod.	16QAM		16QAM		16QAM			
Middle CH	24.43		30.96		34.56			




FR1 n71 / 5MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM






FR1 n71 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n71 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n71 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n71 / 25MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n71 / 30MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n71 / 35MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM




**Occupied Bandwidth**

Mode	FR1 n71 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	4.50	4.48	8.95	8.99	13.47	13.48	17.98	17.97
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	4.50		8.96		13.52		17.96	
BW	25MHz		30MHz		35MHz			
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK		
Middle CH	22.94	22.99	28.85	28.84	32.40	32.42		
Mod.	16QAM		16QAM		16QAM			
Middle CH	23.00		28.85		32.37			




FR1 n71 / 5MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n71 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




10:24:02 AM 08/18/2024

QPSK



07:36:24 AM 08/18/2024

16QAM




10:25:17 AM 08/18/2024




FR1 n71 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK

QPSK




07:45:13 AM 08/18/2026



07:46:06 AM 08/18/2026

16QAM




07:51:57 AM 08/18/2026




FR1 n71 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




08:15:53 AM 08/18/2026

QPSK



08:17:59 AM 08/18/2026

16QAM




08:19:55 AM 08/18/2026




FR1 n71 / 25MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




08:35:23 AM 08/18/2024

QPSK



08:36:16 AM 08/18/2024

16QAM




08:37:30 AM 08/18/2024




FR1 n71 / 30MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK

QPSK




08:38:36 AM 08/18/2024



10:40:06 AM 08/18/2024

16QAM




10:39:41 AM 08/18/2024




FR1 n71 / 35MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




09:47:28 AM 08/18/2026

QPSK



09:48:48 AM 08/18/2026

16QAM



09:50:05 AM 08/18/2026




Conducted Band Edge

FR1 n71 / 5MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n71 / 5MHz / DFT-S OFDM / QPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n71 / 10MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n71 / 10MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n71 / 15MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n71 / 15MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n71 / 20MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n71 / 20MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n71 / 25MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n71 / 25MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n71 / 30MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n71 / 30MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n71 / 35MHz / DFT-S OFDM

Middle Band Edge / Full RB / PI/2 BPSK

Middle Band Edge / Full RB / QPSK






Conducted Spurious Emission


FR1 n71 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel




07:27:28 AM 08/18/2026

Middle Channel



07:28:40 AM 08/18/2026

Highest Channel



07:30:58 AM 08/18/2026

**Frequency Stability**

Test Conditions		FR1 n71 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0090	6.1	Yes	PASS
40	Normal Voltage	0.0184	12.5	Yes	
30	Normal Voltage	0.0078	5.3	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0050	-3.4	Yes	
0	Normal Voltage	0.0029	2	Yes	
-10	Normal Voltage	0.0051	-3.5	Yes	
-20	Normal Voltage	0.0022	1.5	Yes	
-30	Normal Voltage	0.0025	1.7	Yes	
20	Maximum Voltage	0.0088	6	Yes	
20	Normal Voltage	0.0000	0	Yes	
20	Minimum Voltage	0.0156	10.6	Yes	

Note:

1. Normal Voltage = 3.81 V. ; Minimum Voltage = 3.4 V. ; Maximum Voltage = 4.53 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.



FR1 n77_Part27O for Main PA---ANT5

<SISO Mode>


Peak-to-Average Ratio

Mode	FR1 n77 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	3.88	4.88	5.68	6.02	PASS
Mode	FR1 n77 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.56				PASS




FR1 n77 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM




**26dB Bandwidth**

Mode	FR1 n77 : 26dB BW(MHz) / DFT-S OFDM							
BW	10MHz		15MHz		20MHz		25MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	9.45	9.46	13.90	13.95	19.18	19.22	24.26	24.38
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	9.45		13.99		19.23		24.28	
BW	30MHz		40MHz		50MHz		60MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	29.41	29.34	38.17	38.23	48.38	48.36	62.62	62.83
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	29.43		38.32		48.36		62.70	
BW	70MHz		80MHz		90MHz		100MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	69.29	69.17	82.09	82.21	91.91	92.10	101.29	101.61
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	69.37		82.28		91.83		101.52	




FR1 n77 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK



QPSK



16QAM

