




EUT Mode

802.11be EHT80 Puncture20 1

Plot on 7025 MHz






EUT Mode

802.11be EHT80 Puncture20 4

Plot on 5985 MHz






EUT Mode


802.11be EHT160 FullIRU

Plot on 6025 MHz




12:58:50 AM 09/17/2026

Plot on 6185 MHz




05:05:38 PM 09/16/2026

Plot on 6345 MHz



05:36:56 PM 09/16/2026


Plot on 6665 MHz



05:43:02 PM 09/16/2026




Plot on 6825 MHz




08:32:29 PM 09/16/2026

Plot on 6985 MHz



08:42:55 PM 09/16/2026

Plot on 6505 MHz




09:42:23 PM 09/16/2026



EUT Mode

802.11be EHT160 996T+484T3

Plot on 6985 MHz






EUT Mode

802.11be EHT160 996T+484T4

Plot on 6025 MHz






EUT Mode

802.11be EHT160 Puncture20 1

Plot on 6985 MHz






EUT Mode

802.11be EHT160 Puncture20 8

Plot on 6025 MHz






EUT Mode

802.11be EHT160 Puncture40 1

Plot on 6985 MHz






EUT Mode

802.11be EHT160 Puncture40 4

Plot on 6025 MHz







EUT Mode

802.11be EHT320 3x996T4

Plot on 6105 MHz

Plot on 6905 MHz






EUT Mode


802.11be EHT320 FullIRU

Plot on 6105 MHz




09:53:15 PM 09/16/2026

Plot on 6265 MHz




10:08:06 PM 09/16/2026

Plot on 6425 MHz



09:52:51 PM 09/16/2026


Plot on 6585 MHz



09:58:11 PM 09/16/2026




Plot on 6745 MHz



10:02:09 PM 09/16/2026

Plot on 6905 MHz




10:05:46 PM 09/16/2026



EUT Mode

802.11be EHT320 2x996T+484T3

Plot on 6105 MHz






EUT Mode

802.11be EHT320 2x996T+484T6

Plot on 6905 MHz




02:51:59 AM 09/17/2026



EUT Mode

802.11be EHT320 3x996T+484T5

Plot on 6905 MHz






EUT Mode

802.11be EHT320 3x996T+484T8

Plot on 6105 MHz






EUT Mode

802.11be EHT320 Puncture40 1

Plot on 6905 MHz






EUT Mode

802.11be EHT320 Puncture40 8

Plot on 6105 MHz






EUT Mode

802.11be EHT320 Puncture80 1

Plot on 6905 MHz






EUT Mode

802.11be EHT320 Puncture80 4

Plot on 6105 MHz






EUT Mode

802.11be EHT320 Puncture120 3

Plot on 6105 MHz






EUT Mode

802.11be EHT320 Puncture120 8

Plot on 6905 MHz






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Brian Chen	Temperature :	23~26°C
		Relative Humidity :	45~55%

EUT Information

Report NO : 672113
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Line

Full Spectrum

**Final Result**


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	18.45	56.00	37.55	L1	OFF	19.9
0.150000	34.16	---	66.00	31.84	L1	OFF	19.9
0.478500	---	24.47	46.37	21.90	L1	OFF	19.9
0.478500	37.78	---	56.37	18.59	L1	OFF	19.9
0.498750	---	29.09	46.02	16.93	L1	OFF	19.9
0.498750	43.56	---	56.02	12.46	L1	OFF	19.9
0.525750	---	34.01	46.00	11.99	L1	OFF	19.9
0.525750	48.98	---	56.00	7.02	L1	OFF	19.9
0.555000	---	30.49	46.00	15.51	L1	OFF	19.9
0.555000	44.25	---	56.00	11.75	L1	OFF	19.9
0.579750	---	24.29	46.00	21.71	L1	OFF	19.9
0.579750	37.15	---	56.00	18.85	L1	OFF	19.9
0.624750	---	24.35	46.00	21.65	L1	OFF	19.9
0.624750	35.89	---	56.00	20.11	L1	OFF	19.9
0.665250	---	25.11	46.00	20.89	L1	OFF	19.9
0.665250	38.92	---	56.00	17.08	L1	OFF	19.9
0.701250	---	27.83	46.00	18.17	L1	OFF	19.9
0.701250	42.73	---	56.00	13.27	L1	OFF	19.9
0.726000	---	26.50	46.00	19.50	L1	OFF	19.9
0.726000	39.97	---	56.00	16.03	L1	OFF	19.9
0.791250	---	22.97	46.00	23.03	L1	OFF	19.9

0.791250	34.70	---	56.00	21.30	L1	OFF	19.9
0.865500	---	24.72	46.00	21.28	L1	OFF	20.0
0.865500	36.52	---	56.00	19.48	L1	OFF	20.0
0.953250	---	24.00	46.00	22.00	L1	OFF	20.0
0.953250	35.86	---	56.00	20.14	L1	OFF	20.0
1.011750	---	21.45	46.00	24.55	L1	OFF	20.0
1.011750	33.91	---	56.00	22.09	L1	OFF	20.0
1.081500	---	20.75	46.00	25.25	L1	OFF	20.0
1.081500	32.74	---	56.00	23.26	L1	OFF	20.0
1.140000	---	21.09	46.00	24.91	L1	OFF	20.0
1.140000	32.86	---	56.00	23.14	L1	OFF	20.0
1.223250	---	22.41	46.00	23.59	L1	OFF	20.0
1.223250	33.88	---	56.00	22.12	L1	OFF	20.0
1.306500	---	24.10	46.00	21.90	L1	OFF	20.0
1.306500	35.51	---	56.00	20.49	L1	OFF	20.0
1.419000	---	25.47	46.00	20.53	L1	OFF	20.0
1.419000	37.15	---	56.00	18.85	L1	OFF	20.0
1.479750	---	25.48	46.00	20.52	L1	OFF	20.0
1.479750	36.33	---	56.00	19.67	L1	OFF	20.0
1.623750	---	22.65	46.00	23.35	L1	OFF	20.0
1.623750	32.73	---	56.00	23.27	L1	OFF	20.0
1.785750	---	22.06	46.00	23.94	L1	OFF	20.0
1.785750	31.87	---	56.00	24.13	L1	OFF	20.0
1.945500	---	21.00	46.00	25.00	L1	OFF	20.0
1.945500	30.76	---	56.00	25.24	L1	OFF	20.0
2.044500	---	20.97	46.00	25.03	L1	OFF	20.0
2.044500	30.15	---	56.00	25.85	L1	OFF	20.0
2.256000	---	20.82	46.00	25.18	L1	OFF	20.0
2.256000	30.55	---	56.00	25.45	L1	OFF	20.0
9.303000	---	28.54	50.00	21.46	L1	OFF	20.5
9.303000	35.01	---	60.00	24.99	L1	OFF	20.5

EUT Information

Report NO : 672113
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum

**Final Result**

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	20.22	56.00	35.78	N	OFF	19.9
0.150000	38.77	---	66.00	27.23	N	OFF	19.9
0.494250	---	27.82	46.10	18.28	N	OFF	19.9
0.494250	41.20	---	56.10	14.90	N	OFF	19.9
0.525750	---	33.49	46.00	12.51	N	OFF	19.9
0.525750	48.97	---	56.00	7.03	N	OFF	19.9
0.557250	---	29.52	46.00	16.48	N	OFF	19.9
0.557250	42.63	---	56.00	13.37	N	OFF	19.9
0.633750	---	25.10	46.00	20.90	N	OFF	19.9
0.633750	37.05	---	56.00	18.95	N	OFF	19.9
0.703500	---	28.02	46.00	17.98	N	OFF	19.9
0.703500	42.81	---	56.00	13.19	N	OFF	19.9
0.809250	---	23.68	46.00	22.32	N	OFF	20.0
0.809250	35.54	---	56.00	20.46	N	OFF	20.0
0.876750	---	24.63	46.00	21.37	N	OFF	20.0
0.876750	35.94	---	56.00	20.06	N	OFF	20.0
0.969000	---	24.37	46.00	21.63	N	OFF	20.0
0.969000	35.87	---	56.00	20.13	N	OFF	20.0
1.086000	---	21.57	46.00	24.43	N	OFF	20.0
1.086000	33.41	---	56.00	22.59	N	OFF	20.0
1.223250	---	23.46	46.00	22.54	N	OFF	20.0

1.223250	35.20	---	56.00	20.80	N	OFF	20.0
1.304250	---	24.60	46.00	21.40	N	OFF	20.0
1.304250	35.57	---	56.00	20.43	N	OFF	20.0
1.437000	---	25.10	46.00	20.90	N	OFF	20.0
1.437000	35.70	---	56.00	20.30	N	OFF	20.0
1.502250	---	24.53	46.00	21.47	N	OFF	20.0
1.502250	35.07	---	56.00	20.93	N	OFF	20.0
1.698000	---	22.18	46.00	23.82	N	OFF	20.0
1.698000	32.34	---	56.00	23.66	N	OFF	20.0
1.839750	---	22.88	46.00	23.12	N	OFF	20.0
1.839750	32.34	---	56.00	23.66	N	OFF	20.0
1.997250	---	21.99	46.00	24.01	N	OFF	20.0
1.997250	31.01	---	56.00	24.99	N	OFF	20.0
9.161250	---	27.50	50.00	22.50	N	OFF	20.6
9.161250	33.76	---	60.00	26.24	N	OFF	20.6



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Lan、 Gary Guo、 Steven Wu	Temperature :	22.8~25.2°C
		Relative Humidity :	48.2~54.3%

Note symbol

-L	Low channel location
-R	High channel location

**C1.Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	5+4	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	5+4	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	5+4	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-6	6.425-6.525	5+4	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	5+4	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	5+4	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	5+4	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	5+4	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	5+4	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-8	6.875-7.125	5+4	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	5+4	802.11a	209	6995	6Mbps	-	-

**C1.Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-8	6.875-7.125	5+4	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5.925-6.425	5+4	802.11be EHT20	1	5955	MCS0	Full	-
Mode 14	U-NII-5	5.925-6.425	5+4	802.11be EHT20	49	6195	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	5+4	802.11be EHT20	93	6415	MCS0	Full	-
Mode 16	U-NII-6	6.425-6.525	5+4	802.11be EHT20	97	6435	MCS0	Full	-
Mode 17	U-NII-6	6.425-6.525	5+4	802.11be EHT20	105	6475	MCS0	Full	-
Mode 18	U-NII-6	6.425-6.525	5+4	802.11be EHT20	113	6515	MCS0	Full	-
Mode 19	U-NII-7	6.525-6.875	5+4	802.11be EHT20	117	6535	MCS0	Full	-
Mode 20	U-NII-7	6.525-6.875	5+4	802.11be EHT20	149	6695	MCS0	Full	-
Mode 21	U-NII-7	6.525-6.875	5+4	802.11be EHT20	181	6855	MCS0	Full	-
Mode 22	U-NII-8	6.875-7.125	5+4	802.11be EHT20	189	6895	MCS0	Full	-

C1.Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	U-NII-8	6.875-7.125	5+4	802.11be EHT20	209	6995	MCS0	Full	-
Mode 24	U-NII-8	6.875-7.125	5+4	802.11be EHT20	229	7095	MCS0	Full	-
Mode 25	U-NII-5	5.925-6.425	5+4	802.11be EHT40	3	5965	MCS0	Full	-
Mode 26	U-NII-5	5.925-6.425	5+4	802.11be EHT40	51	6165	MCS0	Full	-
Mode 27	U-NII-5	5.925-6.425	5+4	802.11be EHT40	91	6405	MCS0	Full	-
Mode 28	U-NII-6	6.425-6.525	5+4	802.11be EHT40	99	6445	MCS0	Full	-
Mode 29	U-NII-6	6.425-6.525	5+4	802.11be EHT40	107	6485	MCS0	Full	-
Mode 30	U-NII-7	6.525-6.875	5+4	802.11be EHT40	123	6565	MCS0	Full	-
Mode 31	U-NII-7	6.525-6.875	5+4	802.11be EHT40	147	6685	MCS0	Full	-
Mode 32	U-NII-7	6.525-6.875	5+4	802.11be EHT40	179	6845	MCS0	Full	-
Mode 33	U-NII-8	6.875-7.125	5+4	802.11be EHT40	195	6925	MCS0	Full	-

C1.Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-8	6.875-7.125	5+4	802.11be EHT40	203	6965	MCS0	Full	-
Mode 35	U-NII-8	6.875-7.125	5+4	802.11be EHT40	227	7085	MCS0	Full	-
Mode 36	U-NII-5	5.925-6.425	5+4	802.11be EHT80	7	5985	MCS0	Full	-
Mode 37	U-NII-5	5.925-6.425	5+4	802.11be EHT80	55	6145	MCS0	Full	-
Mode 38	U-NII-5	5.925-6.425	5+4	802.11be EHT80	87	6385	MCS0	Full	-
Mode 39	U-NII-6	6.425-6.525	5+4	802.11be EHT80	103	6465	MCS0	Full	-
Mode 40	U-NII-7	6.525-6.875	5+4	802.11be EHT80	135	6625	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	5+4	802.11be EHT80	151	6705	MCS0	Full	-
Mode 42	U-NII-7	6.525-6.875	5+4	802.11be EHT80	167	6785	MCS0	Full	-
Mode 43	U-NII-8	6.875-7.125	5+4	802.11be EHT80	199	6945	MCS0	Full	-
Mode 44	U-NII-8	6.875-7.125	5+4	802.11be EHT80	215	7025	MCS0	Full	-

C1.Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 45	U-NII-5	5.925-6.425	5+4	802.11be EHT160	15	6025	MCS0	Full	-
Mode 46	U-NII-5	5.925-6.425	5+4	802.11be EHT160	47	6185	MCS0	Full	-
Mode 47	U-NII-5	5.925-6.425	5+4	802.11be EHT160	79	6345	MCS0	Full	-
Mode 48	U-NII-7	6.525-6.875	5+4	802.11be EHT160	143	6665	MCS0	Full	-
Mode 49	U-NII-8	6.875-7.125	5+4	802.11be EHT160	207	6985	MCS0	Full	-
Mode 50	U-NII-5	5.925-6.425	5+4	802.11be EHT320	31	6105	MCS0	Full	-
Mode 51	U-NII-5	5.925-6.425	5+4	802.11be EHT320	67	6265	MCS0	Full	-
Mode 52	U-NII-7	6.525-6.875	5+4	802.11a	185	6875	6Mbps	-	-
Mode 53	U-NII-7	6.525-6.875	5+4	802.11be EHT20	185	6525	MCS0	Full	-
Mode 54	U-NII-7	6.525-6.875	5+4	802.11be EHT40	187	6885	MCS0	Full	-
Mode 55	U-NII-7	6.525-6.875	5+4	802.11be EHT80	183	6865	MCS0	Full	-

**C1.Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 56	U-NII-7	6.525-6.875	5+4	802.11be EHT160	175	6825	MCS0	Full	-
Mode 57	U-NII-7	6.525-6.875	5+4	802.11be EHT320	159	6745	MCS0	Full	-
Mode 58	U-NII-7	6.525-6.875	5+4	802.11be EHT320	191	6905	MCS0	Full	-
Mode 59	U-NII-6	6.425-6.525	5+4	802.11be EHT40	115	6525	MCS0	Full	-
Mode 60	U-NII-6	6.425-6.525	5+4	802.11be EHT80	119	6545	MCS0	Full	-
Mode 61	U-NII-6	6.425-6.525	5+4	802.11be EHT160	111	6505	MCS0	Full	-
Mode 62	U-NII-5	5.925-6.425	5+4	802.11be EHT320	95	6425	MCS0	Full	-
Mode 63	U-NII-6	6.425-6.525	5+4	802.11be EHT320	127	6585	MCS0	Full	-
Mode 64	U-NII-5	5.925-6.425	5+4	802.11be EHT20	1	5955	MCS0	RU26/0	-
Mode 65	U-NII-5	5.925-6.425	5+4	802.11be EHT20	1	5955	MCS0	RU52/37	-
Mode 66	U-NII-5	5.925-6.425	5+4	802.11be EHT20	1	5955	MCS0	RU106/53	-

**C1.Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 67	U-NII-8	6.875-7.125	5+4	802.11be EHT20	229	7095	MCS0	RU26/8	-
Mode 68	U-NII-8	6.875-7.125	5+4	802.11be EHT20	229	7095	MCS0	RU52/40	-
Mode 69	U-NII-8	6.875-7.125	5+4	802.11be EHT20	229	7095	MCS0	RU106/54	-
Mode 70	U-NII-5	5.925-6.425	5+4	802.11a	2	5935	6Mbps	-	-
Mode 71	U-NII-5	5.925-6.425	5+4	802.11be EHT20	2	5935	MCS0	Full	-
Mode 72	U-NII-5	5.925-6.425	5+4	802.11be EHT20	2	5935	MCS0	RU26/0	-
Mode 73	U-NII-5	5.925-6.425	5+4	802.11be EHT20	2	5935	MCS0	RU52/37	-
Mode 74	U-NII-5	5.925-6.425	5+4	802.11be EHT20	2	5935	MCS0	RU106/53	-
Mode 75	U-NII-8	6.875-7.125	5+4	802.11a	233	7115	6Mbps	-	-
Mode 76	U-NII-8	6.875-7.125	5+4	802.11be EHT20	233	7115	MCS0	Full	-
Mode 77	U-NII-8	6.875-7.125	5+4	802.11be EHT20	233	7115	MCS0	RU26/8	-

C1.Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 78	U-NII-8	6.875-7.125	5+4	802.11be EHT20	233	7115	MCS0	RU52/40	-
Mode 79	U-NII-8	6.875-7.125	5+4	802.11be EHT20	233	7115	MCS0	RU106/54	-
Mode 80	U-NII-8	6.875-7.125	5+4	802.11be EHT20	229	7095	MCS0	RU52/40	LF
Mode 81	U-NII-8	6.875-7.125	5+4	802.11be EHT20	229	7095	MCS0	RU52/40	SHF

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5924.58	55.56	68.20	-12.64	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	43.53	54.00	-10.47	V	Avg.	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	47.83	74.00	-26.17	V	Peak	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	19245.00	36.21	74.00	-37.79	H	Peak	Pass	-	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	-	Band Edge
	802.11a	97	19305.00	36.30	74.00	-37.70	H	Peak	Pass	-	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	-	Band Edge
	802.11a	105	19425.00	36.62	74.00	-37.38	H	Peak	Pass	-	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	-	Band Edge

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
6	802.11a	113	19545.00	37.83	74.00	-36.17	V	Peak	Pass	-	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	19605.00	37.34	74.00	-36.66	H	Peak	Pass	-	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	50.11	74.00	-23.89	H	Peak	Pass	-	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	-	Band Edge
	802.11a	181	20565.00	36.32	74.00	-37.68	H	Peak	Pass	-	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	-	Band Edge
	802.11a	189	20685.00	35.76	74.00	-38.24	H	Peak	Pass	-	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	-	Band Edge
	802.11a	209	20985.00	36.67	74.00	-37.33	H	Peak	Pass	-	Harmonic

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
12	802.11a	229	7125.15	62.30	68.20	-5.90	V	Avg.	Pass	-	Band Edge
	802.11a	229	21285.00	37.32	74.00	-36.68	V	Peak	Pass	-	Harmonic
13	802.11be EHT20	1	5917.04	53.57	68.20	-14.63	V	Avg.	Pass	Full	Band Edge
	802.11be EHT20	1	17865.00	43.79	54.00	-10.21	H	Avg.	Pass	Full	Harmonic
14	802.11be EHT20	49	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT20	49	12390.00	47.48	74.00	-26.52	H	Peak	Pass	Full	Harmonic
15	802.11be EHT20	93	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT20	93	19245.00	36.48	74.00	-37.52	H	Peak	Pass	Full	Harmonic
16	802.11be EHT20	97	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT20	97	19305.00	35.81	74.00	-38.19	H	Peak	Pass	Full	Harmonic
17	802.11be EHT20	105	-	-	-	-	-	-	-	Full	Band Edge

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
17	802.11be EHT20	105	19425.00	36.66	74.00	-37.34	H	Peak	Pass	Full	Harmonic
18	802.11be EHT20	113	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT20	113	19545.00	37.64	74.00	-36.36	V	Peak	Pass	Full	Harmonic
19	802.11be EHT20	117	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT20	117	19605.00	38.47	74.00	-35.53	V	Peak	Pass	Full	Harmonic
20	802.11be EHT20	149	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT20	149	13390.00	47.91	74.00	-26.09	V	Peak	Pass	Full	Harmonic
21	802.11be EHT20	181	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT20	181	20565.00	37.83	74.00	-36.17	H	Peak	Pass	Full	Harmonic
22	802.11be EHT20	189	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT20	189	20685.00	36.33	74.00	-37.67	H	Peak	Pass	Full	Harmonic

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
23	802.11be EHT20	209	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT20	209	20985.00	38.31	74.00	-35.69	V	Peak	Pass	Full	Harmonic
24	802.11be EHT20	229	7125.15	61.15	68.20	-7.05	V	Avg.	Pass	Full	Band Edge
	802.11be EHT20	229	-	-	-	-	-	-	-	Full	Harmonic
25	802.11be EHT40	3	5924.26	58.75	68.20	-9.45	V	Avg.	Pass	Full	Band Edge
	802.11be EHT40	3	17895.00	41.51	54.00	-12.49	H	Avg.	Pass	Full	Harmonic
26	802.11be EHT40	51	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT40	51	12330.00	47.79	74.00	-26.21	H	Peak	Pass	Full	Harmonic
27	802.11be EHT40	91	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT40	91	19215.00	37.33	74.00	-36.67	V	Peak	Pass	Full	Harmonic
28	802.11be EHT40	99	-	-	-	-	-	-	-	Full	Band Edge

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
28	802.11be EHT40	99	19335.00	36.54	74.00	-37.46	H	Peak	Pass	Full	Harmonic
29	802.11be EHT40	107	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT40	107	19455.00	37.82	74.00	-36.18	V	Peak	Pass	Full	Harmonic
30	802.11be EHT40	123	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT40	123	19695.00	38.49	74.00	-35.51	H	Peak	Pass	Full	Harmonic
31	802.11be EHT40	147	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT40	147	13370.00	41.38	54.00	-12.62	V	Avg.	Pass	Full	Harmonic
32	802.11be EHT40	179	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT40	179	20535.00	38.46	74.00	-35.54	V	Peak	Pass	Full	Harmonic
33	802.11be EHT40	195	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT40	195	20775.00	37.03	74.00	-36.97	H	Peak	Pass	Full	Harmonic

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
34	802.11be EHT40	203	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT40	203	20895.00	37.44	74.00	-36.56	H	Peak	Pass	Full	Harmonic
35	802.11be EHT40	227	7125.32	56.30	68.20	-11.90	V	Avg.	Pass	Full	Band Edge
	802.11be EHT40	227	5669.00	60.88	88.20	-27.32	V	Peak	Pass	Full	Harmonic
36	802.11be EHT80	7	5920.84	52.29	68.20	-15.91	V	Avg.	Pass	Full	Band Edge
	802.11be EHT80	7	17955.00	46.41	54.00	-7.59	V	Avg.	Pass	Full	Harmonic
37	802.11be EHT80	55	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT80	55	12290.00	47.93	74.00	-26.07	H	Peak	Pass	Full	Harmonic
38	802.11be EHT80	87	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT80	87	19155.00	37.48	74.00	-36.52	V	Peak	Pass	Full	Harmonic
39	802.11be EHT80	103	-	-	-	-	-	-	-	Full	Band Edge

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
39	802.11be EHT80	103	19395.00	36.80	74.00	-37.20	V	Peak	Pass	Full	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT80	135	13250.00	47.97	74.00	-26.03	H	Peak	Pass	Full	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT80	151	20115.00	36.84	74.00	-37.16	V	Peak	Pass	Full	Harmonic
42	802.11be EHT80	167	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT80	167	20355.00	37.84	74.00	-36.16	V	Peak	Pass	Full	Harmonic
43	802.11be EHT80	199	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT80	199	20835.00	37.02	74.00	-36.98	H	Peak	Pass	Full	Harmonic
44	802.11be EHT80	215	7125.10	61.40	68.20	-6.80	V	Avg.	Pass	Full	Band Edge
	802.11be EHT80	215	21075.00	38.76	74.00	-35.24	H	Peak	Pass	Full	Harmonic

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
45	802.11be EHT160	15	5924.60	50.52	68.20	-17.68	V	Avg.	Pass	Full	Band Edge
	802.11be EHT160	15	12050.00	47.92	74.00	-26.08	V	Peak	Pass	Full	Harmonic
46	802.11be EHT160	47	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT160	47	12370.00	46.77	74.00	-27.23	V	Peak	Pass	Full	Harmonic
47	802.11be EHT160	79	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT160	79	12690.00	47.95	74.00	-26.05	V	Peak	Pass	Full	Harmonic
48	802.11be EHT160	143	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT160	143	13330.00	47.97	74.00	-26.03	V	Peak	Pass	Full	Harmonic
49	802.11be EHT160	207	7281.38	47.77	54.00	-6.23	V	Avg.	Pass	Full	Band Edge
	802.11be EHT160	207	20955.00	37.92	74.00	-36.08	H	Peak	Pass	Full	Harmonic
50	802.11be EHT320	31	5913.48	43.87	68.20	-24.33	V	Avg.	Pass	Full	Band Edge

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
50	802.11be EHT320	31	12210.00	47.97	74.00	-26.03	V	Peak	Pass	Full	Harmonic
51	802.11be EHT320	67	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT320	67	12530.00	47.98	74.00	-26.02	H	Peak	Pass	Full	Harmonic
52	802.11a	185	-	-	-	-	-	-	-	-	Band Edge
	802.11a	185	20625.00	36.36	74.00	-37.64	V	Peak	Pass	-	Harmonic
53	802.11be EHT20	185	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT20	185	19575.00	36.77	74.00	-37.23	H	Peak	Pass	Full	Harmonic
54	802.11be EHT40	187	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT40	187	20655.00	36.43	74.00	-37.57	H	Peak	Pass	Full	Harmonic
55	802.11be EHT80	183	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT80	183	20595.00	37.12	74.00	-36.88	H	Peak	Pass	Full	Harmonic

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
56	802.11be EHT160	175	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT160	175	20475.00	36.77	74.00	-37.23	H	Peak	Pass	Full	Harmonic
57	802.11be EHT320	159	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT320	159	20235.00	38.98	74.00	-35.02	V	Peak	Pass	Full	Harmonic
58	802.11be EHT320	191	7284.97	47.79	54.00	-6.21	V	Avg.	Pass	Full	Band Edge
	802.11be EHT320	191	20715.00	39.07	74.00	-34.93	V	Peak	Pass	Full	Harmonic
59	802.11be EHT40	115	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT40	115	19575.00	37.31	74.00	-36.69	H	Peak	Pass	Full	Harmonic
60	802.11be EHT80	119	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT80	119	19635.00	37.75	74.00	-36.25	V	Peak	Pass	Full	Harmonic
61	802.11be EHT160	111	-	-	-	-	-	-	-	Full	Band Edge

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
61	802.11be EHT160	111	19515.00	37.67	74.00	-36.33	H	Peak	Pass	Full	Harmonic
62	802.11be EHT320	95	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT320	95	19275.00	37.90	74.00	-36.10	V	Peak	Pass	Full	Harmonic
63	802.11be EHT320	127	-	-	-	-	-	-	-	Full	Band Edge
	802.11be EHT320	127	19755.00	39.01	74.00	-34.99	H	Peak	Pass	Full	Harmonic
64	802.11be EHT20	1	5913.53	47.54	68.20	-20.66	V	Avg.	Pass	RU26/0	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	RU26/0	Harmonic
65	802.11be EHT20	1	5913.66	47.12	68.20	-21.08	V	Avg.	Pass	RU52/37	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	RU52/37	Harmonic
66	802.11be EHT20	1	5924.97	46.77	68.20	-21.43	V	Avg.	Pass	RU106/53	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	RU106/53	Harmonic

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
67	802.11be EHT20	229	7139.25	84.57	88.20	-3.63	V	Peak	Pass	RU26/8	Band Edge
	802.11be EHT20	229	-	-	-	-	-	-	-	RU26/8	Harmonic
68	802.11be EHT20	229	7132.35	65.17	68.20	-3.03	V	Avg.	Pass	RU52/40	Band Edge
	802.11be EHT20	229	-	-	-	-	-	-	-	RU52/40	Harmonic
69	802.11be EHT20	229	7125.15	63.51	68.20	-4.69	V	Avg.	Pass	RU106/54	Band Edge
	802.11be EHT20	229	-	-	-	-	-	-	-	RU106/54	Harmonic
70	802.11a	2	5924.99	64.79	68.20	-3.41	V	Avg.	Pass	-	Band Edge
	802.11a	2	17805.00	43.51	54.00	-10.49	V	Avg.	Pass	-	Harmonic
71	802.11be EHT20	2	5924.99	64.65	68.20	-3.55	V	Avg.	Pass	Full	Band Edge
	802.11be EHT20	2	17805.00	43.52	54.00	-10.48	H	Avg.	Pass	Full	Harmonic
72	802.11be EHT20	2	5924.99	64.39	68.20	-3.81	V	Avg.	Pass	RU26/0	Band Edge

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
72	802.11be EHT20	2	-	-	-	-	-	-	-	RU26/0	Harmonic
73	802.11be EHT20	2	5924.99	64.72	68.20	-3.48	V	Avg.	Pass	RU52/37	Band Edge
	802.11be EHT20	2	-	-	-	-	-	-	-	RU52/37	Harmonic
74	802.11be EHT20	2	5924.99	64.32	68.20	-3.88	V	Avg.	Pass	RU106/53	Band Edge
	802.11be EHT20	2	-	-	-	-	-	-	-	RU106/53	Harmonic
75	802.11a	233	7125.01	63.11	68.20	-5.09	V	Avg.	Pass	-	Band Edge
	802.11a	233	21345.00	36.97	74.00	-37.03	V	Peak	Pass	-	Harmonic
76	802.11be EHT20	233	7125.01	64.90	68.20	-3.30	V	Avg.	Pass	Full	Band Edge
	802.11be EHT20	233	21345.00	37.89	74.00	-36.11	V	Peak	Pass	Full	Harmonic
77	802.11be EHT20	233	7125.01	60.29	68.20	-7.91	V	Avg.	Pass	RU26/8	Band Edge
	802.11be EHT20	233	-	-	-	-	-	-	-	RU26/8	Harmonic

C2.Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
78	802.11be EHT20	233	7125.01	63.62	68.20	-4.58	V	Avg.	Pass	RU52/40	Band Edge
	802.11be EHT20	233	-	-	-	-	-	-	-	RU52/40	Harmonic
79	802.11be EHT20	233	7125.01	57.42	68.20	-10.78	V	Avg.	Pass	RU106/54	Band Edge
	802.11be EHT20	233	-	-	-	-	-	-	-	RU106/54	Harmonic
80	LF	229	184.23	35.02	43.50	-8.48	H	Peak	Pass	-	LF
81	SHF	229	39373.00	47.07	74.00	-26.93	H	Peak	Pass	-	SHF



Mode	1																																																																																																			
	Band Edge																																																																																																			
	U-NII-5 5.925-6.425 802.11a_CH1_5955MHz																																																																																																			
ANT	5+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_260326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.67</td><td>59.83</td><td>88.20</td><td>-28.37</td><td>49.59</td><td>34.15</td><td>12.43</td><td>36.34</td><td>0.00</td><td>100</td><td>189</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.67	59.83	88.20	-28.37	49.59	34.15	12.43	36.34	0.00	100	189	Peak	Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.05</td><td>-----</td><td>-----</td><td>93.62</td><td>34.10</td><td>12.48</td><td>36.35</td><td>0.00</td><td>100</td><td>189</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.05	-----	-----	93.62	34.10	12.48	36.35	0.00	100	189	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.67	59.83	88.20	-28.37	49.59	34.15	12.43	36.34	0.00	100	189	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	103.05	-----	-----	93.62	34.10	12.48	36.35	0.00	100	189	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_260326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>50.56</td><td>68.20</td><td>-17.64</td><td>40.32</td><td>34.15</td><td>12.43</td><td>36.34</td><td>0.00</td><td>100</td><td>189</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	50.56	68.20	-17.64	40.32	34.15	12.43	36.34	0.00	100	189	Average	Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_260326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.61</td><td>-----</td><td>-----</td><td>86.38</td><td>34.10</td><td>12.48</td><td>36.35</td><td>0.00</td><td>100</td><td>189</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.61	-----	-----	86.38	34.10	12.48	36.35	0.00	100	189	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.97	50.56	68.20	-17.64	40.32	34.15	12.43	36.34	0.00	100	189	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	96.61	-----	-----	86.38	34.10	12.48	36.35	0.00	100	189	Average																																																																																								



		1																																																																																																
Mode		Band Edge																																																																																																
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																
ANT		5+4																																																																																																
Pol.		Vertical						Fundamental																																																																																										
Peak		Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_260326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.19</td><td>64.67</td><td>88.20</td><td>-23.53</td><td>54.43</td><td>34.15</td><td>12.43</td><td>36.34</td><td>0.00</td><td>300</td><td>54 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>109.85</td><td>-----</td><td>-----</td><td>99.60</td><td>34.10</td><td>12.50</td><td>36.35</td><td>0.00</td><td>300</td><td>54 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.19	64.67	88.20	-23.53	54.43	34.15	12.43	36.34	0.00	300	54 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.85	-----	-----	99.60	34.10	12.50	36.35	0.00	300	54 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.19	64.67	88.20	-23.53	54.43	34.15	12.43	36.34	0.00	300	54 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	109.85	-----	-----	99.60	34.10	12.50	36.35	0.00	300	54 Peak																																																																																							
Avg		Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_260326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.58</td><td>55.56</td><td>68.20</td><td>-12.64</td><td>45.32</td><td>34.15</td><td>12.43</td><td>36.34</td><td>0.00</td><td>300</td><td>54 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_260326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>102.98</td><td>-----</td><td>-----</td><td>92.73</td><td>34.10</td><td>12.50</td><td>36.35</td><td>0.00</td><td>300</td><td>54 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	55.56	68.20	-12.64	45.32	34.15	12.43	36.34	0.00	300	54 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.98	-----	-----	92.73	34.10	12.50	36.35	0.00	300	54 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.58	55.56	68.20	-12.64	45.32	34.15	12.43	36.34	0.00	300	54 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	102.98	-----	-----	92.73	34.10	12.50	36.35	0.00	300	54 Average																																																																																							



Mode	1																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5 5.925-6.425_802.11a_CH1_5955MHz																																																																																																																									
ANT	5+4																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>57.30</td><td>38.70</td><td>17.22</td><td>66.23</td><td>0.50</td><td>-- -- Peak</td></tr><tr><td>2 17865.00</td><td>53.12</td><td>74.00</td><td>-20.88</td><td>55.13</td><td>41.31</td><td>21.34</td><td>65.37</td><td>0.71</td><td>100 167 Peak</td></tr><tr><td>3 17865.00</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>45.53</td><td>41.31</td><td>21.34</td><td>65.37</td><td>0.71</td><td>100 167 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	47.49	74.00	-26.51	57.30	38.70	17.22	66.23	0.50	-- -- Peak	2 17865.00	53.12	74.00	-20.88	55.13	41.31	21.34	65.37	0.71	100 167 Peak	3 17865.00	43.52	54.00	-10.48	45.53	41.31	21.34	65.37	0.71	100 167 Average	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>57.59</td><td>38.70</td><td>17.22</td><td>66.23</td><td>0.50</td><td>-- -- Peak</td></tr><tr><td>2 17865.00</td><td>52.75</td><td>74.00</td><td>-21.25</td><td>54.76</td><td>41.31</td><td>21.34</td><td>65.37</td><td>0.71</td><td>100 215 Peak</td></tr><tr><td>3 17865.00</td><td>43.53</td><td>54.00</td><td>-10.47</td><td>45.54</td><td>41.31</td><td>21.34</td><td>65.37</td><td>0.71</td><td>100 215 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	47.78	74.00	-26.22	57.59	38.70	17.22	66.23	0.50	-- -- Peak	2 17865.00	52.75	74.00	-21.25	54.76	41.31	21.34	65.37	0.71	100 215 Peak	3 17865.00	43.53	54.00	-10.47	45.54	41.31	21.34	65.37	0.71	100 215 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 11910.00	47.49	74.00	-26.51	57.30	38.70	17.22	66.23	0.50	-- -- Peak																																																																																																																	
2 17865.00	53.12	74.00	-20.88	55.13	41.31	21.34	65.37	0.71	100 167 Peak																																																																																																																	
3 17865.00	43.52	54.00	-10.48	45.53	41.31	21.34	65.37	0.71	100 167 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 11910.00	47.78	74.00	-26.22	57.59	38.70	17.22	66.23	0.50	-- -- Peak																																																																																																																	
2 17865.00	52.75	74.00	-21.25	54.76	41.31	21.34	65.37	0.71	100 215 Peak																																																																																																																	
3 17865.00	43.53	54.00	-10.47	45.54	41.31	21.34	65.37	0.71	100 215 Average																																																																																																																	



Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-31 AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-08-31 AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	2																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHZ																																																																																																																									
ANT	5+4																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>56.83</td><td>38.82</td><td>17.60</td><td>66.14</td><td>0.47</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>36.90</td><td>74.00</td><td>-37.10</td><td>58.16</td><td>38.30</td><td>5.76</td><td>55.78</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.58	74.00	-26.42	56.83	38.82	17.60	66.14	0.47	--	Peak	2	18585.00	36.90	74.00	-37.10	58.16	38.30	5.76	55.78	-9.54	--	Peak	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>57.00</td><td>38.82</td><td>17.60</td><td>66.14</td><td>0.47</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>37.36</td><td>74.00</td><td>-36.64</td><td>58.62</td><td>38.30</td><td>5.76</td><td>55.78</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.83	74.00	-26.17	57.00	38.82	17.60	66.14	0.47	--	Peak	2	18585.00	37.36	74.00	-36.64	58.62	38.30	5.76	55.78	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12390.00	47.58	74.00	-26.42	56.83	38.82	17.60	66.14	0.47	--	Peak																																																																																																															
2	18585.00	36.90	74.00	-37.10	58.16	38.30	5.76	55.78	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12390.00	47.83	74.00	-26.17	57.00	38.82	17.60	66.14	0.47	--	Peak																																																																																																															
2	18585.00	37.36	74.00	-36.64	58.62	38.30	5.76	55.78	-9.54	--	Peak																																																																																																															





Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-31 AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-08-31 AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_260326 VERTICAL



Mode	3																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																								
ANT	5+4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>48.45</td><td>88.20</td><td>-39.75</td><td>56.39</td><td>39.70</td><td>17.95</td><td>66.03</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>36.21</td><td>74.00</td><td>-37.79</td><td>56.94</td><td>38.22</td><td>5.84</td><td>55.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	48.45	88.20	-39.75	56.39	39.70	17.95	66.03	0.44	--	Peak	2	19245.00	36.21	74.00	-37.79	56.94	38.22	5.84	55.25	-9.54	--	Peak	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>48.98</td><td>88.20</td><td>-39.22</td><td>56.92</td><td>39.70</td><td>17.95</td><td>66.03</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>35.37</td><td>74.00</td><td>-38.63</td><td>56.10</td><td>38.22</td><td>5.84</td><td>55.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	48.98	88.20	-39.22	56.92	39.70	17.95	66.03	0.44	--	Peak	2	19245.00	35.37	74.00	-38.63	56.10	38.22	5.84	55.25	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12830.00	48.45	88.20	-39.75	56.39	39.70	17.95	66.03	0.44	--	Peak																																																																																																														
2	19245.00	36.21	74.00	-37.79	56.94	38.22	5.84	55.25	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12830.00	48.98	88.20	-39.22	56.92	39.70	17.95	66.03	0.44	--	Peak																																																																																																														
2	19245.00	35.37	74.00	-38.63	56.10	38.22	5.84	55.25	-9.54	--	Peak																																																																																																														



Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-31  Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-08-31  Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	4																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																																									
ANT	5+4																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>49.00</td><td>88.20</td><td>-38.40</td><td>57.69</td><td>39.70</td><td>17.99</td><td>66.02</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>36.30</td><td>74.00</td><td>-37.70</td><td>56.98</td><td>38.29</td><td>5.83</td><td>55.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	49.00	88.20	-38.40	57.69	39.70	17.99	66.02	0.44	--	Peak	2	19305.00	36.30	74.00	-37.70	56.98	38.29	5.83	55.26	-9.54	--	Peak	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>49.42</td><td>88.20</td><td>-38.78</td><td>57.31</td><td>39.70</td><td>17.99</td><td>66.02</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>35.43</td><td>74.00</td><td>-38.57</td><td>56.11</td><td>38.29</td><td>5.83</td><td>55.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	49.42	88.20	-38.78	57.31	39.70	17.99	66.02	0.44	--	Peak	2	19305.00	35.43	74.00	-38.57	56.11	38.29	5.83	55.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	49.00	88.20	-38.40	57.69	39.70	17.99	66.02	0.44	--	Peak																																																																																																															
2	19305.00	36.30	74.00	-37.70	56.98	38.29	5.83	55.26	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	49.42	88.20	-38.78	57.31	39.70	17.99	66.02	0.44	--	Peak																																																																																																															
2	19305.00	35.43	74.00	-38.57	56.11	38.29	5.83	55.26	-9.54	--	Peak																																																																																																															



Mode	4	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-31 Frequency (MHz) Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-08-31 Frequency (MHz) Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_260326 VERTICAL



Mode	5																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																																									
ANT	5+4																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-08-25 PEAK(UNII)_6E AVG(UNII)_6E 2 8000 14400 20800 27200 33600 40000 Frequency (MHz) Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.77</td><td>88.20</td><td>-39.43</td><td>56.39</td><td>39.90</td><td>18.05</td><td>66.00</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.62</td><td>74.00</td><td>-37.38</td><td>57.37</td><td>38.25</td><td>5.82</td><td>55.28</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.77	88.20	-39.43	56.39	39.90	18.05	66.00	0.43	--	Peak	2	19425.00	36.62	74.00	-37.38	57.37	38.25	5.82	55.28	-9.54	--	Peak	Level (dBuV/m) Date: 2026-08-25 PEAK(UNII)_6E AVG(UNII)_6E 2 8000 14400 20800 27200 33600 40000 Frequency (MHz) Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>49.25</td><td>88.20</td><td>-38.95</td><td>56.87</td><td>39.90</td><td>18.05</td><td>66.00</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.22</td><td>74.00</td><td>-37.78</td><td>56.97</td><td>38.25</td><td>5.82</td><td>55.28</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	49.25	88.20	-38.95	56.87	39.90	18.05	66.00	0.43	--	Peak	2	19425.00	36.22	74.00	-37.78	56.97	38.25	5.82	55.28	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	48.77	88.20	-39.43	56.39	39.90	18.05	66.00	0.43	--	Peak																																																																																																															
2	19425.00	36.62	74.00	-37.38	57.37	38.25	5.82	55.28	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	49.25	88.20	-38.95	56.87	39.90	18.05	66.00	0.43	--	Peak																																																																																																															
2	19425.00	36.22	74.00	-37.78	56.97	38.25	5.82	55.28	-9.54	--	Peak																																																																																																															





Mode	5	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-31 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-08-31 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	6																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																																									
ANT	5+4																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>49.37</td><td>88.20</td><td>-38.83</td><td>56.93</td><td>39.88</td><td>18.11</td><td>65.98</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>37.13</td><td>74.00</td><td>-36.87</td><td>57.72</td><td>38.39</td><td>5.82</td><td>55.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	49.37	88.20	-38.83	56.93	39.88	18.11	65.98	0.43	--	Peak	2	19545.00	37.13	74.00	-36.87	57.72	38.39	5.82	55.26	-9.54	--	Peak	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>49.49</td><td>88.20</td><td>-38.71</td><td>57.05</td><td>39.88</td><td>18.11</td><td>65.98</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>37.83</td><td>74.00</td><td>-36.17</td><td>58.42</td><td>38.39</td><td>5.82</td><td>55.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	49.49	88.20	-38.71	57.05	39.88	18.11	65.98	0.43	--	Peak	2	19545.00	37.83	74.00	-36.17	58.42	38.39	5.82	55.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	49.37	88.20	-38.83	56.93	39.88	18.11	65.98	0.43	--	Peak																																																																																																															
2	19545.00	37.13	74.00	-36.87	57.72	38.39	5.82	55.26	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13030.00	49.49	88.20	-38.71	57.05	39.88	18.11	65.98	0.43	--	Peak																																																																																																															
2	19545.00	37.83	74.00	-36.17	58.42	38.39	5.82	55.26	-9.54	--	Peak																																																																																																															





Mode	6	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-31  Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-08-31  Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	7																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																															
ANT	5+4																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>49.10</td><td>88.20</td><td>-39.10</td><td>56.71</td><td>39.00</td><td>18.13</td><td>65.97</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>37.34</td><td>74.00</td><td>-36.66</td><td>57.94</td><td>38.30</td><td>5.83</td><td>55.19</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	49.10	88.20	-39.10	56.71	39.00	18.13	65.97	0.43	--	Peak	2	19605.00	37.34	74.00	-36.66	57.94	38.30	5.83	55.19	-9.54	--	Peak	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>48.55</td><td>88.20</td><td>-39.65</td><td>56.16</td><td>39.00</td><td>18.13</td><td>65.97</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>36.08</td><td>74.00</td><td>-37.92</td><td>56.68</td><td>38.30</td><td>5.83</td><td>55.19</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	48.55	88.20	-39.65	56.16	39.00	18.13	65.97	0.43	--	Peak	2	19605.00	36.08	74.00	-37.92	56.68	38.30	5.83	55.19	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	49.10	88.20	-39.10	56.71	39.00	18.13	65.97	0.43	--	Peak																																																																																																					
2	19605.00	37.34	74.00	-36.66	57.94	38.30	5.83	55.19	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	48.55	88.20	-39.65	56.16	39.00	18.13	65.97	0.43	--	Peak																																																																																																					
2	19605.00	36.08	74.00	-37.92	56.68	38.30	5.83	55.19	-9.54	--	Peak																																																																																																					





Mode	7	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-31  Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-08-31  Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	8																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																									
ANT	5+4																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-08-25 PEAK(UNII)_6E AVG(UNII)_6E 8000 14400 20800 27200 33600 40000 Frequency (MHz) Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>50.11</td><td>74.00</td><td>-23.89</td><td>56.99</td><td>40.28</td><td>18.30</td><td>65.87</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20805.00</td><td>36.77</td><td>74.00</td><td>-37.23</td><td>56.90</td><td>38.40</td><td>5.88</td><td>54.87</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	50.11	74.00	-23.89	56.99	40.28	18.30	65.87	0.41	--	Peak	2	20805.00	36.77	74.00	-37.23	56.90	38.40	5.88	54.87	-9.54	--	Peak	Level (dBuV/m) Date: 2026-08-25 PEAK(UNII)_6E AVG(UNII)_6E 8000 14400 20800 27200 33600 40000 Frequency (MHz) Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>49.33</td><td>74.00</td><td>-24.67</td><td>56.21</td><td>40.28</td><td>18.30</td><td>65.87</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20805.00</td><td>35.51</td><td>74.00</td><td>-38.49</td><td>55.64</td><td>38.40</td><td>5.88</td><td>54.87</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	49.33	74.00	-24.67	56.21	40.28	18.30	65.87	0.41	--	Peak	2	20805.00	35.51	74.00	-38.49	55.64	38.40	5.88	54.87	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13390.00	50.11	74.00	-23.89	56.99	40.28	18.30	65.87	0.41	--	Peak																																																																																																															
2	20805.00	36.77	74.00	-37.23	56.90	38.40	5.88	54.87	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13390.00	49.33	74.00	-24.67	56.21	40.28	18.30	65.87	0.41	--	Peak																																																																																																															
2	20805.00	35.51	74.00	-38.49	55.64	38.40	5.88	54.87	-9.54	--	Peak																																																																																																															



Mode	8	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-31  AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-08-31  AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	9																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																																									
ANT	5+4																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>49.52</td><td>88.20</td><td>-38.68</td><td>55.72</td><td>40.66</td><td>18.48</td><td>65.73</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>36.32</td><td>74.00</td><td>-37.68</td><td>56.71</td><td>38.50</td><td>5.80</td><td>55.15</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	49.52	88.20	-38.68	55.72	40.66	18.48	65.73	0.39	--	Peak	2	20565.00	36.32	74.00	-37.68	56.71	38.50	5.80	55.15	-9.54	--	Peak	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>49.54</td><td>88.20</td><td>-38.66</td><td>55.74</td><td>40.66</td><td>18.48</td><td>65.73</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20565.00</td><td>36.10</td><td>74.00</td><td>-37.90</td><td>56.49</td><td>38.50</td><td>5.80</td><td>55.15</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	49.54	88.20	-38.66	55.74	40.66	18.48	65.73	0.39	--	Peak	2	20565.00	36.10	74.00	-37.90	56.49	38.50	5.80	55.15	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13710.00	49.52	88.20	-38.68	55.72	40.66	18.48	65.73	0.39	--	Peak																																																																																																															
2	20565.00	36.32	74.00	-37.68	56.71	38.50	5.80	55.15	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13710.00	49.54	88.20	-38.66	55.74	40.66	18.48	65.73	0.39	--	Peak																																																																																																															
2	20565.00	36.10	74.00	-37.90	56.49	38.50	5.80	55.15	-9.54	--	Peak																																																																																																															



Mode	9	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-31 Frequency (MHz) Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-08-31 Frequency (MHz) Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	10																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																																									
ANT	5+4																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>48.98</td><td>88.20</td><td>-39.22</td><td>55.34</td><td>40.42</td><td>18.52</td><td>65.68</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>35.76</td><td>74.00</td><td>-38.24</td><td>55.94</td><td>38.57</td><td>5.84</td><td>55.05</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	48.98	88.20	-39.22	55.34	40.42	18.52	65.68	0.38	--	Peak	2	20685.00	35.76	74.00	-38.24	55.94	38.57	5.84	55.05	-9.54	--	Peak	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>48.29</td><td>88.20</td><td>-39.91</td><td>54.65</td><td>40.42</td><td>18.52</td><td>65.68</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>35.01</td><td>74.00</td><td>-38.99</td><td>55.19</td><td>38.57</td><td>5.84</td><td>55.05</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	48.29	88.20	-39.91	54.65	40.42	18.52	65.68	0.38	--	Peak	2	20685.00	35.01	74.00	-38.99	55.19	38.57	5.84	55.05	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13790.00	48.98	88.20	-39.22	55.34	40.42	18.52	65.68	0.38	--	Peak																																																																																																															
2	20685.00	35.76	74.00	-38.24	55.94	38.57	5.84	55.05	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13790.00	48.29	88.20	-39.91	54.65	40.42	18.52	65.68	0.38	--	Peak																																																																																																															
2	20685.00	35.01	74.00	-38.99	55.19	38.57	5.84	55.05	-9.54	--	Peak																																																																																																															





Mode	10	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-31 AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-08-31 AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	11																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																																								
ANT	5+4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>49.39</td><td>88.20</td><td>-38.81</td><td>55.21</td><td>40.76</td><td>18.63</td><td>65.58</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20985.00</td><td>36.67</td><td>74.00</td><td>-37.33</td><td>56.58</td><td>38.50</td><td>5.94</td><td>54.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	49.39	88.20	-38.81	55.21	40.76	18.63	65.58	0.37	--	Peak	2	20985.00	36.67	74.00	-37.33	56.58	38.50	5.94	54.81	-9.54	--	Peak	Level (dBuV/m) Date: 2026-08-25 Site : 03CH16-HY Condition: PEAK(UNII)_6E 1m SHF_00994_260123 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>50.06</td><td>88.20</td><td>-38.14</td><td>55.88</td><td>40.76</td><td>18.63</td><td>65.58</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20985.00</td><td>36.53</td><td>74.00</td><td>-37.47</td><td>56.44</td><td>38.50</td><td>5.94</td><td>54.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	50.06	88.20	-38.14	55.88	40.76	18.63	65.58	0.37	--	Peak	2	20985.00	36.53	74.00	-37.47	56.44	38.50	5.94	54.81	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	49.39	88.20	-38.81	55.21	40.76	18.63	65.58	0.37	--	Peak																																																																																																														
2	20985.00	36.67	74.00	-37.33	56.58	38.50	5.94	54.81	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13990.00	50.06	88.20	-38.14	55.88	40.76	18.63	65.58	0.37	--	Peak																																																																																																														
2	20985.00	36.53	74.00	-37.47	56.44	38.50	5.94	54.81	-9.54	--	Peak																																																																																																														







Mode	11	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-08-31  AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-09-01  AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	12																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																											
ANT	5+4																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_260326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB/dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.15</td><td>66.81</td><td>88.20</td><td>-21.39</td><td>53.77</td><td>36.45</td><td>13.42</td><td>36.83</td><td>0.00</td><td>300</td><td>286</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB/dB dB dB dB cm deg									1	7125.15	66.81	88.20	-21.39	53.77	36.45	13.42	36.83	0.00	300	286	Peak	Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB/dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>102.25</td><td>-----</td><td>-----</td><td>89.43</td><td>36.26</td><td>13.38</td><td>36.82</td><td>0.00</td><td>300</td><td>286</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB/dB dB dB dB cm deg									1	7095.00	102.25	-----	-----	89.43	36.26	13.38	36.82	0.00	300	286	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																												
MHz dBuV/m dBuV/m dB dB/dB dB/dB dB dB dB cm deg																																																																																												
1	7125.15	66.81	88.20	-21.39	53.77	36.45	13.42	36.83	0.00	300	286	Peak																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																												
MHz dBuV/m dBuV/m dB dB/dB dB/dB dB dB dB cm deg																																																																																												
1	7095.00	102.25	-----	-----	89.43	36.26	13.38	36.82	0.00	300	286	Peak																																																																																
Avg	Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_260326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB/dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.15</td><td>56.55</td><td>68.20</td><td>-11.65</td><td>43.51</td><td>36.45</td><td>13.42</td><td>36.83</td><td>0.00</td><td>300</td><td>286</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB/dB dB dB dB cm deg									1	7125.15	56.55	68.20	-11.65	43.51	36.45	13.42	36.83	0.00	300	286	Average	Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_260326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB/dB dB/dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>94.88</td><td>-----</td><td>-----</td><td>82.02</td><td>36.29</td><td>13.39</td><td>36.82</td><td>0.00</td><td>300</td><td>286</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB/dB dB/dB dB dB dB cm deg									1	7095.00	94.88	-----	-----	82.02	36.29	13.39	36.82	0.00	300	286	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																												
MHz dBuV/m dBuV/m dB dB/dB dB/dB dB dB dB cm deg																																																																																												
1	7125.15	56.55	68.20	-11.65	43.51	36.45	13.42	36.83	0.00	300	286	Average																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																												
MHz dBuV/m dBuV/m dB dB/dB dB/dB dB dB dB cm deg																																																																																												
1	7095.00	94.88	-----	-----	82.02	36.29	13.39	36.82	0.00	300	286	Average																																																																																



Mode	12																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																									
ANT	5+4																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Date: 2026-08-23 Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_260326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.45</td><td>72.03</td><td>88.20 -16.17</td><td>58.99</td><td>36.45</td><td>13.42</td><td>36.83</td><td>0.00</td><td>109</td><td>208 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 7125.45	72.03	88.20 -16.17	58.99	36.45	13.42	36.83	0.00	109	208 Peak	 Date: 2026-08-23 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>108.92</td><td>-----</td><td>96.10</td><td>36.26</td><td>13.38</td><td>36.82</td><td>0.00</td><td>109</td><td>208 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 7095.00	108.92	-----	96.10	36.26	13.38	36.82	0.00	109	208 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 7125.45	72.03	88.20 -16.17	58.99	36.45	13.42	36.83	0.00	109	208 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 7095.00	108.92	-----	96.10	36.26	13.38	36.82	0.00	109	208 Peak																																																																																	
Avg	 Date: 2026-08-23 Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_260326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.15</td><td>62.30</td><td>68.20 -5.90</td><td>49.26</td><td>36.45</td><td>13.42</td><td>36.83</td><td>0.00</td><td>109</td><td>208 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 7125.15	62.30	68.20 -5.90	49.26	36.45	13.42	36.83	0.00	109	208 Average	 Date: 2026-08-23 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_260326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>101.18</td><td>-----</td><td>88.36</td><td>36.26</td><td>13.38</td><td>36.82</td><td>0.00</td><td>109</td><td>208 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1 7095.00	101.18	-----	88.36	36.26	13.38	36.82	0.00	109	208 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 7125.15	62.30	68.20 -5.90	49.26	36.45	13.42	36.83	0.00	109	208 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																	
1 7095.00	101.18	-----	88.36	36.26	13.38	36.82	0.00	109	208 Average																																																																																	



Mode	12																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																																									
ANT	5+4																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>48.96</td><td>88.20</td><td>-39.24</td><td>54.77</td><td>40.82</td><td>18.79</td><td>65.82</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21285.00</td><td>36.14</td><td>74.00</td><td>-37.86</td><td>55.95</td><td>38.66</td><td>5.98</td><td>54.91</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	48.96	88.20	-39.24	54.77	40.82	18.79	65.82	0.40	--	Peak	2	21285.00	36.14	74.00	-37.86	55.95	38.66	5.98	54.91	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>49.62</td><td>88.20</td><td>-38.58</td><td>55.43</td><td>40.82</td><td>18.79</td><td>65.82</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21285.00</td><td>37.32</td><td>74.00</td><td>-36.68</td><td>57.13</td><td>38.66</td><td>5.98</td><td>54.91</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	49.62	88.20	-38.58	55.43	40.82	18.79	65.82	0.40	--	Peak	2	21285.00	37.32	74.00	-36.68	57.13	38.66	5.98	54.91	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14190.00	48.96	88.20	-39.24	54.77	40.82	18.79	65.82	0.40	--	Peak																																																																																																															
2	21285.00	36.14	74.00	-37.86	55.95	38.66	5.98	54.91	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14190.00	49.62	88.20	-38.58	55.43	40.82	18.79	65.82	0.40	--	Peak																																																																																																															
2	21285.00	37.32	74.00	-36.68	57.13	38.66	5.98	54.91	-9.54	--	Peak																																																																																																															



Mode	12	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-01 AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-09-01 AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	13																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full_5955MHz																																																																																																			
ANT	5+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_260326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.71</td><td>61.18</td><td>88.20</td><td>-27.02</td><td>50.93</td><td>34.18</td><td>12.41</td><td>36.34</td><td>0.00</td><td>300</td><td>63</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5911.71	61.18	88.20	-27.02	50.93	34.18	12.41	36.34	0.00	300	63	Peak	Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.06</td><td>-----</td><td>-----</td><td>95.63</td><td>34.10</td><td>12.48</td><td>36.35</td><td>0.00</td><td>300</td><td>63</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5955.00	105.06	-----	-----	95.63	34.10	12.48	36.35	0.00	300	63	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																										
1	5911.71	61.18	88.20	-27.02	50.93	34.18	12.41	36.34	0.00	300	63	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	105.06	-----	-----	95.63	34.10	12.48	36.35	0.00	300	63	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_260326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>49.21</td><td>68.20</td><td>-18.99</td><td>38.97</td><td>34.15</td><td>12.43</td><td>36.34</td><td>0.00</td><td>300</td><td>63</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5924.97	49.21	68.20	-18.99	38.97	34.15	12.43	36.34	0.00	300	63	Average	Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_260326 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.22</td><td>-----</td><td>-----</td><td>87.99</td><td>34.10</td><td>12.48</td><td>36.35</td><td>0.00</td><td>300</td><td>63</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5955.00	98.22	-----	-----	87.99	34.10	12.48	36.35	0.00	300	63	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																										
1	5924.97	49.21	68.20	-18.99	38.97	34.15	12.43	36.34	0.00	300	63	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	98.22	-----	-----	87.99	34.10	12.48	36.35	0.00	300	63	Average																																																																																								



		13																																																																																															
Mode		Band Edge																																																																																															
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full_5955MHz																																																																																															
ANT		5+4																																																																																															
Pol.		Vertical					Fundamental																																																																																										
Peak		Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: PEAK_BE(UNII)_6E 3m 91200-1522_260326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5915.74</td><td>65.47</td><td>88.20</td><td>-22.73</td><td>55.22</td><td>34.17</td><td>12.42</td><td>36.34</td><td>0.00</td><td>295</td><td>55 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>110.99</td><td>-----</td><td>-----</td><td>100.75</td><td>34.10</td><td>12.49</td><td>36.35</td><td>0.00</td><td>295</td><td>55 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.74	65.47	88.20	-22.73	55.22	34.17	12.42	36.34	0.00	295	55 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.99	-----	-----	100.75	34.10	12.49	36.35	0.00	295	55 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5915.74	65.47	88.20	-22.73	55.22	34.17	12.42	36.34	0.00	295	55 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	110.99	-----	-----	100.75	34.10	12.49	36.35	0.00	295	55 Peak																																																																																						
Avg		Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: AVG_BE(UNII)_6E 3m 91200-1522_260326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.04</td><td>53.57</td><td>68.20</td><td>-14.63</td><td>43.32</td><td>34.17</td><td>12.42</td><td>36.34</td><td>0.00</td><td>295</td><td>55 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2026-08-23 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_260326 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>102.58</td><td>-----</td><td>-----</td><td>92.34</td><td>34.10</td><td>12.49</td><td>36.35</td><td>0.00</td><td>295</td><td>55 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.04	53.57	68.20	-14.63	43.32	34.17	12.42	36.34	0.00	295	55 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.58	-----	-----	92.34	34.10	12.49	36.35	0.00	295	55 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5917.04	53.57	68.20	-14.63	43.32	34.17	12.42	36.34	0.00	295	55 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	102.58	-----	-----	92.34	34.10	12.49	36.35	0.00	295	55 Average																																																																																						



Mode	13																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full_5955MHz																																																																																																																									
ANT	5+4																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>57.47</td><td>38.70</td><td>17.22</td><td>66.23</td><td>0.50</td><td>-- -- Peak</td></tr><tr><td>2 17865.00</td><td>53.16</td><td>74.00</td><td>-20.84</td><td>55.17</td><td>41.31</td><td>21.34</td><td>65.37</td><td>0.71</td><td>300 215 Peak</td></tr><tr><td>3 17865.00</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>45.00</td><td>41.31</td><td>21.34</td><td>65.37</td><td>0.71</td><td>300 215 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	47.66	74.00	-26.34	57.47	38.70	17.22	66.23	0.50	-- -- Peak	2 17865.00	53.16	74.00	-20.84	55.17	41.31	21.34	65.37	0.71	300 215 Peak	3 17865.00	43.79	54.00	-10.21	45.00	41.31	21.34	65.37	0.71	300 215 Average	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>56.99</td><td>38.70</td><td>17.22</td><td>66.23</td><td>0.50</td><td>-- -- Peak</td></tr><tr><td>2 17865.00</td><td>53.09</td><td>74.00</td><td>-20.91</td><td>55.10</td><td>41.31</td><td>21.34</td><td>65.37</td><td>0.71</td><td>248 0 Peak</td></tr><tr><td>3 17865.00</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>45.17</td><td>41.31</td><td>21.34</td><td>65.37</td><td>0.71</td><td>248 0 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	47.18	74.00	-26.82	56.99	38.70	17.22	66.23	0.50	-- -- Peak	2 17865.00	53.09	74.00	-20.91	55.10	41.31	21.34	65.37	0.71	248 0 Peak	3 17865.00	43.16	54.00	-10.84	45.17	41.31	21.34	65.37	0.71	248 0 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 11910.00	47.66	74.00	-26.34	57.47	38.70	17.22	66.23	0.50	-- -- Peak																																																																																																																	
2 17865.00	53.16	74.00	-20.84	55.17	41.31	21.34	65.37	0.71	300 215 Peak																																																																																																																	
3 17865.00	43.79	54.00	-10.21	45.00	41.31	21.34	65.37	0.71	300 215 Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 11910.00	47.18	74.00	-26.82	56.99	38.70	17.22	66.23	0.50	-- -- Peak																																																																																																																	
2 17865.00	53.09	74.00	-20.91	55.10	41.31	21.34	65.37	0.71	248 0 Peak																																																																																																																	
3 17865.00	43.16	54.00	-10.84	45.17	41.31	21.34	65.37	0.71	248 0 Average																																																																																																																	





Mode	13	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full_5955MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	14																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full_6195MHz																																																																																																																									
ANT	5+4																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-01 PEAK(UNII)_6E AVG(UNII)_6E 80001440020800272003360040000 Frequency (MHz) Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>56.73</td><td>38.82</td><td>17.60</td><td>66.14</td><td>0.47</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>34.94</td><td>74.00</td><td>-39.06</td><td>56.20</td><td>38.30</td><td>5.76</td><td>55.78</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.48	74.00	-26.52	56.73	38.82	17.60	66.14	0.47	--	Peak	2	18585.00	34.94	74.00	-39.06	56.20	38.30	5.76	55.78	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-01 PEAK(UNII)_6E AVG(UNII)_6E 80001440020800272003360040000 Frequency (MHz) Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>56.67</td><td>38.82</td><td>17.60</td><td>66.14</td><td>0.47</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>35.89</td><td>74.00</td><td>-38.11</td><td>57.15</td><td>38.30</td><td>5.76</td><td>55.78</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.42	74.00	-26.58	56.67	38.82	17.60	66.14	0.47	--	Peak	2	18585.00	35.89	74.00	-38.11	57.15	38.30	5.76	55.78	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12390.00	47.48	74.00	-26.52	56.73	38.82	17.60	66.14	0.47	--	Peak																																																																																																															
2	18585.00	34.94	74.00	-39.06	56.20	38.30	5.76	55.78	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12390.00	47.42	74.00	-26.58	56.67	38.82	17.60	66.14	0.47	--	Peak																																																																																																															
2	18585.00	35.89	74.00	-38.11	57.15	38.30	5.76	55.78	-9.54	--	Peak																																																																																																															



Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full_6195MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-01  AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-09-01  AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	15																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full_6415MHz																																																																																																																								
ANT	5+4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>49.63</td><td>88.20</td><td>-38.57</td><td>57.57</td><td>39.70</td><td>17.95</td><td>66.03</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>36.48</td><td>74.00</td><td>-37.52</td><td>57.21</td><td>38.22</td><td>5.84</td><td>55.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	49.63	88.20	-38.57	57.57	39.70	17.95	66.03	0.44	--	Peak	2	19245.00	36.48	74.00	-37.52	57.21	38.22	5.84	55.25	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>49.15</td><td>88.20</td><td>-39.05</td><td>57.09</td><td>39.70</td><td>17.95</td><td>66.03</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>35.48</td><td>74.00</td><td>-38.52</td><td>56.21</td><td>38.22</td><td>5.84</td><td>55.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	49.15	88.20	-39.05	57.09	39.70	17.95	66.03	0.44	--	Peak	2	19245.00	35.48	74.00	-38.52	56.21	38.22	5.84	55.25	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12830.00	49.63	88.20	-38.57	57.57	39.70	17.95	66.03	0.44	--	Peak																																																																																																														
2	19245.00	36.48	74.00	-37.52	57.21	38.22	5.84	55.25	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12830.00	49.15	88.20	-39.05	57.09	39.70	17.95	66.03	0.44	--	Peak																																																																																																														
2	19245.00	35.48	74.00	-38.52	56.21	38.22	5.84	55.25	-9.54	--	Peak																																																																																																														





Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full_6415MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-01 Frequency (MHz) Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-09-01 Frequency (MHz) Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91200-1522_260326 VERTICAL



Mode	16																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full_6435MHz																																																																																																																								
ANT	5+4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.48</td><td>88.20</td><td>-39.72</td><td>56.37</td><td>39.70</td><td>17.99</td><td>66.02</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>35.81</td><td>74.00</td><td>-38.19</td><td>56.49</td><td>38.29</td><td>5.83</td><td>55.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	48.48	88.20	-39.72	56.37	39.70	17.99	66.02	0.44	--	Peak	2	19305.00	35.81	74.00	-38.19	56.49	38.29	5.83	55.26	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.33</td><td>88.20</td><td>-39.87</td><td>56.22</td><td>39.70</td><td>17.99</td><td>66.02</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>35.05</td><td>74.00</td><td>-38.95</td><td>55.73</td><td>38.29</td><td>5.83</td><td>55.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	48.33	88.20	-39.87	56.22	39.70	17.99	66.02	0.44	--	Peak	2	19305.00	35.05	74.00	-38.95	55.73	38.29	5.83	55.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12870.00	48.48	88.20	-39.72	56.37	39.70	17.99	66.02	0.44	--	Peak																																																																																																														
2	19305.00	35.81	74.00	-38.19	56.49	38.29	5.83	55.26	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12870.00	48.33	88.20	-39.87	56.22	39.70	17.99	66.02	0.44	--	Peak																																																																																																														
2	19305.00	35.05	74.00	-38.95	55.73	38.29	5.83	55.26	-9.54	--	Peak																																																																																																														



Mode	16	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_Full_6435MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-01  AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-09-01  AVG(UNII)_6E Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	17																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full_6475MHz																																																																																																																									
ANT	5+4																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.84</td><td>88.20</td><td>-39.36</td><td>56.46</td><td>39.90</td><td>18.05</td><td>66.00</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.66</td><td>74.00</td><td>-37.34</td><td>57.41</td><td>38.25</td><td>5.82</td><td>55.28</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.84	88.20	-39.36	56.46	39.90	18.05	66.00	0.43	--	Peak	2	19425.00	36.66	74.00	-37.34	57.41	38.25	5.82	55.28	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.57</td><td>88.20</td><td>-39.63</td><td>56.19</td><td>39.90</td><td>18.05</td><td>66.00</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>36.11</td><td>74.00</td><td>-37.89</td><td>56.86</td><td>38.25</td><td>5.82</td><td>55.28</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.57	88.20	-39.63	56.19	39.90	18.05	66.00	0.43	--	Peak	2	19425.00	36.11	74.00	-37.89	56.86	38.25	5.82	55.28	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	48.84	88.20	-39.36	56.46	39.90	18.05	66.00	0.43	--	Peak																																																																																																															
2	19425.00	36.66	74.00	-37.34	57.41	38.25	5.82	55.28	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	48.57	88.20	-39.63	56.19	39.90	18.05	66.00	0.43	--	Peak																																																																																																															
2	19425.00	36.11	74.00	-37.89	56.86	38.25	5.82	55.28	-9.54	--	Peak																																																																																																															



Mode	17	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_Full_6475MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-01 Frequency (MHz) Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-09-01 Frequency (MHz) Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	18																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full_6515MHz																																																																																																																								
ANT	5+4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-01 PEAK(UNII)_6E AVG(UNII)_6E 80001440020800272003360040000 Frequency (MHz) Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>49.20</td><td>88.20</td><td>-39.00</td><td>56.76</td><td>39.88</td><td>18.11</td><td>65.98</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>37.24</td><td>74.00</td><td>-36.76</td><td>57.83</td><td>38.39</td><td>5.82</td><td>55.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	49.20	88.20	-39.00	56.76	39.88	18.11	65.98	0.43	--	Peak	2	19545.00	37.24	74.00	-36.76	57.83	38.39	5.82	55.26	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-01 PEAK(UNII)_6E AVG(UNII)_6E 80001440020800272003360040000 Frequency (MHz) Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>50.56</td><td>88.20</td><td>-37.64</td><td>58.12</td><td>39.88</td><td>18.11</td><td>65.98</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>37.64</td><td>74.00</td><td>-36.36</td><td>58.23</td><td>38.39</td><td>5.82</td><td>55.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	50.56	88.20	-37.64	58.12	39.88	18.11	65.98	0.43	--	Peak	2	19545.00	37.64	74.00	-36.36	58.23	38.39	5.82	55.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13030.00	49.20	88.20	-39.00	56.76	39.88	18.11	65.98	0.43	--	Peak																																																																																																														
2	19545.00	37.24	74.00	-36.76	57.83	38.39	5.82	55.26	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13030.00	50.56	88.20	-37.64	58.12	39.88	18.11	65.98	0.43	--	Peak																																																																																																														
2	19545.00	37.64	74.00	-36.36	58.23	38.39	5.82	55.26	-9.54	--	Peak																																																																																																														



Mode	18	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_Full_6515MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-01 Frequency (MHz) Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-09-01 Frequency (MHz) Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL



Mode	19																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full_6535MHz																																																																																																																								
ANT	5+4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>48.73</td><td>88.20</td><td>-39.47</td><td>56.34</td><td>39.00</td><td>18.13</td><td>65.97</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>37.00</td><td>74.00</td><td>-37.00</td><td>57.60</td><td>38.30</td><td>5.83</td><td>55.19</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	48.73	88.20	-39.47	56.34	39.00	18.13	65.97	0.43	--	Peak	2	19605.00	37.00	74.00	-37.00	57.60	38.30	5.83	55.19	-9.54	--	Peak	Level (dBuV/m) Date: 2026-09-01 Site : 03CH16-HY Condition: PEAK(UNII)_6E 3m 91200-1522_260326 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>50.16</td><td>88.20</td><td>-38.04</td><td>57.77</td><td>39.00</td><td>18.13</td><td>65.97</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>38.47</td><td>74.00</td><td>-35.53</td><td>59.07</td><td>38.30</td><td>5.83</td><td>55.19</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	50.16	88.20	-38.04	57.77	39.00	18.13	65.97	0.43	--	Peak	2	19605.00	38.47	74.00	-35.53	59.07	38.30	5.83	55.19	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13070.00	48.73	88.20	-39.47	56.34	39.00	18.13	65.97	0.43	--	Peak																																																																																																														
2	19605.00	37.00	74.00	-37.00	57.60	38.30	5.83	55.19	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13070.00	50.16	88.20	-38.04	57.77	39.00	18.13	65.97	0.43	--	Peak																																																																																																														
2	19605.00	38.47	74.00	-35.53	59.07	38.30	5.83	55.19	-9.54	--	Peak																																																																																																														



Mode	19	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full_6535MHz	
ANT	5+4	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-01 Frequency (MHz) Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 HORIZONTAL	Level (dBuV/m) Date: 2026-09-01 Frequency (MHz) Site : 03CH16-HY Condition: AVG(UNII)_6E 3m 91280-1522_260326 VERTICAL