

Plot No.01 RF Interference Potential Test Report

Measurement performed on September 18, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 13, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	1	2412.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
28.33	25.24	-5.9	19.34



Plot No.02 RF Interference Potential Test Report

Measurement performed on September 18, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 13, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	6	2437.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
28.26	25.0	-5.9	19.1



Plot No.03 RF Interference Potential Test Report

Measurement performed on September 18, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 13, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	11	2462.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
28.36	25.25	-5.9	19.35



Plot No.04 RF Interference Potential Test Report

Measurement performed on September 18, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 13, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	1	2412.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
28.55	25.37	-3.16	22.21



Plot No.05 RF Interference Potential Test Report

Measurement performed on September 18, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 13, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	6	2437.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
28.5	25.34	-3.16	22.18



Plot No.06 RF Interference Potential Test Report

Measurement performed on September 18, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4088	August 13, 2026	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	11	2462.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
28.52	25.38	-3.16	22.22



Plot No.07 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n41	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	518598	2592.99

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

E _{max} [dB(V/m)]	E _{avg50x50 max} [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
28.61	26.57	-1.64	24.93



Plot No.08 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n41	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	518598	2592.99

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
22.08	17.8	-1.64	16.16



Plot No.09 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n41	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	518598	2592.99

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
28.87	27.02	-1.64	25.38



Plot No.10 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n41	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	518598	2592.99

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
25.2	19.8	-1.64	18.16



Plot No.11 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	633332	3499.98

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
30.05	25.46	-1.64	23.82



Plot No.12 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	633332	3499.98

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
30.12	24.11	-1.64	22.47



Plot No.13 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	633332	3499.98

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
30.05	27.94	-1.64	26.3



Plot No.14 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	633332	3499.98

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
30.07	27.37	-1.64	25.73



Plot No.15 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	661334	3920.01

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
31.85	26.81	-1.64	25.17



Plot No.16 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	661334	3920.01

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

E _{max} [dB(V/m)]	E _{avg50x50 max} [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
31.6	25.65	-1.64	24.01



Plot No.17 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	661334	3920.01

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
28.58	25.87	-1.64	24.23



Plot No.18 RF Interference Potential Test Report

Measurement performed on September 21, 2026

Device Under Test

Manufacturer	Model	Dimensions[mm]	Speaker Position [mm]
Moto	Zeus	162.0 x 77.0 x 8.0	161.0

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
EF3DV3 - SN4047	December 03, 2025	DAE4 Sn316	January 15, 2026

Communication Systems

Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	661334	3920.01

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
50.0	50.0	10.0	10.0	15.0

Results

Emax [dB(V/m)]	Eavg50x50 max [dB(V/m)]	MIF [dB]	RFail [dB(V/m)]
27.71	24.55	-1.64	22.91

