





FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM



**Occupied Bandwidth**



Mode	FR1 n26 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	4.49	4.49	8.97	8.99	13.48	13.48	17.99	17.96
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	4.51		9.00		13.52		17.96	




FR1 n26 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK

QPSK




16QAM






FR1 n26 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n26 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n26 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




11:05:08 PM 05/28/2026

QPSK



11:06:01 PM 05/28/2026

16QAM




11:06:53 PM 05/28/2026



Emission masks – Out of band emissions

FR1 n26 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Middle MASK / Full RB



10:55:16 PM 05/28/2026

**Frequency Stability**

Test Conditions		FR1 n26 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0005	0.4	Yes	PASS
40	Normal Voltage	0.0061	5	Yes	
30	Normal Voltage	0.0069	5.7	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0004	0.3	Yes	
0	Normal Voltage	0.0124	-10.2	Yes	
-10	Normal Voltage	0.0131	-10.8	Yes	
-20	Normal Voltage	0.0011	0.9	Yes	
-30	Normal Voltage	0.0047	-3.9	Yes	
20	Maximum Voltage	0.0127	-10.5	Yes	
20	Normal Voltage	0.0000	0	Yes	
20	Minimum Voltage	0.0093	-7.7	Yes	

Note:

1. Normal Voltage = 3.81 V. ; Minimum Voltage = 3.35 V. ; Maximum Voltage = 4.53 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.


**FR1 n41****<SISO Mode>****Peak-to-Average Ratio**

Mode	FR1 n41 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	3.00	4.82	5.68	5.94	PASS
Mode	FR1 n41 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.32				PASS




FR1 n41 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM



**26dB Bandwidth**



Mode	FR1 n41 : 26dB BW(MHz) / DFT-S OFDM							
BW	10MHz		15MHz		20MHz		25MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	10.11	10.25	14.65	14.81	19.87	19.77	25.16	25.28
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	10.31		14.86		19.82		25.05	
BW	30MHz		35MHz		40MHz		45MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	29.95	29.83	35.04	35.04	38.56	38.76	41.56	41.68
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	29.94		35.09		38.76		41.70	
BW	50MHz		60MHz		70MHz		80MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	48.58	48.76	62.59	62.77	69.20	69.22	81.85	82.19
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	48.69		62.88		69.27		82.04	
BW	90MHz		100MHz					
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK				
Middle CH	91.68	91.98	101.59	101.61				
Mod.	16QAM		16QAM					
Middle CH	91.98		101.75					




FR1 n41 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK

QPSK




16QAM






FR1 n41 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n41 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n41 / 25MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n41 / 30MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n41 / 35MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n41 / 40MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n41 / 45MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n41 / 50MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n41 / 60MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n41 / 70MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n41 / 80MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM







Report No. : FG651501-01C

FR1 n41 / 90MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n41 / 100MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK



16QAM




**Occupied Bandwidth**

Mode	FR1 n41 : 99%OBW(MHz) / DFT-S OFDM							
BW	10MHz		15MHz		20MHz		25MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	8.67	8.67	13.01	13.01	17.93	17.95	23.03	23.04
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	8.70		13.01		17.93		22.99	
BW	30MHz		35MHz		40MHz		45MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	27.27	27.22	32.49	32.51	36.02	36.08	38.87	38.79
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	27.25		32.53		35.86		38.80	
BW	50MHz		60MHz		70MHz		80MHz	
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK
Middle CH	45.87	45.94	58.48	58.28	64.90	64.91	77.37	77.69
Mod.	16QAM		16QAM		16QAM		16QAM	
Middle CH	46.06		58.77		65.06		77.57	
BW	90MHz		100MHz					
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK				
Middle CH	87.24	87.03	96.75	96.45				
Mod.	16QAM		16QAM					
Middle CH	87.36		96.88					




FR1 n41 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




03:13:35 PM 05/31/2026

QPSK



03:14:26 PM 05/31/2026


16QAM



03:15:17 PM 05/31/2026


FR1 n41 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




03:16:09 PM 05/31/2024

QPSK



03:17:00 PM 05/31/2024

16QAM




03:17:51 PM 05/31/2024




FR1 n41 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




03:18:44 PM 05/31/2026

QPSK



03:19:36 PM 05/31/2026

16QAM




03:20:24 PM 05/31/2026




FR1 n41 / 25MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n41 / 30MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




03:23:53 PM 05/31/2024

QPSK



03:24:44 PM 05/31/2024

16QAM




03:25:35 PM 05/31/2024




FR1 n41 / 35MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK

QPSK




03:55:52 PM 05/31/2024



03:56:43 PM 05/31/2024

16QAM




03:57:33 PM 05/31/2024




FR1 n41 / 40MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




03:34:46 PM 05/31/2026

QPSK



03:35:38 PM 05/31/2026

16QAM




03:36:31 PM 05/31/2026




FR1 n41 / 45MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




03:59:08 PM 05/31/2024

QPSK



03:59:58 PM 05/31/2024

16QAM




04:00:49 PM 05/31/2024




FR1 n41 / 50MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




03:37:25 PM 05/31/2024

QPSK



03:38:18 PM 05/31/2024

16QAM




03:39:11 PM 05/31/2024




FR1 n41 / 60MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n41 / 70MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




03:42:45 PM 05/31/2024

QPSK



03:43:38 PM 05/31/2024

16QAM




03:44:31 PM 05/31/2024




FR1 n41 / 80MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




03:46:17 PM 05/31/2026

QPSK



03:47:08 PM 05/31/2026

16QAM




03:47:58 PM 05/31/2026




FR1 n41 / 90MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




03:48:50 PM 05/31/2026

QPSK



03:49:41 PM 05/31/2026

16QAM




03:50:31 PM 05/31/2026




FR1 n41 / 100MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




03:52:43 PM 05/31/2026

QPSK



03:53:33 PM 05/31/2026

16QAM



03:54:24 PM 05/31/2026