




### 802.11n(HT20)\_HCH\_5320MHz\_Ant1\_NTNV




### 802.11n(HT20)\_LCH\_5500MHz\_Ant1\_NTNV




### 802.11n(HT20)\_MCH\_5580MHz\_Ant1\_NTNV




### 802.11n(HT20)\_HCH\_5700MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5230MHz\_Ant1\_NTNV




### 802.11n(HT40)\_LCH\_5270MHz\_Ant1\_NTNV




### 802.11n(HT40)\_HCH\_5310MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5510MHz\_Ant1\_NTNV




802.11n(HT40)\_MCH\_5550MHz\_Ant1\_NTNV




### 802.11n(HT40)\_HCH\_5670MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_LCH\_5260MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_MCH\_5300MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_HCH\_5320MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_LCH\_5500MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_MCH\_5580MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_HCH\_5700MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_LCH\_5270MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_HCH\_5310MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_LCH\_5510MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_MCH\_5550MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_HCH\_5670MHz\_Ant1\_NTNV




### 802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV




### 802.11ac(VHT80)\_MCH\_5290MHz\_Ant1\_NTNV




### 802.11ac(VHT80)\_LCH\_5530MHz\_Ant1\_NTNV



### 802.11ac(VHT80)\_HCH\_5610MHz\_Ant1\_NTNV




### 2.2.3 6dB BW




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


### 802.11a\_HCH\_5825MHz\_Ant1\_NTNV




### 802.11n(HT20)\_LCH\_5745MHz\_Ant1\_NTNV




### 802.11n(HT20)\_MCH\_5785MHz\_Ant1\_NTNV




### 802.11n(HT20)\_HCH\_5825MHz\_Ant1\_NTNV




### 802.11n(HT40)\_LCH\_5755MHz\_Ant1\_NTNV




### 802.11n(HT40)\_HCH\_5795MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_LCH\_5745MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_MCH\_5785MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV



### 802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV



### 802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV



### 3. Maximum Conducted Output Power

#### 3.1 Test Result

##### 3.1.1 Power

| Mode           | TX Type | Frequency (MHz) | Maximum Average Conducted Output Power (dBm) |         | Verdict |
|----------------|---------|-----------------|----------------------------------------------|---------|---------|
|                |         |                 | ANT1                                         | Limit   |         |
| 802.11a        | SISO    | 5180            | 14.22                                        | <=23.98 | Pass    |
|                |         | 5200            | 14.06                                        | <=23.98 | Pass    |
|                |         | 5240            | 14.50                                        | <=23.98 | Pass    |
|                |         | 5260            | 14.11                                        | <=23.98 | Pass    |
|                |         | 5300            | 13.60                                        | <=23.98 | Pass    |
|                |         | 5320            | 13.84                                        | <=23.98 | Pass    |
|                |         | 5500            | 12.30                                        | <=23.98 | Pass    |
|                |         | 5580            | 12.46                                        | <=23.98 | Pass    |
|                |         | 5700            | 12.49                                        | <=23.98 | Pass    |
|                |         | 5745            | 12.89                                        | <=30    | Pass    |
|                |         | 5785            | 13.28                                        | <=30    | Pass    |
|                |         | 5825            | 13.08                                        | <=30    | Pass    |
| 802.11n (HT20) | SISO    | 5180            | 14.41                                        | <=23.98 | Pass    |
|                |         | 5200            | 14.56                                        | <=23.98 | Pass    |
|                |         | 5240            | 15.01                                        | <=23.98 | Pass    |
|                |         | 5260            | 14.05                                        | <=23.98 | Pass    |
|                |         | 5300            | 14.37                                        | <=23.98 | Pass    |
|                |         | 5320            | 14.62                                        | <=23.98 | Pass    |
|                |         | 5500            | 12.38                                        | <=23.98 | Pass    |
|                |         | 5580            | 12.14                                        | <=23.98 | Pass    |
|                |         | 5700            | 12.94                                        | <=23.98 | Pass    |
|                |         | 5745            | 12.55                                        | <=30    | Pass    |
|                |         | 5785            | 12.21                                        | <=30    | Pass    |
|                |         | 5825            | 13.06                                        | <=30    | Pass    |
| 802.11n (HT40) | SISO    | 5190            | 14.13                                        | <=23.98 | Pass    |
|                |         | 5230            | 14.60                                        | <=23.98 | Pass    |
|                |         | 5270            | 14.57                                        | <=23.98 | Pass    |
|                |         | 5310            | 14.49                                        | <=23.98 | Pass    |
|                |         | 5510            | 12.41                                        | <=23.98 | Pass    |
|                |         | 5550            | 11.86                                        | <=23.98 | Pass    |
|                |         | 5670            | 12.22                                        | <=23.98 | Pass    |
|                |         | 5755            | 13.69                                        | <=30    | Pass    |
|                |         | 5795            | 12.58                                        | <=30    | Pass    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch (EMC) EEC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn  
t (86-20) 82155555 sgs.china@sgs.com

| Mode             | TX Type | Frequency (MHz) | Maximum Average Conducted Output Power (dBm) |         | Verdict |
|------------------|---------|-----------------|----------------------------------------------|---------|---------|
|                  |         |                 | ANT1                                         | Limit   |         |
| 802.11ac (VHT20) | SISO    | 5180            | 14.33                                        | <=23.98 | Pass    |
|                  |         | 5200            | 14.10                                        | <=23.98 | Pass    |
|                  |         | 5240            | 14.54                                        | <=23.98 | Pass    |
|                  |         | 5260            | 14.14                                        | <=23.98 | Pass    |
|                  |         | 5300            | 13.76                                        | <=23.98 | Pass    |
|                  |         | 5320            | 13.96                                        | <=23.98 | Pass    |
|                  |         | 5500            | 12.05                                        | <=23.98 | Pass    |
|                  |         | 5580            | 12.25                                        | <=23.98 | Pass    |
|                  |         | 5700            | 12.79                                        | <=23.98 | Pass    |
|                  |         | 5745            | 12.39                                        | <=30    | Pass    |
|                  |         | 5785            | 12.73                                        | <=30    | Pass    |
|                  |         | 5825            | 12.84                                        | <=30    | Pass    |
| 802.11ac (VHT40) | SISO    | 5190            | 13.29                                        | <=23.98 | Pass    |
|                  |         | 5230            | 13.47                                        | <=23.98 | Pass    |
|                  |         | 5270            | 13.74                                        | <=23.98 | Pass    |
|                  |         | 5310            | 13.79                                        | <=23.98 | Pass    |
|                  |         | 5510            | 11.21                                        | <=23.98 | Pass    |
|                  |         | 5550            | 11.56                                        | <=23.98 | Pass    |
|                  |         | 5670            | 11.81                                        | <=23.98 | Pass    |
|                  |         | 5755            | 11.71                                        | <=30    | Pass    |
|                  |         | 5795            | 11.47                                        | <=30    | Pass    |
| 802.11ac (VHT80) | SISO    | 5210            | 7.49                                         | <=23.98 | Pass    |
|                  |         | 5290            | 7.77                                         | <=23.98 | Pass    |
|                  |         | 5530            | 7.40                                         | <=23.98 | Pass    |
|                  |         | 5610            | 7.67                                         | <=23.98 | Pass    |
|                  |         | 5775            | 9.41                                         | <=30    | Pass    |

Note1: Antenna Gain:

- Band: 3 Ant1: 2.27dBi;
- Band: 2A Ant1: 2.27dBi;
- Band: 2C Ant1: 2.27dBi;
- Band: 1 Ant1: 2.27dBi;



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch (EMC) EEC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn  
t (86-20) 82155555 sgs.china@sgs.com

### 4. Maximum Power Spectral Density

#### 4.1 Test Result

##### 4.1.1 PSD

| Mode           | TX Type | Frequency (MHz) | Maximum PSD (dBm/MHz) |       | Verdict |
|----------------|---------|-----------------|-----------------------|-------|---------|
|                |         |                 | ANT1                  | Limit |         |
| 802.11a        | SISO    | 5180            | 1.76                  | <=11  | Pass    |
|                |         | 5200            | 1.80                  | <=11  | Pass    |
|                |         | 5240            | 2.11                  | <=11  | Pass    |
|                |         | 5260            | 1.90                  | <=11  | Pass    |
|                |         | 5300            | 1.27                  | <=11  | Pass    |
|                |         | 5320            | 1.43                  | <=11  | Pass    |
|                |         | 5500            | -0.02                 | <=11  | Pass    |
|                |         | 5580            | 0.02                  | <=11  | Pass    |
|                |         | 5700            | 0.24                  | <=11  | Pass    |
| 802.11n (HT20) | SISO    | 5180            | 2.06                  | <=11  | Pass    |
|                |         | 5200            | 2.29                  | <=11  | Pass    |
|                |         | 5240            | 2.57                  | <=11  | Pass    |
|                |         | 5260            | 1.72                  | <=11  | Pass    |
|                |         | 5300            | 1.95                  | <=11  | Pass    |
|                |         | 5320            | 2.22                  | <=11  | Pass    |
|                |         | 5500            | -0.10                 | <=11  | Pass    |
|                |         | 5580            | -0.27                 | <=11  | Pass    |
|                |         | 5700            | 0.44                  | <=11  | Pass    |
| 802.11n (HT40) | SISO    | 5190            | -4.09                 | <=11  | Pass    |
|                |         | 5230            | -1.10                 | <=11  | Pass    |
|                |         | 5270            | -1.15                 | <=11  | Pass    |
|                |         | 5310            | -1.24                 | <=11  | Pass    |
|                |         | 5510            | -2.33                 | <=11  | Pass    |
|                |         | 5550            | -2.82                 | <=11  | Pass    |
|                |         | 5670            | -2.44                 | <=11  | Pass    |

| Mode             | TX Type | Frequency (MHz) | Maximum PSD (dBm/MHz) |       | Verdict |
|------------------|---------|-----------------|-----------------------|-------|---------|
|                  |         |                 | ANT1                  | Limit |         |
| 802.11ac (VHT20) | SISO    | 5180            | 1.85                  | <=11  | Pass    |
|                  |         | 5200            | 1.60                  | <=11  | Pass    |
|                  |         | 5240            | 2.16                  | <=11  | Pass    |
|                  |         | 5260            | 1.69                  | <=11  | Pass    |
|                  |         | 5300            | 1.35                  | <=11  | Pass    |
|                  |         | 5320            | 1.71                  | <=11  | Pass    |
|                  |         | 5500            | -0.37                 | <=11  | Pass    |
|                  |         | 5580            | -0.12                 | <=11  | Pass    |
|                  |         | 5700            | 0.42                  | <=11  | Pass    |
| 802.11ac (VHT40) | SISO    | 5190            | -2.37                 | <=11  | Pass    |
|                  |         | 5230            | -2.18                 | <=11  | Pass    |
|                  |         | 5270            | -2.02                 | <=11  | Pass    |
|                  |         | 5310            | -2.04                 | <=11  | Pass    |
|                  |         | 5510            | -4.49                 | <=11  | Pass    |
|                  |         | 5550            | -4.34                 | <=11  | Pass    |
|                  |         | 5670            | -3.84                 | <=11  | Pass    |
| 802.11ac (VHT80) | SISO    | 5210            | -10.20                | <=11  | Pass    |
|                  |         | 5290            | -9.87                 | <=11  | Pass    |
|                  |         | 5530            | -10.04                | <=11  | Pass    |
|                  |         | 5610            | -6.96                 | <=11  | Pass    |

Note1: Antenna Gain:

- Band: 1 Ant1: 2.27dBi;
- Band: 3 Ant1: 2.27dBi;
- Band: 2A Ant1: 2.27dBi;
- Band: 2C Ant1: 2.27dBi;



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch (EMC) EEC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn  
t (86-20) 82155555 sgs.china@sgs.com


### 4.1.2 PSD-Band3

| Mode             | TX Type | Frequency (MHz) | Maximum PSD (dBm/500kHz) |       | Verdict |
|------------------|---------|-----------------|--------------------------|-------|---------|
|                  |         |                 | ANT1                     | Limit |         |
| 802.11a          | SISO    | 5745            | -2.34                    | <=30  | Pass    |
|                  |         | 5785            | -1.69                    | <=30  | Pass    |
|                  |         | 5825            | -2.18                    | <=30  | Pass    |
| 802.11n (HT20)   | SISO    | 5745            | -2.96                    | <=30  | Pass    |
|                  |         | 5785            | -2.14                    | <=30  | Pass    |
|                  |         | 5825            | -2.45                    | <=30  | Pass    |
| 802.11n (HT40)   | SISO    | 5755            | -4.86                    | <=30  | Pass    |
|                  |         | 5795            | -5.88                    | <=30  | Pass    |
| 802.11ac (VHT20) | SISO    | 5745            | -3.04                    | <=30  | Pass    |
|                  |         | 5785            | -2.61                    | <=30  | Pass    |
|                  |         | 5825            | -2.43                    | <=30  | Pass    |
| 802.11ac (VHT40) | SISO    | 5755            | -6.39                    | <=30  | Pass    |
|                  |         | 5795            | -7.22                    | <=30  | Pass    |
| 802.11ac (VHT80) | SISO    | 5775            | -10.90                   | <=30  | Pass    |


Note1: Antenna Gain:  
- Band: 3 Ant1: 2.27dBi;  
- Band: 2A Ant1: 2.27dBi;  
- Band: 2C Ant1: 2.27dBi;  
- Band: 1 Ant1: 2.27dBi;

### 4.2 Test Graph


#### 4.2.1 PSD




802.11a\_HCH\_5240MHz\_Ant1\_NTNV




802.11a\_LCH\_5260MHz\_Ant1\_NTNV



802.11a\_MCH\_5300MHz\_Ant1\_NTNV



802.11a\_HCH\_5320MHz\_Ant1\_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch Inspection & Testing Services


No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn  
t (86-20) 82155555 sgs.china@sgs.com


### 802.11a\_LCH\_5500MHz\_Ant1\_NTNV




### 802.11a\_MCH\_5580MHz\_Ant1\_NTNV




### 802.11a\_HCH\_5700MHz\_Ant1\_NTNV




### 802.11n(HT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5260MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5300MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5320MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5500MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5580MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5700MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5230MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5270MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5310MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5510MHz\_Ant1\_NTNV




802.11n(HT40)\_MCH\_5550MHz\_Ant1\_NTNV




### 802.11n(HT40)\_HCH\_5670MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5260MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5300MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_HCH\_5320MHz\_Ant1\_NTNV




### 802.11ac(VHT20)\_LCH\_5500MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5580MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5700MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_LCH\_5270MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_HCH\_5310MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_LCH\_5510MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_MCH\_5550MHz\_Ant1\_NTNV




### 802.11ac(VHT40)\_HCH\_5670MHz\_Ant1\_NTNV




### 802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5290MHz\_Ant1\_NTNV




802.11ac(VHT80)\_LCH\_5530MHz\_Ant1\_NTNV



### 802.11ac(VHT80)\_HCH\_5610MHz\_Ant1\_NTNV



### 4.2.2 PSD-Band3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch (EMC) EEC Laboratory

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn  
t (86-20) 82155555 sgs.china@sgs.com