





Mode	1																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.80</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>47.40</td><td>32.42</td><td>5.36</td><td>34.14</td><td>220</td><td>200</td><td>Peak</td></tr><tr><td>2</td><td>2389.80</td><td>20.04</td><td>74.00</td><td>-53.96</td><td>16.40</td><td>32.42</td><td>5.36</td><td>34.14</td><td>220</td><td>200</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.80	51.04	74.00	-22.96	47.40	32.42	5.36	34.14	220	200	Peak	2	2389.80	20.04	74.00	-53.96	16.40	32.42	5.36	34.14	220	200	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>98.50</td><td></td><td></td><td>94.83</td><td>32.44</td><td>5.37</td><td>34.14</td><td>220</td><td>200</td><td>Peak</td></tr><tr><td>2</td><td>2402.00</td><td>67.50</td><td></td><td></td><td>63.83</td><td>32.44</td><td>5.37</td><td>34.14</td><td>220</td><td>200</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.50			94.83	32.44	5.37	34.14	220	200	Peak	2	2402.00	67.50			63.83	32.44	5.37	34.14	220	200	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2389.80	51.04	74.00	-22.96	47.40	32.42	5.36	34.14	220	200	Peak																																																																																																										
2	2389.80	20.04	74.00	-53.96	16.40	32.42	5.36	34.14	220	200	Average																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2402.00	98.50			94.83	32.44	5.37	34.14	220	200	Peak																																																																																																										
2	2402.00	67.50			63.83	32.44	5.37	34.14	220	200	Average																																																																																																										





Mode	1																																																																																																																																																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																																																																																																																																																
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																																																																																																																																																																																																																																																																
ANT	1																																																																																																																																																																																																																																																																																																																																																
Pol.	Horizontal					Vertical																																																																																																																																																																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																																																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="11">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4804.00</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>64.82</td><td>35.00</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4804.00</td><td>12.92</td><td>54.00</td><td>-41.08</td><td>33.82</td><td>35.00</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td colspan="4">Average</td></tr><tr><td>3</td><td>7206.00</td><td>58.06</td><td>74.00</td><td>-15.94</td><td>76.82</td><td>36.10</td><td>10.18</td><td>65.04</td><td>100</td><td>353</td><td colspan="4">Peak</td></tr><tr><td>4</td><td>7206.00</td><td>27.06</td><td>54.00</td><td>-26.94</td><td>45.82</td><td>36.10</td><td>10.18</td><td>65.04</td><td>100</td><td>353</td><td colspan="4">Average</td></tr><tr><td>5</td><td>9608.00</td><td>56.75</td><td>74.00</td><td>-17.25</td><td>71.60</td><td>37.66</td><td>11.43</td><td>63.94</td><td>100</td><td>294</td><td colspan="4">Peak</td></tr><tr><td>6</td><td>9608.00</td><td>25.75</td><td>54.00</td><td>-28.25</td><td>40.60</td><td>37.66</td><td>11.43</td><td>63.94</td><td>100</td><td>294</td><td colspan="4">Average</td></tr><tr><td>7</td><td>12010.00</td><td>56.65</td><td>74.00</td><td>-17.35</td><td>69.00</td><td>38.61</td><td>13.24</td><td>64.20</td><td>100</td><td>38</td><td colspan="4">Peak</td></tr><tr><td>8</td><td>12010.00</td><td>25.65</td><td>54.00</td><td>-28.35</td><td>38.00</td><td>38.61</td><td>13.24</td><td>64.20</td><td>100</td><td>38</td><td colspan="4">Average</td></tr></table>							Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4804.00	43.92	74.00	-30.08	64.82	35.00	8.94	64.84	---	---	Peak				2	4804.00	12.92	54.00	-41.08	33.82	35.00	8.94	64.84	---	---	Average				3	7206.00	58.06	74.00	-15.94	76.82	36.10	10.18	65.04	100	353	Peak				4	7206.00	27.06	54.00	-26.94	45.82	36.10	10.18	65.04	100	353	Average				5	9608.00	56.75	74.00	-17.25	71.60	37.66	11.43	63.94	100	294	Peak				6	9608.00	25.75	54.00	-28.25	40.60	37.66	11.43	63.94	100	294	Average				7	12010.00	56.65	74.00	-17.35	69.00	38.61	13.24	64.20	100	38	Peak				8	12010.00	25.65	54.00	-28.35	38.00	38.61	13.24	64.20	100	38	Average				<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="11">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4804.00</td><td>45.27</td><td>74.00</td><td>-28.73</td><td>66.17</td><td>35.00</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4804.00</td><td>14.27</td><td>54.00</td><td>-39.73</td><td>35.17</td><td>35.00</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td colspan="4">Average</td></tr><tr><td>3</td><td>7206.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>71.75</td><td>36.10</td><td>10.18</td><td>65.04</td><td>337</td><td>272</td><td colspan="4">Peak</td></tr><tr><td>4</td><td>7206.00</td><td>21.99</td><td>54.00</td><td>-32.01</td><td>40.75</td><td>36.10</td><td>10.18</td><td>65.04</td><td>337</td><td>272</td><td colspan="4">Average</td></tr><tr><td>5</td><td>9608.00</td><td>56.51</td><td>74.00</td><td>-17.49</td><td>71.36</td><td>37.66</td><td>11.43</td><td>63.94</td><td>321</td><td>25</td><td colspan="4">Peak</td></tr><tr><td>6</td><td>9608.00</td><td>25.51</td><td>54.00</td><td>-28.49</td><td>40.36</td><td>37.66</td><td>11.43</td><td>63.94</td><td>321</td><td>25</td><td colspan="4">Average</td></tr><tr><td>7</td><td>12010.00</td><td>57.41</td><td>74.00</td><td>-16.59</td><td>69.76</td><td>38.61</td><td>13.24</td><td>64.20</td><td>313</td><td>23</td><td colspan="4">Peak</td></tr><tr><td>8</td><td>12010.00</td><td>26.41</td><td>54.00</td><td>-27.59</td><td>38.76</td><td>38.61</td><td>13.24</td><td>64.20</td><td>313</td><td>23</td><td colspan="4">Average</td></tr></table>							Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4804.00	45.27	74.00	-28.73	66.17	35.00	8.94	64.84	---	---	Peak				2	4804.00	14.27	54.00	-39.73	35.17	35.00	8.94	64.84	---	---	Average				3	7206.00	52.99	74.00	-21.01	71.75	36.10	10.18	65.04	337	272	Peak				4	7206.00	21.99	54.00	-32.01	40.75	36.10	10.18	65.04	337	272	Average				5	9608.00	56.51	74.00	-17.49	71.36	37.66	11.43	63.94	321	25	Peak				6	9608.00	25.51	54.00	-28.49	40.36	37.66	11.43	63.94	321	25	Average				7	12010.00	57.41	74.00	-16.59	69.76	38.61	13.24	64.20	313	23	Peak				8	12010.00	26.41	54.00	-27.59	38.76	38.61	13.24	64.20	313	23	Average		
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																								
1	4804.00	43.92	74.00	-30.08	64.82	35.00	8.94	64.84	---	---	Peak																																																																																																																																																																																																																																																																																																																																						
2	4804.00	12.92	54.00	-41.08	33.82	35.00	8.94	64.84	---	---	Average																																																																																																																																																																																																																																																																																																																																						
3	7206.00	58.06	74.00	-15.94	76.82	36.10	10.18	65.04	100	353	Peak																																																																																																																																																																																																																																																																																																																																						
4	7206.00	27.06	54.00	-26.94	45.82	36.10	10.18	65.04	100	353	Average																																																																																																																																																																																																																																																																																																																																						
5	9608.00	56.75	74.00	-17.25	71.60	37.66	11.43	63.94	100	294	Peak																																																																																																																																																																																																																																																																																																																																						
6	9608.00	25.75	54.00	-28.25	40.60	37.66	11.43	63.94	100	294	Average																																																																																																																																																																																																																																																																																																																																						
7	12010.00	56.65	74.00	-17.35	69.00	38.61	13.24	64.20	100	38	Peak																																																																																																																																																																																																																																																																																																																																						
8	12010.00	25.65	54.00	-28.35	38.00	38.61	13.24	64.20	100	38	Average																																																																																																																																																																																																																																																																																																																																						
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																								
1	4804.00	45.27	74.00	-28.73	66.17	35.00	8.94	64.84	---	---	Peak																																																																																																																																																																																																																																																																																																																																						
2	4804.00	14.27	54.00	-39.73	35.17	35.00	8.94	64.84	---	---	Average																																																																																																																																																																																																																																																																																																																																						
3	7206.00	52.99	74.00	-21.01	71.75	36.10	10.18	65.04	337	272	Peak																																																																																																																																																																																																																																																																																																																																						
4	7206.00	21.99	54.00	-32.01	40.75	36.10	10.18	65.04	337	272	Average																																																																																																																																																																																																																																																																																																																																						
5	9608.00	56.51	74.00	-17.49	71.36	37.66	11.43	63.94	321	25	Peak																																																																																																																																																																																																																																																																																																																																						
6	9608.00	25.51	54.00	-28.49	40.36	37.66	11.43	63.94	321	25	Average																																																																																																																																																																																																																																																																																																																																						
7	12010.00	57.41	74.00	-16.59	69.76	38.61	13.24	64.20	313	23	Peak																																																																																																																																																																																																																																																																																																																																						
8	12010.00	26.41	54.00	-27.59	38.76	38.61	13.24	64.20	313	23	Average																																																																																																																																																																																																																																																																																																																																						





Mode	2																																																																																																																																																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																																																																																																																																																														
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																																																																																																																																																																																																																																														
ANT	1																																																																																																																																																																																																																																																																																																																														
Pol.	Horizontal								Vertical																																																																																																																																																																																																																																																																																																																						
Peak Avg																																																																																																																																																																																																																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>66.16</td><td>35.08</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4880.00</td><td>14.13</td><td>54.00</td><td>-39.87</td><td>35.16</td><td>35.08</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7320.00</td><td>57.56</td><td>74.00</td><td>-16.44</td><td>76.28</td><td>36.10</td><td>10.18</td><td>65.00</td><td>100</td><td>348</td><td>Peak</td><td>359</td><td>283</td><td>Peak</td></tr><tr><td>4</td><td>7320.00</td><td>26.56</td><td>54.00</td><td>-27.44</td><td>45.28</td><td>36.10</td><td>10.18</td><td>65.00</td><td>100</td><td>348</td><td>Average</td><td>359</td><td>283</td><td>Average</td></tr><tr><td>5</td><td>9760.00</td><td>60.04</td><td>74.00</td><td>-13.96</td><td>74.43</td><td>37.76</td><td>11.77</td><td>63.92</td><td>100</td><td>281</td><td>Peak</td><td>347</td><td>37</td><td>Peak</td></tr><tr><td>6</td><td>9760.00</td><td>29.04</td><td>54.00</td><td>-24.96</td><td>43.43</td><td>37.76</td><td>11.77</td><td>63.92</td><td>100</td><td>281</td><td>Average</td><td>347</td><td>37</td><td>Average</td></tr><tr><td>7</td><td>12200.00</td><td>62.76</td><td>74.00</td><td>-11.24</td><td>74.92</td><td>38.74</td><td>13.30</td><td>64.20</td><td>100</td><td>38</td><td>Peak</td><td>342</td><td>33</td><td>Peak</td></tr><tr><td>8</td><td>12200.00</td><td>31.76</td><td>54.00</td><td>-22.24</td><td>43.92</td><td>38.74</td><td>13.30</td><td>64.20</td><td>100</td><td>38</td><td>Average</td><td>342</td><td>33</td><td>Average</td></tr></table>										Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	cm	deg	cm	deg	1	4880.00	45.13	74.00	-28.87	66.16	35.08	8.71	64.82	---	---	---	---	---	Peak	2	4880.00	14.13	54.00	-39.87	35.16	35.08	8.71	64.82	---	---	---	---	---	Average	3	7320.00	57.56	74.00	-16.44	76.28	36.10	10.18	65.00	100	348	Peak	359	283	Peak	4	7320.00	26.56	54.00	-27.44	45.28	36.10	10.18	65.00	100	348	Average	359	283	Average	5	9760.00	60.04	74.00	-13.96	74.43	37.76	11.77	63.92	100	281	Peak	347	37	Peak	6	9760.00	29.04	54.00	-24.96	43.43	37.76	11.77	63.92	100	281	Average	347	37	Average	7	12200.00	62.76	74.00	-11.24	74.92	38.74	13.30	64.20	100	38	Peak	342	33	Peak	8	12200.00	31.76	54.00	-22.24	43.92	38.74	13.30	64.20	100	38	Average	342	33	Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>44.47</td><td>74.00</td><td>-29.53</td><td>65.50</td><td>35.08</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4880.00</td><td>13.47</td><td>54.00</td><td>-40.53</td><td>34.50</td><td>35.08</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7320.00</td><td>54.17</td><td>74.00</td><td>-19.83</td><td>72.89</td><td>36.10</td><td>10.18</td><td>65.00</td><td>100</td><td>359</td><td>283</td><td>Peak</td><td>359</td><td>283</td><td>Peak</td></tr><tr><td>4</td><td>7320.00</td><td>23.17</td><td>54.00</td><td>-30.83</td><td>41.89</td><td>36.10</td><td>10.18</td><td>65.00</td><td>100</td><td>359</td><td>283</td><td>Average</td><td>359</td><td>283</td><td>Average</td></tr><tr><td>5</td><td>9760.00</td><td>59.54</td><td>74.00</td><td>-14.46</td><td>73.93</td><td>37.76</td><td>11.77</td><td>63.92</td><td>100</td><td>347</td><td>37</td><td>Peak</td><td>347</td><td>37</td><td>Peak</td></tr><tr><td>6</td><td>9760.00</td><td>28.54</td><td>54.00</td><td>-25.46</td><td>42.93</td><td>37.76</td><td>11.77</td><td>63.92</td><td>100</td><td>347</td><td>37</td><td>Average</td><td>347</td><td>37</td><td>Average</td></tr><tr><td>7</td><td>12200.00</td><td>64.50</td><td>74.00</td><td>-9.50</td><td>76.66</td><td>38.74</td><td>13.30</td><td>64.20</td><td>100</td><td>342</td><td>33</td><td>Peak</td><td>342</td><td>33</td><td>Peak</td></tr><tr><td>8</td><td>12200.00</td><td>33.50</td><td>54.00</td><td>-20.50</td><td>45.66</td><td>38.74</td><td>13.30</td><td>64.20</td><td>100</td><td>342</td><td>33</td><td>Average</td><td>342</td><td>33</td><td>Average</td></tr></table>										Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	cm	deg	cm	deg	1	4880.00	44.47	74.00	-29.53	65.50	35.08	8.71	64.82	---	---	---	---	---	Peak	2	4880.00	13.47	54.00	-40.53	34.50	35.08	8.71	64.82	---	---	---	---	---	Average	3	7320.00	54.17	74.00	-19.83	72.89	36.10	10.18	65.00	100	359	283	Peak	359	283	Peak	4	7320.00	23.17	54.00	-30.83	41.89	36.10	10.18	65.00	100	359	283	Average	359	283	Average	5	9760.00	59.54	74.00	-14.46	73.93	37.76	11.77	63.92	100	347	37	Peak	347	37	Peak	6	9760.00	28.54	54.00	-25.46	42.93	37.76	11.77	63.92	100	347	37	Average	347	37	Average	7	12200.00	64.50	74.00	-9.50	76.66	38.74	13.30	64.20	100	342	33	Peak	342	33	Peak	8	12200.00	33.50	54.00	-20.50	45.66	38.74	13.30	64.20	100	342	33	Average	342	33
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	cm	deg	cm	deg																																																																																																																																																																																																																																																																																																																		
1	4880.00	45.13	74.00	-28.87	66.16	35.08	8.71	64.82	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																																																	
2	4880.00	14.13	54.00	-39.87	35.16	35.08	8.71	64.82	---	---	---	---	---	Average																																																																																																																																																																																																																																																																																																																	
3	7320.00	57.56	74.00	-16.44	76.28	36.10	10.18	65.00	100	348	Peak	359	283	Peak																																																																																																																																																																																																																																																																																																																	
4	7320.00	26.56	54.00	-27.44	45.28	36.10	10.18	65.00	100	348	Average	359	283	Average																																																																																																																																																																																																																																																																																																																	
5	9760.00	60.04	74.00	-13.96	74.43	37.76	11.77	63.92	100	281	Peak	347	37	Peak																																																																																																																																																																																																																																																																																																																	
6	9760.00	29.04	54.00	-24.96	43.43	37.76	11.77	63.92	100	281	Average	347	37	Average																																																																																																																																																																																																																																																																																																																	
7	12200.00	62.76	74.00	-11.24	74.92	38.74	13.30	64.20	100	38	Peak	342	33	Peak																																																																																																																																																																																																																																																																																																																	
8	12200.00	31.76	54.00	-22.24	43.92	38.74	13.30	64.20	100	38	Average	342	33	Average																																																																																																																																																																																																																																																																																																																	
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	cm	deg	cm	deg																																																																																																																																																																																																																																																																																																																		
1	4880.00	44.47	74.00	-29.53	65.50	35.08	8.71	64.82	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																																																	
2	4880.00	13.47	54.00	-40.53	34.50	35.08	8.71	64.82	---	---	---	---	---	Average																																																																																																																																																																																																																																																																																																																	
3	7320.00	54.17	74.00	-19.83	72.89	36.10	10.18	65.00	100	359	283	Peak	359	283	Peak																																																																																																																																																																																																																																																																																																																
4	7320.00	23.17	54.00	-30.83	41.89	36.10	10.18	65.00	100	359	283	Average	359	283	Average																																																																																																																																																																																																																																																																																																																
5	9760.00	59.54	74.00	-14.46	73.93	37.76	11.77	63.92	100	347	37	Peak	347	37	Peak																																																																																																																																																																																																																																																																																																																
6	9760.00	28.54	54.00	-25.46	42.93	37.76	11.77	63.92	100	347	37	Average	347	37	Average																																																																																																																																																																																																																																																																																																																
7	12200.00	64.50	74.00	-9.50	76.66	38.74	13.30	64.20	100	342	33	Peak	342	33	Peak																																																																																																																																																																																																																																																																																																																
8	12200.00	33.50	54.00	-20.50	45.66	38.74	13.30	64.20	100	342	33	Average	342	33	Average																																																																																																																																																																																																																																																																																																																





Mode	3																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>70.50</td><td>74.00</td><td>-3.50</td><td>66.58</td><td>32.57</td><td>5.46</td><td>34.11</td><td>116</td><td>156</td><td>Peak</td></tr><tr><td>2</td><td>2483.56</td><td>39.50</td><td>74.00</td><td>-34.50</td><td>35.58</td><td>32.57</td><td>5.46</td><td>34.11</td><td>116</td><td>156</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	70.50	74.00	-3.50	66.58	32.57	5.46	34.11	116	156	Peak	2	2483.56	39.50	74.00	-34.50	35.58	32.57	5.46	34.11	116	156	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>105.54</td><td></td><td></td><td>101.62</td><td>32.57</td><td>5.46</td><td>34.11</td><td>116</td><td>156</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>74.54</td><td></td><td></td><td>70.62</td><td>32.57</td><td>5.46</td><td>34.11</td><td>116</td><td>156</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	105.54			101.62	32.57	5.46	34.11	116	156	Peak	2	2480.00	74.54			70.62	32.57	5.46	34.11	116	156	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2483.56	70.50	74.00	-3.50	66.58	32.57	5.46	34.11	116	156	Peak																																																																																																										
2	2483.56	39.50	74.00	-34.50	35.58	32.57	5.46	34.11	116	156	Average																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2480.00	105.54			101.62	32.57	5.46	34.11	116	156	Peak																																																																																																										
2	2480.00	74.54			70.62	32.57	5.46	34.11	116	156	Average																																																																																																										





Mode	3																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>65.28</td><td>74.00</td><td>-8.72</td><td>61.36</td><td>32.57</td><td>5.46</td><td>34.11</td><td>220</td><td>166</td><td>Peak</td></tr><tr><td>2</td><td>2483.52</td><td>34.28</td><td>74.00</td><td>-39.72</td><td>30.36</td><td>32.57</td><td>5.46</td><td>34.11</td><td>220</td><td>166</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	65.28	74.00	-8.72	61.36	32.57	5.46	34.11	220	166	Peak	2	2483.52	34.28	74.00	-39.72	30.36	32.57	5.46	34.11	220	166	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.13</td><td></td><td></td><td>96.21</td><td>32.57</td><td>5.46</td><td>34.11</td><td>220</td><td>166</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>69.13</td><td></td><td></td><td>65.21</td><td>32.57</td><td>5.46</td><td>34.11</td><td>220</td><td>166</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.13			96.21	32.57	5.46	34.11	220	166	Peak	2	2480.00	69.13			65.21	32.57	5.46	34.11	220	166	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2483.52	65.28	74.00	-8.72	61.36	32.57	5.46	34.11	220	166	Peak																																																																																																												
2	2483.52	34.28	74.00	-39.72	30.36	32.57	5.46	34.11	220	166	Average																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2480.00	100.13			96.21	32.57	5.46	34.11	220	166	Peak																																																																																																												
2	2480.00	69.13			65.21	32.57	5.46	34.11	220	166	Average																																																																																																												





Mode	3																																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																																														
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																																																																																														
ANT	1																																																																																																																																																																																																														
Pol.	Horizontal					Vertical																																																																																																																																																																																																									
Peak Avg																																																																																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>66.97</td><td>35.16</td><td>8.46</td><td>64.81 --- --- Peak</td></tr><tr><td>2</td><td>4960.00</td><td>14.78</td><td>54.00</td><td>-39.22</td><td>35.97</td><td>35.16</td><td>8.46</td><td>64.81 --- --- Average</td></tr><tr><td>3</td><td>7440.00</td><td>60.22</td><td>74.00</td><td>-13.78</td><td>78.92</td><td>36.10</td><td>10.17</td><td>64.97 100 360 Peak</td></tr><tr><td>4</td><td>7440.00</td><td>29.22</td><td>54.00</td><td>-24.78</td><td>47.92</td><td>36.10</td><td>10.17</td><td>64.97 100 360 Average</td></tr><tr><td>5</td><td>9920.00</td><td>59.90</td><td>74.00</td><td>-14.10</td><td>74.11</td><td>37.85</td><td>11.85</td><td>63.91 100 218 Peak</td></tr><tr><td>6</td><td>9920.00</td><td>28.91</td><td>54.00</td><td>-25.09</td><td>43.12</td><td>37.85</td><td>11.85</td><td>63.91 100 218 Average</td></tr><tr><td>7</td><td>12400.00</td><td>64.52</td><td>74.00</td><td>-9.48</td><td>76.47</td><td>38.88</td><td>13.37</td><td>64.20 100 46 Peak</td></tr><tr><td>8</td><td>12400.00</td><td>33.52</td><td>54.00</td><td>-20.48</td><td>45.47</td><td>38.88</td><td>13.37</td><td>64.20 100 46 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	4960.00	45.78	74.00	-28.22	66.97	35.16	8.46	64.81 --- --- Peak	2	4960.00	14.78	54.00	-39.22	35.97	35.16	8.46	64.81 --- --- Average	3	7440.00	60.22	74.00	-13.78	78.92	36.10	10.17	64.97 100 360 Peak	4	7440.00	29.22	54.00	-24.78	47.92	36.10	10.17	64.97 100 360 Average	5	9920.00	59.90	74.00	-14.10	74.11	37.85	11.85	63.91 100 218 Peak	6	9920.00	28.91	54.00	-25.09	43.12	37.85	11.85	63.91 100 218 Average	7	12400.00	64.52	74.00	-9.48	76.47	38.88	13.37	64.20 100 46 Peak	8	12400.00	33.52	54.00	-20.48	45.47	38.88	13.37	64.20 100 46 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>67.19</td><td>35.16</td><td>8.46</td><td>64.81 --- --- Peak</td></tr><tr><td>2</td><td>4960.00</td><td>15.00</td><td>54.00</td><td>-39.00</td><td>36.19</td><td>35.16</td><td>8.46</td><td>64.81 --- --- Average</td></tr><tr><td>3</td><td>7440.00</td><td>49.45</td><td>74.00</td><td>-24.55</td><td>68.15</td><td>36.10</td><td>10.17</td><td>64.97 100 88 Peak</td></tr><tr><td>4</td><td>7440.00</td><td>18.45</td><td>54.00</td><td>-35.55</td><td>37.15</td><td>36.10</td><td>10.17</td><td>64.97 100 88 Average</td></tr><tr><td>5</td><td>9920.00</td><td>58.79</td><td>74.00</td><td>-15.21</td><td>73.00</td><td>37.85</td><td>11.85</td><td>63.91 100 115 Peak</td></tr><tr><td>6</td><td>9920.00</td><td>27.79</td><td>54.00</td><td>-26.21</td><td>42.00</td><td>37.85</td><td>11.85</td><td>63.91 100 115 Average</td></tr><tr><td>7</td><td>12400.00</td><td>66.83</td><td>74.00</td><td>-7.17</td><td>78.78</td><td>38.88</td><td>13.37</td><td>64.20 301 58 Peak</td></tr><tr><td>8</td><td>12400.00</td><td>35.83</td><td>54.00</td><td>-18.17</td><td>47.78</td><td>38.88</td><td>13.37</td><td>64.20 301 58 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	4960.00	46.00	74.00	-28.00	67.19	35.16	8.46	64.81 --- --- Peak	2	4960.00	15.00	54.00	-39.00	36.19	35.16	8.46	64.81 --- --- Average	3	7440.00	49.45	74.00	-24.55	68.15	36.10	10.17	64.97 100 88 Peak	4	7440.00	18.45	54.00	-35.55	37.15	36.10	10.17	64.97 100 88 Average	5	9920.00	58.79	74.00	-15.21	73.00	37.85	11.85	63.91 100 115 Peak	6	9920.00	27.79	54.00	-26.21	42.00	37.85	11.85	63.91 100 115 Average	7	12400.00	66.83	74.00	-7.17	78.78	38.88	13.37	64.20 301 58 Peak	8	12400.00	35.83	54.00	-18.17	47.78	38.88	13.37
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																																																							
1	4960.00	45.78	74.00	-28.22	66.97	35.16	8.46	64.81 --- --- Peak																																																																																																																																																																																																							
2	4960.00	14.78	54.00	-39.22	35.97	35.16	8.46	64.81 --- --- Average																																																																																																																																																																																																							
3	7440.00	60.22	74.00	-13.78	78.92	36.10	10.17	64.97 100 360 Peak																																																																																																																																																																																																							
4	7440.00	29.22	54.00	-24.78	47.92	36.10	10.17	64.97 100 360 Average																																																																																																																																																																																																							
5	9920.00	59.90	74.00	-14.10	74.11	37.85	11.85	63.91 100 218 Peak																																																																																																																																																																																																							
6	9920.00	28.91	54.00	-25.09	43.12	37.85	11.85	63.91 100 218 Average																																																																																																																																																																																																							
7	12400.00	64.52	74.00	-9.48	76.47	38.88	13.37	64.20 100 46 Peak																																																																																																																																																																																																							
8	12400.00	33.52	54.00	-20.48	45.47	38.88	13.37	64.20 100 46 Average																																																																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																																																							
1	4960.00	46.00	74.00	-28.00	67.19	35.16	8.46	64.81 --- --- Peak																																																																																																																																																																																																							
2	4960.00	15.00	54.00	-39.00	36.19	35.16	8.46	64.81 --- --- Average																																																																																																																																																																																																							
3	7440.00	49.45	74.00	-24.55	68.15	36.10	10.17	64.97 100 88 Peak																																																																																																																																																																																																							
4	7440.00	18.45	54.00	-35.55	37.15	36.10	10.17	64.97 100 88 Average																																																																																																																																																																																																							
5	9920.00	58.79	74.00	-15.21	73.00	37.85	11.85	63.91 100 115 Peak																																																																																																																																																																																																							
6	9920.00	27.79	54.00	-26.21	42.00	37.85	11.85	63.91 100 115 Average																																																																																																																																																																																																							
7	12400.00	66.83	74.00	-7.17	78.78	38.88	13.37	64.20 301 58 Peak																																																																																																																																																																																																							
8	12400.00	35.83	54.00	-18.17	47.78	38.88	13.37	64.20 301 58 Average																																																																																																																																																																																																							





Mode	4																																																															
	Band Edge																																																															
	2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																															
ANT	1																																																															
Pol.	Horizontal																																																															
Peak																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.80</td><td>57.73</td><td>74.00</td><td>-16.27</td><td>54.09</td><td>32.42</td><td>5.36</td><td>34.14</td><td>211</td><td>141</td><td>Peak</td></tr><tr><td>2</td><td>2389.80</td><td>21.73</td><td>74.00</td><td>-52.27</td><td>18.09</td><td>32.42</td><td>5.36</td><td>34.14</td><td>211</td><td>141</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.80	57.73	74.00	-16.27	54.09	32.42	5.36	34.14	211	141	Peak	2	2389.80	21.73	74.00	-52.27	18.09	32.42	5.36	34.14	211	141	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2389.80	57.73	74.00	-16.27	54.09	32.42	5.36	34.14	211	141	Peak																																																					
2	2389.80	21.73	74.00	-52.27	18.09	32.42	5.36	34.14	211	141	Average																																																					
	Fundamental																																																															
																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>106.93</td><td></td><td></td><td>103.25</td><td>32.45</td><td>5.37</td><td>34.14</td><td>211</td><td>141</td><td>Peak</td></tr><tr><td>2</td><td>2404.00</td><td>70.93</td><td></td><td></td><td>67.25</td><td>32.45</td><td>5.37</td><td>34.14</td><td>211</td><td>141</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	106.93			103.25	32.45	5.37	34.14	211	141	Peak	2	2404.00	70.93			67.25	32.45	5.37	34.14	211	141	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2404.00	106.93			103.25	32.45	5.37	34.14	211	141	Peak																																																					
2	2404.00	70.93			67.25	32.45	5.37	34.14	211	141	Average																																																					



Mode	4																																																																																																																
	Band Edge																																																																																																																
	2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2390.00</td><td>53.74</td><td>74.00</td><td>-20.26</td><td>50.10</td><td>32.42</td><td>5.36</td><td>34.14</td><td>344</td><td>236 Peak</td></tr><tr><td>2</td><td>2390.00</td><td>17.74</td><td>74.00</td><td>-56.26</td><td>14.10</td><td>32.42</td><td>5.36</td><td>34.14</td><td>344</td><td>236 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2390.00	53.74	74.00	-20.26	50.10	32.42	5.36	34.14	344	236 Peak	2	2390.00	17.74	74.00	-56.26	14.10	32.42	5.36	34.14	344	236 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>103.46</td><td></td><td></td><td>99.78</td><td>32.45</td><td>5.37</td><td>34.14</td><td>344</td><td>236 Peak</td></tr><tr><td>2</td><td>2404.00</td><td>67.46</td><td></td><td></td><td>63.78</td><td>32.45</td><td>5.37</td><td>34.14</td><td>344</td><td>236 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	103.46			99.78	32.45	5.37	34.14	344	236 Peak	2	2404.00	67.46			63.78	32.45	5.37	34.14	344	236 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2390.00	53.74	74.00	-20.26	50.10	32.42	5.36	34.14	344	236 Peak																																																																																																							
2	2390.00	17.74	74.00	-56.26	14.10	32.42	5.36	34.14	344	236 Average																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2404.00	103.46			99.78	32.45	5.37	34.14	344	236 Peak																																																																																																							
2	2404.00	67.46			63.78	32.45	5.37	34.14	344	236 Average																																																																																																							





Mode	4																																																																																																																																																																										
	Harmonic																																																																																																																																																																										
	2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																																																																																																																										
ANT	1																																																																																																																																																																										
Pol.	Horizontal					Vertical																																																																																																																																																																					
Peak Avg																																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>4808.00</td><td>51.29</td><td>74.00</td><td>-22.71</td><td>72.20</td><td>35.01</td><td>8.92</td><td>64.84</td></tr><tr><td>2</td><td>4808.00</td><td>15.29</td><td>54.00</td><td>-38.71</td><td>36.20</td><td>35.01</td><td>8.92</td><td>64.84</td></tr><tr><td>3</td><td>7212.00</td><td>57.17</td><td>74.00</td><td>-16.83</td><td>75.93</td><td>36.10</td><td>10.18</td><td>65.04</td></tr><tr><td>4</td><td>7212.00</td><td>21.17</td><td>54.00</td><td>-32.83</td><td>39.93</td><td>36.10</td><td>10.18</td><td>65.04</td></tr><tr><td>5</td><td>9616.00</td><td>54.24</td><td>74.00</td><td>-19.76</td><td>69.07</td><td>37.67</td><td>11.44</td><td>63.94</td></tr><tr><td>6</td><td>9616.00</td><td>18.24</td><td>54.00</td><td>-35.76</td><td>33.07</td><td>37.67</td><td>11.44</td><td>63.94</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	4808.00	51.29	74.00	-22.71	72.20	35.01	8.92	64.84	2	4808.00	15.29	54.00	-38.71	36.20	35.01	8.92	64.84	3	7212.00	57.17	74.00	-16.83	75.93	36.10	10.18	65.04	4	7212.00	21.17	54.00	-32.83	39.93	36.10	10.18	65.04	5	9616.00	54.24	74.00	-19.76	69.07	37.67	11.44	63.94	6	9616.00	18.24	54.00	-35.76	33.07	37.67	11.44	63.94	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>4808.00</td><td>53.17</td><td>74.00</td><td>-20.83</td><td>74.08</td><td>35.01</td><td>8.92</td><td>64.84</td></tr><tr><td>2</td><td>4808.00</td><td>17.17</td><td>54.00</td><td>-36.83</td><td>38.08</td><td>35.01</td><td>8.92</td><td>64.84</td></tr><tr><td>3</td><td>7212.00</td><td>49.27</td><td>74.00</td><td>-24.73</td><td>68.03</td><td>36.10</td><td>10.18</td><td>65.04</td></tr><tr><td>4</td><td>7212.00</td><td>13.27</td><td>54.00</td><td>-40.73</td><td>32.03</td><td>36.10</td><td>10.18</td><td>65.04</td></tr><tr><td>5</td><td>9616.00</td><td>59.28</td><td>74.00</td><td>-14.72</td><td>74.11</td><td>37.67</td><td>11.44</td><td>63.94</td></tr><tr><td>6</td><td>9616.00</td><td>23.28</td><td>54.00</td><td>-30.72</td><td>38.11</td><td>37.67</td><td>11.44</td><td>63.94</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	4808.00	53.17	74.00	-20.83	74.08	35.01	8.92	64.84	2	4808.00	17.17	54.00	-36.83	38.08	35.01	8.92	64.84	3	7212.00	49.27	74.00	-24.73	68.03	36.10	10.18	65.04	4	7212.00	13.27	54.00	-40.73	32.03	36.10	10.18	65.04	5	9616.00	59.28	74.00	-14.72	74.11	37.67	11.44	63.94	6	9616.00	23.28	54.00	-30.72	38.11	37.67	11.44
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																			
1	4808.00	51.29	74.00	-22.71	72.20	35.01	8.92	64.84																																																																																																																																																																			
2	4808.00	15.29	54.00	-38.71	36.20	35.01	8.92	64.84																																																																																																																																																																			
3	7212.00	57.17	74.00	-16.83	75.93	36.10	10.18	65.04																																																																																																																																																																			
4	7212.00	21.17	54.00	-32.83	39.93	36.10	10.18	65.04																																																																																																																																																																			
5	9616.00	54.24	74.00	-19.76	69.07	37.67	11.44	63.94																																																																																																																																																																			
6	9616.00	18.24	54.00	-35.76	33.07	37.67	11.44	63.94																																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																			
1	4808.00	53.17	74.00	-20.83	74.08	35.01	8.92	64.84																																																																																																																																																																			
2	4808.00	17.17	54.00	-36.83	38.08	35.01	8.92	64.84																																																																																																																																																																			
3	7212.00	49.27	74.00	-24.73	68.03	36.10	10.18	65.04																																																																																																																																																																			
4	7212.00	13.27	54.00	-40.73	32.03	36.10	10.18	65.04																																																																																																																																																																			
5	9616.00	59.28	74.00	-14.72	74.11	37.67	11.44	63.94																																																																																																																																																																			
6	9616.00	23.28	54.00	-30.72	38.11	37.67	11.44	63.94																																																																																																																																																																			





Mode	5																																																																																																																																																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																																																																																																																																																
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																																																																																																																																																																																																																																																																
ANT	1																																																																																																																																																																																																																																																																																																																																																
Pol.	Horizontal					Vertical																																																																																																																																																																																																																																																																																																																																											
Peak Avg	Horizontal polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 74.0 dBuV/m (PEAK_74), and a red average line at 54.0 dBuV/m (AVG_54). Vertical blue lines indicate specific frequency points: 1, 2, 3, 4, 5, 6, 7, and 8.					Vertical polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 74.0 dBuV/m (PEAK_74), and a red average line at 54.0 dBuV/m (AVG_54). Vertical blue lines indicate specific frequency points: 1, 2, 3, 4, 5, 6, 7, and 8.																																																																																																																																																																																																																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="11">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4880.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>65.93</td><td>35.08</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4880.00</td><td>8.90</td><td>54.00</td><td>-45.10</td><td>29.93</td><td>35.08</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td colspan="4">Average</td></tr><tr><td>3</td><td>7320.00</td><td>57.98</td><td>74.00</td><td>-16.02</td><td>76.70</td><td>36.10</td><td>10.18</td><td>65.00</td><td>100</td><td>350</td><td colspan="4">Peak</td></tr><tr><td>4</td><td>7320.00</td><td>21.98</td><td>54.00</td><td>-32.02</td><td>40.70</td><td>36.10</td><td>10.18</td><td>65.00</td><td>100</td><td>350</td><td colspan="4">Average</td></tr><tr><td>5</td><td>9760.00</td><td>60.82</td><td>74.00</td><td>-13.18</td><td>75.21</td><td>37.76</td><td>11.77</td><td>63.92</td><td>100</td><td>298</td><td colspan="4">Peak</td></tr><tr><td>6</td><td>9760.00</td><td>24.82</td><td>54.00</td><td>-29.18</td><td>39.21</td><td>37.76</td><td>11.77</td><td>63.92</td><td>100</td><td>298</td><td colspan="4">Average</td></tr><tr><td>7</td><td>12200.00</td><td>63.58</td><td>74.00</td><td>-10.42</td><td>75.74</td><td>38.74</td><td>13.30</td><td>64.20</td><td>100</td><td>310</td><td colspan="4">Peak</td></tr><tr><td>8</td><td>12200.00</td><td>27.58</td><td>54.00</td><td>-26.42</td><td>39.74</td><td>38.74</td><td>13.30</td><td>64.20</td><td>100</td><td>310</td><td colspan="4">Average</td></tr></table>							Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4880.00	44.90	74.00	-29.10	65.93	35.08	8.71	64.82	---	---	Peak				2	4880.00	8.90	54.00	-45.10	29.93	35.08	8.71	64.82	---	---	Average				3	7320.00	57.98	74.00	-16.02	76.70	36.10	10.18	65.00	100	350	Peak				4	7320.00	21.98	54.00	-32.02	40.70	36.10	10.18	65.00	100	350	Average				5	9760.00	60.82	74.00	-13.18	75.21	37.76	11.77	63.92	100	298	Peak				6	9760.00	24.82	54.00	-29.18	39.21	37.76	11.77	63.92	100	298	Average				7	12200.00	63.58	74.00	-10.42	75.74	38.74	13.30	64.20	100	310	Peak				8	12200.00	27.58	54.00	-26.42	39.74	38.74	13.30	64.20	100	310	Average				<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="11">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4880.00</td><td>45.55</td><td>74.00</td><td>-28.45</td><td>66.58</td><td>35.08</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4880.00</td><td>9.55</td><td>54.00</td><td>-44.45</td><td>30.58</td><td>35.08</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td colspan="4">Average</td></tr><tr><td>3</td><td>7320.00</td><td>50.50</td><td>74.00</td><td>-23.50</td><td>69.22</td><td>36.10</td><td>10.18</td><td>65.00</td><td>100</td><td>154</td><td colspan="4">Peak</td></tr><tr><td>4</td><td>7320.00</td><td>14.50</td><td>54.00</td><td>-39.50</td><td>33.22</td><td>36.10</td><td>10.18</td><td>65.00</td><td>100</td><td>154</td><td colspan="4">Average</td></tr><tr><td>5</td><td>9760.00</td><td>60.59</td><td>74.00</td><td>-13.41</td><td>74.98</td><td>37.76</td><td>11.77</td><td>63.92</td><td>100</td><td>52</td><td colspan="4">Peak</td></tr><tr><td>6</td><td>9760.00</td><td>24.59</td><td>54.00</td><td>-29.41</td><td>38.98</td><td>37.76</td><td>11.77</td><td>63.92</td><td>100</td><td>52</td><td colspan="4">Average</td></tr><tr><td>7</td><td>12200.00</td><td>63.46</td><td>74.00</td><td>-10.54</td><td>75.62</td><td>38.74</td><td>13.30</td><td>64.20</td><td>359</td><td>20</td><td colspan="4">Peak</td></tr><tr><td>8</td><td>12200.00</td><td>27.46</td><td>54.00</td><td>-26.54</td><td>39.62</td><td>38.74</td><td>13.30</td><td>64.20</td><td>359</td><td>20</td><td colspan="4">Average</td></tr></table>							Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4880.00	45.55	74.00	-28.45	66.58	35.08	8.71	64.82	---	---	Peak				2	4880.00	9.55	54.00	-44.45	30.58	35.08	8.71	64.82	---	---	Average				3	7320.00	50.50	74.00	-23.50	69.22	36.10	10.18	65.00	100	154	Peak				4	7320.00	14.50	54.00	-39.50	33.22	36.10	10.18	65.00	100	154	Average				5	9760.00	60.59	74.00	-13.41	74.98	37.76	11.77	63.92	100	52	Peak				6	9760.00	24.59	54.00	-29.41	38.98	37.76	11.77	63.92	100	52	Average				7	12200.00	63.46	74.00	-10.54	75.62	38.74	13.30	64.20	359	20	Peak				8	12200.00	27.46	54.00	-26.54	39.62	38.74	13.30	64.20	359	20	Average		
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																								
1	4880.00	44.90	74.00	-29.10	65.93	35.08	8.71	64.82	---	---	Peak																																																																																																																																																																																																																																																																																																																																						
2	4880.00	8.90	54.00	-45.10	29.93	35.08	8.71	64.82	---	---	Average																																																																																																																																																																																																																																																																																																																																						
3	7320.00	57.98	74.00	-16.02	76.70	36.10	10.18	65.00	100	350	Peak																																																																																																																																																																																																																																																																																																																																						
4	7320.00	21.98	54.00	-32.02	40.70	36.10	10.18	65.00	100	350	Average																																																																																																																																																																																																																																																																																																																																						
5	9760.00	60.82	74.00	-13.18	75.21	37.76	11.77	63.92	100	298	Peak																																																																																																																																																																																																																																																																																																																																						
6	9760.00	24.82	54.00	-29.18	39.21	37.76	11.77	63.92	100	298	Average																																																																																																																																																																																																																																																																																																																																						
7	12200.00	63.58	74.00	-10.42	75.74	38.74	13.30	64.20	100	310	Peak																																																																																																																																																																																																																																																																																																																																						
8	12200.00	27.58	54.00	-26.42	39.74	38.74	13.30	64.20	100	310	Average																																																																																																																																																																																																																																																																																																																																						
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																								
1	4880.00	45.55	74.00	-28.45	66.58	35.08	8.71	64.82	---	---	Peak																																																																																																																																																																																																																																																																																																																																						
2	4880.00	9.55	54.00	-44.45	30.58	35.08	8.71	64.82	---	---	Average																																																																																																																																																																																																																																																																																																																																						
3	7320.00	50.50	74.00	-23.50	69.22	36.10	10.18	65.00	100	154	Peak																																																																																																																																																																																																																																																																																																																																						
4	7320.00	14.50	54.00	-39.50	33.22	36.10	10.18	65.00	100	154	Average																																																																																																																																																																																																																																																																																																																																						
5	9760.00	60.59	74.00	-13.41	74.98	37.76	11.77	63.92	100	52	Peak																																																																																																																																																																																																																																																																																																																																						
6	9760.00	24.59	54.00	-29.41	38.98	37.76	11.77	63.92	100	52	Average																																																																																																																																																																																																																																																																																																																																						
7	12200.00	63.46	74.00	-10.54	75.62	38.74	13.30	64.20	359	20	Peak																																																																																																																																																																																																																																																																																																																																						
8	12200.00	27.46	54.00	-26.54	39.62	38.74	13.30	64.20	359	20	Average																																																																																																																																																																																																																																																																																																																																						



Mode	6																																																																																																																														
	Band Edge																																																																																																																														
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.68</td><td>66.36</td><td>74.00</td><td>-7.64</td><td>62.44</td><td>32.57</td><td>5.46</td><td>34.11</td><td>120</td><td>166</td><td>Peak</td></tr><tr><td>2</td><td>2483.68</td><td>30.36</td><td>74.00</td><td>-43.64</td><td>26.44</td><td>32.57</td><td>5.46</td><td>34.11</td><td>120</td><td>166</td><td>Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.68	66.36	74.00	-7.64	62.44	32.57	5.46	34.11	120	166	Peak	2	2483.68	30.36	74.00	-43.64	26.44	32.57	5.46	34.11	120	166	Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2478.00</td><td>105.34</td><td></td><td></td><td>101.44</td><td>32.56</td><td>5.45</td><td>34.11</td><td>120</td><td>166</td><td>Peak</td></tr><tr><td>2</td><td>2478.00</td><td>69.34</td><td></td><td></td><td>65.44</td><td>32.56</td><td>5.45</td><td>34.11</td><td>120</td><td>166</td><td>Average</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2478.00	105.34			101.44	32.56	5.45	34.11	120	166	Peak	2	2478.00	69.34			65.44	32.56	5.45	34.11	120	166	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	2483.68	66.36	74.00	-7.64	62.44	32.57	5.46	34.11	120	166	Peak																																																																																																																				
2	2483.68	30.36	74.00	-43.64	26.44	32.57	5.46	34.11	120	166	Average																																																																																																																				
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	2478.00	105.34			101.44	32.56	5.45	34.11	120	166	Peak																																																																																																																				
2	2478.00	69.34			65.44	32.56	5.45	34.11	120	166	Average																																																																																																																				





Mode	6																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>61.18</td><td>74.00</td><td>-12.82</td><td>57.26</td><td>32.57</td><td>5.46</td><td>34.11</td><td>330</td><td>237</td><td>Peak</td></tr><tr><td>2</td><td>2483.56</td><td>25.18</td><td>74.00</td><td>-48.82</td><td>21.26</td><td>32.57</td><td>5.46</td><td>34.11</td><td>330</td><td>237</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	61.18	74.00	-12.82	57.26	32.57	5.46	34.11	330	237	Peak	2	2483.56	25.18	74.00	-48.82	21.26	32.57	5.46	34.11	330	237	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>101.39</td><td></td><td></td><td>97.49</td><td>32.56</td><td>5.45</td><td>34.11</td><td>330</td><td>237</td><td>Peak</td></tr><tr><td>2</td><td>2478.00</td><td>65.39</td><td></td><td></td><td>61.49</td><td>32.56</td><td>5.45</td><td>34.11</td><td>330</td><td>237</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	101.39			97.49	32.56	5.45	34.11	330	237	Peak	2	2478.00	65.39			61.49	32.56	5.45	34.11	330	237	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2483.56	61.18	74.00	-12.82	57.26	32.57	5.46	34.11	330	237	Peak																																																																																																										
2	2483.56	25.18	74.00	-48.82	21.26	32.57	5.46	34.11	330	237	Average																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2478.00	101.39			97.49	32.56	5.45	34.11	330	237	Peak																																																																																																										
2	2478.00	65.39			61.49	32.56	5.45	34.11	330	237	Average																																																																																																										





Mode	6																																																																																																																																																																																																																																																																																																																																																						
	Harmonic																																																																																																																																																																																																																																																																																																																																																						
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																																																																																																																																																																																																																																																																																						
ANT	1																																																																																																																																																																																																																																																																																																																																																						
Pol.	Horizontal												Vertical																																																																																																																																																																																																																																																																																																																																										
Peak Avg																																																																																																																																																																																																																																																																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="11">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4956.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>65.05</td><td>35.16</td><td>8.48</td><td>64.81</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4956.00</td><td>7.88</td><td>54.00</td><td>-46.12</td><td>29.05</td><td>35.16</td><td>8.48</td><td>64.81</td><td>---</td><td>---</td><td colspan="4">Average</td></tr><tr><td>3</td><td>7434.00</td><td>57.69</td><td>74.00</td><td>-16.31</td><td>76.39</td><td>36.10</td><td>10.17</td><td>64.97</td><td>100</td><td>68</td><td colspan="4">Peak</td></tr><tr><td>4</td><td>7434.00</td><td>21.69</td><td>54.00</td><td>-32.31</td><td>40.39</td><td>36.10</td><td>10.17</td><td>64.97</td><td>100</td><td>68</td><td colspan="4">Average</td></tr><tr><td>5</td><td>9912.00</td><td>59.23</td><td>74.00</td><td>-14.77</td><td>73.44</td><td>37.85</td><td>11.85</td><td>63.91</td><td>100</td><td>278</td><td colspan="4">Peak</td></tr><tr><td>6</td><td>9912.00</td><td>23.23</td><td>54.00</td><td>-30.77</td><td>37.44</td><td>37.85</td><td>11.85</td><td>63.91</td><td>100</td><td>278</td><td colspan="4">Average</td></tr><tr><td>7</td><td>12390.00</td><td>64.31</td><td>74.00</td><td>-9.69</td><td>76.28</td><td>38.87</td><td>13.36</td><td>64.20</td><td>310</td><td>311</td><td colspan="4">Peak</td></tr><tr><td>8</td><td>12390.00</td><td>28.31</td><td>54.00</td><td>-25.69</td><td>40.28</td><td>38.87</td><td>13.36</td><td>64.20</td><td>310</td><td>311</td><td colspan="4">Average</td></tr></table>														Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4956.00	43.88	74.00	-30.12	65.05	35.16	8.48	64.81	---	---	Peak				2	4956.00	7.88	54.00	-46.12	29.05	35.16	8.48	64.81	---	---	Average				3	7434.00	57.69	74.00	-16.31	76.39	36.10	10.17	64.97	100	68	Peak				4	7434.00	21.69	54.00	-32.31	40.39	36.10	10.17	64.97	100	68	Average				5	9912.00	59.23	74.00	-14.77	73.44	37.85	11.85	63.91	100	278	Peak				6	9912.00	23.23	54.00	-30.77	37.44	37.85	11.85	63.91	100	278	Average				7	12390.00	64.31	74.00	-9.69	76.28	38.87	13.36	64.20	310	311	Peak				8	12390.00	28.31	54.00	-25.69	40.28	38.87	13.36	64.20	310	311	Average				<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="11">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4956.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>65.19</td><td>35.16</td><td>8.48</td><td>64.81</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4956.00</td><td>8.02</td><td>54.00</td><td>-45.98</td><td>29.19</td><td>35.16</td><td>8.48</td><td>64.81</td><td>---</td><td>---</td><td colspan="4">Average</td></tr><tr><td>3</td><td>7434.00</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>70.63</td><td>36.10</td><td>10.17</td><td>64.97</td><td>100</td><td>225</td><td colspan="4">Peak</td></tr><tr><td>4</td><td>7434.00</td><td>15.93</td><td>54.00</td><td>-38.07</td><td>34.63</td><td>36.10</td><td>10.17</td><td>64.97</td><td>100</td><td>225</td><td colspan="4">Average</td></tr><tr><td>5</td><td>9912.00</td><td>57.21</td><td>74.00</td><td>-16.79</td><td>71.42</td><td>37.85</td><td>11.85</td><td>63.91</td><td>100</td><td>118</td><td colspan="4">Peak</td></tr><tr><td>6</td><td>9912.00</td><td>21.21</td><td>54.00</td><td>-32.79</td><td>35.42</td><td>37.85</td><td>11.85</td><td>63.91</td><td>100</td><td>118</td><td colspan="4">Average</td></tr><tr><td>7</td><td>12390.00</td><td>66.27</td><td>74.00</td><td>-7.73</td><td>78.24</td><td>38.87</td><td>13.36</td><td>64.20</td><td>302</td><td>55</td><td colspan="4">Peak</td></tr><tr><td>8</td><td>12390.00</td><td>30.27</td><td>54.00</td><td>-23.73</td><td>42.24</td><td>38.87</td><td>13.36</td><td>64.20</td><td>302</td><td>55</td><td colspan="4">Average</td></tr></table>						Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4956.00	44.02	74.00	-29.98	65.19	35.16	8.48	64.81	---	---	Peak				2	4956.00	8.02	54.00	-45.98	29.19	35.16	8.48	64.81	---	---	Average				3	7434.00	51.93	74.00	-22.07	70.63	36.10	10.17	64.97	100	225	Peak				4	7434.00	15.93	54.00	-38.07	34.63	36.10	10.17	64.97	100	225	Average				5	9912.00	57.21	74.00	-16.79	71.42	37.85	11.85	63.91	100	118	Peak				6	9912.00	21.21	54.00	-32.79	35.42	37.85	11.85	63.91	100	118	Average				7	12390.00	66.27	74.00	-7.73	78.24	38.87	13.36	64.20	302	55	Peak				8	12390.00	30.27	54.00	-23.73	42.24	38.87	13.36	64.20	302	55	Average		
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																														
1	4956.00	43.88	74.00	-30.12	65.05	35.16	8.48	64.81	---	---	Peak																																																																																																																																																																																																																																																																																																																																												
2	4956.00	7.88	54.00	-46.12	29.05	35.16	8.48	64.81	---	---	Average																																																																																																																																																																																																																																																																																																																																												
3	7434.00	57.69	74.00	-16.31	76.39	36.10	10.17	64.97	100	68	Peak																																																																																																																																																																																																																																																																																																																																												
4	7434.00	21.69	54.00	-32.31	40.39	36.10	10.17	64.97	100	68	Average																																																																																																																																																																																																																																																																																																																																												
5	9912.00	59.23	74.00	-14.77	73.44	37.85	11.85	63.91	100	278	Peak																																																																																																																																																																																																																																																																																																																																												
6	9912.00	23.23	54.00	-30.77	37.44	37.85	11.85	63.91	100	278	Average																																																																																																																																																																																																																																																																																																																																												
7	12390.00	64.31	74.00	-9.69	76.28	38.87	13.36	64.20	310	311	Peak																																																																																																																																																																																																																																																																																																																																												
8	12390.00	28.31	54.00	-25.69	40.28	38.87	13.36	64.20	310	311	Average																																																																																																																																																																																																																																																																																																																																												
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																														
1	4956.00	44.02	74.00	-29.98	65.19	35.16	8.48	64.81	---	---	Peak																																																																																																																																																																																																																																																																																																																																												
2	4956.00	8.02	54.00	-45.98	29.19	35.16	8.48	64.81	---	---	Average																																																																																																																																																																																																																																																																																																																																												
3	7434.00	51.93	74.00	-22.07	70.63	36.10	10.17	64.97	100	225	Peak																																																																																																																																																																																																																																																																																																																																												
4	7434.00	15.93	54.00	-38.07	34.63	36.10	10.17	64.97	100	225	Average																																																																																																																																																																																																																																																																																																																																												
5	9912.00	57.21	74.00	-16.79	71.42	37.85	11.85	63.91	100	118	Peak																																																																																																																																																																																																																																																																																																																																												
6	9912.00	21.21	54.00	-32.79	35.42	37.85	11.85	63.91	100	118	Average																																																																																																																																																																																																																																																																																																																																												
7	12390.00	66.27	74.00	-7.73	78.24	38.87	13.36	64.20	302	55	Peak																																																																																																																																																																																																																																																																																																																																												
8	12390.00	30.27	54.00	-23.73	42.24	38.87	13.36	64.20	302	55	Average																																																																																																																																																																																																																																																																																																																																												



Mode	7																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_Bluetooth-LE CS_CH02_2404MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2390.00</td><td>57.49</td><td>74.00</td><td>-16.51</td><td>53.85</td><td>32.42</td><td>5.36</td><td>34.14</td><td>160</td><td>191</td><td>Peak</td></tr><tr><td>2</td><td>2390.00</td><td>26.49</td><td>74.00</td><td>-47.51</td><td>22.85</td><td>32.42</td><td>5.36</td><td>34.14</td><td>160</td><td>191</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2390.00	57.49	74.00	-16.51	53.85	32.42	5.36	34.14	160	191	Peak	2	2390.00	26.49	74.00	-47.51	22.85	32.42	5.36	34.14	160	191	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>107.00</td><td></td><td></td><td>103.32</td><td>32.45</td><td>5.37</td><td>34.14</td><td>160</td><td>191</td><td>Peak</td></tr><tr><td>2</td><td>2404.00</td><td>76.00</td><td></td><td></td><td>72.32</td><td>32.45</td><td>5.37</td><td>34.14</td><td>160</td><td>191</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	107.00			103.32	32.45	5.37	34.14	160	191	Peak	2	2404.00	76.00			72.32	32.45	5.37	34.14	160	191	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2390.00	57.49	74.00	-16.51	53.85	32.42	5.36	34.14	160	191	Peak																																																																																																										
2	2390.00	26.49	74.00	-47.51	22.85	32.42	5.36	34.14	160	191	Average																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2404.00	107.00			103.32	32.45	5.37	34.14	160	191	Peak																																																																																																										
2	2404.00	76.00			72.32	32.45	5.37	34.14	160	191	Average																																																																																																										



Mode	7																																																															
	Band Edge																																																															
	2400-2483.5_Bluetooth-LE CS_CH02_2404MHz																																																															
ANT	1																																																															
Pol.	Vertical																																																															
Peak																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.38</td><td>51.52</td><td>74.00</td><td>-22.48</td><td>47.88</td><td>32.42</td><td>5.36</td><td>34.14</td><td>262</td><td>200</td><td>Peak</td></tr><tr><td>2</td><td>2389.38</td><td>20.52</td><td>74.00</td><td>-53.48</td><td>16.88</td><td>32.42</td><td>5.36</td><td>34.14</td><td>262</td><td>200</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.38	51.52	74.00	-22.48	47.88	32.42	5.36	34.14	262	200	Peak	2	2389.38	20.52	74.00	-53.48	16.88	32.42	5.36	34.14	262	200	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2389.38	51.52	74.00	-22.48	47.88	32.42	5.36	34.14	262	200	Peak																																																					
2	2389.38	20.52	74.00	-53.48	16.88	32.42	5.36	34.14	262	200	Average																																																					
Pol.	Fundamental																																																															
Peak																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>101.31</td><td></td><td></td><td>97.63</td><td>32.45</td><td>5.37</td><td>34.14</td><td>262</td><td>200</td><td>Peak</td></tr><tr><td>2</td><td>2404.00</td><td>70.31</td><td></td><td></td><td>66.63</td><td>32.45</td><td>5.37</td><td>34.14</td><td>262</td><td>200</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	101.31			97.63	32.45	5.37	34.14	262	200	Peak	2	2404.00	70.31			66.63	32.45	5.37	34.14	262	200	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2404.00	101.31			97.63	32.45	5.37	34.14	262	200	Peak																																																					
2	2404.00	70.31			66.63	32.45	5.37	34.14	262	200	Average																																																					





Mode	7																																																																																																																																																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																																																																																																																																																
	2400-2483.5_Bluetooth-LE CS_CH02_2404MHz																																																																																																																																																																																																																																																																																																																																																
ANT	1																																																																																																																																																																																																																																																																																																																																																
Pol.	Horizontal					Vertical																																																																																																																																																																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																																																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="11">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4808.00</td><td>45.22</td><td>74.00</td><td>-28.78</td><td>66.13</td><td>35.01</td><td>8.92</td><td>64.84</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4808.00</td><td>14.22</td><td>54.00</td><td>-39.78</td><td>35.13</td><td>35.01</td><td>8.92</td><td>64.84</td><td>---</td><td>---</td><td colspan="4">Average</td></tr><tr><td>3</td><td>7212.00</td><td>57.81</td><td>74.00</td><td>-16.19</td><td>76.57</td><td>36.10</td><td>10.18</td><td>65.04</td><td>253</td><td>353</td><td colspan="4">Peak</td></tr><tr><td>4</td><td>7212.00</td><td>26.81</td><td>54.00</td><td>-27.19</td><td>45.57</td><td>36.10</td><td>10.18</td><td>65.04</td><td>253</td><td>353</td><td colspan="4">Average</td></tr><tr><td>5</td><td>9616.00</td><td>57.51</td><td>74.00</td><td>-16.49</td><td>72.34</td><td>37.67</td><td>11.44</td><td>63.94</td><td>100</td><td>290</td><td colspan="4">Peak</td></tr><tr><td>6</td><td>9616.00</td><td>26.51</td><td>54.00</td><td>-27.49</td><td>41.34</td><td>37.67</td><td>11.44</td><td>63.94</td><td>100</td><td>290</td><td colspan="4">Average</td></tr><tr><td>7</td><td>12020.00</td><td>54.15</td><td>74.00</td><td>-19.85</td><td>66.49</td><td>38.61</td><td>13.25</td><td>64.20</td><td>100</td><td>274</td><td colspan="4">Peak</td></tr><tr><td>8</td><td>12020.00</td><td>23.15</td><td>54.00</td><td>-30.85</td><td>35.49</td><td>38.61</td><td>13.25</td><td>64.20</td><td>100</td><td>274</td><td colspan="4">Average</td></tr></table>							Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4808.00	45.22	74.00	-28.78	66.13	35.01	8.92	64.84	---	---	Peak				2	4808.00	14.22	54.00	-39.78	35.13	35.01	8.92	64.84	---	---	Average				3	7212.00	57.81	74.00	-16.19	76.57	36.10	10.18	65.04	253	353	Peak				4	7212.00	26.81	54.00	-27.19	45.57	36.10	10.18	65.04	253	353	Average				5	9616.00	57.51	74.00	-16.49	72.34	37.67	11.44	63.94	100	290	Peak				6	9616.00	26.51	54.00	-27.49	41.34	37.67	11.44	63.94	100	290	Average				7	12020.00	54.15	74.00	-19.85	66.49	38.61	13.25	64.20	100	274	Peak				8	12020.00	23.15	54.00	-30.85	35.49	38.61	13.25	64.20	100	274	Average				<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="11">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4808.00</td><td>51.37</td><td>74.00</td><td>-22.63</td><td>72.28</td><td>35.01</td><td>8.92</td><td>64.84</td><td>100</td><td>184</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4808.00</td><td>20.37</td><td>54.00</td><td>-33.63</td><td>41.28</td><td>35.01</td><td>8.92</td><td>64.84</td><td>100</td><td>184</td><td colspan="4">Average</td></tr><tr><td>3</td><td>7212.00</td><td>51.52</td><td>74.00</td><td>-22.48</td><td>70.28</td><td>36.10</td><td>10.18</td><td>65.04</td><td>109</td><td>49</td><td colspan="4">Peak</td></tr><tr><td>4</td><td>7212.00</td><td>20.52</td><td>54.00</td><td>-33.48</td><td>39.28</td><td>36.10</td><td>10.18</td><td>65.04</td><td>109</td><td>49</td><td colspan="4">Average</td></tr><tr><td>5</td><td>9616.00</td><td>58.32</td><td>74.00</td><td>-15.68</td><td>73.15</td><td>37.67</td><td>11.44</td><td>63.94</td><td>100</td><td>21</td><td colspan="4">Peak</td></tr><tr><td>6</td><td>9616.00</td><td>27.32</td><td>54.00</td><td>-26.68</td><td>42.15</td><td>37.67</td><td>11.44</td><td>63.94</td><td>100</td><td>21</td><td colspan="4">Average</td></tr><tr><td>7</td><td>12020.00</td><td>56.26</td><td>74.00</td><td>-17.74</td><td>68.60</td><td>38.61</td><td>13.25</td><td>64.20</td><td>354</td><td>277</td><td colspan="4">Peak</td></tr><tr><td>8</td><td>12020.00</td><td>25.26</td><td>54.00</td><td>-28.74</td><td>37.60</td><td>38.61</td><td>13.25</td><td>64.20</td><td>354</td><td>277</td><td colspan="4">Average</td></tr></table>							Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4808.00	51.37	74.00	-22.63	72.28	35.01	8.92	64.84	100	184	Peak				2	4808.00	20.37	54.00	-33.63	41.28	35.01	8.92	64.84	100	184	Average				3	7212.00	51.52	74.00	-22.48	70.28	36.10	10.18	65.04	109	49	Peak				4	7212.00	20.52	54.00	-33.48	39.28	36.10	10.18	65.04	109	49	Average				5	9616.00	58.32	74.00	-15.68	73.15	37.67	11.44	63.94	100	21	Peak				6	9616.00	27.32	54.00	-26.68	42.15	37.67	11.44	63.94	100	21	Average				7	12020.00	56.26	74.00	-17.74	68.60	38.61	13.25	64.20	354	277	Peak				8	12020.00	25.26	54.00	-28.74	37.60	38.61	13.25	64.20	354	277	Average		
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																								
1	4808.00	45.22	74.00	-28.78	66.13	35.01	8.92	64.84	---	---	Peak																																																																																																																																																																																																																																																																																																																																						
2	4808.00	14.22	54.00	-39.78	35.13	35.01	8.92	64.84	---	---	Average																																																																																																																																																																																																																																																																																																																																						
3	7212.00	57.81	74.00	-16.19	76.57	36.10	10.18	65.04	253	353	Peak																																																																																																																																																																																																																																																																																																																																						
4	7212.00	26.81	54.00	-27.19	45.57	36.10	10.18	65.04	253	353	Average																																																																																																																																																																																																																																																																																																																																						
5	9616.00	57.51	74.00	-16.49	72.34	37.67	11.44	63.94	100	290	Peak																																																																																																																																																																																																																																																																																																																																						
6	9616.00	26.51	54.00	-27.49	41.34	37.67	11.44	63.94	100	290	Average																																																																																																																																																																																																																																																																																																																																						
7	12020.00	54.15	74.00	-19.85	66.49	38.61	13.25	64.20	100	274	Peak																																																																																																																																																																																																																																																																																																																																						
8	12020.00	23.15	54.00	-30.85	35.49	38.61	13.25	64.20	100	274	Average																																																																																																																																																																																																																																																																																																																																						
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																								
1	4808.00	51.37	74.00	-22.63	72.28	35.01	8.92	64.84	100	184	Peak																																																																																																																																																																																																																																																																																																																																						
2	4808.00	20.37	54.00	-33.63	41.28	35.01	8.92	64.84	100	184	Average																																																																																																																																																																																																																																																																																																																																						
3	7212.00	51.52	74.00	-22.48	70.28	36.10	10.18	65.04	109	49	Peak																																																																																																																																																																																																																																																																																																																																						
4	7212.00	20.52	54.00	-33.48	39.28	36.10	10.18	65.04	109	49	Average																																																																																																																																																																																																																																																																																																																																						
5	9616.00	58.32	74.00	-15.68	73.15	37.67	11.44	63.94	100	21	Peak																																																																																																																																																																																																																																																																																																																																						
6	9616.00	27.32	54.00	-26.68	42.15	37.67	11.44	63.94	100	21	Average																																																																																																																																																																																																																																																																																																																																						
7	12020.00	56.26	74.00	-17.74	68.60	38.61	13.25	64.20	354	277	Peak																																																																																																																																																																																																																																																																																																																																						
8	12020.00	25.26	54.00	-28.74	37.60	38.61	13.25	64.20	354	277	Average																																																																																																																																																																																																																																																																																																																																						





Mode	8																																																																																																																																																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																																																																																																																																																
	2400-2483.5_Bluetooth-LE CS_CH38_2440MHz																																																																																																																																																																																																																																																																																																																																																
ANT	1																																																																																																																																																																																																																																																																																																																																																
Pol.	Horizontal					Vertical																																																																																																																																																																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																																																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="11">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4880.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>65.54</td><td>35.08</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4880.00</td><td>13.51</td><td>54.00</td><td>-40.49</td><td>34.54</td><td>35.08</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td colspan="4">Average</td></tr><tr><td>3</td><td>7320.00</td><td>58.75</td><td>74.00</td><td>-15.25</td><td>77.47</td><td>36.10</td><td>10.18</td><td>65.00</td><td>254</td><td>352</td><td colspan="4">Peak</td></tr><tr><td>4</td><td>7320.00</td><td>27.75</td><td>54.00</td><td>-26.25</td><td>46.47</td><td>36.10</td><td>10.18</td><td>65.00</td><td>254</td><td>352</td><td colspan="4">Average</td></tr><tr><td>5</td><td>9760.00</td><td>60.79</td><td>74.00</td><td>-13.21</td><td>75.18</td><td>37.76</td><td>11.77</td><td>63.92</td><td>100</td><td>291</td><td colspan="4">Peak</td></tr><tr><td>6</td><td>9760.00</td><td>29.79</td><td>54.00</td><td>-24.21</td><td>44.18</td><td>37.76</td><td>11.77</td><td>63.92</td><td>100</td><td>291</td><td colspan="4">Average</td></tr><tr><td>7</td><td>12200.00</td><td>64.15</td><td>74.00</td><td>-9.85</td><td>76.31</td><td>38.74</td><td>13.30</td><td>64.20</td><td>102</td><td>310</td><td colspan="4">Peak</td></tr><tr><td>8</td><td>12200.00</td><td>33.16</td><td>54.00</td><td>-20.84</td><td>45.32</td><td>38.74</td><td>13.30</td><td>64.20</td><td>102</td><td>310</td><td colspan="4">Average</td></tr></table>							Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4880.00	44.51	74.00	-29.49	65.54	35.08	8.71	64.82	---	---	Peak				2	4880.00	13.51	54.00	-40.49	34.54	35.08	8.71	64.82	---	---	Average				3	7320.00	58.75	74.00	-15.25	77.47	36.10	10.18	65.00	254	352	Peak				4	7320.00	27.75	54.00	-26.25	46.47	36.10	10.18	65.00	254	352	Average				5	9760.00	60.79	74.00	-13.21	75.18	37.76	11.77	63.92	100	291	Peak				6	9760.00	29.79	54.00	-24.21	44.18	37.76	11.77	63.92	100	291	Average				7	12200.00	64.15	74.00	-9.85	76.31	38.74	13.30	64.20	102	310	Peak				8	12200.00	33.16	54.00	-20.84	45.32	38.74	13.30	64.20	102	310	Average				<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="11">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4880.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>65.34</td><td>35.08</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4880.00</td><td>13.31</td><td>54.00</td><td>-40.69</td><td>34.34</td><td>35.08</td><td>8.71</td><td>64.82</td><td>---</td><td>---</td><td colspan="4">Average</td></tr><tr><td>3</td><td>7320.00</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>70.41</td><td>36.10</td><td>10.18</td><td>65.00</td><td>318</td><td>277</td><td colspan="4">Peak</td></tr><tr><td>4</td><td>7320.00</td><td>20.69</td><td>54.00</td><td>-33.31</td><td>39.41</td><td>36.10</td><td>10.18</td><td>65.00</td><td>318</td><td>277</td><td colspan="4">Average</td></tr><tr><td>5</td><td>9760.00</td><td>61.24</td><td>74.00</td><td>-12.76</td><td>75.63</td><td>37.76</td><td>11.77</td><td>63.92</td><td>224</td><td>43</td><td colspan="4">Peak</td></tr><tr><td>6</td><td>9760.00</td><td>30.24</td><td>54.00</td><td>-23.76</td><td>44.63</td><td>37.76</td><td>11.77</td><td>63.92</td><td>224</td><td>43</td><td colspan="4">Average</td></tr><tr><td>7</td><td>12200.00</td><td>64.38</td><td>74.00</td><td>-9.62</td><td>76.54</td><td>38.74</td><td>13.30</td><td>64.20</td><td>289</td><td>23</td><td colspan="4">Peak</td></tr><tr><td>8</td><td>12200.00</td><td>33.38</td><td>54.00</td><td>-20.62</td><td>45.54</td><td>38.74</td><td>13.30</td><td>64.20</td><td>289</td><td>23</td><td colspan="4">Average</td></tr></table>							Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4880.00	44.31	74.00	-29.69	65.34	35.08	8.71	64.82	---	---	Peak				2	4880.00	13.31	54.00	-40.69	34.34	35.08	8.71	64.82	---	---	Average				3	7320.00	51.69	74.00	-22.31	70.41	36.10	10.18	65.00	318	277	Peak				4	7320.00	20.69	54.00	-33.31	39.41	36.10	10.18	65.00	318	277	Average				5	9760.00	61.24	74.00	-12.76	75.63	37.76	11.77	63.92	224	43	Peak				6	9760.00	30.24	54.00	-23.76	44.63	37.76	11.77	63.92	224	43	Average				7	12200.00	64.38	74.00	-9.62	76.54	38.74	13.30	64.20	289	23	Peak				8	12200.00	33.38	54.00	-20.62	45.54	38.74	13.30	64.20	289	23	Average		
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																								
1	4880.00	44.51	74.00	-29.49	65.54	35.08	8.71	64.82	---	---	Peak																																																																																																																																																																																																																																																																																																																																						
2	4880.00	13.51	54.00	-40.49	34.54	35.08	8.71	64.82	---	---	Average																																																																																																																																																																																																																																																																																																																																						
3	7320.00	58.75	74.00	-15.25	77.47	36.10	10.18	65.00	254	352	Peak																																																																																																																																																																																																																																																																																																																																						
4	7320.00	27.75	54.00	-26.25	46.47	36.10	10.18	65.00	254	352	Average																																																																																																																																																																																																																																																																																																																																						
5	9760.00	60.79	74.00	-13.21	75.18	37.76	11.77	63.92	100	291	Peak																																																																																																																																																																																																																																																																																																																																						
6	9760.00	29.79	54.00	-24.21	44.18	37.76	11.77	63.92	100	291	Average																																																																																																																																																																																																																																																																																																																																						
7	12200.00	64.15	74.00	-9.85	76.31	38.74	13.30	64.20	102	310	Peak																																																																																																																																																																																																																																																																																																																																						
8	12200.00	33.16	54.00	-20.84	45.32	38.74	13.30	64.20	102	310	Average																																																																																																																																																																																																																																																																																																																																						
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																								
1	4880.00	44.31	74.00	-29.69	65.34	35.08	8.71	64.82	---	---	Peak																																																																																																																																																																																																																																																																																																																																						
2	4880.00	13.31	54.00	-40.69	34.34	35.08	8.71	64.82	---	---	Average																																																																																																																																																																																																																																																																																																																																						
3	7320.00	51.69	74.00	-22.31	70.41	36.10	10.18	65.00	318	277	Peak																																																																																																																																																																																																																																																																																																																																						
4	7320.00	20.69	54.00	-33.31	39.41	36.10	10.18	65.00	318	277	Average																																																																																																																																																																																																																																																																																																																																						
5	9760.00	61.24	74.00	-12.76	75.63	37.76	11.77	63.92	224	43	Peak																																																																																																																																																																																																																																																																																																																																						
6	9760.00	30.24	54.00	-23.76	44.63	37.76	11.77	63.92	224	43	Average																																																																																																																																																																																																																																																																																																																																						
7	12200.00	64.38	74.00	-9.62	76.54	38.74	13.30	64.20	289	23	Peak																																																																																																																																																																																																																																																																																																																																						
8	12200.00	33.38	54.00	-20.62	45.54	38.74	13.30	64.20	289	23	Average																																																																																																																																																																																																																																																																																																																																						





Mode	9																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.56</td><td>67.52</td><td>74.00</td><td>-6.48</td><td>63.60</td><td>32.57</td><td>5.46</td><td>34.11</td><td>117</td><td>176</td><td>Peak</td></tr><tr><td>2</td><td>2483.56</td><td>36.52</td><td>74.00</td><td>-37.48</td><td>32.60</td><td>32.57</td><td>5.46</td><td>34.11</td><td>117</td><td>176</td><td>Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.56	67.52	74.00	-6.48	63.60	32.57	5.46	34.11	117	176	Peak	2	2483.56	36.52	74.00	-37.48	32.60	32.57	5.46	34.11	117	176	Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2478.00</td><td>106.67</td><td></td><td>102.77</td><td>32.56</td><td>5.45</td><td>34.11</td><td>117</td><td>176</td><td>Peak</td></tr><tr><td>2</td><td>2478.00</td><td>75.67</td><td></td><td>71.77</td><td>32.56</td><td>5.45</td><td>34.11</td><td>117</td><td>176</td><td>Average</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2478.00	106.67		102.77	32.56	5.45	34.11	117	176	Peak	2	2478.00	75.67		71.77	32.56	5.45	34.11	117	176	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.56	67.52	74.00	-6.48	63.60	32.57	5.46	34.11	117	176	Peak																																																																																																																		
2	2483.56	36.52	74.00	-37.48	32.60	32.57	5.46	34.11	117	176	Average																																																																																																																		
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	106.67		102.77	32.56	5.45	34.11	117	176	Peak																																																																																																																			
2	2478.00	75.67		71.77	32.56	5.45	34.11	117	176	Average																																																																																																																			





Mode	9																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>63.86</td><td>74.00</td><td>-10.14</td><td>59.94</td><td>32.57</td><td>5.46</td><td>34.11</td><td>278</td><td>282</td><td>Peak</td></tr><tr><td>2</td><td>2483.56</td><td>32.86</td><td>74.00</td><td>-41.14</td><td>28.94</td><td>32.57</td><td>5.46</td><td>34.11</td><td>278</td><td>282</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	63.86	74.00	-10.14	59.94	32.57	5.46	34.11	278	282	Peak	2	2483.56	32.86	74.00	-41.14	28.94	32.57	5.46	34.11	278	282	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>103.20</td><td></td><td></td><td>99.30</td><td>32.56</td><td>5.45</td><td>34.11</td><td>278</td><td>282</td><td>Peak</td></tr><tr><td>2</td><td>2478.00</td><td>72.20</td><td></td><td></td><td>68.30</td><td>32.56</td><td>5.45</td><td>34.11</td><td>278</td><td>282</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	103.20			99.30	32.56	5.45	34.11	278	282	Peak	2	2478.00	72.20			68.30	32.56	5.45	34.11	278	282	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2483.56	63.86	74.00	-10.14	59.94	32.57	5.46	34.11	278	282	Peak																																																																																																												
2	2483.56	32.86	74.00	-41.14	28.94	32.57	5.46	34.11	278	282	Average																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2478.00	103.20			99.30	32.56	5.45	34.11	278	282	Peak																																																																																																												
2	2478.00	72.20			68.30	32.56	5.45	34.11	278	282	Average																																																																																																												



Mode	9																																																																																																																																																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																																																																																																																																																
	2400-2483.5_Bluetooth-LE CS_CH76_2478MHz																																																																																																																																																																																																																																																																																																																																																
ANT	1																																																																																																																																																																																																																																																																																																																																																
Pol.	Horizontal					Vertical																																																																																																																																																																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																																																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="11">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4956.00</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>66.26</td><td>35.16</td><td>8.48</td><td>64.81</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4956.00</td><td>14.09</td><td>54.00</td><td>-39.91</td><td>35.26</td><td>35.16</td><td>8.48</td><td>64.81</td><td>---</td><td>---</td><td colspan="4">Average</td></tr><tr><td>3</td><td>7434.00</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>72.06</td><td>36.10</td><td>10.17</td><td>64.97</td><td>100</td><td>269</td><td colspan="4">Peak</td></tr><tr><td>4</td><td>7434.00</td><td>22.36</td><td>54.00</td><td>-31.64</td><td>41.06</td><td>36.10</td><td>10.17</td><td>64.97</td><td>100</td><td>269</td><td colspan="4">Average</td></tr><tr><td>5</td><td>9912.00</td><td>57.85</td><td>74.00</td><td>-16.15</td><td>72.06</td><td>37.85</td><td>11.85</td><td>63.91</td><td>100</td><td>165</td><td colspan="4">Peak</td></tr><tr><td>6</td><td>9912.00</td><td>26.85</td><td>54.00</td><td>-27.15</td><td>41.06</td><td>37.85</td><td>11.85</td><td>63.91</td><td>100</td><td>165</td><td colspan="4">Average</td></tr><tr><td>7</td><td>12390.00</td><td>65.90</td><td>74.00</td><td>-8.10</td><td>77.87</td><td>38.87</td><td>13.36</td><td>64.20</td><td>100</td><td>261</td><td colspan="4">Peak</td></tr><tr><td>8</td><td>12390.00</td><td>34.90</td><td>54.00</td><td>-19.10</td><td>46.87</td><td>38.87</td><td>13.36</td><td>64.20</td><td>100</td><td>261</td><td colspan="4">Average</td></tr></table>							Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4956.00	45.09	74.00	-28.91	66.26	35.16	8.48	64.81	---	---	Peak				2	4956.00	14.09	54.00	-39.91	35.26	35.16	8.48	64.81	---	---	Average				3	7434.00	53.36	74.00	-20.64	72.06	36.10	10.17	64.97	100	269	Peak				4	7434.00	22.36	54.00	-31.64	41.06	36.10	10.17	64.97	100	269	Average				5	9912.00	57.85	74.00	-16.15	72.06	37.85	11.85	63.91	100	165	Peak				6	9912.00	26.85	54.00	-27.15	41.06	37.85	11.85	63.91	100	165	Average				7	12390.00	65.90	74.00	-8.10	77.87	38.87	13.36	64.20	100	261	Peak				8	12390.00	34.90	54.00	-19.10	46.87	38.87	13.36	64.20	100	261	Average				<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="11">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>4956.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>66.29</td><td>35.16</td><td>8.48</td><td>64.81</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4956.00</td><td>14.12</td><td>54.00</td><td>-39.88</td><td>35.29</td><td>35.16</td><td>8.48</td><td>64.81</td><td>---</td><td>---</td><td colspan="4">Average</td></tr><tr><td>3</td><td>7434.00</td><td>52.54</td><td>74.00</td><td>-21.46</td><td>71.24</td><td>36.10</td><td>10.17</td><td>64.97</td><td>100</td><td>269</td><td colspan="4">Peak</td></tr><tr><td>4</td><td>7434.00</td><td>21.54</td><td>54.00</td><td>-32.46</td><td>40.24</td><td>36.10</td><td>10.17</td><td>64.97</td><td>100</td><td>269</td><td colspan="4">Average</td></tr><tr><td>5</td><td>9912.00</td><td>58.68</td><td>74.00</td><td>-15.32</td><td>72.89</td><td>37.85</td><td>11.85</td><td>63.91</td><td>100</td><td>262</td><td colspan="4">Peak</td></tr><tr><td>6</td><td>9912.00</td><td>27.68</td><td>54.00</td><td>-26.32</td><td>41.89</td><td>37.85</td><td>11.85</td><td>63.91</td><td>100</td><td>262</td><td colspan="4">Average</td></tr><tr><td>7</td><td>12390.00</td><td>64.27</td><td>74.00</td><td>-9.73</td><td>76.24</td><td>38.87</td><td>13.36</td><td>64.20</td><td>100</td><td>115</td><td colspan="4">Peak</td></tr><tr><td>8</td><td>12390.00</td><td>33.27</td><td>54.00</td><td>-20.73</td><td>45.24</td><td>38.87</td><td>13.36</td><td>64.20</td><td>100</td><td>115</td><td colspan="4">Average</td></tr></table>							Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4956.00	45.12	74.00	-28.88	66.29	35.16	8.48	64.81	---	---	Peak				2	4956.00	14.12	54.00	-39.88	35.29	35.16	8.48	64.81	---	---	Average				3	7434.00	52.54	74.00	-21.46	71.24	36.10	10.17	64.97	100	269	Peak				4	7434.00	21.54	54.00	-32.46	40.24	36.10	10.17	64.97	100	269	Average				5	9912.00	58.68	74.00	-15.32	72.89	37.85	11.85	63.91	100	262	Peak				6	9912.00	27.68	54.00	-26.32	41.89	37.85	11.85	63.91	100	262	Average				7	12390.00	64.27	74.00	-9.73	76.24	38.87	13.36	64.20	100	115	Peak				8	12390.00	33.27	54.00	-20.73	45.24	38.87	13.36	64.20	100	115	Average		
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																								
1	4956.00	45.09	74.00	-28.91	66.26	35.16	8.48	64.81	---	---	Peak																																																																																																																																																																																																																																																																																																																																						
2	4956.00	14.09	54.00	-39.91	35.26	35.16	8.48	64.81	---	---	Average																																																																																																																																																																																																																																																																																																																																						
3	7434.00	53.36	74.00	-20.64	72.06	36.10	10.17	64.97	100	269	Peak																																																																																																																																																																																																																																																																																																																																						
4	7434.00	22.36	54.00	-31.64	41.06	36.10	10.17	64.97	100	269	Average																																																																																																																																																																																																																																																																																																																																						
5	9912.00	57.85	74.00	-16.15	72.06	37.85	11.85	63.91	100	165	Peak																																																																																																																																																																																																																																																																																																																																						
6	9912.00	26.85	54.00	-27.15	41.06	37.85	11.85	63.91	100	165	Average																																																																																																																																																																																																																																																																																																																																						
7	12390.00	65.90	74.00	-8.10	77.87	38.87	13.36	64.20	100	261	Peak																																																																																																																																																																																																																																																																																																																																						
8	12390.00	34.90	54.00	-19.10	46.87	38.87	13.36	64.20	100	261	Average																																																																																																																																																																																																																																																																																																																																						
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																								
1	4956.00	45.12	74.00	-28.88	66.29	35.16	8.48	64.81	---	---	Peak																																																																																																																																																																																																																																																																																																																																						
2	4956.00	14.12	54.00	-39.88	35.29	35.16	8.48	64.81	---	---	Average																																																																																																																																																																																																																																																																																																																																						
3	7434.00	52.54	74.00	-21.46	71.24	36.10	10.17	64.97	100	269	Peak																																																																																																																																																																																																																																																																																																																																						
4	7434.00	21.54	54.00	-32.46	40.24	36.10	10.17	64.97	100	269	Average																																																																																																																																																																																																																																																																																																																																						
5	9912.00	58.68	74.00	-15.32	72.89	37.85	11.85	63.91	100	262	Peak																																																																																																																																																																																																																																																																																																																																						
6	9912.00	27.68	54.00	-26.32	41.89	37.85	11.85	63.91	100	262	Average																																																																																																																																																																																																																																																																																																																																						
7	12390.00	64.27	74.00	-9.73	76.24	38.87	13.36	64.20	100	115	Peak																																																																																																																																																																																																																																																																																																																																						
8	12390.00	33.27	54.00	-20.73	45.24	38.87	13.36	64.20	100	115	Average																																																																																																																																																																																																																																																																																																																																						



Mode	10																																																																																																																																																																																																																											
	LF (Worst case mode)																																																																																																																																																																																																																											
	2400-2483.5_Bluetooth-LE																																																																																																																																																																																																																											
ANT	1																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																					
QP/ Peak																																																																																																																																																																																																																												
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>67.83</td><td>34.13</td><td>40.00</td><td>-5.87</td><td>46.76</td><td>18.15</td><td>0.82</td><td>31.60</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>165.80</td><td>28.16</td><td>43.50</td><td>-15.34</td><td>39.15</td><td>19.27</td><td>1.31</td><td>31.57</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>244.37</td><td>35.80</td><td>46.00</td><td>-10.20</td><td>47.53</td><td>18.15</td><td>1.62</td><td>31.50</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>417.03</td><td>29.33</td><td>46.00</td><td>-16.67</td><td>36.11</td><td>22.39</td><td>2.13</td><td>31.30</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>480.08</td><td>36.81</td><td>46.00</td><td>-9.19</td><td>42.29</td><td>23.54</td><td>2.28</td><td>31.30</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>882.63</td><td>31.70</td><td>46.00</td><td>-14.30</td><td>30.70</td><td>28.90</td><td>3.12</td><td>31.02</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	67.83	34.13	40.00	-5.87	46.76	18.15	0.82	31.60	---	---	---	Peak	2	165.80	28.16	43.50	-15.34	39.15	19.27	1.31	31.57	---	---	---	Peak	3	244.37	35.80	46.00	-10.20	47.53	18.15	1.62	31.50	---	---	---	Peak	4	417.03	29.33	46.00	-16.67	36.11	22.39	2.13	31.30	---	---	---	Peak	5	480.08	36.81	46.00	-9.19	42.29	23.54	2.28	31.30	---	---	---	Peak	6	882.63	31.70	46.00	-14.30	30.70	28.90	3.12	31.02	---	---	---	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>57.16</td><td>35.19</td><td>40.00</td><td>-4.81</td><td>46.25</td><td>19.88</td><td>0.76</td><td>31.70</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>67.83</td><td>34.39</td><td>40.00</td><td>-5.61</td><td>47.02</td><td>18.15</td><td>0.82</td><td>31.60</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>165.80</td><td>30.23</td><td>43.50</td><td>-13.27</td><td>41.22</td><td>19.27</td><td>1.31</td><td>31.57</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>240.49</td><td>36.69</td><td>46.00</td><td>-9.31</td><td>48.53</td><td>18.05</td><td>1.61</td><td>31.50</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>333.61</td><td>29.29</td><td>46.00</td><td>-16.71</td><td>38.25</td><td>20.65</td><td>1.92</td><td>31.53</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>480.08</td><td>31.06</td><td>46.00</td><td>-14.94</td><td>36.54</td><td>23.54</td><td>2.28</td><td>31.30</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	57.16	35.19	40.00	-4.81	46.25	19.88	0.76	31.70	---	---	---	Peak	2	67.83	34.39	40.00	-5.61	47.02	18.15	0.82	31.60	---	---	---	Peak	3	165.80	30.23	43.50	-13.27	41.22	19.27	1.31	31.57	---	---	---	Peak	4	240.49	36.69	46.00	-9.31	48.53	18.05	1.61	31.50	---	---	---	Peak	5	333.61	29.29	46.00	-16.71	38.25	20.65	1.92	31.53	---	---	---	Peak	6	480.08	31.06	46.00	-14.94	36.54	23.54	2.28	31.30	---	---	---	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	67.83	34.13	40.00	-5.87	46.76	18.15	0.82	31.60	---	---	---	Peak																																																																																																																																																																																																																
2	165.80	28.16	43.50	-15.34	39.15	19.27	1.31	31.57	---	---	---	Peak																																																																																																																																																																																																																
3	244.37	35.80	46.00	-10.20	47.53	18.15	1.62	31.50	---	---	---	Peak																																																																																																																																																																																																																
4	417.03	29.33	46.00	-16.67	36.11	22.39	2.13	31.30	---	---	---	Peak																																																																																																																																																																																																																
5	480.08	36.81	46.00	-9.19	42.29	23.54	2.28	31.30	---	---	---	Peak																																																																																																																																																																																																																
6	882.63	31.70	46.00	-14.30	30.70	28.90	3.12	31.02	---	---	---	Peak																																																																																																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	57.16	35.19	40.00	-4.81	46.25	19.88	0.76	31.70	---	---	---	Peak																																																																																																																																																																																																																
2	67.83	34.39	40.00	-5.61	47.02	18.15	0.82	31.60	---	---	---	Peak																																																																																																																																																																																																																
3	165.80	30.23	43.50	-13.27	41.22	19.27	1.31	31.57	---	---	---	Peak																																																																																																																																																																																																																
4	240.49	36.69	46.00	-9.31	48.53	18.05	1.61	31.50	---	---	---	Peak																																																																																																																																																																																																																
5	333.61	29.29	46.00	-16.71	38.25	20.65	1.92	31.53	---	---	---	Peak																																																																																																																																																																																																																
6	480.08	31.06	46.00	-14.94	36.54	23.54	2.28	31.30	---	---	---	Peak																																																																																																																																																																																																																



Mode	11																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_Bluetooth-LE_CH39_2480_MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak	Data: 2 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 *</td><td>2483.51</td><td>64.19</td><td>-9.81</td><td>74.00</td><td>60.89</td><td>32.14</td><td>5.46</td><td>34.30</td><td>322</td><td>327</td><td>Peak</td></tr><tr><td>2</td><td>2483.51</td><td>33.19</td><td>-40.81</td><td>74.00</td><td>29.89</td><td>32.14</td><td>5.46</td><td>34.30</td><td>322</td><td>327</td><td>Average</td></tr></table>							Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 *	2483.51	64.19	-9.81	74.00	60.89	32.14	5.46	34.30	322	327	Peak	2	2483.51	33.19	-40.81	74.00	29.89	32.14	5.46	34.30	322	327	Average	Data: 1 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 *</td><td>2480.00</td><td>99.92</td><td></td><td></td><td>96.63</td><td>32.13</td><td>5.46</td><td>34.30</td><td>322</td><td>327</td><td>Peak</td></tr><tr><td>2 *</td><td>2480.00</td><td>68.92</td><td></td><td></td><td>65.63</td><td>32.13</td><td>5.46</td><td>34.30</td><td>322</td><td>327</td><td>Average</td></tr></table>						Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 *	2480.00	99.92			96.63	32.13	5.46	34.30	322	327	Peak	2 *	2480.00	68.92			65.63	32.13	5.46	34.30	322	327	Average
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 *	2483.51	64.19	-9.81	74.00	60.89	32.14	5.46	34.30	322	327	Peak																																																																																										
2	2483.51	33.19	-40.81	74.00	29.89	32.14	5.46	34.30	322	327	Average																																																																																										
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 *	2480.00	99.92			96.63	32.13	5.46	34.30	322	327	Peak																																																																																										
2 *	2480.00	68.92			65.63	32.13	5.46	34.30	322	327	Average																																																																																										





Mode	11																																																																																																																
	Band Edge																																																																																																																
	2400-2483.5_Bluetooth-LE_CH39_2480_MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak	Data: 4 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 *</td><td>2483.56</td><td>69.63</td><td>-4.37</td><td>74.00</td><td>66.33</td><td>32.14</td><td>5.46</td><td>34.30</td><td>313</td><td>71</td><td>Peak</td></tr><tr><td>2</td><td>2483.56</td><td>38.63</td><td>-35.37</td><td>74.00</td><td>35.33</td><td>32.14</td><td>5.46</td><td>34.30</td><td>313</td><td>71</td><td>Average</td></tr></table>							Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 *	2483.56	69.63	-4.37	74.00	66.33	32.14	5.46	34.30	313	71	Peak	2	2483.56	38.63	-35.37	74.00	35.33	32.14	5.46	34.30	313	71	Average	Data: 3 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 *</td><td>2480.00</td><td>102.95</td><td></td><td>99.66</td><td>32.13</td><td>5.46</td><td>34.30</td><td>313</td><td>71</td><td>Peak</td></tr><tr><td>2 *</td><td>2480.00</td><td>71.95</td><td></td><td>68.66</td><td>32.13</td><td>5.46</td><td>34.30</td><td>313</td><td>71</td><td>Average</td></tr></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 *	2480.00	102.95		99.66	32.13	5.46	34.30	313	71	Peak	2 *	2480.00	71.95		68.66	32.13	5.46	34.30	313	71	Average
		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																																																									
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 *	2483.56	69.63	-4.37	74.00	66.33	32.14	5.46	34.30	313	71	Peak																																																																																																						
2	2483.56	38.63	-35.37	74.00	35.33	32.14	5.46	34.30	313	71	Average																																																																																																						
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																																																										
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	Remark																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1 *	2480.00	102.95		99.66	32.13	5.46	34.30	313	71	Peak																																																																																																							
2 *	2480.00	71.95		68.66	32.13	5.46	34.30	313	71	Average																																																																																																							



Mode	11																																																																																																																																																																		
	Harmonic																																																																																																																																																																		
	2400-2483.5_Bluetooth-LE_CH39_2480_MHz																																																																																																																																																																		
ANT	1																																																																																																																																																																		
Pol.	Horizontal																																																																																																																																																																		
Peak Avg																																																																																																																																																																			
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4960.00	46.92	74.00	-27.08	546.92-500.00	0.00	0.00	---	---	Peak					2	4960.00	15.92	54.00	-38.08	515.92-500.00	0.00	0.00	---	---	Average					3	7440.00	59.62	74.00	-14.38	559.62-500.00	0.00	0.00	120	16	Peak					4	7440.00	28.62	54.00	-25.38	528.62-500.00	0.00	0.00	120	16	Average					5	9920.00	65.35	74.00	-8.65	565.35-500.00	0.00	0.00	213	311	Peak					6	9920.00	34.35	54.00	-19.65	534.35-500.00	0.00	0.00	213	311	Average					7	12400.00	68.67	74.00	-5.33	568.67-500.00	0.00	0.00	312	112	Peak					8	12400.00	37.67	54.00	-16.33	537.67-500.00	0.00	0.00	312	112	Average			
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4960.00	46.92	74.00	-27.08	546.92-500.00	0.00	0.00	---	---	Peak																																																																																																																																																									
2	4960.00	15.92	54.00	-38.08	515.92-500.00	0.00	0.00	---	---	Average																																																																																																																																																									
3	7440.00	59.62	74.00	-14.38	559.62-500.00	0.00	0.00	120	16	Peak																																																																																																																																																									
4	7440.00	28.62	54.00	-25.38	528.62-500.00	0.00	0.00	120	16	Average																																																																																																																																																									
5	9920.00	65.35	74.00	-8.65	565.35-500.00	0.00	0.00	213	311	Peak																																																																																																																																																									
6	9920.00	34.35	54.00	-19.65	534.35-500.00	0.00	0.00	213	311	Average																																																																																																																																																									
7	12400.00	68.67	74.00	-5.33	568.67-500.00	0.00	0.00	312	112	Peak																																																																																																																																																									
8	12400.00	37.67	54.00	-16.33	537.67-500.00	0.00	0.00	312	112	Average																																																																																																																																																									
Peak Avg																																																																																																																																																																			
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4960.00	47.05	74.00	-26.95	547.05-500.00	0.00	0.00	---	---	Peak					2	4960.00	16.05	54.00	-37.95	516.05-500.00	0.00	0.00	---	---	Average					3	7440.00	55.61	74.00	-18.39	555.61-500.00	0.00	0.00	100	23	Peak					4	7440.00	24.61	54.00	-29.39	524.61-500.00	0.00	0.00	100	23	Average					5	9920.00	65.92	74.00	-8.08	565.92-500.00	0.00	0.00	120	26	Peak					6	9920.00	34.92	54.00	-19.08	534.92-500.00	0.00	0.00	120	26	Average					7	12400.00	70.05	74.00	-3.95	570.05-500.00	0.00	0.00	313	60	Peak					8	12400.00	39.05	54.00	-14.95	539.05-500.00	0.00	0.00	313	60	Average			
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4960.00	47.05	74.00	-26.95	547.05-500.00	0.00	0.00	---	---	Peak																																																																																																																																																									
2	4960.00	16.05	54.00	-37.95	516.05-500.00	0.00	0.00	---	---	Average																																																																																																																																																									
3	7440.00	55.61	74.00	-18.39	555.61-500.00	0.00	0.00	100	23	Peak																																																																																																																																																									
4	7440.00	24.61	54.00	-29.39	524.61-500.00	0.00	0.00	100	23	Average																																																																																																																																																									
5	9920.00	65.92	74.00	-8.08	565.92-500.00	0.00	0.00	120	26	Peak																																																																																																																																																									
6	9920.00	34.92	54.00	-19.08	534.92-500.00	0.00	0.00	120	26	Average																																																																																																																																																									
7	12400.00	70.05	74.00	-3.95	570.05-500.00	0.00	0.00	313	60	Peak																																																																																																																																																									
8	12400.00	39.05	54.00	-14.95	539.05-500.00	0.00	0.00	313	60	Average																																																																																																																																																									



Mode	12	
	Above 18GHz (Worst case mode)	
	2400-2483.5_Bluetooth-LE	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		




Appendix C. Duty Cycle Plots

Band	Delta 2(ms)	Delta 3(ms)	Duty Cycle(%)	DCCF
Bluetooth LE 1Mbps	0.09	3.12	0.03	-31
Bluetooth LE 2Mbps	0.05007	3.13	0.02	-36
Bluetooth LE CS GFSK 1Mbps	0.09007	3.13	0.03	-31


$DCCF = 20 \cdot \log(\text{Duty cycle})$

Bluetooth LE 1Mbps





Bluetooth LE 2Mbps



Bluetooth LE CS GFSK 1Mbps

