








Test Graphs

















Appendix B. AC Conducted Emission Test Results


Test Engineer :	Amos	Temperature :	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.182	50.21	-14.21	64.42	30.20	9.55	10.46	QP
2	0.182	34.91	-19.51	54.42	14.90	9.55	10.46	Average
3	0.256	38.51	-23.05	61.56	18.40	9.64	10.47	QP
4	0.256	28.51	-23.05	51.56	8.40	9.64	10.47	Average
5	0.312	32.06	-27.87	59.93	11.90	9.68	10.48	QP
6	0.312	26.46	-23.47	49.93	6.30	9.68	10.48	Average
7	0.424	28.36	-29.01	57.37	8.30	9.59	10.47	QP
8	0.424	24.16	-23.21	47.37	4.10	9.59	10.47	Average
9	0.541	26.18	-29.82	56.00	6.20	9.59	10.39	QP
10	0.541	22.78	-23.22	46.00	2.80	9.59	10.39	Average
11	4.746	28.25	-27.75	56.00	8.40	9.65	10.20	QP
12	4.746	24.75	-21.25	46.00	4.90	9.65	10.20	Average

Test Engineer :	Amos	Temperature :	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-100334-N+CABLE NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.169	48.41	-16.62	65.03	28.30	9.66	10.45	QP
2	0.169	30.51	-24.52	55.03	10.40	9.66	10.45	Average
3	0.230	40.48	-21.96	62.44	20.39	9.62	10.47	QP
4	0.230	27.98	-24.46	52.44	7.89	9.62	10.47	Average
5	0.277	34.74	-26.16	60.90	14.71	9.56	10.47	QP
6	0.277	26.84	-24.06	50.90	6.81	9.56	10.47	Average
7	0.332	27.87	-31.53	59.40	7.80	9.59	10.48	QP
8	0.332	23.77	-25.63	49.40	3.70	9.59	10.48	Average
9	0.474	29.54	-26.91	56.45	9.40	9.71	10.43	QP
10	0.474	25.34	-21.11	46.45	5.20	9.71	10.43	Average
11	4.848	26.66	-29.34	56.00	6.50	9.96	10.20	QP
12	4.848	22.96	-23.04	46.00	2.80	9.96	10.20	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

Appendix C. Radiated Spurious Emission

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23℃

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 6	2400-2483.5	1	Bluetooth-LE_GSFK	0	2402	1Mbps	-	-
Mode 7	2400-2483.5	1	Bluetooth-LE_GSFK	19	2440	1Mbps	-	-
Mode 8	2400-2483.5	1	Bluetooth-LE_GSFK	39	2480	1Mbps	-	-
Mode 9	2400-2483.5	1	Bluetooth-LE_GSFK	0	2402	2Mbps	-	-
Mode 10	2400-2483.5	1	Bluetooth-LE_GSFK	19	2440	2Mbps	-	-
Mode 11	2400-2483.5	1	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
Mode 19	2400-2483.5	1	Bluetooth-LE_GSFK	0	2402	1Mbps	-	-
Mode 20	2400-2483.5	1	Bluetooth-LE_GSFK	19	2440	1Mbps	-	-
Mode 21	2400-2483.5	1	Bluetooth-LE_GSFK	39	2480	1Mbps	-	-
Mode 22	2400-2483.5	1	Bluetooth-LE_GSFK	0	2402	2Mbps	-	-
Mode 23	2400-2483.5	1	Bluetooth-LE_GSFK	19	2440	2Mbps	-	-
Mode 24	2400-2483.5	1	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-

Mode6~11 for left, mode19~24 for right.





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
6	Bluetooth-LE_GSFK	0	2373.31	42.97	54.00	-11.03	V	AVERAGE	Pass	Band Edge
6	Bluetooth-LE_GSFK	0	12010.00	49.49	54.00	-4.51	H	AVERAGE	Pass	Harmonic
7	Bluetooth-LE_GSFK	19	2498.02	43.52	54.00	-10.48	V	AVERAGE	Pass	Band Edge
7	Bluetooth-LE_GSFK	19	7320.00	50.20	54.00	-3.80	H	AVERAGE	Pass	Harmonic
8	Bluetooth-LE_GSFK	39	2489.44	45.08	54.00	-8.92	H	AVERAGE	Pass	Band Edge
8	Bluetooth-LE_GSFK	39	7440.00	50.95	54.00	-3.05	H	AVERAGE	Pass	Harmonic
9	Bluetooth-LE_GSFK	0	2370.19	43.56	54.00	-10.44	H	AVERAGE	Pass	Band Edge
9	Bluetooth-LE_GSFK	0	12010.00	47.18	54.00	-6.82	H	AVERAGE	Pass	Harmonic
10	Bluetooth-LE_GSFK	19	2483.50	44.73	54.00	-9.27	H	AVERAGE	Pass	Band Edge
10	Bluetooth-LE_GSFK	19	7320.00	50.50	54.00	-3.50	H	AVERAGE	Pass	Harmonic
11	Bluetooth-LE_GSFK	39	2483.50	45.36	54.00	-8.64	H	AVERAGE	Pass	Band Edge
11	Bluetooth-LE_GSFK	39	7440.00	50.17	54.00	-3.83	H	AVERAGE	Pass	Harmonic
19	Bluetooth-LE_GSFK	0	2351.86	42.77	54.00	-11.23	H	AVERAGE	Pass	Band Edge
19	Bluetooth-LE_GSFK	0	12010.00	47.79	54.00	-6.21	H	AVERAGE	Pass	Harmonic
20	Bluetooth-LE_GSFK	19	2499.64	43.54	54.00	-10.46	H	AVERAGE	Pass	Band Edge
20	Bluetooth-LE_GSFK	19	7320.00	50.87	54.00	-3.13	H	AVERAGE	Pass	Harmonic







21	Bluetooth-LE_GSKF	39	2491.06	45.41	54.00	-8.59	H	AVERAGE	Pass	Band Edge
21	Bluetooth-LE_GSKF	39	7440.00	48.87	54.00	-5.13	H	AVERAGE	Pass	Harmonic
22	Bluetooth-LE_GSKF	0	2372.40	43.64	54.00	-10.36	V	AVERAGE	Pass	Band Edge
22	Bluetooth-LE_GSKF	0	12010.00	48.51	54.00	-5.49	H	AVERAGE	Pass	Harmonic
23	Bluetooth-LE_GSKF	19	2494.84	44.26	54.00	-9.74	H	AVERAGE	Pass	Band Edge
23	Bluetooth-LE_GSKF	19	12200.00	47.95	54.00	-6.05	H	AVERAGE	Pass	Harmonic
24	Bluetooth-LE_GSKF	39	2483.68	44.29	54.00	-9.71	H	AVERAGE	Pass	Band Edge
24	Bluetooth-LE_GSKF	39	7440.00	50.16	54.00	-3.84	H	AVERAGE	Pass	Harmonic





		6																																																																																																											
Mode		Band Edge																																																																																																											
		2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																											
ANT		1																																																																																																											
Pol.	Horizontal											Fundamental																																																																																																	
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2345.75</td><td>53.83</td><td>74.00</td><td>-20.17</td><td>40.05</td><td>31.90</td><td>9.00</td><td>33.12</td><td>6.00</td><td>118</td><td>282</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2345.75	53.83	74.00	-20.17	40.05	31.90	9.00	33.12	6.00	118	282	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>96.81</td><td>-----</td><td>-----</td><td>82.93</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>118</td><td>282</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	96.81	-----	-----	82.93	31.81	9.15	33.08	6.00	118	282
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2345.75	53.83	74.00	-20.17	40.05	31.90	9.00	33.12	6.00	118	282	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2402.00	96.81	-----	-----	82.93	31.81	9.15	33.08	6.00	118	282	PEAK																																																																																																	
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2366.55</td><td>42.94</td><td>54.00</td><td>-11.06</td><td>29.12</td><td>31.87</td><td>9.06</td><td>33.11</td><td>6.00</td><td>118</td><td>282</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2366.55	42.94	54.00	-11.06	29.12	31.87	9.06	33.11	6.00	118	282	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>95.97</td><td>-----</td><td>-----</td><td>82.09</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>118</td><td>282</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	95.97	-----	-----	82.09	31.81	9.15	33.08	6.00	118	282
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2366.55	42.94	54.00	-11.06	29.12	31.87	9.06	33.11	6.00	118	282	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2402.00	95.97	-----	-----	82.09	31.81	9.15	33.08	6.00	118	282	AVERAGE																																																																																																	







Mode	6																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2367.46</td><td>54.24</td><td>74.00</td><td>-19.76</td><td>40.42</td><td>31.87</td><td>9.06</td><td>33.11</td><td>6.00</td><td>333</td><td>257</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2367.46	54.24	74.00	-19.76	40.42	31.87	9.06	33.11	6.00	333	257	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>91.36</td><td>-----</td><td>-----</td><td>77.48</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>333</td><td>257</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	91.36	-----	-----	77.48	31.81	9.15	33.08	6.00	333	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2367.46	54.24	74.00	-19.76	40.42	31.87	9.06	33.11	6.00	333	257	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	91.36	-----	-----	77.48	31.81	9.15	33.08	6.00	333	257	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2373.31</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>29.15</td><td>31.85</td><td>9.08</td><td>33.11</td><td>6.00</td><td>333</td><td>257</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2373.31	42.97	54.00	-11.03	29.15	31.85	9.08	33.11	6.00	333	257	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>90.50</td><td>-----</td><td>-----</td><td>76.62</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>333</td><td>257</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	90.50	-----	-----	76.62	31.81	9.15	33.08	6.00	333	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2373.31	42.97	54.00	-11.03	29.15	31.85	9.08	33.11	6.00	333	257	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	90.50	-----	-----	76.62	31.81	9.15	33.08	6.00	333	257	AVERAGE																																																																																																			



Mode	6																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																								
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																																																																																																																								
ANT	1																																																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																																																		
Peak Avg																																																																																																																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.90	74.00	-34.10	61.85	34.20	9.62	65.77	0.00	---	---	PEAK	2	7206.00	55.72	73.22	-17.50	74.46	35.71	11.86	66.31	0.00	---	---	PEAK	3	12010.00	54.01	74.00	-19.99	65.27	39.01	15.51	65.78	0.00	100	31	PEAK	4	12010.00	49.49	54.00	-4.51	60.76	39.01	15.50	65.78	0.00	100	31	AVERAGE	5	16816.50	55.45	73.22	-17.77	60.23	41.58	18.52	64.88	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.62</td><td>74.00</td><td>-34.38</td><td>61.57</td><td>34.20</td><td>9.62</td><td>65.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7206.00</td><td>48.13</td><td>65.84</td><td>-17.71</td><td>66.87</td><td>35.71</td><td>11.86</td><td>66.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>12010.00</td><td>52.25</td><td>74.00</td><td>-21.75</td><td>63.51</td><td>39.01</td><td>15.51</td><td>65.78</td><td>0.00</td><td>313</td><td>6</td><td>PEAK</td></tr><tr><td>4</td><td>12010.00</td><td>47.22</td><td>54.00</td><td>-6.78</td><td>58.49</td><td>39.01</td><td>15.50</td><td>65.78</td><td>0.00</td><td>313</td><td>6</td><td>AVERAGE</td></tr><tr><td>5</td><td>16816.50</td><td>57.15</td><td>65.84</td><td>-8.69</td><td>61.93</td><td>41.58</td><td>18.52</td><td>64.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.62	74.00	-34.38	61.57	34.20	9.62	65.77	0.00	---	---	PEAK	2	7206.00	48.13	65.84	-17.71	66.87	35.71	11.86	66.31	0.00	---	---	PEAK	3	12010.00	52.25	74.00	-21.75	63.51	39.01	15.51	65.78	0.00	313	6	PEAK	4	12010.00	47.22	54.00	-6.78	58.49	39.01	15.50	65.78	0.00	313	6	AVERAGE	5	16816.50	57.15	65.84	-8.69	61.93	41.58	18.52	64.88	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																															
1	4804.00	39.90	74.00	-34.10	61.85	34.20	9.62	65.77	0.00	---	---	PEAK																																																																																																																																																																																													
2	7206.00	55.72	73.22	-17.50	74.46	35.71	11.86	66.31	0.00	---	---	PEAK																																																																																																																																																																																													
3	12010.00	54.01	74.00	-19.99	65.27	39.01	15.51	65.78	0.00	100	31	PEAK																																																																																																																																																																																													
4	12010.00	49.49	54.00	-4.51	60.76	39.01	15.50	65.78	0.00	100	31	AVERAGE																																																																																																																																																																																													
5	16816.50	55.45	73.22	-17.77	60.23	41.58	18.52	64.88	0.00	---	---	PEAK																																																																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																															
1	4804.00	39.62	74.00	-34.38	61.57	34.20	9.62	65.77	0.00	---	---	PEAK																																																																																																																																																																																													
2	7206.00	48.13	65.84	-17.71	66.87	35.71	11.86	66.31	0.00	---	---	PEAK																																																																																																																																																																																													
3	12010.00	52.25	74.00	-21.75	63.51	39.01	15.51	65.78	0.00	313	6	PEAK																																																																																																																																																																																													
4	12010.00	47.22	54.00	-6.78	58.49	39.01	15.50	65.78	0.00	313	6	AVERAGE																																																																																																																																																																																													
5	16816.50	57.15	65.84	-8.69	61.93	41.58	18.52	64.88	0.00	---	---	PEAK																																																																																																																																																																																													







Mode	7																																																																																																														
	Band Edge - L																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.52</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>39.68</td><td>31.82</td><td>9.12</td><td>33.10</td><td>6.00</td><td>104</td><td>282</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.52	53.52	74.00	-20.48	39.68	31.82	9.12	33.10	6.00	104	282	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>99.97</td><td>-----</td><td>-----</td><td>85.79</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>104</td><td>282</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	99.97	-----	-----	85.79	31.96	9.19	32.97	6.00	104	282
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2388.52	53.52	74.00	-20.48	39.68	31.82	9.12	33.10	6.00	104	282	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2440.00	99.97	-----	-----	85.79	31.96	9.19	32.97	6.00	104	282	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.95</td><td>42.93</td><td>54.00</td><td>-11.07</td><td>29.09</td><td>31.85</td><td>9.09</td><td>33.10</td><td>6.00</td><td>104</td><td>282</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.95	42.93	54.00	-11.07	29.09	31.85	9.09	33.10	6.00	104	282	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>99.17</td><td>-----</td><td>-----</td><td>84.99</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>104</td><td>282</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	99.17	-----	-----	84.99	31.96	9.19	32.97	6.00	104	282
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2376.95	42.93	54.00	-11.07	29.09	31.85	9.09	33.10	6.00	104	282	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2440.00	99.17	-----	-----	84.99	31.96	9.19	32.97	6.00	104	282	AVERAGE																																																																																																			



Mode	7										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz										
ANT	1										
Pol.	Horizontal										
Peak	Level (dBuV/m)										



Mode	7																																																																																																														
	Band Edge - L																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2368.24</td><td>54.22</td><td>74.00</td><td>-19.78</td><td>40.41</td><td>31.86</td><td>9.06</td><td>33.11</td><td>6.00</td><td>359</td><td>246</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2368.24	54.22	74.00	-19.78	40.41	31.86	9.06	33.11	6.00	359	246	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>95.50</td><td>-----</td><td>-----</td><td>81.32</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>359</td><td>246</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	95.50	-----	-----	81.32	31.96	9.19	32.97	6.00	359	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2368.24	54.22	74.00	-19.78	40.41	31.86	9.06	33.11	6.00	359	246	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2440.00	95.50	-----	-----	81.32	31.96	9.19	32.97	6.00	359	246	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.18</td><td>42.79</td><td>54.00</td><td>-11.21</td><td>28.95</td><td>31.83</td><td>9.11</td><td>33.10</td><td>6.00</td><td>359</td><td>246</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.18	42.79	54.00	-11.21	28.95	31.83	9.11	33.10	6.00	359	246	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>94.68</td><td>-----</td><td>-----</td><td>80.50</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>359</td><td>246</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	94.68	-----	-----	80.50	31.96	9.19	32.97	6.00	359	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2386.18	42.79	54.00	-11.21	28.95	31.83	9.11	33.10	6.00	359	246	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2440.00	94.68	-----	-----	80.50	31.96	9.19	32.97	6.00	359	246	AVERAGE																																																																																																			







Mode	7																																																							
	Band Edge - R																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.96</td><td>54.72</td><td>74.00</td><td>-19.28</td><td>40.09</td><td>32.19</td><td>9.24</td><td>32.80</td><td>6.00</td><td>359</td><td>246</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.96	54.72	74.00	-19.28	40.09	32.19	9.24	32.80	6.00	359	246	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2497.96	54.72	74.00	-19.28	40.09	32.19	9.24	32.80	6.00	359	246	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.02</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>28.89</td><td>32.19</td><td>9.24</td><td>32.80</td><td>6.00</td><td>359</td><td>246</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.02	43.52	54.00	-10.48	28.89	32.19	9.24	32.80	6.00	359	246	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2498.02	43.52	54.00	-10.48	28.89	32.19	9.24	32.80	6.00	359	246	AVERAGE																																												







Mode	7																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal																																																																																																							
Peak Avg																																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4880.00	40.07	74.00	-33.93	62.03	34.14	9.69	65.79	0.00	---	---	PEAK	2 7320.00	54.03	74.00	-19.97	72.64	35.76	11.95	66.32	0.00	100	231	PEAK	3 7320.00	50.20	54.00	-3.80	68.81	35.76	11.95	66.32	0.00	100	231	AVERAGE	4 12200.00	53.70	74.00	-20.30	64.66	39.10	15.61	65.67	0.00	100	51	PEAK	5 12200.00	48.58	54.00	-5.42	59.54	39.10	15.61	65.67	0.00	100	51	AVERAGE	6 17077.50	55.29	76.80	-21.51	59.83	41.32	18.71	64.57	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 4880.00	40.07	74.00	-33.93	62.03	34.14	9.69	65.79	0.00	---	---	PEAK																																																																																													
2 7320.00	54.03	74.00	-19.97	72.64	35.76	11.95	66.32	0.00	100	231	PEAK																																																																																													
3 7320.00	50.20	54.00	-3.80	68.81	35.76	11.95	66.32	0.00	100	231	AVERAGE																																																																																													
4 12200.00	53.70	74.00	-20.30	64.66	39.10	15.61	65.67	0.00	100	51	PEAK																																																																																													
5 12200.00	48.58	54.00	-5.42	59.54	39.10	15.61	65.67	0.00	100	51	AVERAGE																																																																																													
6 17077.50	55.29	76.80	-21.51	59.83	41.32	18.71	64.57	0.00	---	---	PEAK																																																																																													
Peak Avg																																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4880.00	39.78	74.00	-34.22	61.74	34.14	9.69	65.79	0.00	---	---	PEAK	2 7320.00	50.07	74.00	-23.93	68.68	35.76	11.95	66.32	0.00	309	259	PEAK	3 7320.00	45.32	54.00	-8.68	63.93	35.76	11.95	66.32	0.00	309	259	AVERAGE	4 12200.00	53.33	74.00	-20.67	64.29	39.10	15.61	65.67	0.00	333	7	PEAK	5 12200.00	48.04	54.00	-5.96	59.00	39.10	15.61	65.67	0.00	333	7	AVERAGE	6 17079.00	59.32	69.53	-10.21	63.85	41.32	18.72	64.57	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 4880.00	39.78	74.00	-34.22	61.74	34.14	9.69	65.79	0.00	---	---	PEAK																																																																																													
2 7320.00	50.07	74.00	-23.93	68.68	35.76	11.95	66.32	0.00	309	259	PEAK																																																																																													
3 7320.00	45.32	54.00	-8.68	63.93	35.76	11.95	66.32	0.00	309	259	AVERAGE																																																																																													
4 12200.00	53.33	74.00	-20.67	64.29	39.10	15.61	65.67	0.00	333	7	PEAK																																																																																													
5 12200.00	48.04	54.00	-5.96	59.00	39.10	15.61	65.67	0.00	333	7	AVERAGE																																																																																													
6 17079.00	59.32	69.53	-10.21	63.85	41.32	18.72	64.57	0.00	---	---	PEAK																																																																																													





Mode	8																																																							
	Band Edge																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																							
ANT	1																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.70</td><td>55.41</td><td>74.00</td><td>-18.59</td><td>42.46</td><td>32.30</td><td>7.06</td><td>32.33</td><td>5.92</td><td>100</td><td>217 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.70	55.41	74.00	-18.59	42.46	32.30	7.06	32.33	5.92	100	217 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2499.70	55.41	74.00	-18.59	42.46	32.30	7.06	32.33	5.92	100	217 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.06</td><td>-----</td><td>-----</td><td>86.13</td><td>32.30</td><td>7.04</td><td>32.33</td><td>5.92</td><td>100</td><td>217 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.06	-----	-----	86.13	32.30	7.04	32.33	5.92	100	217 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2480.00	99.06	-----	-----	86.13	32.30	7.04	32.33	5.92	100	217 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.44</td><td>45.08</td><td>54.00</td><td>-8.92</td><td>32.14</td><td>32.30</td><td>7.05</td><td>32.33</td><td>5.92</td><td>100</td><td>217 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.44	45.08	54.00	-8.92	32.14	32.30	7.05	32.33	5.92	100	217 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2489.44	45.08	54.00	-8.92	32.14	32.30	7.05	32.33	5.92	100	217 AVERAGE																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.30</td><td>-----</td><td>-----</td><td>85.37</td><td>32.30</td><td>7.04</td><td>32.33</td><td>5.92</td><td>100</td><td>217 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.30	-----	-----	85.37	32.30	7.04	32.33	5.92	100	217 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2480.00	98.30	-----	-----	85.37	32.30	7.04	32.33	5.92	100	217 AVERAGE																																													







Mode	8																																																							
	Band Edge																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																							
ANT	1																																																							
Pol.	Vertical																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.38</td><td>55.69</td><td>74.00</td><td>-18.31</td><td>42.75</td><td>32.30</td><td>7.05</td><td>32.33</td><td>5.92</td><td>172</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.38	55.69	74.00	-18.31	42.75	32.30	7.05	32.33	5.92	172	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2489.38	55.69	74.00	-18.31	42.75	32.30	7.05	32.33	5.92	172	0 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>89.54</td><td>-----</td><td>-----</td><td>76.61</td><td>32.30</td><td>7.04</td><td>32.33</td><td>5.92</td><td>172</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	89.54	-----	-----	76.61	32.30	7.04	32.33	5.92	172	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2480.00	89.54	-----	-----	76.61	32.30	7.04	32.33	5.92	172	0 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.68</td><td>44.81</td><td>54.00</td><td>-9.19</td><td>31.87</td><td>32.30</td><td>7.05</td><td>32.33</td><td>5.92</td><td>172</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.68	44.81	54.00	-9.19	31.87	32.30	7.05	32.33	5.92	172	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2489.68	44.81	54.00	-9.19	31.87	32.30	7.05	32.33	5.92	172	0 AVERAGE																																													
AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>88.77</td><td>-----</td><td>-----</td><td>75.84</td><td>32.30</td><td>7.04</td><td>32.33</td><td>5.92</td><td>172</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	88.77	-----	-----	75.84	32.30	7.04	32.33	5.92	172	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2480.00	88.77	-----	-----	75.84	32.30	7.04	32.33	5.92	172	0 AVERAGE																																													







Mode	8																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal																																																																																																							
Peak Avg																																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.89	74.00	-32.11	61.43	34.10	11.71	65.35	0.00	---	PEAK	2	7440.00	55.22	74.00	-18.78	71.13	35.88	14.51	66.30	0.00	100	234 PEAK	3	7440.00	50.95	54.00	-3.05	66.86	35.88	14.51	66.30	0.00	100	234 AVERAGE	4	12400.00	53.84	74.00	-20.16	61.91	39.10	18.80	65.97	0.00	100	139 PEAK	5	12400.00	48.34	54.00	-5.66	56.41	39.10	18.80	65.97	0.00	100	139 AVERAGE	6	17358.00	51.28	79.49	-28.21	52.36	41.20	22.49	64.77	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	4960.00	41.89	74.00	-32.11	61.43	34.10	11.71	65.35	0.00	---	PEAK																																																																																													
2	7440.00	55.22	74.00	-18.78	71.13	35.88	14.51	66.30	0.00	100	234 PEAK																																																																																													
3	7440.00	50.95	54.00	-3.05	66.86	35.88	14.51	66.30	0.00	100	234 AVERAGE																																																																																													
4	12400.00	53.84	74.00	-20.16	61.91	39.10	18.80	65.97	0.00	100	139 PEAK																																																																																													
5	12400.00	48.34	54.00	-5.66	56.41	39.10	18.80	65.97	0.00	100	139 AVERAGE																																																																																													
6	17358.00	51.28	79.49	-28.21	52.36	41.20	22.49	64.77	0.00	---	PEAK																																																																																													
Peak Avg																																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.65	74.00	-33.35	60.19	34.10	11.71	65.35	0.00	---	PEAK	2	7440.00	51.21	74.00	-22.79	67.12	35.88	14.51	66.30	0.00	395	335 PEAK	3	7440.00	46.73	54.00	-7.27	62.64	35.88	14.51	66.30	0.00	395	335 AVERAGE	4	12400.00	51.85	74.00	-22.15	59.92	39.10	18.80	65.97	0.00	100	105 PEAK	5	12400.00	45.95	54.00	-8.05	54.02	39.10	18.80	65.97	0.00	100	105 AVERAGE	6	17358.00	52.77	71.01	-18.24	53.85	41.20	22.49	64.77	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	4960.00	40.65	74.00	-33.35	60.19	34.10	11.71	65.35	0.00	---	PEAK																																																																																													
2	7440.00	51.21	74.00	-22.79	67.12	35.88	14.51	66.30	0.00	395	335 PEAK																																																																																													
3	7440.00	46.73	54.00	-7.27	62.64	35.88	14.51	66.30	0.00	395	335 AVERAGE																																																																																													
4	12400.00	51.85	74.00	-22.15	59.92	39.10	18.80	65.97	0.00	100	105 PEAK																																																																																													
5	12400.00	45.95	54.00	-8.05	54.02	39.10	18.80	65.97	0.00	100	105 AVERAGE																																																																																													
6	17358.00	52.77	71.01	-18.24	53.85	41.20	22.49	64.77	0.00	---	PEAK																																																																																													





Mode	9																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.75</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>40.15</td><td>31.83</td><td>9.11</td><td>33.10</td><td>6.00</td><td>106</td><td>127</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.75	53.99	74.00	-20.01	40.15	31.83	9.11	33.10	6.00	106	127	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>96.28</td><td>-----</td><td>-----</td><td>82.40</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>106</td><td>127</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	96.28	-----	-----	82.40	31.81	9.15	33.08	6.00	106	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2384.75	53.99	74.00	-20.01	40.15	31.83	9.11	33.10	6.00	106	127	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	96.28	-----	-----	82.40	31.81	9.15	33.08	6.00	106	127	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2370.19</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>29.74</td><td>31.86</td><td>9.07</td><td>33.11</td><td>6.00</td><td>106</td><td>127</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2370.19	43.56	54.00	-10.44	29.74	31.86	9.07	33.11	6.00	106	127	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>94.15</td><td>-----</td><td>-----</td><td>80.27</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>106</td><td>127</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	94.15	-----	-----	80.27	31.81	9.15	33.08	6.00	106	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2370.19	43.56	54.00	-10.44	29.74	31.86	9.07	33.11	6.00	106	127	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	94.15	-----	-----	80.27	31.81	9.15	33.08	6.00	106	127	AVERAGE																																																																																																			







Mode	9																																																								
	Band Edge																																																								
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																								
ANT	1																																																								
Pol.	Vertical						Fundamental																																																		
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2368.37</td><td>52.98</td><td>74.00</td><td>-21.02</td><td>39.17</td><td>31.86</td><td>9.06</td><td>33.11</td><td>6.00</td><td>287</td><td>255</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2368.37	52.98	74.00	-21.02	39.17	31.86	9.06	33.11	6.00	287	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2368.37	52.98	74.00	-21.02	39.17	31.86	9.06	33.11	6.00	287	255	PEAK																																													
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>92.26</td><td>-----</td><td>-----</td><td>78.38</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>287</td><td>255</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	92.26	-----	-----	78.38	31.81	9.15	33.08	6.00	287	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2402.00	92.26	-----	-----	78.38	31.81	9.15	33.08	6.00	287	255	PEAK																																													
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2373.44</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>29.60</td><td>31.85</td><td>9.08</td><td>33.11</td><td>6.00</td><td>287</td><td>255</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2373.44	43.42	54.00	-10.58	29.60	31.85	9.08	33.11	6.00	287	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2373.44	43.42	54.00	-10.58	29.60	31.85	9.08	33.11	6.00	287	255	AVERAGE																																													
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>90.11</td><td>-----</td><td>-----</td><td>76.23</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>287</td><td>255</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	90.11	-----	-----	76.23	31.81	9.15	33.08	6.00	287	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2402.00	90.11	-----	-----	76.23	31.81	9.15	33.08	6.00	287	255	AVERAGE																																													



Mode	9																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																			
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																																																																																																																			
ANT	1																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																													
Peak Avg																																																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4804.00</td><td>40.96</td><td>74.00</td><td>-33.04</td><td>62.91</td><td>34.20</td><td>9.62</td><td>65.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 7204.50</td><td>53.64</td><td>72.91</td><td>-19.27</td><td>72.38</td><td>35.71</td><td>11.86</td><td>66.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 12010.00</td><td>53.46</td><td>74.00</td><td>-20.54</td><td>64.72</td><td>39.01</td><td>15.51</td><td>65.78</td><td>0.00</td><td>111</td><td>38</td><td>PEAK</td></tr><tr><td>4 12010.00</td><td>47.18</td><td>54.00</td><td>-6.82</td><td>58.46</td><td>39.01</td><td>15.50</td><td>65.79</td><td>0.00</td><td>111</td><td>38</td><td>AVERAGE</td></tr><tr><td>5 16810.50</td><td>52.71</td><td>72.91</td><td>-20.20</td><td>57.50</td><td>41.59</td><td>18.51</td><td>64.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4804.00	40.96	74.00	-33.04	62.91	34.20	9.62	65.77	0.00	---	---	PEAK	2 7204.50	53.64	72.91	-19.27	72.38	35.71	11.86	66.31	0.00	---	---	PEAK	3 12010.00	53.46	74.00	-20.54	64.72	39.01	15.51	65.78	0.00	111	38	PEAK	4 12010.00	47.18	54.00	-6.82	58.46	39.01	15.50	65.79	0.00	111	38	AVERAGE	5 16810.50	52.71	72.91	-20.20	57.50	41.59	18.51	64.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4804.00</td><td>39.65</td><td>74.00</td><td>-34.35</td><td>61.60</td><td>34.20</td><td>9.62</td><td>65.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 7204.50</td><td>47.30</td><td>64.23</td><td>-16.93</td><td>66.04</td><td>35.71</td><td>11.86</td><td>66.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 12010.00</td><td>51.75</td><td>74.00</td><td>-22.25</td><td>63.01</td><td>39.01</td><td>15.51</td><td>65.78</td><td>0.00</td><td>300</td><td>300</td><td>PEAK</td></tr><tr><td>4 12010.00</td><td>45.48</td><td>54.00</td><td>-8.52</td><td>56.76</td><td>39.01</td><td>15.50</td><td>65.79</td><td>0.00</td><td>300</td><td>300</td><td>AVERAGE</td></tr><tr><td>5 16810.00</td><td>56.33</td><td>64.23</td><td>-7.90</td><td>61.11</td><td>41.58</td><td>18.52</td><td>64.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4804.00	39.65	74.00	-34.35	61.60	34.20	9.62	65.77	0.00	---	---	PEAK	2 7204.50	47.30	64.23	-16.93	66.04	35.71	11.86	66.31	0.00	---	---	PEAK	3 12010.00	51.75	74.00	-22.25	63.01	39.01	15.51	65.78	0.00	300	300	PEAK	4 12010.00	45.48	54.00	-8.52	56.76	39.01	15.50	65.79	0.00	300	300	AVERAGE	5 16810.00	56.33	64.23	-7.90	61.11	41.58	18.52	64.88	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																										
1 4804.00	40.96	74.00	-33.04	62.91	34.20	9.62	65.77	0.00	---	---	PEAK																																																																																																																																																																																									
2 7204.50	53.64	72.91	-19.27	72.38	35.71	11.86	66.31	0.00	---	---	PEAK																																																																																																																																																																																									
3 12010.00	53.46	74.00	-20.54	64.72	39.01	15.51	65.78	0.00	111	38	PEAK																																																																																																																																																																																									
4 12010.00	47.18	54.00	-6.82	58.46	39.01	15.50	65.79	0.00	111	38	AVERAGE																																																																																																																																																																																									
5 16810.50	52.71	72.91	-20.20	57.50	41.59	18.51	64.89	0.00	---	---	PEAK																																																																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																										
1 4804.00	39.65	74.00	-34.35	61.60	34.20	9.62	65.77	0.00	---	---	PEAK																																																																																																																																																																																									
2 7204.50	47.30	64.23	-16.93	66.04	35.71	11.86	66.31	0.00	---	---	PEAK																																																																																																																																																																																									
3 12010.00	51.75	74.00	-22.25	63.01	39.01	15.51	65.78	0.00	300	300	PEAK																																																																																																																																																																																									
4 12010.00	45.48	54.00	-8.52	56.76	39.01	15.50	65.79	0.00	300	300	AVERAGE																																																																																																																																																																																									
5 16810.00	56.33	64.23	-7.90	61.11	41.58	18.52	64.88	0.00	---	---	PEAK																																																																																																																																																																																									



Mode	10																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.29</td><td>53.93</td><td>74.00</td><td>-20.07</td><td>40.10</td><td>31.84</td><td>9.09</td><td>33.10</td><td>6.00</td><td>122</td><td>283</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.29	53.93	74.00	-20.07	40.10	31.84	9.09	33.10	6.00	122	283	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>99.96</td><td>-----</td><td>-----</td><td>85.78</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>122</td><td>283</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	99.96	-----	-----	85.78	31.96	9.19	32.97	6.00	122	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2379.29	53.93	74.00	-20.07	40.10	31.84	9.09	33.10	6.00	122	283	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	99.96	-----	-----	85.78	31.96	9.19	32.97	6.00	122	283	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2369.67</td><td>43.48</td><td>54.00</td><td>-10.52</td><td>29.66</td><td>31.86</td><td>9.07</td><td>33.11</td><td>6.00</td><td>122</td><td>283</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2369.67	43.48	54.00	-10.52	29.66	31.86	9.07	33.11	6.00	122	283	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>97.86</td><td>-----</td><td>-----</td><td>83.68</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>122</td><td>283</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	97.86	-----	-----	83.68	31.96	9.19	32.97	6.00	122	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2369.67	43.48	54.00	-10.52	29.66	31.86	9.07	33.11	6.00	122	283	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	97.86	-----	-----	83.68	31.96	9.19	32.97	6.00	122	283	AVERAGE																																																																																							



Mode	10																																																							
	Band Edge - R																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>54.97</td><td>74.00</td><td>-19.03</td><td>40.44</td><td>32.14</td><td>9.23</td><td>32.84</td><td>6.00</td><td>122</td><td>283</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	54.97	74.00	-19.03	40.44	32.14	9.23	32.84	6.00	122	283	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.50	54.97	74.00	-19.03	40.44	32.14	9.23	32.84	6.00	122	283	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>44.73</td><td>54.00</td><td>-9.27</td><td>30.22</td><td>32.13</td><td>9.23</td><td>32.85</td><td>6.00</td><td>122</td><td>283</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	44.73	54.00	-9.27	30.22	32.13	9.23	32.85	6.00	122	283	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.50	44.73	54.00	-9.27	30.22	32.13	9.23	32.85	6.00	122	283	AVERAGE																																												



Mode	10																																																						
	Band Edge - L																																																						
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2338.60</td><td>54.18</td><td>74.00</td><td>-19.82</td><td>40.43</td><td>31.90</td><td>8.90</td><td>33.13</td><td>6.00</td><td>359</td><td>248</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2338.60	54.18	74.00	-19.82	40.43	31.90	8.90	33.13	6.00	359	248
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2338.60	54.18	74.00	-19.82	40.43	31.90	8.90	33.13	6.00	359	248	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>96.56</td><td>-----</td><td>-----</td><td>82.38</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>359</td><td>248</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	96.56	-----	-----	82.38	31.96	9.19	32.97	6.00	359	248
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2440.00	96.56	-----	-----	82.38	31.96	9.19	32.97	6.00	359	248	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2372.14</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>29.57</td><td>31.86</td><td>9.07</td><td>33.11</td><td>6.00</td><td>359</td><td>248</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2372.14	43.39	54.00	-10.61	29.57	31.86	9.07	33.11	6.00	359	248
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2372.14	43.39	54.00	-10.61	29.57	31.86	9.07	33.11	6.00	359	248	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>94.51</td><td>-----</td><td>-----</td><td>80.33</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>359</td><td>248</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	94.51	-----	-----	80.33	31.96	9.19	32.97	6.00	359	248
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2440.00	94.51	-----	-----	80.33	31.96	9.19	32.97	6.00	359	248	AVERAGE																																											







Mode	10																																																																
	Band Edge - R																																																																
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																
ANT	1																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2498.32</td><td>53.78</td><td>74.00</td><td>-20.22</td><td>39.15</td><td>32.19</td><td>9.24</td><td>32.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6.00</td><td>359</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>248</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2498.32	53.78	74.00	-20.22	39.15	32.19	9.24	32.00								6.00	359									248									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	2498.32	53.78	74.00	-20.22	39.15	32.19	9.24	32.00																																																									
							6.00	359																																																									
								248																																																									
								PEAK																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2496.40</td><td>44.16</td><td>54.00</td><td>-9.84</td><td>29.54</td><td>32.19</td><td>9.24</td><td>32.81</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6.00</td><td>359</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>248</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2496.40	44.16	54.00	-9.84	29.54	32.19	9.24	32.81								6.00	359									248									AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	2496.40	44.16	54.00	-9.84	29.54	32.19	9.24	32.81																																																									
							6.00	359																																																									
								248																																																									
								AVERAGE																																																									







Mode	10																																																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																																																								
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																																																																																																																																																								
ANT	1																																																																																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																		
Peak Avg																																																																																																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.25</td><td>74.00</td><td>-32.75</td><td>60.79</td><td>34.10</td><td>11.64</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>70.50</td><td>35.90</td><td>14.37</td><td>66.08</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>3</td><td>7320.00</td><td>50.50</td><td>54.00</td><td>-3.50</td><td>66.31</td><td>35.90</td><td>14.37</td><td>66.08</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr><tr><td>4</td><td>12200.00</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>61.82</td><td>39.10</td><td>18.63</td><td>66.12</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>5</td><td>12200.00</td><td>48.26</td><td>54.00</td><td>-5.74</td><td>56.66</td><td>39.10</td><td>18.63</td><td>66.13</td><td>0.00</td><td>100</td><td>125</td><td>AVERAGE</td></tr><tr><td>6</td><td>17083.00</td><td>49.32</td><td>76.16</td><td>-26.84</td><td>50.72</td><td>41.32</td><td>22.27</td><td>64.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	41.25	74.00	-32.75	60.79	34.10	11.64	65.28	0.00	---	---	PEAK	2	7320.00	54.69	74.00	-19.31	70.50	35.90	14.37	66.08	0.00	100	239	PEAK	3	7320.00	50.50	54.00	-3.50	66.31	35.90	14.37	66.08	0.00	100	239	AVERAGE	4	12200.00	53.43	74.00	-20.57	61.82	39.10	18.63	66.12	0.00	100	125	PEAK	5	12200.00	48.26	54.00	-5.74	56.66	39.10	18.63	66.13	0.00	100	125	AVERAGE	6	17083.00	49.32	76.16	-26.84	50.72	41.32	22.27	64.99	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.12</td><td>74.00</td><td>-32.88</td><td>60.66</td><td>34.10</td><td>11.64</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>48.90</td><td>74.00</td><td>-25.10</td><td>64.71</td><td>35.90</td><td>14.37</td><td>66.08</td><td>0.00</td><td>100</td><td>11</td><td>PEAK</td></tr><tr><td>3</td><td>7320.00</td><td>42.79</td><td>54.00</td><td>-11.21</td><td>58.60</td><td>35.90</td><td>14.37</td><td>66.08</td><td>0.00</td><td>100</td><td>11</td><td>AVERAGE</td></tr><tr><td>4</td><td>12200.00</td><td>48.35</td><td>74.00</td><td>-25.65</td><td>56.74</td><td>39.10</td><td>18.63</td><td>66.12</td><td>0.00</td><td>100</td><td>11</td><td>PEAK</td></tr><tr><td>5</td><td>12200.00</td><td>41.28</td><td>54.00</td><td>-12.72</td><td>49.68</td><td>39.10</td><td>18.63</td><td>66.13</td><td>0.00</td><td>100</td><td>11</td><td>AVERAGE</td></tr><tr><td>6</td><td>17083.00</td><td>53.63</td><td>69.55</td><td>-15.92</td><td>55.03</td><td>41.32</td><td>22.27</td><td>64.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	41.12	74.00	-32.88	60.66	34.10	11.64	65.28	0.00	---	---	PEAK	2	7320.00	48.90	74.00	-25.10	64.71	35.90	14.37	66.08	0.00	100	11	PEAK	3	7320.00	42.79	54.00	-11.21	58.60	35.90	14.37	66.08	0.00	100	11	AVERAGE	4	12200.00	48.35	74.00	-25.65	56.74	39.10	18.63	66.12	0.00	100	11	PEAK	5	12200.00	41.28	54.00	-12.72	49.68	39.10	18.63	66.13	0.00	100	11	AVERAGE	6	17083.00	53.63	69.55	-15.92	55.03	41.32	22.27	64.99	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																															
1	4880.00	41.25	74.00	-32.75	60.79	34.10	11.64	65.28	0.00	---	---	PEAK																																																																																																																																																																																																																													
2	7320.00	54.69	74.00	-19.31	70.50	35.90	14.37	66.08	0.00	100	239	PEAK																																																																																																																																																																																																																													
3	7320.00	50.50	54.00	-3.50	66.31	35.90	14.37	66.08	0.00	100	239	AVERAGE																																																																																																																																																																																																																													
4	12200.00	53.43	74.00	-20.57	61.82	39.10	18.63	66.12	0.00	100	125	PEAK																																																																																																																																																																																																																													
5	12200.00	48.26	54.00	-5.74	56.66	39.10	18.63	66.13	0.00	100	125	AVERAGE																																																																																																																																																																																																																													
6	17083.00	49.32	76.16	-26.84	50.72	41.32	22.27	64.99	0.00	---	---	PEAK																																																																																																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																															
1	4880.00	41.12	74.00	-32.88	60.66	34.10	11.64	65.28	0.00	---	---	PEAK																																																																																																																																																																																																																													
2	7320.00	48.90	74.00	-25.10	64.71	35.90	14.37	66.08	0.00	100	11	PEAK																																																																																																																																																																																																																													
3	7320.00	42.79	54.00	-11.21	58.60	35.90	14.37	66.08	0.00	100	11	AVERAGE																																																																																																																																																																																																																													
4	12200.00	48.35	74.00	-25.65	56.74	39.10	18.63	66.12	0.00	100	11	PEAK																																																																																																																																																																																																																													
5	12200.00	41.28	54.00	-12.72	49.68	39.10	18.63	66.13	0.00	100	11	AVERAGE																																																																																																																																																																																																																													
6	17083.00	53.63	69.55	-15.92	55.03	41.32	22.27	64.99	0.00	---	---	PEAK																																																																																																																																																																																																																													





Mode	11																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>55.08</td><td>74.00</td><td>-18.92</td><td>40.55</td><td>32.14</td><td>9.23</td><td>32.84</td><td>6.00</td><td>104</td><td>284 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	55.08	74.00	-18.92	40.55	32.14	9.23	32.84	6.00	104	284 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.83</td><td>-----</td><td>-----</td><td>87.34</td><td>32.12</td><td>9.23</td><td>32.86</td><td>6.00</td><td>104</td><td>284 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.83	-----	-----	87.34	32.12	9.23	32.86	6.00	104	284 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2484.34	55.08	74.00	-18.92	40.55	32.14	9.23	32.84	6.00	104	284 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	101.83	-----	-----	87.34	32.12	9.23	32.86	6.00	104	284 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>45.36</td><td>54.00</td><td>-8.64</td><td>30.85</td><td>32.13</td><td>9.23</td><td>32.85</td><td>6.00</td><td>104</td><td>284 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	45.36	54.00	-8.64	30.85	32.13	9.23	32.85	6.00	104	284 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.70</td><td>-----</td><td>-----</td><td>85.21</td><td>32.12</td><td>9.23</td><td>32.86</td><td>6.00</td><td>104</td><td>284 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.70	-----	-----	85.21	32.12	9.23	32.86	6.00	104	284 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.50	45.36	54.00	-8.64	30.85	32.13	9.23	32.85	6.00	104	284 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	99.70	-----	-----	85.21	32.12	9.23	32.86	6.00	104	284 AVERAGE																																																																																						







Mode	11																																																																																															
	Band Edge																																																																																															
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.82</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>39.49</td><td>32.14</td><td>9.23</td><td>32.84</td><td>6.00</td><td>399</td><td>247 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.82	54.02	74.00	-19.98	39.49	32.14	9.23	32.84	6.00	399	247 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>96.43</td><td>-----</td><td>-----</td><td>81.94</td><td>32.12</td><td>9.23</td><td>32.86</td><td>6.00</td><td>399</td><td>247 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.43	-----	-----	81.94	32.12	9.23	32.86	6.00	399
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2484.82	54.02	74.00	-19.98	39.49	32.14	9.23	32.84	6.00	399	247 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2480.00	96.43	-----	-----	81.94	32.12	9.23	32.86	6.00	399	247 PEAK																																																																																					
Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.28</td><td>44.06</td><td>54.00</td><td>-9.94</td><td>29.53</td><td>32.14</td><td>9.23</td><td>32.84</td><td>6.00</td><td>399</td><td>247 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	44.06	54.00	-9.94	29.53	32.14	9.23	32.84	6.00	399	247 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>94.27</td><td>-----</td><td>-----</td><td>79.78</td><td>32.12</td><td>9.23</td><td>32.86</td><td>6.00</td><td>399</td><td>247 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.27	-----	-----	79.78	32.12	9.23	32.86	6.00	399
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2484.28	44.06	54.00	-9.94	29.53	32.14	9.23	32.84	6.00	399	247 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2480.00	94.27	-----	-----	79.78	32.12	9.23	32.86	6.00	399	247 AVERAGE																																																																																					







		11																																																																																																																																																																																																																																													
Mode	Harmonic																																																																																																																																																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																																																																																																														
ANT	1																																																																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.38</td><td>74.00</td><td>-32.62</td><td>60.92</td><td>34.10</td><td>11.71</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>54.48</td><td>74.00</td><td>-19.52</td><td>70.39</td><td>35.88</td><td>14.51</td><td>66.30</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>50.17</td><td>54.00</td><td>-3.83</td><td>66.08</td><td>35.88</td><td>14.51</td><td>66.30</td><td>0.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr><tr><td>4</td><td>12480.00</td><td>50.36</td><td>74.00</td><td>-23.64</td><td>58.43</td><td>39.10</td><td>18.80</td><td>65.97</td><td>0.00</td><td>100</td><td>235</td><td>Peak</td></tr><tr><td>5</td><td>12480.00</td><td>41.15</td><td>54.00</td><td>-12.85</td><td>49.22</td><td>39.10</td><td>18.80</td><td>65.97</td><td>0.00</td><td>100</td><td>235</td><td>Average</td></tr><tr><td>6</td><td>17364.00</td><td>50.23</td><td>76.36</td><td>-26.13</td><td>51.31</td><td>41.20</td><td>22.49</td><td>64.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	41.38	74.00	-32.62	60.92	34.10	11.71	65.35	0.00	---	---	PEAK	2	7440.00	54.48	74.00	-19.52	70.39	35.88	14.51	66.30	0.00	100	235	PEAK	3	7440.00	50.17	54.00	-3.83	66.08	35.88	14.51	66.30	0.00	100	235	AVERAGE	4	12480.00	50.36	74.00	-23.64	58.43	39.10	18.80	65.97	0.00	100	235	Peak	5	12480.00	41.15	54.00	-12.85	49.22	39.10	18.80	65.97	0.00	100	235	Average	6	17364.00	50.23	76.36	-26.13	51.31	41.20	22.49	64.77	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.16</td><td>74.00</td><td>-32.84</td><td>60.70</td><td>34.10</td><td>11.71</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>63.87</td><td>35.88</td><td>14.51</td><td>66.30</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>42.54</td><td>54.00</td><td>-11.46</td><td>58.45</td><td>35.88</td><td>14.51</td><td>66.30</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>12480.00</td><td>40.18</td><td>54.00</td><td>-13.82</td><td>48.25</td><td>39.10</td><td>18.80</td><td>65.97</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>5</td><td>12480.00</td><td>50.65</td><td>74.00</td><td>-23.35</td><td>58.72</td><td>39.10</td><td>18.80</td><td>65.97</td><td>0.00</td><td>300</td><td>360</td><td>Peak</td></tr><tr><td>6</td><td>17356.00</td><td>53.74</td><td>72.83</td><td>-19.09</td><td>54.83</td><td>41.20</td><td>22.49</td><td>64.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	41.16	74.00	-32.84	60.70	34.10	11.71	65.35	0.00	---	---	PEAK	2	7440.00	47.96	74.00	-26.04	63.87	35.88	14.51	66.30	0.00	300	360	PEAK	3	7440.00	42.54	54.00	-11.46	58.45	35.88	14.51	66.30	0.00	300	360	AVERAGE	4	12480.00	40.18	54.00	-13.82	48.25	39.10	18.80	65.97	0.00	300	360	AVERAGE	5	12480.00	50.65	74.00	-23.35	58.72	39.10	18.80	65.97	0.00	300	360	Peak	6	17356.00	53.74	72.83	-19.09	54.83	41.20	22.49	64.78	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																					
1	4960.00	41.38	74.00	-32.62	60.92	34.10	11.71	65.35	0.00	---	---	PEAK																																																																																																																																																																																																																																			
2	7440.00	54.48	74.00	-19.52	70.39	35.88	14.51	66.30	0.00	100	235	PEAK																																																																																																																																																																																																																																			
3	7440.00	50.17	54.00	-3.83	66.08	35.88	14.51	66.30	0.00	100	235	AVERAGE																																																																																																																																																																																																																																			
4	12480.00	50.36	74.00	-23.64	58.43	39.10	18.80	65.97	0.00	100	235	Peak																																																																																																																																																																																																																																			
5	12480.00	41.15	54.00	-12.85	49.22	39.10	18.80	65.97	0.00	100	235	Average																																																																																																																																																																																																																																			
6	17364.00	50.23	76.36	-26.13	51.31	41.20	22.49	64.77	0.00	---	---	PEAK																																																																																																																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																					
1	4960.00	41.16	74.00	-32.84	60.70	34.10	11.71	65.35	0.00	---	---	PEAK																																																																																																																																																																																																																																			
2	7440.00	47.96	74.00	-26.04	63.87	35.88	14.51	66.30	0.00	300	360	PEAK																																																																																																																																																																																																																																			
3	7440.00	42.54	54.00	-11.46	58.45	35.88	14.51	66.30	0.00	300	360	AVERAGE																																																																																																																																																																																																																																			
4	12480.00	40.18	54.00	-13.82	48.25	39.10	18.80	65.97	0.00	300	360	AVERAGE																																																																																																																																																																																																																																			
5	12480.00	50.65	74.00	-23.35	58.72	39.10	18.80	65.97	0.00	300	360	Peak																																																																																																																																																																																																																																			
6	17356.00	53.74	72.83	-19.09	54.83	41.20	22.49	64.78	0.00	---	---	PEAK																																																																																																																																																																																																																																			





Mode	19																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.43</td><td>53.48</td><td>74.00</td><td>-20.52</td><td>39.65</td><td>31.85</td><td>9.00</td><td>33.10</td><td>6.00</td><td>295</td><td>44</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.43	53.48	74.00	-20.52	39.65	31.85	9.00	33.10	6.00	295	44	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.07</td><td>-----</td><td>-----</td><td>83.19</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>295</td><td>44</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	97.07	-----	-----	83.19	31.81	9.15	33.08	6.00	295	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2376.43	53.48	74.00	-20.52	39.65	31.85	9.00	33.10	6.00	295	44	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	97.07	-----	-----	83.19	31.81	9.15	33.08	6.00	295	44	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.86</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>28.97</td><td>31.90</td><td>9.02</td><td>33.12</td><td>6.00</td><td>295</td><td>44</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2351.86	42.77	54.00	-11.23	28.97	31.90	9.02	33.12	6.00	295	44	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>96.08</td><td>-----</td><td>-----</td><td>82.20</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>295</td><td>44</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	96.08	-----	-----	82.20	31.81	9.15	33.08	6.00	295	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2351.86	42.77	54.00	-11.23	28.97	31.90	9.02	33.12	6.00	295	44	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	96.08	-----	-----	82.20	31.81	9.15	33.08	6.00	295	44	AVERAGE																																																																																																			







Mode	19																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.57</td><td>54.32</td><td>74.00</td><td>-19.68</td><td>40.48</td><td>31.83</td><td>9.11</td><td>33.10</td><td>6.00</td><td>102</td><td>148</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.57	54.32	74.00	-19.68	40.48	31.83	9.11	33.10	6.00	102	148	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>93.28</td><td>-----</td><td>-----</td><td>79.40</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>102</td><td>148</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	93.28	-----	-----	79.40	31.81	9.15	33.08	6.00	102	148
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2386.57	54.32	74.00	-19.68	40.48	31.83	9.11	33.10	6.00	102	148	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	93.28	-----	-----	79.40	31.81	9.15	33.08	6.00	102	148	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.01</td><td>42.75</td><td>54.00</td><td>-11.25</td><td>28.91</td><td>31.83</td><td>9.11</td><td>33.10</td><td>6.00</td><td>102</td><td>148</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.01	42.75	54.00	-11.25	28.91	31.83	9.11	33.10	6.00	102	148	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>92.45</td><td>-----</td><td>-----</td><td>78.57</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>102</td><td>148</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	92.45	-----	-----	78.57	31.81	9.15	33.08	6.00	102	148
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2385.01	42.75	54.00	-11.25	28.91	31.83	9.11	33.10	6.00	102	148	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	92.45	-----	-----	78.57	31.81	9.15	33.08	6.00	102	148	AVERAGE																																																																																																			





Mode	19																																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																																																																																																																														
ANT	1																																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4884.00</td><td>39.07</td><td>74.00</td><td>-34.93</td><td>57.59</td><td>34.01</td><td>11.39</td><td>63.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7207.00</td><td>52.74</td><td>74.60</td><td>-21.86</td><td>67.27</td><td>35.00</td><td>14.06</td><td>64.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>12010.00</td><td>52.22</td><td>74.00</td><td>-21.78</td><td>58.31</td><td>38.82</td><td>18.29</td><td>63.20</td><td>0.00</td><td>100</td><td>299</td><td>PEAK</td></tr><tr><td>4</td><td>12010.00</td><td>47.79</td><td>54.00</td><td>-6.21</td><td>53.88</td><td>38.82</td><td>18.29</td><td>63.20</td><td>0.00</td><td>100</td><td>299</td><td>AVERAGE</td></tr><tr><td>5</td><td>16816.00</td><td>50.06</td><td>74.60</td><td>-24.54</td><td>49.76</td><td>41.70</td><td>21.91</td><td>63.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4884.00	39.07	74.00	-34.93	57.59	34.01	11.39	63.92	0.00	---	---	PEAK	2	7207.00	52.74	74.60	-21.86	67.27	35.00	14.06	64.39	0.00	---	---	PEAK	3	12010.00	52.22	74.00	-21.78	58.31	38.82	18.29	63.20	0.00	100	299	PEAK	4	12010.00	47.79	54.00	-6.21	53.88	38.82	18.29	63.20	0.00	100	299	AVERAGE	5	16816.00	50.06	74.60	-24.54	49.76	41.70	21.91	63.31	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4884.00</td><td>38.93</td><td>74.00</td><td>-35.07</td><td>57.45</td><td>34.01</td><td>11.39</td><td>63.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7206.00</td><td>46.64</td><td>68.45</td><td>-21.81</td><td>61.17</td><td>35.00</td><td>14.06</td><td>64.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>12010.00</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>56.87</td><td>38.82</td><td>18.29</td><td>63.20</td><td>0.00</td><td>393</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>12010.00</td><td>45.06</td><td>54.00</td><td>-8.94</td><td>51.15</td><td>38.82</td><td>18.29</td><td>63.20</td><td>0.00</td><td>393</td><td>360</td><td>AVERAGE</td></tr><tr><td>5</td><td>16812.00</td><td>49.72</td><td>68.45</td><td>-18.73</td><td>49.42</td><td>41.70</td><td>21.91</td><td>63.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4884.00	38.93	74.00	-35.07	57.45	34.01	11.39	63.92	0.00	---	---	PEAK	2	7206.00	46.64	68.45	-21.81	61.17	35.00	14.06	64.39	0.00	---	---	PEAK	3	12010.00	50.78	74.00	-23.22	56.87	38.82	18.29	63.20	0.00	393	360	PEAK	4	12010.00	45.06	54.00	-8.94	51.15	38.82	18.29	63.20	0.00	393	360	AVERAGE	5	16812.00	49.72	68.45	-18.73	49.42	41.70	21.91	63.31	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																					
1	4884.00	39.07	74.00	-34.93	57.59	34.01	11.39	63.92	0.00	---	---	PEAK																																																																																																																																																																																																			
2	7207.00	52.74	74.60	-21.86	67.27	35.00	14.06	64.39	0.00	---	---	PEAK																																																																																																																																																																																																			
3	12010.00	52.22	74.00	-21.78	58.31	38.82	18.29	63.20	0.00	100	299	PEAK																																																																																																																																																																																																			
4	12010.00	47.79	54.00	-6.21	53.88	38.82	18.29	63.20	0.00	100	299	AVERAGE																																																																																																																																																																																																			
5	16816.00	50.06	74.60	-24.54	49.76	41.70	21.91	63.31	0.00	---	---	PEAK																																																																																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																					
1	4884.00	38.93	74.00	-35.07	57.45	34.01	11.39	63.92	0.00	---	---	PEAK																																																																																																																																																																																																			
2	7206.00	46.64	68.45	-21.81	61.17	35.00	14.06	64.39	0.00	---	---	PEAK																																																																																																																																																																																																			
3	12010.00	50.78	74.00	-23.22	56.87	38.82	18.29	63.20	0.00	393	360	PEAK																																																																																																																																																																																																			
4	12010.00	45.06	54.00	-8.94	51.15	38.82	18.29	63.20	0.00	393	360	AVERAGE																																																																																																																																																																																																			
5	16812.00	49.72	68.45	-18.73	49.42	41.70	21.91	63.31	0.00	---	---	PEAK																																																																																																																																																																																																			







Mode	20																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2369.41</td><td>53.61</td><td>74.00</td><td>-20.39</td><td>39.77</td><td>31.84</td><td>9.10</td><td>33.10</td><td>6.00</td><td>106</td><td>229</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2369.41	53.61	74.00	-20.39	39.77	31.84	9.10	33.10	6.00	106	229	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>98.78</td><td>-----</td><td>-----</td><td>84.60</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>106</td><td>229</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	98.78	-----	-----	84.60	31.96	9.19	32.97	6.00	106	229
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2369.41	53.61	74.00	-20.39	39.77	31.84	9.10	33.10	6.00	106	229	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	98.78	-----	-----	84.60	31.96	9.19	32.97	6.00	106	229	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2369.41</td><td>42.82</td><td>54.00</td><td>-11.18</td><td>29.01</td><td>31.86</td><td>9.06</td><td>33.11</td><td>6.00</td><td>106</td><td>229</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2369.41	42.82	54.00	-11.18	29.01	31.86	9.06	33.11	6.00	106	229	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>97.91</td><td>-----</td><td>-----</td><td>83.73</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>106</td><td>229</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	97.91	-----	-----	83.73	31.96	9.19	32.97	6.00	106	229
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2369.41	42.82	54.00	-11.18	29.01	31.86	9.06	33.11	6.00	106	229	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	97.91	-----	-----	83.73	31.96	9.19	32.97	6.00	106	229	AVERAGE																																																																																							



Mode	20																																																																
	Band Edge - R																																																																
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																
ANT	1																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2499.10</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>39.08</td><td>32.20</td><td>9.24</td><td>32.80</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6.00</td><td>106</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>229</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2499.10	53.72	74.00	-20.28	39.08	32.20	9.24	32.80								6.00	106									229									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	2499.10	53.72	74.00	-20.28	39.08	32.20	9.24	32.80																																																									
							6.00	106																																																									
								229																																																									
								PEAK																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2499.64</td><td>43.54</td><td>54.00</td><td>-10.46</td><td>28.90</td><td>32.20</td><td>9.24</td><td>32.80</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6.00</td><td>106</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>229</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2499.64	43.54	54.00	-10.46	28.90	32.20	9.24	32.80								6.00	106									229									AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	2499.64	43.54	54.00	-10.46	28.90	32.20	9.24	32.80																																																									
							6.00	106																																																									
								229																																																									
								AVERAGE																																																									





Mode	20																																																																																																														
	Band Edge - L																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2373.18</td><td>53.53</td><td>74.00</td><td>-20.47</td><td>39.72</td><td>31.85</td><td>9.07</td><td>33.11</td><td>6.00</td><td>353</td><td>169</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2373.18	53.53	74.00	-20.47	39.72	31.85	9.07	33.11	6.00	353	169	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>96.67</td><td>-----</td><td>-----</td><td>82.49</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>353</td><td>169</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	96.67	-----	-----	82.49	31.96	9.19	32.97	6.00	353	169
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2373.18	53.53	74.00	-20.47	39.72	31.85	9.07	33.11	6.00	353	169	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2440.00	96.67	-----	-----	82.49	31.96	9.19	32.97	6.00	353	169	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.62</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>29.07</td><td>31.83</td><td>9.11</td><td>33.10</td><td>6.00</td><td>353</td><td>169</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.62	42.91	54.00	-11.09	29.07	31.83	9.11	33.10	6.00	353	169	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>95.81</td><td>-----</td><td>-----</td><td>81.63</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>353</td><td>169</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	95.81	-----	-----	81.63	31.96	9.19	32.97	6.00	353	169
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2384.62	42.91	54.00	-11.09	29.07	31.83	9.11	33.10	6.00	353	169	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2440.00	95.81	-----	-----	81.63	31.96	9.19	32.97	6.00	353	169	AVERAGE																																																																																																			







Mode	20																																																							
	Band Edge - R																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.52</td><td>54.27</td><td>74.00</td><td>-19.73</td><td>39.74</td><td>32.14</td><td>9.23</td><td>32.84</td><td>6.00</td><td>353</td><td>169</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.52	54.27	74.00	-19.73	39.74	32.14	9.23	32.84	6.00	353	169	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.52	54.27	74.00	-19.73	39.74	32.14	9.23	32.84	6.00	353	169	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.36</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>28.80</td><td>32.17</td><td>9.24</td><td>32.82</td><td>6.00</td><td>353</td><td>169</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.36	43.39	54.00	-10.61	28.80	32.17	9.24	32.82	6.00	353	169	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2491.36	43.39	54.00	-10.61	28.80	32.17	9.24	32.82	6.00	353	169	AVERAGE																																												







Mode	20																																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																																																																																																																														
ANT	1																																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.04</td><td>74.00</td><td>-32.96</td><td>60.58</td><td>34.10</td><td>11.64</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>54.68</td><td>74.00</td><td>-19.32</td><td>70.49</td><td>35.90</td><td>14.37</td><td>66.08</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>3</td><td>7320.00</td><td>50.87</td><td>54.00</td><td>-3.13</td><td>66.68</td><td>35.90</td><td>14.37</td><td>66.08</td><td>0.00</td><td>100</td><td>237</td><td>AVERAGE</td></tr><tr><td>4</td><td>12200.00</td><td>54.59</td><td>74.00</td><td>-19.41</td><td>62.98</td><td>39.10</td><td>18.63</td><td>66.12</td><td>0.00</td><td>103</td><td>236</td><td>PEAK</td></tr><tr><td>5</td><td>12200.00</td><td>49.66</td><td>54.00</td><td>-4.34</td><td>58.05</td><td>39.10</td><td>18.63</td><td>66.12</td><td>0.00</td><td>103</td><td>236</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	41.04	74.00	-32.96	60.58	34.10	11.64	65.28	0.00	---	---	PEAK	2	7320.00	54.68	74.00	-19.32	70.49	35.90	14.37	66.08	0.00	100	237	PEAK	3	7320.00	50.87	54.00	-3.13	66.68	35.90	14.37	66.08	0.00	100	237	AVERAGE	4	12200.00	54.59	74.00	-19.41	62.98	39.10	18.63	66.12	0.00	103	236	PEAK	5	12200.00	49.66	54.00	-4.34	58.05	39.10	18.63	66.12	0.00	103	236	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.09</td><td>74.00</td><td>-32.91</td><td>60.63</td><td>34.10</td><td>11.64</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>49.63</td><td>74.00</td><td>-24.37</td><td>65.44</td><td>35.90</td><td>14.37</td><td>66.08</td><td>0.00</td><td>351</td><td>164</td><td>PEAK</td></tr><tr><td>3</td><td>7320.00</td><td>44.12</td><td>54.00</td><td>-9.88</td><td>59.93</td><td>35.90</td><td>14.37</td><td>66.08</td><td>0.00</td><td>351</td><td>164</td><td>AVERAGE</td></tr><tr><td>4</td><td>12200.00</td><td>51.65</td><td>74.00</td><td>-22.35</td><td>60.04</td><td>39.10</td><td>18.63</td><td>66.12</td><td>0.00</td><td>393</td><td>267</td><td>PEAK</td></tr><tr><td>5</td><td>12200.00</td><td>46.08</td><td>54.00</td><td>-7.92</td><td>54.47</td><td>39.10</td><td>18.63</td><td>66.12</td><td>0.00</td><td>393</td><td>267</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	41.09	74.00	-32.91	60.63	34.10	11.64	65.28	0.00	---	---	PEAK	2	7320.00	49.63	74.00	-24.37	65.44	35.90	14.37	66.08	0.00	351	164	PEAK	3	7320.00	44.12	54.00	-9.88	59.93	35.90	14.37	66.08	0.00	351	164	AVERAGE	4	12200.00	51.65	74.00	-22.35	60.04	39.10	18.63	66.12	0.00	393	267	PEAK	5	12200.00	46.08	54.00	-7.92	54.47	39.10	18.63	66.12	0.00	393	267
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																					
1	4880.00	41.04	74.00	-32.96	60.58	34.10	11.64	65.28	0.00	---	---	PEAK																																																																																																																																																																																																			
2	7320.00	54.68	74.00	-19.32	70.49	35.90	14.37	66.08	0.00	100	237	PEAK																																																																																																																																																																																																			
3	7320.00	50.87	54.00	-3.13	66.68	35.90	14.37	66.08	0.00	100	237	AVERAGE																																																																																																																																																																																																			
4	12200.00	54.59	74.00	-19.41	62.98	39.10	18.63	66.12	0.00	103	236	PEAK																																																																																																																																																																																																			
5	12200.00	49.66	54.00	-4.34	58.05	39.10	18.63	66.12	0.00	103	236	AVERAGE																																																																																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																					
1	4880.00	41.09	74.00	-32.91	60.63	34.10	11.64	65.28	0.00	---	---	PEAK																																																																																																																																																																																																			
2	7320.00	49.63	74.00	-24.37	65.44	35.90	14.37	66.08	0.00	351	164	PEAK																																																																																																																																																																																																			
3	7320.00	44.12	54.00	-9.88	59.93	35.90	14.37	66.08	0.00	351	164	AVERAGE																																																																																																																																																																																																			
4	12200.00	51.65	74.00	-22.35	60.04	39.10	18.63	66.12	0.00	393	267	PEAK																																																																																																																																																																																																			
5	12200.00	46.08	54.00	-7.92	54.47	39.10	18.63	66.12	0.00	393	267	AVERAGE																																																																																																																																																																																																			





Mode	21																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.46</td><td>55.93</td><td>74.00</td><td>-18.07</td><td>42.98</td><td>32.30</td><td>7.06</td><td>32.33</td><td>5.92</td><td>100</td><td>25 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.46	55.93	74.00	-18.07	42.98	32.30	7.06	32.33	5.92	100	25 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.60</td><td>-----</td><td>-----</td><td>85.67</td><td>32.30</td><td>7.04</td><td>32.33</td><td>5.92</td><td>100</td><td>25 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.60	-----	-----	85.67	32.30	7.04	32.33	5.92	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2499.46	55.93	74.00	-18.07	42.98	32.30	7.06	32.33	5.92	100	25 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	98.60	-----	-----	85.67	32.30	7.04	32.33	5.92	100	25 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.06</td><td>45.41</td><td>54.00</td><td>-8.59</td><td>32.47</td><td>32.30</td><td>7.05</td><td>32.33</td><td>5.92</td><td>100</td><td>25 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.06	45.41	54.00	-8.59	32.47	32.30	7.05	32.33	5.92	100	25 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.72</td><td>-----</td><td>-----</td><td>84.79</td><td>32.30</td><td>7.04</td><td>32.33</td><td>5.92</td><td>100</td><td>25 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.72	-----	-----	84.79	32.30	7.04	32.33	5.92	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2491.06	45.41	54.00	-8.59	32.47	32.30	7.05	32.33	5.92	100	25 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	97.72	-----	-----	84.79	32.30	7.04	32.33	5.92	100	25 AVERAGE																																																																																										



Mode	21																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.84</td><td>55.81</td><td>74.00</td><td>-18.19</td><td>42.86</td><td>32.30</td><td>7.06</td><td>32.33</td><td>5.92</td><td>354</td><td>282 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.84	55.81	74.00	-18.19	42.86	32.30	7.06	32.33	5.92	354	282 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.33</td><td>-----</td><td>-----</td><td>79.40</td><td>32.30</td><td>7.04</td><td>32.33</td><td>5.92</td><td>354</td><td>282 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.33	-----	-----	79.40	32.30	7.04	32.33	5.92	354
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2497.84	55.81	74.00	-18.19	42.86	32.30	7.06	32.33	5.92	354	282 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	92.33	-----	-----	79.40	32.30	7.04	32.33	5.92	354	282 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.16</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>32.17</td><td>32.30</td><td>7.05</td><td>32.33</td><td>5.92</td><td>354</td><td>282 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.16	45.11	54.00	-8.89	32.17	32.30	7.05	32.33	5.92	354	282 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>91.47</td><td>-----</td><td>-----</td><td>78.54</td><td>32.30</td><td>7.04</td><td>32.33</td><td>5.92</td><td>354</td><td>282 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	91.47	-----	-----	78.54	32.30	7.04	32.33	5.92	354
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2487.16	45.11	54.00	-8.89	32.17	32.30	7.05	32.33	5.92	354	282 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	91.47	-----	-----	78.54	32.30	7.04	32.33	5.92	354	282 AVERAGE																																																																																									







Mode	21																																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																																																																														
ANT	1																																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>43.18</td><td>74.00</td><td>-30.82</td><td>62.72</td><td>34.10</td><td>11.71</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>52.82</td><td>74.00</td><td>-21.18</td><td>68.73</td><td>35.88</td><td>14.51</td><td>66.30</td><td>0.00</td><td>100</td><td>308</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>48.87</td><td>54.00</td><td>-5.13</td><td>64.78</td><td>35.88</td><td>14.51</td><td>66.30</td><td>0.00</td><td>100</td><td>308</td><td>AVERAGE</td></tr><tr><td>4</td><td>12400.00</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>62.09</td><td>39.10</td><td>18.80</td><td>65.97</td><td>0.00</td><td>100</td><td>317</td><td>PEAK</td></tr><tr><td>5</td><td>12400.00</td><td>48.68</td><td>54.00</td><td>-5.32</td><td>56.75</td><td>39.10</td><td>18.80</td><td>65.97</td><td>0.00</td><td>100</td><td>317</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	43.18	74.00	-30.82	62.72	34.10	11.71	65.35	0.00	---	---	PEAK	2	7440.00	52.82	74.00	-21.18	68.73	35.88	14.51	66.30	0.00	100	308	PEAK	3	7440.00	48.87	54.00	-5.13	64.78	35.88	14.51	66.30	0.00	100	308	AVERAGE	4	12400.00	54.02	74.00	-19.98	62.09	39.10	18.80	65.97	0.00	100	317	PEAK	5	12400.00	48.68	54.00	-5.32	56.75	39.10	18.80	65.97	0.00	100	317	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.46</td><td>74.00</td><td>-33.54</td><td>60.00</td><td>34.10</td><td>11.71</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>68.52</td><td>35.88</td><td>14.51</td><td>66.30</td><td>0.00</td><td>384</td><td>293</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>48.38</td><td>54.00</td><td>-5.62</td><td>64.29</td><td>35.88</td><td>14.51</td><td>66.30</td><td>0.00</td><td>384</td><td>293</td><td>AVERAGE</td></tr><tr><td>4</td><td>12400.00</td><td>50.57</td><td>74.00</td><td>-23.43</td><td>58.64</td><td>39.10</td><td>18.80</td><td>65.97</td><td>0.00</td><td>384</td><td>293</td><td>PEAK</td></tr><tr><td>5</td><td>12400.00</td><td>43.83</td><td>54.00</td><td>-10.17</td><td>51.90</td><td>39.10</td><td>18.80</td><td>65.97</td><td>0.00</td><td>384</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.46	74.00	-33.54	60.00	34.10	11.71	65.35	0.00	---	---	PEAK	2	7440.00	52.61	74.00	-21.39	68.52	35.88	14.51	66.30	0.00	384	293	PEAK	3	7440.00	48.38	54.00	-5.62	64.29	35.88	14.51	66.30	0.00	384	293	AVERAGE	4	12400.00	50.57	74.00	-23.43	58.64	39.10	18.80	65.97	0.00	384	293	PEAK	5	12400.00	43.83	54.00	-10.17	51.90	39.10	18.80	65.97	0.00	384	293
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																					
1	4960.00	43.18	74.00	-30.82	62.72	34.10	11.71	65.35	0.00	---	---	PEAK																																																																																																																																																																																																			
2	7440.00	52.82	74.00	-21.18	68.73	35.88	14.51	66.30	0.00	100	308	PEAK																																																																																																																																																																																																			
3	7440.00	48.87	54.00	-5.13	64.78	35.88	14.51	66.30	0.00	100	308	AVERAGE																																																																																																																																																																																																			
4	12400.00	54.02	74.00	-19.98	62.09	39.10	18.80	65.97	0.00	100	317	PEAK																																																																																																																																																																																																			
5	12400.00	48.68	54.00	-5.32	56.75	39.10	18.80	65.97	0.00	100	317	AVERAGE																																																																																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																					
1	4960.00	40.46	74.00	-33.54	60.00	34.10	11.71	65.35	0.00	---	---	PEAK																																																																																																																																																																																																			
2	7440.00	52.61	74.00	-21.39	68.52	35.88	14.51	66.30	0.00	384	293	PEAK																																																																																																																																																																																																			
3	7440.00	48.38	54.00	-5.62	64.29	35.88	14.51	66.30	0.00	384	293	AVERAGE																																																																																																																																																																																																			
4	12400.00	50.57	74.00	-23.43	58.64	39.10	18.80	65.97	0.00	384	293	PEAK																																																																																																																																																																																																			
5	12400.00	43.83	54.00	-10.17	51.90	39.10	18.80	65.97	0.00	384	293	AVERAGE																																																																																																																																																																																																			





Mode	22																																																						
	Band Edge																																																						
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2355.24</td><td>54.54</td><td>74.00</td><td>-19.46</td><td>40.75</td><td>31.89</td><td>9.02</td><td>33.12</td><td>6.00</td><td>296</td><td>44</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2355.24	54.54	74.00	-19.46	40.75	31.89	9.02	33.12	6.00	296	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2355.24	54.54	74.00	-19.46	40.75	31.89	9.02	33.12	6.00	296	44	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.15</td><td>-----</td><td>-----</td><td>83.27</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>296</td><td>44</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	97.15	-----	-----	83.27	31.81	9.15	33.08	6.00	296	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	97.15	-----	-----	83.27	31.81	9.15	33.08	6.00	296	44	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2360.31</td><td>43.53</td><td>74.00</td><td>-10.47</td><td>29.72</td><td>31.88</td><td>9.04</td><td>33.11</td><td>6.00</td><td>296</td><td>44</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2360.31	43.53	74.00	-10.47	29.72	31.88	9.04	33.11	6.00	296	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2360.31	43.53	74.00	-10.47	29.72	31.88	9.04	33.11	6.00	296	44	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>95.06</td><td>-----</td><td>-----</td><td>81.18</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>296</td><td>44</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	95.06	-----	-----	81.18	31.81	9.15	33.08	6.00	296	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	95.06	-----	-----	81.18	31.81	9.15	33.08	6.00	296	44	AVERAGE																																											







		22																																																																																																																	
Mode		Band Edge																																																																																																																	
		2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																																	
ANT		1																																																																																																																	
Pol.		Vertical						Fundamental																																																																																																											
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2331.97</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>40.28</td><td>31.90</td><td>8.96</td><td>33.13</td><td>6.00</td><td>103</td><td>147</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2331.97	54.01	74.00	-19.99	40.28	31.90	8.96	33.13	6.00	103	147	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>93.52</td><td>-----</td><td>-----</td><td>79.64</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>103</td><td>147</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	93.52	-----	-----	79.64	31.81	9.15	33.08	6.00	103	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2331.97	54.01	74.00	-19.99	40.28	31.90	8.96	33.13	6.00	103	147	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2402.00	93.52	-----	-----	79.64	31.81	9.15	33.08	6.00	103	147	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2372.40</td><td>43.64</td><td>54.00</td><td>-10.36</td><td>29.82</td><td>31.86</td><td>9.07</td><td>33.11</td><td>6.00</td><td>103</td><td>147</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2372.40	43.64	54.00	-10.36	29.82	31.86	9.07	33.11	6.00	103	147	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>91.36</td><td>-----</td><td>-----</td><td>77.48</td><td>31.81</td><td>9.15</td><td>33.08</td><td>6.00</td><td>103</td><td>147</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	91.36	-----	-----	77.48	31.81	9.15	33.08	6.00	103	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2372.40	43.64	54.00	-10.36	29.82	31.86	9.07	33.11	6.00	103	147	AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2402.00	91.36	-----	-----	77.48	31.81	9.15	33.08	6.00	103	147	AVERAGE																																																																																																							



Mode	22																																																																																											
	Harmonic																																																																																											
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal																																																																																											
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>61.69</td><td>34.20</td><td>9.62</td><td>65.77</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7204.50</td><td>51.39</td><td>72.15</td><td>-20.76</td><td>70.13</td><td>35.71</td><td>11.86</td><td>66.31</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>12010.00</td><td>54.16</td><td>74.00</td><td>-19.84</td><td>65.42</td><td>39.01</td><td>15.51</td><td>65.78</td><td>0.00</td><td>100</td><td>298 PEAK</td></tr><tr><td>4</td><td>12010.00</td><td>48.51</td><td>54.00</td><td>-5.49</td><td>59.79</td><td>39.01</td><td>15.50</td><td>65.79</td><td>0.00</td><td>100</td><td>298 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.74	74.00	-34.26	61.69	34.20	9.62	65.77	0.00	---	PEAK	2	7204.50	51.39	72.15	-20.76	70.13	35.71	11.86	66.31	0.00	---	PEAK	3	12010.00	54.16	74.00	-19.84	65.42	39.01	15.51	65.78	0.00	100	298 PEAK	4	12010.00	48.51	54.00	-5.49	59.79	39.01	15.50	65.79	0.00	100	298 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4804.00	39.74	74.00	-34.26	61.69	34.20	9.62	65.77	0.00	---	PEAK																																																																																	
2	7204.50	51.39	72.15	-20.76	70.13	35.71	11.86	66.31	0.00	---	PEAK																																																																																	
3	12010.00	54.16	74.00	-19.84	65.42	39.01	15.51	65.78	0.00	100	298 PEAK																																																																																	
4	12010.00	48.51	54.00	-5.49	59.79	39.01	15.50	65.79	0.00	100	298 AVERAGE																																																																																	
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.56</td><td>74.00</td><td>-33.44</td><td>62.51</td><td>34.20</td><td>9.62</td><td>65.77</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7204.50</td><td>48.24</td><td>67.16</td><td>-18.92</td><td>66.98</td><td>35.71</td><td>11.86</td><td>66.31</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>12010.00</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>63.83</td><td>39.01</td><td>15.51</td><td>65.78</td><td>0.00</td><td>326</td><td>337 PEAK</td></tr><tr><td>4</td><td>12010.00</td><td>46.61</td><td>54.00</td><td>-7.39</td><td>57.89</td><td>39.01</td><td>15.50</td><td>65.79</td><td>0.00</td><td>326</td><td>337 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.56	74.00	-33.44	62.51	34.20	9.62	65.77	0.00	---	PEAK	2	7204.50	48.24	67.16	-18.92	66.98	35.71	11.86	66.31	0.00	---	PEAK	3	12010.00	52.57	74.00	-21.43	63.83	39.01	15.51	65.78	0.00	326	337 PEAK	4	12010.00	46.61	54.00	-7.39	57.89	39.01	15.50	65.79	0.00	326	337 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4804.00	40.56	74.00	-33.44	62.51	34.20	9.62	65.77	0.00	---	PEAK																																																																																	
2	7204.50	48.24	67.16	-18.92	66.98	35.71	11.86	66.31	0.00	---	PEAK																																																																																	
3	12010.00	52.57	74.00	-21.43	63.83	39.01	15.51	65.78	0.00	326	337 PEAK																																																																																	
4	12010.00	46.61	54.00	-7.39	57.89	39.01	15.50	65.79	0.00	326	337 AVERAGE																																																																																	







Mode	23																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2373.96</td><td>53.89</td><td>74.00</td><td>-20.11</td><td>40.07</td><td>31.85</td><td>9.00</td><td>33.11</td><td>6.00</td><td>106</td><td>229</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2373.96	53.89	74.00	-20.11	40.07	31.85	9.00	33.11	6.00	106	229	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>99.08</td><td>-----</td><td>-----</td><td>84.90</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>106</td><td>229</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	99.08	-----	-----	84.90	31.96	9.19	32.97	6.00	106	229
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2373.96	53.89	74.00	-20.11	40.07	31.85	9.00	33.11	6.00	106	229	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	99.08	-----	-----	84.90	31.96	9.19	32.97	6.00	106	229	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.09</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>29.72</td><td>31.83</td><td>9.11</td><td>33.10</td><td>6.00</td><td>106</td><td>229</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.09	43.56	54.00	-10.44	29.72	31.83	9.11	33.10	6.00	106	229	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>96.94</td><td>-----</td><td>-----</td><td>82.76</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>106</td><td>229</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	96.94	-----	-----	82.76	31.96	9.19	32.97	6.00	106	229
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.09	43.56	54.00	-10.44	29.72	31.83	9.11	33.10	6.00	106	229	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	96.94	-----	-----	82.76	31.96	9.19	32.97	6.00	106	229	AVERAGE																																																																																							



Mode	23																																																																
	Band Edge - R																																																																
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																
ANT	1																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2499.88</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>39.92</td><td>32.20</td><td>9.24</td><td>32.80</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6.00</td><td>106</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>229</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2499.88	54.56	74.00	-19.44	39.92	32.20	9.24	32.80								6.00	106									229									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	2499.88	54.56	74.00	-19.44	39.92	32.20	9.24	32.80																																																									
							6.00	106																																																									
								229																																																									
								PEAK																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2494.84</td><td>44.26</td><td>54.00</td><td>-9.74</td><td>29.65</td><td>32.18</td><td>9.24</td><td>32.81</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6.00</td><td>106</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>229</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2494.84	44.26	54.00	-9.74	29.65	32.18	9.24	32.81								6.00	106									229									AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	2494.84	44.26	54.00	-9.74	29.65	32.18	9.24	32.81																																																									
							6.00	106																																																									
								229																																																									
								AVERAGE																																																									





Mode	23																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2320.27</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>39.71</td><td>31.90</td><td>8.93</td><td>33.14</td><td>6.00</td><td>182</td><td>148</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2320.27	53.40	74.00	-20.60	39.71	31.90	8.93	33.14	6.00	182	148	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>94.48</td><td>-----</td><td>-----</td><td>80.30</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>182</td><td>148</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	94.48	-----	-----	80.30	31.96	9.19	32.97	6.00	182	148
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2320.27	53.40	74.00	-20.60	39.71	31.90	8.93	33.14	6.00	182	148	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	94.48	-----	-----	80.30	31.96	9.19	32.97	6.00	182	148	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2372.79</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>29.71</td><td>31.85</td><td>9.07</td><td>33.11</td><td>6.00</td><td>182</td><td>148</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2372.79	43.52	54.00	-10.48	29.71	31.85	9.07	33.11	6.00	182	148	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>92.32</td><td>-----</td><td>-----</td><td>78.14</td><td>31.96</td><td>9.19</td><td>32.97</td><td>6.00</td><td>182</td><td>148</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	92.32	-----	-----	78.14	31.96	9.19	32.97	6.00	182	148
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2372.79	43.52	54.00	-10.48	29.71	31.85	9.07	33.11	6.00	182	148	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	92.32	-----	-----	78.14	31.96	9.19	32.97	6.00	182	148	AVERAGE																																																																																							







Mode	23																																																						
	Band Edge - R																																																						
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.06</td><td>55.06</td><td>74.00</td><td>-18.94</td><td>40.53</td><td>32.14</td><td>9.23</td><td>32.84</td><td>6.00</td><td>182</td><td>148</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.06	55.06	74.00	-18.94	40.53	32.14	9.23	32.84	6.00	182	148	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2485.06	55.06	74.00	-18.94	40.53	32.14	9.23	32.84	6.00	182	148	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.38</td><td>44.05</td><td>54.00</td><td>-9.95</td><td>29.44</td><td>32.18</td><td>9.24</td><td>32.81</td><td>6.00</td><td>182</td><td>148</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.38	44.05	54.00	-9.95	29.44	32.18	9.24	32.81	6.00	182	148	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2495.38	44.05	54.00	-9.95	29.44	32.18	9.24	32.81	6.00	182	148	AVERAGE																																											







Mode	23																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																					
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																																																																																																					
ANT	1																																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																																															
Peak Avg																																																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>42.08</td><td>74.00</td><td>-31.92</td><td>61.62</td><td>34.10</td><td>11.64</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>52.19</td><td>74.00</td><td>-21.81</td><td>68.00</td><td>35.90</td><td>14.37</td><td>66.08</td><td>0.00</td><td>100</td><td>310</td><td>PEAK</td></tr><tr><td>3</td><td>7320.00</td><td>47.78</td><td>54.00</td><td>-6.22</td><td>63.59</td><td>35.90</td><td>14.37</td><td>66.08</td><td>0.00</td><td>100</td><td>310</td><td>AVERAGE</td></tr><tr><td>4</td><td>12200.00</td><td>53.97</td><td>74.00</td><td>-20.03</td><td>62.36</td><td>39.10</td><td>18.63</td><td>66.12</td><td>0.00</td><td>100</td><td>310</td><td>PEAK</td></tr><tr><td>5</td><td>12200.00</td><td>47.95</td><td>54.00</td><td>-6.05</td><td>56.35</td><td>39.10</td><td>18.63</td><td>66.13</td><td>0.00</td><td>100</td><td>310</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.08	74.00	-31.92	61.62	34.10	11.64	65.28	0.00	---	---	PEAK	2	7320.00	52.19	74.00	-21.81	68.00	35.90	14.37	66.08	0.00	100	310	PEAK	3	7320.00	47.78	54.00	-6.22	63.59	35.90	14.37	66.08	0.00	100	310	AVERAGE	4	12200.00	53.97	74.00	-20.03	62.36	39.10	18.63	66.12	0.00	100	310	PEAK	5	12200.00	47.95	54.00	-6.05	56.35	39.10	18.63	66.13	0.00	100	310	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>40.89</td><td>74.00</td><td>-33.11</td><td>60.43</td><td>34.10</td><td>11.64</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>61.83</td><td>35.90</td><td>14.37</td><td>66.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>12200.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>54.85</td><td>39.10</td><td>18.63</td><td>66.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	40.89	74.00	-33.11	60.43	34.10	11.64	65.28	0.00	---	---	PEAK	2	7320.00	46.02	74.00	-27.98	61.83	35.90	14.37	66.08	0.00	---	---	PEAK	3	12200.00	46.46	74.00	-27.54	54.85	39.10	18.63	66.12	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																												
1	4880.00	42.08	74.00	-31.92	61.62	34.10	11.64	65.28	0.00	---	---	PEAK																																																																																																																																																																										
2	7320.00	52.19	74.00	-21.81	68.00	35.90	14.37	66.08	0.00	100	310	PEAK																																																																																																																																																																										
3	7320.00	47.78	54.00	-6.22	63.59	35.90	14.37	66.08	0.00	100	310	AVERAGE																																																																																																																																																																										
4	12200.00	53.97	74.00	-20.03	62.36	39.10	18.63	66.12	0.00	100	310	PEAK																																																																																																																																																																										
5	12200.00	47.95	54.00	-6.05	56.35	39.10	18.63	66.13	0.00	100	310	AVERAGE																																																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																											
1	4880.00	40.89	74.00	-33.11	60.43	34.10	11.64	65.28	0.00	---	---	PEAK																																																																																																																																																																										
2	7320.00	46.02	74.00	-27.98	61.83	35.90	14.37	66.08	0.00	---	---	PEAK																																																																																																																																																																										
3	12200.00	46.46	74.00	-27.54	54.85	39.10	18.63	66.12	0.00	---	---	PEAK																																																																																																																																																																										





Mode	24																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.74</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>39.81</td><td>32.19</td><td>9.24</td><td>32.80</td><td>6.00</td><td>132</td><td>223</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.74	54.44	74.00	-19.56	39.81	32.19	9.24	32.80	6.00	132	223	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.23</td><td>-----</td><td>-----</td><td>84.74</td><td>32.12</td><td>9.23</td><td>32.86</td><td>6.00</td><td>132</td><td>223</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.23	-----	-----	84.74	32.12	9.23	32.86	6.00	132	223
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2498.74	54.44	74.00	-19.56	39.81	32.19	9.24	32.80	6.00	132	223	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	99.23	-----	-----	84.74	32.12	9.23	32.86	6.00	132	223	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>44.29</td><td>54.00</td><td>-9.71</td><td>29.77</td><td>32.13</td><td>9.23</td><td>32.84</td><td>6.00</td><td>132</td><td>223</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	44.29	54.00	-9.71	29.77	32.13	9.23	32.84	6.00	132	223	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.96</td><td>-----</td><td>-----</td><td>82.47</td><td>32.12</td><td>9.23</td><td>32.86</td><td>6.00</td><td>132</td><td>223</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.96	-----	-----	82.47	32.12	9.23	32.86	6.00	132	223
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.68	44.29	54.00	-9.71	29.77	32.13	9.23	32.84	6.00	132	223	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	96.96	-----	-----	82.47	32.12	9.23	32.86	6.00	132	223	AVERAGE																																																																																																			





Mode	24																																																																																																												
	Band Edge																																																																																																												
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.76</td><td>54.07</td><td>74.00</td><td>-19.93</td><td>39.52</td><td>32.15</td><td>9.23</td><td>32.83</td><td>6.00</td><td>112</td><td>0 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.76	54.07	74.00	-19.93	39.52	32.15	9.23	32.83	6.00	112	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>94.06</td><td>-----</td><td>-----</td><td>79.57</td><td>32.12</td><td>9.23</td><td>32.86</td><td>6.00</td><td>112</td><td>0 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.06	-----	-----	79.57	32.12	9.23	32.86	6.00	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2487.76	54.07	74.00	-19.93	39.52	32.15	9.23	32.83	6.00	112	0 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2480.00	94.06	-----	-----	79.57	32.12	9.23	32.86	6.00	112	0 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2496.64</td><td>43.88</td><td>54.00</td><td>-10.12</td><td>29.26</td><td>32.19</td><td>9.24</td><td>32.81</td><td>6.00</td><td>112</td><td>0 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.64	43.88	54.00	-10.12	29.26	32.19	9.24	32.81	6.00	112	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>91.97</td><td>-----</td><td>-----</td><td>77.48</td><td>32.12</td><td>9.23</td><td>32.86</td><td>6.00</td><td>112</td><td>0 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	91.97	-----	-----	77.48	32.12	9.23	32.86	6.00	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2496.64	43.88	54.00	-10.12	29.26	32.19	9.24	32.81	6.00	112	0 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2480.00	91.97	-----	-----	77.48	32.12	9.23	32.86	6.00	112	0 AVERAGE																																																																																																		





Mode	24																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																		
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																																																																		
ANT	1																																																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																																																												
Peak Avg																																																																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.10</td><td>74.00</td><td>-32.90</td><td>60.64</td><td>34.10</td><td>11.71</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>54.64</td><td>74.00</td><td>-19.36</td><td>70.55</td><td>35.88</td><td>14.51</td><td>66.30</td><td>0.00</td><td>100</td><td>213</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>50.16</td><td>54.00</td><td>-3.84</td><td>66.07</td><td>35.88</td><td>14.51</td><td>66.30</td><td>0.00</td><td>100</td><td>213</td><td>AVERAGE</td></tr><tr><td>4</td><td>12400.00</td><td>53.25</td><td>74.00</td><td>-20.75</td><td>61.32</td><td>39.10</td><td>18.80</td><td>65.97</td><td>0.00</td><td>100</td><td>213</td><td>PEAK</td></tr><tr><td>5</td><td>12400.00</td><td>47.19</td><td>54.00</td><td>-6.81</td><td>55.26</td><td>39.10</td><td>18.80</td><td>65.97</td><td>0.00</td><td>100</td><td>213</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.10	74.00	-32.90	60.64	34.10	11.71	65.35	0.00	---	---	PEAK	2	7440.00	54.64	74.00	-19.36	70.55	35.88	14.51	66.30	0.00	100	213	PEAK	3	7440.00	50.16	54.00	-3.84	66.07	35.88	14.51	66.30	0.00	100	213	AVERAGE	4	12400.00	53.25	74.00	-20.75	61.32	39.10	18.80	65.97	0.00	100	213	PEAK	5	12400.00	47.19	54.00	-6.81	55.26	39.10	18.80	65.97	0.00	100	213	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.64</td><td>74.00</td><td>-33.36</td><td>60.18</td><td>34.10</td><td>11.71</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.44</td><td>74.00</td><td>-30.56</td><td>59.35</td><td>35.88</td><td>14.51</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>12400.00</td><td>48.31</td><td>74.00</td><td>-25.69</td><td>56.38</td><td>39.10</td><td>18.80</td><td>65.97</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>12400.00</td><td>40.93</td><td>54.00</td><td>-13.07</td><td>49.00</td><td>39.10</td><td>18.80</td><td>65.97</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.64	74.00	-33.36	60.18	34.10	11.71	65.35	0.00	---	---	PEAK	2	7440.00	43.44	74.00	-30.56	59.35	35.88	14.51	66.30	0.00	---	---	PEAK	3	12400.00	48.31	74.00	-25.69	56.38	39.10	18.80	65.97	0.00	300	360	PEAK	4	12400.00	40.93	54.00	-13.07	49.00	39.10	18.80	65.97	0.00	300	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																									
1	4960.00	41.10	74.00	-32.90	60.64	34.10	11.71	65.35	0.00	---	---	PEAK																																																																																																																																																																																							
2	7440.00	54.64	74.00	-19.36	70.55	35.88	14.51	66.30	0.00	100	213	PEAK																																																																																																																																																																																							
3	7440.00	50.16	54.00	-3.84	66.07	35.88	14.51	66.30	0.00	100	213	AVERAGE																																																																																																																																																																																							
4	12400.00	53.25	74.00	-20.75	61.32	39.10	18.80	65.97	0.00	100	213	PEAK																																																																																																																																																																																							
5	12400.00	47.19	54.00	-6.81	55.26	39.10	18.80	65.97	0.00	100	213	AVERAGE																																																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																								
1	4960.00	40.64	74.00	-33.36	60.18	34.10	11.71	65.35	0.00	---	---	PEAK																																																																																																																																																																																							
2	7440.00	43.44	74.00	-30.56	59.35	35.88	14.51	66.30	0.00	---	---	PEAK																																																																																																																																																																																							
3	12400.00	48.31	74.00	-25.69	56.38	39.10	18.80	65.97	0.00	300	360	PEAK																																																																																																																																																																																							
4	12400.00	40.93	54.00	-13.07	49.00	39.10	18.80	65.97	0.00	300	360	AVERAGE																																																																																																																																																																																							



Mode	8	
	18G-25G	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	8																																																																																																																																																																																																																													
	30M-1G																																																																																																																																																																																																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																																																																																													
ANT	1																																																																																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																																																																																							
Peak																																																																																																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.00</td><td>22.39</td><td>40.00</td><td>-17.61</td><td>29.63</td><td>25.14</td><td>0.43</td><td>32.81</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>262.56</td><td>19.33</td><td>46.00</td><td>-26.67</td><td>30.07</td><td>20.03</td><td>2.03</td><td>32.00</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>433.28</td><td>20.58</td><td>46.00</td><td>-25.42</td><td>28.41</td><td>22.50</td><td>2.62</td><td>32.95</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>645.22</td><td>24.84</td><td>46.00</td><td>-21.16</td><td>28.31</td><td>26.55</td><td>3.21</td><td>33.23</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>749.01</td><td>27.42</td><td>46.00</td><td>-18.58</td><td>29.31</td><td>27.79</td><td>3.45</td><td>33.13</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>967.02</td><td>30.22</td><td>54.00</td><td>-23.78</td><td>27.29</td><td>30.47</td><td>3.91</td><td>31.45</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	22.39	40.00	-17.61	29.63	25.14	0.43	32.81	0.00	---	Peak	2	262.56	19.33	46.00	-26.67	30.07	20.03	2.03	32.00	0.00	---	Peak	3	433.28	20.58	46.00	-25.42	28.41	22.50	2.62	32.95	0.00	---	Peak	4	645.22	24.84	46.00	-21.16	28.31	26.55	3.21	33.23	0.00	---	Peak	5	749.01	27.42	46.00	-18.58	29.31	27.79	3.45	33.13	0.00	---	Peak	6	967.02	30.22	54.00	-23.78	27.29	30.47	3.91	31.45	0.00	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>45.76</td><td>17.87</td><td>40.00</td><td>-22.13</td><td>33.70</td><td>16.35</td><td>0.63</td><td>32.81</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>130.64</td><td>15.71</td><td>43.50</td><td>-27.79</td><td>29.52</td><td>17.51</td><td>1.42</td><td>32.74</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>326.09</td><td>20.30</td><td>46.00</td><td>-25.70</td><td>31.37</td><td>19.52</td><td>2.27</td><td>32.86</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>489.54</td><td>21.86</td><td>46.00</td><td>-24.14</td><td>28.37</td><td>23.81</td><td>2.78</td><td>33.10</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>728.40</td><td>27.08</td><td>46.00</td><td>-18.92</td><td>29.43</td><td>27.40</td><td>3.40</td><td>33.15</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>967.02</td><td>29.16</td><td>54.00</td><td>-24.84</td><td>26.23</td><td>30.47</td><td>3.91</td><td>31.45</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	45.76	17.87	40.00	-22.13	33.70	16.35	0.63	32.81	0.00	---	Peak	2	130.64	15.71	43.50	-27.79	29.52	17.51	1.42	32.74	0.00	---	Peak	3	326.09	20.30	46.00	-25.70	31.37	19.52	2.27	32.86	0.00	---	Peak	4	489.54	21.86	46.00	-24.14	28.37	23.81	2.78	33.10	0.00	---	Peak	5	728.40	27.08	46.00	-18.92	29.43	27.40	3.40	33.15	0.00	---	Peak	6	967.02	29.16	54.00	-24.84	26.23	30.47	3.91	31.45	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																			
	1	30.00	22.39	40.00	-17.61	29.63	25.14	0.43	32.81	0.00	---	Peak																																																																																																																																																																																																																		
	2	262.56	19.33	46.00	-26.67	30.07	20.03	2.03	32.00	0.00	---	Peak																																																																																																																																																																																																																		
	3	433.28	20.58	46.00	-25.42	28.41	22.50	2.62	32.95	0.00	---	Peak																																																																																																																																																																																																																		
	4	645.22	24.84	46.00	-21.16	28.31	26.55	3.21	33.23	0.00	---	Peak																																																																																																																																																																																																																		
	5	749.01	27.42	46.00	-18.58	29.31	27.79	3.45	33.13	0.00	---	Peak																																																																																																																																																																																																																		
6	967.02	30.22	54.00	-23.78	27.29	30.47	3.91	31.45	0.00	---	Peak																																																																																																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																				
1	45.76	17.87	40.00	-22.13	33.70	16.35	0.63	32.81	0.00	---	Peak																																																																																																																																																																																																																			
2	130.64	15.71	43.50	-27.79	29.52	17.51	1.42	32.74	0.00	---	Peak																																																																																																																																																																																																																			
3	326.09	20.30	46.00	-25.70	31.37	19.52	2.27	32.86	0.00	---	Peak																																																																																																																																																																																																																			
4	489.54	21.86	46.00	-24.14	28.37	23.81	2.78	33.10	0.00	---	Peak																																																																																																																																																																																																																			
5	728.40	27.08	46.00	-18.92	29.43	27.40	3.40	33.15	0.00	---	Peak																																																																																																																																																																																																																			
6	967.02	29.16	54.00	-24.84	26.23	30.47	3.91	31.45	0.00	---	Peak																																																																																																																																																																																																																			

Appendix D. Duty Cycle Plots

<For left/Right>

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	61.02	0.382	2.618	2.7KHz
Bluetooth LE 2Mbps	31.41	0.196	5.102	5.6KHz

Bluetooth – LE 1Mbps



Bluetooth – LE 2Mbps

