



Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS
Test Report Exhibit

FCC ID: IHET5EL1

Equipment Authorization Measurements

FCC Identifier: IHET5EL1
Name of Grantee: Motorola, Inc
Equipment Class: Licensed Non-Broadcast Transmitter
Notes: SC4812-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC CFR Title 47	Description	Section	Compliant
2.1046	RF Output Power	A	Yes
2.1047	Modulation Characteristics	B	Yes
2.1049	Occupied Bandwidth	C	Yes
2.1051	Spurious Emissions at Antenna Terminals	D	Yes
2.1053	Field Strength of Spurious Radiation	E	Yes
2.1055	Frequency Stability	F	Yes

Measurements Performed by:

Motorola EMC Facility
5555 North Beach Street
Fort Worth, TX 76137
Authorized Testing Laboratory
FCC Test Firm Registration No. 90809



Test Engineer



FCC/Package Coordination



m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS
Test Report Exhibit

FCC ID: IHET5EL1

SECTION A

RF Output Power - 47CFR2.1046

Channel	Tune Frequency (MHz)	Modulation	Power Level (mW)	Power Level (dBm)	Power Level Measured (dBm)	IS-97 Limit (dB)	Pass/Fail
1013	869.70	1X-QPSK	0.063	-12	-11.92	+2/-4	Pass
1015	869.76	1X-DO-16QAM	0.063	-12	-11.90	+2/-4	Pass
1015	869.76	1X-DO-8PSK	0.063	-12	-11.97	+2/-4	Pass
777	893.31	1X-QPSK	0.063	-12	-12.14	+2/-4	Pass
775	893.25	1X-DO-16QAM	0.063	-12	-12.03	+2/-4	Pass
775	893.25	1X-DO-8PSK	0.063	-12	-11.96	+2/-4	Pass



Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit

Summary of Radiated RF Measurements

Worst Case Radiated RF Spur Level

Transmit Channel	Power Level (mW)	Spur Freq. (MHz)	Spur Level Measured (dBμV/meter)	Spur Level Measured (dBm*)	FCC Max Limit (dBm)	Pass/Fail
283	0.063	3513.96	39.59	-55.64	-13.0	Pass

Summary of Conducted RF Measurements

Worst Case Conducted RF Spur Level

Transmit Channel	Modulation Type	Power Level (mW)	Freq. (MHz)	Spur Level Measured (dBm)	FCC Max Limit (dBm)	Pass/Fail
775	1X-DO-16QAM	0.063	1.78650	-74.08	-13.0	Pass

SECTION B**Modulation Characteristics - 47CFR2.1047****Summary of Modulation Characteristics**

Channel	Tune Frequency (MHz)	Modulation	Power Level (mW)	RHO Measured	RHO Spec	Pass/Fail
1013	869.70	1X-QPSK	.063	0.98454	>0.912	Pass
1015	869.76	1X-DO-16QAM	.063	0.99739	>0.912	Pass
1015	869.76	1X-DO-8PSK	.063	0.99722	>0.912	Pass
777	893.31	1X-QPSK	.063	0.98461	>0.912	Pass
775	893.25	1X-DO-16QAM	.063	0.99786	>0.912	Pass
775	893.25	1X-DO-8PSK	.063	0.99725	>0.912	Pass

Note: The BTS was configured for maximum power out of -12.0 dBm. The output power was set 0.063mW using a power meter.

SECTION C**Occupied Bandwidth - 47CFR2.1049****Summary of Occupied Bandwidth**

Channel	Frequency (MHz)	Modulation	Power Level (dBm)	Measured (MHz)	FCC Limit (MHz)	Pass/Fail
1013	869.70	1X-QPSK	-12.0	1.2229	1.30	Pass
1015	869.76	1X-DO-16QAM	-12.0	1.2729	1.30	Pass
1015	869.76	1X-DO-8PSK	-12.0	1.2743	1.30	Pass
777	893.31	1X-QPSK	-12.0	1.2252	1.30	Pass
775	893.25	1X-DO-16QAM	-12.0	1.2759	1.30	Pass
775	893.25	1X-DO-8PSK	-12.0	1.2723	1.30	Pass

Note: The BTS was configured for maximum power out of -12.0 dBm. The output power was set 0.063mW using a power meter.

The following formula is used to obtain the correct power reference point from which the OBW of the CDMA signal is obtained. See example calculation below:

$$\text{Power (measured in 30kHz bandwidth)} + 10 \log (1.2288 \text{ MHz}/30\text{kHz})$$

The occupied bandwidth is measured in a 30 kHz resolution bandwidth. Results are summarized above.


m

Global Telecom Solutions Sector


SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS
Test Report Exhibit

FCC ID: IHET5EL1

Occupied Bandwidth – 0.063mW



Channel 1013 – 869.70 MHz – QPSK



m


Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS


FCC ID: IHET5EL1

Test Report Exhibit

Channel 1015 – 869.76 MHz – 16QAM



Channel 1015 – 869.76 MHz – 8PSK



Channel 777 – 893.31 MHz – QPSK

M


7/28/2004

m


Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS
Test Report Exhibit

FCC ID: IHET5EL1



Channel 775 – 893.25 MHz – 16QAM



Channel 775 – 893.25 MHz – 8PSK



Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS
Test Report Exhibit

FCC ID: IHET5EL1

SECTION D

Spurious Emissions at Antenna Terminal - 47 CFR 2.1051

Summary of Worst Case Spurious Emissions at Antenna Terminal

Channel	Modulation	Freq. (GHz)	Spur Level Measured (dBm)	FCC Max Limit (dBm)	Pass/Fail
1013	1X-QPSK	1.73940	-75.49	-13	Pass
1015	1X-DO-16QAM	1.73952	-75.34	-13	Pass
1015	1X-DO-8PSK	1.72952	-75.01	-13	Pass
777	1X-QPSK	1.78662	-75.17	-13	Pass
775	1X-DO-16QAM	1.78650	-74.08	-13	Pass
775	1X-DO-8PSK	1.78650	-74.25	-13	Pass

FCC Max. Limit Per 47 CFR:

= Transmitted Power (10 Log10 (Pwatt)) - (43 + 10 Log10 (Pwatt)) dBW

= 10 Log10 (Pwatt) - (43 + 10 Log10 (Pwatt)) dBW

= -43 dBW

= -13 dBm

m


Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit

Spurious Emissions at Antenna Terminal – 0.063mW
Channel 1013 – 869.70 MHz – QPSK





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit



m



Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit

Spurious Emissions at Antenna Terminal – 0.063mW
Channel 1015 – 869.76 MHz – 16QAM





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS
Test Report Exhibit

FCC ID: IHET5EL1





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit




m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit



m

Global Telecom Solutions Sector



SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit

Spurious Emissions at Antenna Terminal – 0.063mW

Channel 1015 – 869.76 MHz – 8PSK







Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS
Test Report Exhibit

FCC ID: IHET5EL1





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit




m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit



m


Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit

**Spurious Emissions at Antenna Terminal – 0.063mW
Channel 777 – 893.31 MHz – QPSK**





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit



m

Global Telecom Solutions Sector



SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit

Spurious Emissions at Antenna Terminal – 0.063mW

Channel 775 – 893.25 MHz – 16QAM



M



7/28/2004

m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS
Test Report Exhibit

FCC ID: IHET5EL1





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit




m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit



m



Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit

Spurious Emissions at Antenna Terminal – 0.063mW Channel 775 – 893.25 MHz – 8PSK





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit





m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit




m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS

FCC ID: IHET5EL1

Test Report Exhibit



SECTION E**Field Strength of Spurious Radiation - 47CFR2.1053****Worst case Radiated RF Spur Levels**

TRANSMIT CHANNEL	SPUR FREQUENCY (MHz)	MEASURED SIGNAL LEVEL dBuV/meter	MEASURED Signal Level (dBm)	FCC, Part 22 MAX LIMIT (dBm)
1013H 1013V	8697.000 8697.000	38.047 36.747	-57.18 -58.48	-13 -13
777H 777V	8933.100 8933.100	37.830 36.373	-57.36 -58.86	-13 -13
283H 283V	8784.900 3513.960	38.340 39.590	-56.89 -55.64	-13 -13
384H 384V	8815.200 8815.200	37.340 36.940	-57.89 -58.29	-13 -13

Converting dBuV/meter to dBm when Part 24 is done at 3 meters.

1. $(\text{dBuV/M} / 20) * (\text{Inverse Log}) = \text{uV/M}$
2. $\text{Log}(\text{uV/M} / 57735) * 20 = \text{dBm}$

If the test is done at 10 meters, the first formula would remain the same.

The 2nd is as follows $\text{Log}[(\text{uV/m} * 1/ (3 * 57735)/10)] * 20 \text{ dBm}$



Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS
Test Report Exhibit

FCC ID: IHET5EL1

SECTION F

Frequency Stability - 47CFR2.1055

Mode	27V Power	Worst case DPPM	FCC Requirement	Pass/Fail
CSM1	85-115%	<0.02	+/- 1.5 ppm max	Pass
CSM 2	85-115%	<0.02	+/- 1.5 ppm max	Pass



Mode	Temperature	DPPM	FCC Requirement	Pass/Fail
CSM1	-30 to +50 C	<0.02	+/- 1.5 ppm max	Pass
CSM2	-30 to +50 C	<0.02	+/- 1.5 ppm max	Pass

m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS
Test Report Exhibit

FCC ID: IHET5EL1



m

Global Telecom Solutions Sector

SC4812T-MF 1X/1X-EVDO @ 800 MHz CDMA BTS
Test Report Exhibit

FCC ID: IHET5EL1

