

Antenna specification

Equipment : DMX1058XR

■ Test date : January 16, 2025

■ Tested by : Shuji Uno
Engineering Dept No.1, M&T Engineering & Design Division

■ Approved by : Kazuo Iizuka / Expert
Engineering Dept No.1, M&T Engineering & Design Division

■ Frequency Range
2.4GHz Band : 2402~2480[MHz]
5GHz Band : 5745~5805[MHz]

■ Antenna Type : Chip antenna


■ Connector Type : None

■ Measurement method


The measurement system is as follows.

The RF signal source of the set is Module output (@Test Mode), and when measuring the Dipole antenna, the RF signal corresponding to the Module output level of the set is generated from SG.
The orientation of the set during measurement was the two planes shown on the right ("X-Y plane" and "Y-Z plane": Z-X plane is omitted because it is impossible in actual use).


• Mesurment configuration for Dipole Anantenna



• Measurement configuration for AUT



Axis



■ Test Location :

HC-1F 3m Anechoic Chamber
JVCKENWOOD Corporation
3-12,Moriya-cho, Kanagawa-ku Yokohama Kanagawa 221-0022 Japan

■ Equipment

Item	Model No.	Manufacturer	S/No	Expiry of Calibration
Dipole Antenna(2.4GHz)	MA5612B4 (2.4GHz)	Anritsu	6201780211	-
Dipole Antenna(5GHz)	MA5612C5 (5GHz)	Anritsu	6201780213	-
SG	MG3710A	Anritsu	6201371434	-
Horn Antenna	BBHA9120D	Schwarzbeck	01784	31-Jul-2025
TEST Receiver	ESR 7	Rohde & Schwarz	101918	31-Jul-2025
RF amplifier	MLA-01118-J02-40	TSJ	16783	31-Jul-2025
Software	TEPT - ANT	TSJ	-	-

DMX1058XR


■Result (Summary)

	Antenna Gain (DMX1058XR)			
	2.4GHz BAND		5GHz BAND	
	ANT_0	ANT_1	ANT_0	ANT_1
Max [dBi]	-16.1	-7.4	-9.1	-0.8

※2.4GHz Band : ANT_0 : Bluetooth / ANT_1 : Wi-Fi

Data				Reading												Result												Correction factor [dB]
No.	Band	Antenna	f[GHz]	X-Y axis						Z-X axis						X-Y axis						Z-X axis						
				Horizontal[dBi]			Vertical[dBi]			Horizontal[dBi]			Vertical[dBi]			Horizontal[dBi]			Vertical[dBi]			Horizontal[dBi]			Vertical[dBi]			
				MAX	MIN	AVE	MAX	MIN	AVE	MAX	MIN	AVE	MAX	MIN	AVE	MAX	MIN	AVE	MAX	MIN	AVE	MAX	MIN	AVE	MAX	MIN	AVE	
1	Standard Dipole Antenna	2.4GHz Band For ANT0	2.402	2.59	-33.1	-5.4	-	-	-	-	-	-	-	-	-	2.00	-33.7	-6.0	-	-	-	-	-	-	-	-	-	-0.59
			2.441	2.26	-37.1	-5.8	-	-	-	-	-	-	-	-	-	2.00	-37.4	-6.1	-	-	-	-	-	-	-	-	-	-0.26
			2.480	1.49	-30.9	-6.6	-	-	-	-	-	-	-	-	-	2.00	-30.4	-6.1	-	-	-	-	-	-	-	-	-	0.51
2		2.4GHz Band For ANT1	2.412	0.96	-34.5	-7.2	-	-	-	-	-	-	-	-	-	2.00	-33.5	-6.1	-	-	-	-	-	-	-	-	-	1.04
			2.437	7.27	-40.3	0.2	-	-	-	-	-	-	-	-	-	2.00	-45.6	-5.1	-	-	-	-	-	-	-	-	-	-5.27
			2.462	-1.95	-60.0	-10.1	-	-	-	-	-	-	-	-	-	2.00	-56.0	-6.2	-	-	-	-	-	-	-	-	-	3.95
3		5GHz Band For ANT0	5.745	0.25	-44.3	-8.3	-	-	-	-	-	-	-	-	-	2.00	-42.6	-6.5	-	-	-	-	-	-	-	-	-	1.75
			5.775	-0.36	-34.8	-8.9	-	-	-	-	-	-	-	-	-	2.00	-32.5	-6.5	-	-	-	-	-	-	-	-	-	2.36
			5.805	-1.31	-44.3	-9.4	-	-	-	-	-	-	-	-	-	2.00	-41.0	-6.1	-	-	-	-	-	-	-	-	-	3.31
4		5GHz Band For ANT1	5.745	2.12	-41.1	-5.6	-	-	-	-	-	-	-	-	-	2.00	-41.2	-5.7	-	-	-	-	-	-	-	-	-	-0.12
			5.775	1.4	-32.2	-6.8	-	-	-	-	-	-	-	-	-	2.00	-31.6	-6.2	-	-	-	-	-	-	-	-	-	0.60
			5.805	-2.25	-42.3	-10.1	-	-	-	-	-	-	-	-	-	2.00	-38.0	-5.8	-	-	-	-	-	-	-	-	-	4.25
5	2.4GHz Band	ANT_0 (BT)	2.402	-21.6	-52.3	-30.7	-15.6	-56.9	-29.0	-19.7	-63.6	-29.3	-22.8	-56.2	-32.4	-22.2	-52.9	-31.3	-16.2	-57.5	-29.6	-20.3	-64.2	-29.9	-23.4	-56.8	-33.0	-0.59
			2.441	-25.6	-55.1	-33.1	-15.8	-46.6	-28.7	-17.6	-57.8	-26.5	-22.9	-43.5	-31.5	-25.9	-55.4	-33.3	-16.1	-46.8	-28.9	-17.9	-58.0	-26.8	-23.2	-43.8	-31.8	-0.26
			2.480	-22.6	-51.9	-31.2	-21.8	-59.3	-32.1	-20.4	-46.9	-28.5	-22.5	-58.2	-32.7	-22.1	-51.4	-30.6	-21.3	-58.8	-31.5	-19.8	-46.4	-28.0	-21.9	-57.6	-32.2	0.51
6		ANT_1 (WLAN)	2.412	-8.4	-37.5	-17.4	-11.6	-56.3	-24.2	-12.7	-49.8	-19.9	-15.2	-41.9	-24.3	-7.4	-36.5	-16.4	-10.5	-55.2	-23.1	-11.6	-48.8	-18.9	-14.1	-40.9	-23.3	1.04
			2.437	-18.0	-50.2	-26.8	-12.4	-54.8	-24.9	-10.2	-37.4	-19.5	-13.5	-50.2	-25.6	-23.2	-55.5	-32.1	-17.7	-60.1	-30.1	-15.5	-42.7	-24.8	-18.8	-55.5	-30.9	-5.27
			2.462	-20.1	-57.9	-28.8	-13.1	-45.0	-25.6	-17.0	-48.8	-25.3	-17.0	-55.5	-29.2	-16.1	-53.9	-24.9	-9.1	-41.1	-21.7	-13.0	-44.9	-21.3	-13.0	-51.6	-25.3	3.95
7	5GHz Band	ANT_0 (WLAN)	5.745	-10.9	-47.2	-25.0	-15.4	-40.9	-25.5	-14.6	-56.1	-24.3	-13.7	-47.7	-25.0	-9.1	-45.4	-23.2	-13.6	-39.1	-23.7	-12.8	-54.3	-22.5	-12.0	-45.9	-23.2	1.75
			5.775	-19.0	-49.4	-28.2	-17.0	-53.9	-26.5	-14.6	-45.3	-24.8	-14.3	-56.0	-25.5	-16.6	-47.0	-25.8	-14.6	-51.5	-24.1	-12.3	-42.9	-22.4	-11.9	-53.7	-23.2	2.36
			5.805	-19.0	-49.4	-28.2	-17.0	-53.9	-26.5	-14.5	-51.0	-25.0	-15.0	-58.1	-25.4	-15.7	-46.1	-24.8	-13.7	-50.5	-23.2	-11.2	-47.7	-21.7	-11.7	-54.8	-22.1	3.31
8		ANT_1 (WLAN)	5.745	-6.4	-47.8	-18.0	-9.1	-36.1	-17.8	-5.5	-37.8	-14.4	-10.4	-78.2	-21.2	-6.5	-47.9	-18.1	-9.2	-36.2	-17.9	-5.6	-37.9	-14.6	-10.6	-78.4	-21.4	-0.12
			5.775	-6.2	-59.2	-19.3	-8.3	-41.1	-17.1	-5.5	-65.2	-16.3	-7.7	-46.2	-17.9	-5.6	-58.6	-18.7	-7.7	-40.5	-16.5	-4.9	-64.6	-15.7	-7.1	-45.6	-17.3	0.60
			5.805	-8.7	-51.1	-20.2	-8.4	-37.5	-17.4	-5.0	-38.9	-16.7	-7.1	-39.2	-16.9	-4.4	-46.9	-15.9	-4.2	-33.3	-13.2	-0.8	-34.7	-12.5	-2.8	-34.9	-12.7	4.25

Radiated Pattern : DMX1058XR




BT Lch Hor(XY)

Received Power
MAX -21.64 MIN -52.34 AVE -30.7496

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-25.13	40	-26.94	80	-29.3	120	-27.42	160	-31.34	200	-29.15	240	-28.93	280	-31.79	320	-27.63
1	-26.31	41	-26.99	81	-28.38	121	-29.01	161	-30.06	201	-29.48	241	-29.19	281	-33.11	321	-27.97
2	-27.13	42	-27.14	82	-27.71	122	-30.92	162	-28.42	202	-29.87	242	-29.69	282	-34.45	322	-28.54
3	-28.17	43	-27.39	83	-27.46	123	-33.08	163	-26.96	203	-30.29	243	-30.5	283	-35.36	323	-29.22
4	-29.42	44	-27.77	84	-27.62	124	-35.16	164	-25.93	204	-30.8	244	-31.79	284	-35.21	324	-29.84
5	-31.01	45	-28.34	85	-28.11	125	-35.84	165	-25.24	205	-31.36	245	-33.82	285	-34.24	325	-30.34
6	-32.82	46	-29.01	86	-28.76	126	-35.02	166	-25.04	206	-31.92	246	-36.48	286	-33.1	326	-30.53
7	-35.14	47	-29.84	87	-29.5	127	-33.48	167	-25.21	207	-32.26	247	-38.94	287	-32.32	327	-30.43
8	-37.91	48	-30.7	88	-30.15	128	-32.14	168	-25.68	208	-32.18	248	-39.14	288	-31.9	328	-30.17
9	-42.08	49	-31.65	89	-30.91	129	-31.04	169	-26.44	209	-31.61	249	-37.54	289	-31.71	329	-29.93
10	-48.69	50	-32.48	90	-31.9	130	-30.29	170	-27.41	210	-30.64	250	-35.88	290	-31.66	330	-29.81
11	-52.34	51	-33.22	91	-33.52	131	-29.98	171	-28.5	211	-29.46	251	-33.37	291	-31.75	331	-29.84
12	-45.23	52	-33.72	92	-36.06	132	-30.02	172	-29.85	212	-28.42	252	-32.5	292	-31.89	332	-30.01
13	-40.73	53	-34.05	93	-40.57	133	-30.47	173	-30.18	213	-27.47	253	-29.76	293	-32.06	333	-30.27
14	-38.25	54	-34.21	94	-47.41	134	-31.22	174	-30.58	214	-26.77	254	-27.97	294	-32.24	334	-30.54
15	-36.2	55	-34.27	95	-41.76	135	-32.79	175	-30.69	215	-26.19	255	-26.38	295	-32.28	335	-30.88
16	-34.65	56	-34.41	96	-39.41	136	-33.85	176	-30.7	216	-25.8	256	-24.97	296	-32.21	336	-31.01
17	-33.4	57	-34.68	97	-35.46	137	-34.77	177	-30.71	217	-25.43	257	-23.93	297	-32.03	337	-31.17
18	-32.38	58	-35.03	98	-33.79	138	-35.44	178	-30.69	218	-25.13	258	-23.23	298	-31.58	338	-31.42
19	-31.49	59	-35.29	99	-32.33	139	-36.23	179	-30.67	219	-24.93	259	-22.94	299	-31.2	339	-31.76
20	-30.86	60	-35.43	100	-30.82	140	-37.44	180	-30.57	220	-24.81	260	-22.97	300	-30.94	340	-32.23
21	-30.44	61	-35.47	101	-29.41	141	-38.95	181	-30.47	221	-24.73	261	-23.27	301	-31.01	341	-32.75
22	-30.14	62	-35.67	102	-27.97	142	-39.16	182	-30.31	222	-24.65	262	-23.76	302	-31.59	342	-33.16
23	-30.22	63	-36.09	103	-26.52	143	-36.71	183	-30.07	223	-24.61	263	-24.35	303	-32.76	343	-33.26
24	-30.48	64	-36.95	104	-25.26	144	-34.03	184	-29.8	224	-24.58	264	-24.91	304	-34.66	344	-32.98
25	-30.93	65	-38.96	105	-24.09	145	-31.96	185	-29.46	225	-24.55	265	-25.34	305	-37.29	345	-32.36
26	-31.55	66	-40.64	106	-23.19	146	-30.62	186	-29.16	226	-24.48	266	-25.56	306	-40.67	346	-31.59
27	-32.17	67	-42.64	107	-22.51	147	-29.92	187	-28.95	227	-24.37	267	-25.72	307	-43.26	347	-30.73
28	-32.6	68	-45.07	108	-22.07	148	-29.7	188	-28.82	228	-24.32	268	-25.88	308	-42.58	348	-29.91
29	-32.71	69	-47.74	109	-21.8	149	-29.9	189	-28.74	229	-24.34	269	-26.22	309	-40.54	349	-29.05
30	-32.28	70	-50.84	110	-21.64	150	-30.27	190	-28.7	230	-24.48	270	-26.85	310	-38.61	350	-28.27
31	-31.47	71	-49.23	111	-21.67	151	-30.34	191	-28.7	231	-24.74	271	-27.67	311	-37.02	351	-27.53
32	-30.55	72	-44.53	112	-21.85	152	-30.04	192	-28.71	232	-25.11	272	-28.64	312	-35.46	352	-26.85
33	-29.65	73	-40.25	113	-22.16	153	-29.54	193	-28.69	233	-25.61	273	-29.54	313	-33.88	353	-26.24
34	-28.82	74	-37.1	114	-22.59	154	-29.11	194	-28.64	234	-26.17	274	-30.2	314	-32.39	354	-25.7
35	-28.21	75	-34.81	115	-23.03	155	-28.9	195	-28.59	235	-26.83	275	-30.42	315	-30.86	355	-25.31
36	-27.7	76	-33.26	116	-23.6	156	-29.1	196	-28.55	236	-27.42	276	-30.29	316	-29.6	356	-25.08
37	-27.36	77	-32.19	117	-24.26	157	-29.74	197	-28.57	237	-27.96	277	-30.12	317	-28.59	357	-24.97
38	-27.13	78	-31.31	118	-25.05	158	-30.7	198	-28.67	238	-28.37	278	-30.19	318	-27.94	358	-25.03
39	-26.99	79	-30.34	119	-26.14	159	-31.53	199	-28.85	239	-28.67	279	-30.8	319	-27.62	359	-25.27

Radiated Pattern : DMX1058XR




BT Lch Ver(XY)

Received Power
MAX MIN AVE
-15.6 -56.86 -29.0066

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-27.69	40	-44.89	80	-35.55	120	-24.71	160	-20.61	200	-20.48	240	-25.21	280	-26.1	320	-31.41
1	-27.26	41	-54.23	81	-35.45	121	-23.96	161	-20.04	201	-20.44	241	-24.75	281	-26.17	321	-31.18
2	-27.29	42	-56.86	82	-35.17	122	-23.62	162	-19.68	202	-20.28	242	-24.28	282	-26.14	322	-30.77
3	-27.49	43	-46.67	83	-35.02	123	-23.63	163	-19.43	203	-19.99	243	-23.83	283	-25.88	323	-30.59
4	-27.67	44	-43.3	84	-35.07	124	-24.03	164	-19.35	204	-19.65	244	-23.43	284	-25.35	324	-29.96
5	-27.9	45	-40.99	85	-35.39	125	-24.72	165	-19.31	205	-19.27	245	-23.14	285	-24.63	325	-29.7
6	-28.11	46	-39.44	86	-35.91	126	-25.71	166	-19.28	206	-18.99	246	-23	286	-24	326	-28.89
7	-28.24	47	-38.13	87	-35.99	127	-27.07	167	-19.18	207	-18.77	247	-23.03	287	-23.52	327	-28.6
8	-28.33	48	-37.27	88	-34.87	128	-28.6	168	-19.03	208	-18.75	248	-23.21	288	-23.35	328	-27.93
9	-28.3	49	-36.51	89	-32.97	129	-30.49	169	-18.7	209	-18.91	249	-23.51	289	-23.58	329	-27.68
10	-28.24	50	-36.13	90	-30.99	130	-32.67	170	-18.26	210	-19.3	250	-23.82	290	-24.01	330	-27.59
11	-28.16	51	-36	91	-29.34	131	-35.1	171	-17.77	211	-19.87	251	-24.12	291	-24.5	331	-27.69
12	-28.16	52	-36.24	92	-28.17	132	-37.81	172	-17.26	212	-20.62	252	-24.3	292	-24.93	332	-27.95
13	-28.3	53	-36.8	93	-27.16	133	-40.14	173	-16.74	213	-21.61	253	-24.36	293	-25.14	333	-28.38
14	-28.63	54	-37.65	94	-26.52	134	-41.15	174	-16.33	214	-22.76	254	-24.36	294	-25.05	334	-28.79
15	-29.15	55	-38.94	95	-26.38	135	-39.82	175	-15.97	215	-24.06	255	-24.46	295	-24.79	335	-29.02
16	-29.89	56	-40.86	96	-26.23	136	-37.44	176	-15.74	216	-25.49	256	-24.83	296	-24.57	336	-29.08
17	-30.81	57	-43.91	97	-26.34	137	-34.83	177	-15.6	217	-26.97	257	-25.63	297	-24.5	337	-28.98
18	-32.65	58	-48.64	98	-26.6	138	-32.54	178	-15.6	218	-28.33	258	-26.91	298	-24.59	338	-28.83
19	-33.38	59	-54.9	99	-27.04	139	-30.73	179	-15.7	219	-29.37	259	-28.71	299	-24.93	339	-28.68
20	-36	60	-49.04	100	-27.87	140	-29.47	180	-15.93	220	-29.81	260	-31.18	300	-25.46	340	-28.68
21	-37.94	61	-44.48	101	-28.39	141	-28.74	181	-16.21	221	-29.83	261	-34.37	301	-26.19	341	-28.85
22	-39.12	62	-41.92	102	-28.64	142	-28.5	182	-16.7	222	-29.48	262	-38.34	302	-26.94	342	-29.29
23	-38.5	63	-40.44	103	-28.48	143	-28.69	183	-17.1	223	-29.05	263	-41.39	303	-27.59	343	-29.96
24	-36.75	64	-39.51	104	-28.21	144	-29.12	184	-17.25	224	-28.68	264	-40.64	304	-27.86	344	-30.98
25	-34.89	65	-38.93	105	-27.99	145	-29.54	185	-17.56	225	-28.4	265	-38.12	305	-27.73	345	-32.36
26	-33.55	66	-38.53	106	-28.1	146	-29.46	186	-17.81	226	-28.22	266	-35.97	306	-27.28	346	-34.03
27	-32.7	67	-38.41	107	-28.71	147	-28.67	187	-17.95	227	-28.12	267	-34.37	307	-26.82	347	-36.04
28	-32.24	68	-38.28	108	-30.12	148	-26.69	188	-18.06	228	-28.17	268	-33.18	308	-26.49	348	-38.16
29	-32.11	69	-37.71	109	-32.6	149	-25.5	189	-18.05	229	-28.3	269	-32.49	309	-26.43	349	-39.89
30	-32.32	70	-36.91	110	-36.23	150	-24.53	190	-18.08	230	-28.49	270	-32.58	310	-26.68	350	-40.47
31	-32.5	71	-36.46	111	-40.56	151	-23.84	191	-18.07	231	-28.78	271	-33.4	311	-27.26	351	-39.58
32	-32.63	72	-35.08	112	-39.56	152	-23.43	192	-18.18	232	-28.92	272	-34.75	312	-28	352	-37.74
33	-32.7	73	-34.53	113	-36.2	153	-23.18	193	-18.31	233	-28.82	273	-35.83	313	-28.89	353	-35.42
34	-32.77	74	-34.18	114	-33.91	154	-23.11	194	-18.52	234	-28.42	274	-34.16	314	-29.77	354	-33.38
35	-32.99	75	-34.17	115	-32.22	155	-23.08	195	-18.82	235	-27.88	275	-31.42	315	-30.58	355	-31.58
36	-33.71	76	-34.2	116	-30.59	156	-22.93	196	-19.19	236	-27.38	276	-29.18	316	-31.13	356	-30.18
37	-34.91	77	-34.62	117	-28.88	157	-22.56	197	-19.61	237	-26.76	277	-27.55	317	-31.52	357	-29.02
38	-36.85	78	-34.97	118	-27.18	158	-22.01	198	-19.97	238	-26.24	278	-26.62	318	-31.64	358	-28.26
39	-39.9	79	-35.4	119	-25.74	159	-21.28	199	-20.29	239	-25.7	279	-26.19	319	-31.58	359	-27.7

Radiated Pattern : DMX1058XR




BT Cch Hor(XY)

Received Power
MAX -25.62 MIN -55.1 AVE -33.0826

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-32.12	40	-35.95	80	-34.71	120	-31.32	160	-32.13	200	-27.51	240	-31.51	280	-39.2	320	-33.97
1	-31.72	41	-36.51	81	-33.31	121	-32.27	161	-32.48	201	-28.1	241	-31.87	281	-37.39	321	-33.07
2	-31.37	42	-37.73	82	-32.49	122	-33.18	162	-31.8	202	-28.68	242	-32.32	282	-35.89	322	-32.23
3	-31.06	43	-39.01	83	-32.06	123	-33.95	163	-30.56	203	-29.27	243	-32.97	283	-34.6	323	-31.48
4	-30.75	44	-40.69	84	-32.07	124	-34.3	164	-29.52	204	-29.79	244	-33.9	284	-33.56	324	-31
5	-30.52	45	-43.27	85	-32.22	125	-34.23	165	-28.82	205	-30.19	245	-35.12	285	-32.82	325	-30.75
6	-30.4	46	-46.84	86	-32.22	126	-33.88	166	-28.52	206	-30.5	246	-36.42	286	-32.37	326	-30.71
7	-30.44	47	-49.35	87	-32	127	-33.42	167	-28.57	207	-30.56	247	-37.69	287	-32.18	327	-30.85
8	-30.7	48	-47.02	88	-31.85	128	-33	168	-28.89	208	-30.28	248	-38.47	288	-32.17	328	-31.19
9	-31.2	49	-43.44	89	-31.95	129	-32.57	169	-29.48	209	-29.77	249	-38.65	289	-32.24	329	-31.7
10	-31.95	50	-40.56	90	-32.38	130	-32.26	170	-30.28	210	-28.99	250	-37.94	290	-32.27	330	-32.42
11	-33.05	51	-38.36	91	-33.14	131	-32.03	171	-31.36	211	-28.24	251	-36.25	291	-32.19	331	-33.3
12	-34.35	52	-36.84	92	-34.11	132	-31.97	172	-32.58	212	-27.48	252	-34.22	292	-31.96	332	-34.21
13	-35.7	53	-35.63	93	-35.36	133	-32.16	173	-33.88	213	-26.82	253	-32.39	293	-31.68	333	-35.17
14	-36.55	54	-34.73	94	-36.8	134	-32.7	174	-35.2	214	-26.34	254	-31.02	294	-31.56	334	-36.03
15	-36.46	55	-34.08	95	-38.52	135	-33.68	175	-36.36	215	-26	255	-29.93	295	-31.69	335	-36.8
16	-35.6	56	-33.58	96	-41.1	136	-35.05	176	-37.19	216	-25.85	256	-29.15	296	-32.1	336	-37.3
17	-34.41	57	-33.11	97	-45.38	137	-36.59	177	-37.42	217	-25.79	257	-28.36	297	-32.85	337	-37.34
18	-33.36	58	-32.64	98	-46.72	138	-37.9	178	-37.11	218	-25.81	258	-28.2	298	-33.92	338	-36.89
19	-32.49	59	-32.17	99	-40.14	139	-38.6	179	-36.38	219	-25.88	259	-28.19	299	-35.27	339	-35.97
20	-31.86	60	-31.82	100	-35.92	140	-38.5	180	-35.55	220	-25.93	260	-28.56	300	-36.67	340	-34.38
21	-31.4	61	-31.52	101	-33.26	141	-37.68	181	-34.58	221	-25.93	261	-29.41	301	-38.03	341	-33.34
22	-31.13	62	-31.4	102	-31.67	142	-36.45	182	-33.55	222	-25.88	262	-30.79	302	-39.46	342	-32.47
23	-30.98	63	-31.48	103	-30.8	143	-35.13	183	-32.52	223	-25.83	263	-32.31	303	-41.21	343	-31.72
24	-31	64	-31.71	104	-30.54	144	-34	184	-31.04	224	-25.76	264	-34.19	304	-44.79	344	-31.13
25	-31.09	65	-32.12	105	-30.49	145	-32.94	185	-30.54	225	-25.77	265	-34.61	305	-46.67	345	-30.72
26	-31.19	66	-32.72	106	-30.39	146	-32.18	186	-29.72	226	-25.93	266	-34.62	306	-45.47	346	-30.43
27	-31.36	67	-33.53	107	-29.89	147	-31.58	187	-29	227	-26.16	267	-34.53	307	-42.75	347	-30.29
28	-31.6	68	-34.51	108	-28.5	148	-31.23	188	-28.37	228	-26.5	268	-34.7	308	-40.66	348	-30.31
29	-31.9	69	-35.66	109	-27.91	149	-31.01	189	-27.65	229	-26.97	269	-35.57	309	-39.05	349	-30.49
30	-32.22	70	-36.72	110	-26.48	150	-31	190	-27.25	230	-27.56	270	-37.44	310	-37.9	350	-30.82
31	-32.52	71	-37.47	111	-25.87	151	-30.88	191	-26.87	231	-28.31	271	-40.62	311	-36.86	351	-31.3
32	-32.79	72	-37.64	112	-25.62	152	-30.48	192	-26.55	232	-29.08	272	-45.86	312	-36.03	352	-31.83
33	-33.04	73	-37.28	113	-25.75	153	-29.85	193	-26.3	233	-29.83	273	-55.1	313	-35.35	353	-32.37
34	-33.31	74	-36.43	114	-26.16	154	-29.26	194	-26.16	234	-30.39	274	-53.52	314	-34.89	354	-32.72
35	-33.62	75	-35.44	115	-26.83	155	-28.85	195	-26.08	235	-30.8	275	-48.07	315	-34.63	355	-32.84
36	-34.04	76	-34.73	116	-27.68	156	-28.78	196	-26.13	236	-31.01	276	-45.15	316	-34.64	356	-32.78
37	-34.49	77	-34.54	117	-28.6	157	-29.15	197	-26.33	237	-31.11	277	-43.31	317	-34.76	357	-32.57
38	-35	78	-34.71	118	-29.54	158	-29.94	198	-26.59	238	-31.15	278	-42.1	318	-34.76	358	-32.37
39	-35.51	79	-34.99	119	-30.42	159	-31.05	199	-27.02	239	-31.28	279	-40.88	319	-34.54	359	-32.16

Radiated Pattern : DMX1058XR



BT Cch Ver(XY)

Received Power

MAX

-15.81

MIN


-46.56

AVE

-28.6617

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-28.67	40	-32.64	80	-31.17	120	-32.11	160	-24.8	200	-23.92	240	-32.76	280	-30.34	320	-28.32
1	-27.67	41	-34.26	81	-32.66	121	-31.41	161	-24.52	201	-23.31	241	-31.49	281	-30.17	321	-28.44
2	-27.18	42	-36.22	82	-34.55	122	-30.75	162	-23.23	202	-21.94	242	-30.42	282	-29.73	322	-28.62
3	-26.86	43	-38.73	83	-36.85	123	-30.64	163	-22.15	203	-21.6	243	-29.56	283	-29.13	323	-28.83
4	-26.65	44	-41.23	84	-38.81	124	-30.72	164	-21.15	204	-20.94	244	-28.91	284	-28.41	324	-29.01
5	-26.5	45	-42.62	85	-40.12	125	-30.95	165	-20.23	205	-20.72	245	-28.47	285	-28.19	325	-29.17
6	-26.41	46	-41.62	86	-40.95	126	-31.26	166	-19.48	206	-20.7	246	-28.31	286	-28.22	326	-29.24
7	-26.31	47	-39.46	87	-41.76	127	-31.48	167	-18.85	207	-20.86	247	-28.33	287	-28.51	327	-29.23
8	-26.21	48	-37.67	88	-40.38	128	-31.55	168	-18.32	208	-21.18	248	-28.44	288	-29	328	-29.06
9	-26.06	49	-36.46	89	-37.51	129	-31.39	169	-17.87	209	-21.64	249	-28.51	289	-29.54	329	-28.77
10	-25.91	50	-35.83	90	-34.56	130	-31.08	170	-17.57	210	-22.19	250	-28.4	290	-29.94	330	-28.37
11	-25.64	51	-35.64	91	-32.07	131	-30.64	171	-17.28	211	-22.8	251	-28.15	291	-30.07	331	-27.87
12	-25.46	52	-35.82	92	-30.19	132	-30.23	172	-17.05	212	-23.43	252	-27.89	292	-29.92	332	-27.37
13	-25.25	53	-36.25	93	-28.64	133	-29.91	173	-16.78	213	-23.96	253	-27.61	293	-29.67	333	-26.84
14	-25.05	54	-36.56	94	-27.43	134	-29.71	174	-16.5	214	-24.4	254	-27.45	294	-29.47	334	-26.4
15	-24.82	55	-36.79	95	-26.43	135	-29.64	175	-16.25	215	-24.79	255	-27.55	295	-29.5	335	-26.04
16	-24.66	56	-36.81	96	-25.65	136	-29.66	176	-16.05	216	-24.98	256	-27.94	296	-29.79	336	-25.8
17	-24.6	57	-36.7	97	-25.03	137	-29.68	177	-15.9	217	-25.13	257	-28.73	297	-30.33	337	-25.68
18	-24.67	58	-36.36	98	-24.61	138	-29.6	178	-15.81	218	-25.23	258	-29.83	298	-30.98	338	-25.64
19	-24.88	59	-35.99	99	-24.34	139	-29.26	179	-15.81	219	-25.38	259	-31.34	299	-31.52	339	-25.64
20	-25.29	60	-35.56	100	-24.34	140	-28.65	180	-15.87	220	-25.63	260	-33.01	300	-31.65	340	-25.64
21	-25.92	61	-35.11	101	-24.56	141	-27.78	181	-16.03	221	-25.99	261	-34.4	301	-31.33	341	-25.61
22	-26.77	62	-34.72	102	-25.02	142	-26.91	182	-16.24	222	-26.51	262	-35.18	302	-30.67	342	-25.54
23	-27.9	63	-34.23	103	-25.58	143	-26.14	183	-16.54	223	-27.3	263	-35.51	303	-29.91	343	-25.47
24	-29.27	64	-33.73	104	-26.17	144	-25.62	184	-16.9	224	-28.27	264	-35.68	304	-29.19	344	-25.38
25	-30.86	65	-33.18	105	-26.66	145	-25.44	185	-17.27	225	-29.46	265	-35.81	305	-28.58	345	-25.31
26	-32.29	66	-32.66	106	-26.98	146	-25.62	186	-17.71	226	-30.63	266	-35.96	306	-28.15	346	-25.3
27	-33.28	67	-32.16	107	-27.25	147	-26.12	187	-18.18	227	-31.73	267	-36.25	307	-27.89	347	-25.36
28	-33.32	68	-31.67	108	-27.62	148	-26.71	188	-18.69	228	-32.63	268	-36.66	308	-27.85	348	-25.54
29	-32.45	69	-31.13	109	-28.36	149	-26.98	189	-19.32	229	-33.35	269	-36.91	309	-28	349	-25.87
30	-31.3	70	-30.54	110	-29.57	150	-26.64	190	-19.95	230	-33.78	270	-36.74	310	-28.34	350	-26.39
31	-30.25	71	-29.95	111	-31.44	151	-25.87	191	-20.75	231	-34.16	271	-35.99	311	-28.75	351	-27.09
32	-29.45	72	-29.39	112	-34.44	152	-24.99	192	-21.68	232	-34.3	272	-35.01	312	-29.17	352	-27.98
33	-28.94	73	-28.9	113	-39.12	153	-24.27	193	-22.81	233	-34.59	273	-33.77	313	-29.46	353	-28.99
34	-28.78	74	-28.57	114	-46.56	154	-23.88	194	-24.02	234	-34.87	274	-32.55	314	-29.49	354	-30.02
35	-28.84	75	-28.4	115	-43.61	155	-23.72	195	-25.37	235	-35.11	275	-31.5	315	-29.34	355	-30.86
36	-29.09	76	-28.44	116	-38.72	156	-23.82	196	-26.4	236	-35.66	276	-30.75	316	-29.04	356	-31.11
37	-29.6	77	-28.7	117	-35.98	157	-24.23	197	-27.07	237	-35.77	277	-30.35	317	-28.69	357	-30.78
38	-30.33	78	-29.22	118	-34.26	158	-24.65	198	-26.78	238	-35.09	278	-30.31	318	-28.44	358	-30.15
39	-31.35	79	-30.05	119	-33.05	159	-25.02	199	-25.19	239	-34.03	279	-30.36	319	-28.28	359	-29.27

Radiated Pattern : DMX1058XR



BT Hch Hor(XY)

Received Power

MAX

-22.64

MIN


-51.94

AVE

-31.1515

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-27.3	40	-37.29	80	-33.56	120	-36.79	160	-45.44	200	-30.88	240	-25.48	280	-36.48	320	-25.84
1	-29.33	41	-37.5	81	-32.12	121	-42.49	161	-40.31	201	-31.7	241	-26.22	281	-34.57	321	-26.17
2	-31.23	42	-37.78	82	-31.69	122	-51.94	162	-35.54	202	-32.54	242	-26.99	282	-32.9	322	-26.64
3	-33.82	43	-38.03	83	-31.82	123	-45.84	163	-32.87	203	-33.41	243	-27.71	283	-31.53	323	-27.09
4	-37.13	44	-38.13	84	-31.83	124	-38.34	164	-31.41	204	-34.46	244	-28.43	284	-30.47	324	-27.51
5	-41.06	45	-37.8	85	-30.92	125	-33.82	165	-30.8	205	-35.94	245	-28.87	285	-29.67	325	-27.71
6	-43.82	46	-36.98	86	-29.14	126	-31.37	166	-31	206	-37.94	246	-28.91	286	-29.23	326	-27.62
7	-44.26	47	-35.56	87	-27.24	127	-29.97	167	-31.71	207	-40.82	247	-28.66	287	-29.31	327	-27.25
8	-43.75	48	-33.91	88	-25.61	128	-29.52	168	-32.6	208	-45.2	248	-27.92	288	-30.04	328	-27.12
9	-43.7	49	-32.05	89	-24.41	129	-29.8	169	-33.03	209	-50.33	249	-27.05	289	-31.61	329	-26.98
10	-43.8	50	-30.46	90	-23.72	130	-30.55	170	-32.56	210	-44.7	250	-26.22	290	-34.56	330	-26.92
11	-43.75	51	-28.87	91	-23.6	131	-31.33	171	-31.65	211	-39.25	251	-25.55	291	-39.79	331	-27.04
12	-43.26	52	-27.51	92	-24.11	132	-31.49	172	-31.07	212	-35.61	252	-24.83	292	-48.08	332	-27.15
13	-42.44	53	-26.35	93	-25.34	133	-30.83	173	-31.56	213	-33.07	253	-24.47	293	-37.52	333	-27.55
14	-41.61	54	-25.33	94	-27.14	134	-30.13	174	-32.04	214	-30.85	254	-24.14	294	-34.14	334	-28.17
15	-40.6	55	-24.45	95	-29.36	135	-29.84	175	-34.99	215	-30.35	255	-23.7	295	-32.47	335	-29.66
16	-39.2	56	-23.81	96	-30.73	136	-30.62	176	-37.62	216	-29.9	256	-23.36	296	-31.96	336	-30.42
17	-37.69	57	-23.25	97	-30.63	137	-31.33	177	-38.47	217	-30.16	257	-23.09	297	-32.29	337	-32.31
18	-36.24	58	-22.86	98	-30.19	138	-34.62	178	-35.84	218	-30.91	258	-22.97	298	-33.47	338	-34.82
19	-34.72	59	-22.64	99	-30.54	139	-38.05	179	-33.01	219	-32.19	259	-22.92	299	-34.85	339	-38.55
20	-33.35	60	-22.66	100	-33.61	140	-39.54	180	-30.76	220	-34.09	260	-22.98	300	-34.84	340	-45.68
21	-32.03	61	-22.77	101	-36.96	141	-40.01	181	-29.01	221	-36.33	261	-23.11	301	-33.02	341	-43.19
22	-31.05	62	-23.08	102	-33.82	142	-38.33	182	-27.69	222	-37.85	262	-23.31	302	-31.08	342	-39.37
23	-30.21	63	-23.54	103	-29.1	143	-37.32	183	-26.59	223	-36.55	263	-23.55	303	-29.61	343	-37.16
24	-29.52	64	-24.01	104	-26.15	144	-36.79	184	-25.71	224	-33.99	264	-23.81	304	-28.75	344	-36.17
25	-29.32	65	-24.58	105	-24.36	145	-35.98	185	-25	225	-31.29	265	-24.26	305	-28.51	345	-36.03
26	-29.37	66	-25.31	106	-23.39	146	-34.32	186	-24.39	226	-29.25	266	-24.98	306	-28.81	346	-36.59
27	-29.65	67	-25.55	107	-23.14	147	-32.33	187	-23.86	227	-27.67	267	-26.09	307	-29.56	347	-37.47
28	-30.14	68	-25.96	108	-23.39	148	-30.54	188	-23.56	228	-26.57	268	-27.72	308	-30.64	348	-38.08
29	-30.84	69	-26.11	109	-24.04	149	-29.07	189	-23.4	229	-25.73	269	-30.14	309	-31.69	349	-37.39
30	-31.67	70	-26.27	110	-24.53	150	-28.16	190	-23.36	230	-25.09	270	-33.31	310	-32.1	350	-35.42
31	-32.58	71	-26.37	111	-24.66	151	-27.64	191	-23.5	231	-24.6	271	-37.88	311	-31.5	351	-33.13
32	-33.48	72	-26.9	112	-24.41	152	-27.48	192	-23.87	232	-24.22	272	-42.79	312	-30.42	352	-30.99
33	-34.26	73	-27.65	113	-24.08	153	-27.72	193	-24.49	233	-23.91	273	-43.49	313	-29.25	353	-29.19
34	-34.88	74	-28.88	114	-24.02	154	-28.18	194	-25.3	234	-23.7	274	-40.76	314	-28.18	354	-27.88
35	-35.45	75	-30.74	115	-24.46	155	-28.99	195	-26.22	235	-23.63	275	-38.77	315	-27.27	355	-26.88
36	-36.06	76	-33.62	116	-25.35	156	-30.07	196	-27.2	236	-23.71	276	-37.85	316	-26.61	356	-26.3
37	-36.58	77	-37.48	117	-27.02	157	-31.9	197	-28.25	237	-23.92	277	-37.68	317	-26.12	357	-26.08
38	-36.92	78	-38.98	118	-29.44	158	-34.67	198	-29.14	238	-24.31	278	-37.99	318	-25.81	358	-26.2
39	-37.13	79	-36.11	119	-32.59	159	-39.29	199	-30.05	239	-24.83	279	-37.78	319	-25.72	359	-26.77

Radiated Pattern : DMX1058XR



BT Hch Ver(XY)

Received Power

MAX

-21.77

MIN


-59.28

AVE

-32.0564

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-35.61	40	-34.05	80	-30.38	120	-29.8	160	-25.8	200	-24.14	240	-30.03	280	-35.07	320	-27.07
1	-35.67	41	-34.51	81	-31.08	121	-29.6	161	-25.24	201	-24.03	241	-30.54	281	-37.14	321	-27.15
2	-35.23	42	-35.18	82	-32.1	122	-29.84	162	-24.83	202	-24.01	242	-31.32	282	-38.87	322	-27.37
3	-34.65	43	-36.02	83	-33.69	123	-30.44	163	-24.6	203	-24.07	243	-32.38	283	-37.17	323	-27.65
4	-33.96	44	-36.97	84	-35.9	124	-31.07	164	-24.57	204	-24.16	244	-33.81	284	-35.08	324	-27.93
5	-33.12	45	-37.86	85	-39.05	125	-31.5	165	-24.57	205	-24.32	245	-35.68	285	-33.26	325	-28.2
6	-32.27	46	-38.45	86	-43.01	126	-31.67	166	-24.65	206	-24.5	246	-37.93	286	-32.17	326	-28.38
7	-31.49	47	-38.62	87	-45.89	127	-31.6	167	-24.66	207	-24.77	247	-40.06	287	-31.35	327	-28.3
8	-30.75	48	-38.48	88	-45.47	128	-31.61	168	-24.58	208	-25.25	248	-40.08	288	-30.96	328	-28.05
9	-30.08	49	-38.17	89	-44.49	129	-31.69	169	-24.31	209	-25.65	249	-38.26	289	-30.84	329	-27.69
10	-29.61	50	-37.77	90	-44.24	130	-32.03	170	-23.53	210	-26.05	250	-36.43	290	-30.94	330	-27.32
11	-29.29	51	-37.42	91	-43.77	131	-32.59	171	-22.93	211	-26.45	251	-34.86	291	-31.1	331	-27.07
12	-29.18	52	-37.17	92	-42.04	132	-33.35	172	-22.35	212	-26.88	252	-33.73	292	-31.26	332	-26.96
13	-29.35	53	-36.9	93	-39.42	133	-34.1	173	-22.01	213	-27.33	253	-32.96	293	-31.37	333	-26.99
14	-29.82	54	-36.62	94	-36.95	134	-34.83	174	-21.84	214	-27.73	254	-32.58	294	-31.31	334	-27.19
15	-30.59	55	-36.31	95	-34.97	135	-34.86	175	-21.77	215	-28.14	255	-32.56	295	-31.11	335	-27.49
16	-31.72	56	-35.95	96	-33.16	136	-33.96	176	-21.96	216	-28.49	256	-32.93	296	-30.78	336	-27.94
17	-33.21	57	-35.49	97	-32.55	137	-32.81	177	-22.36	217	-28.77	257	-33.77	297	-30.41	337	-28.55
18	-34.85	58	-34.99	98	-32.39	138	-31.5	178	-22.84	218	-28.96	258	-35.04	298	-30.1	338	-29.23
19	-36.67	59	-34.43	99	-32.57	139	-30.25	179	-23.59	219	-29.21	259	-36.71	299	-29.8	339	-30.03
20	-38.22	60	-33.92	100	-32.85	140	-29.3	180	-24.5	220	-29.51	260	-38.47	300	-29.58	340	-30.78
21	-39.52	61	-33.37	101	-33	141	-28.57	181	-25.54	221	-29.96	261	-40.28	301	-29.36	341	-31.59
22	-40.69	62	-32.78	102	-32.95	142	-28.17	182	-26.59	222	-30.59	262	-42	302	-29.12	342	-32.25
23	-41.05	63	-32.16	103	-32.95	143	-28	183	-27.83	223	-31.37	263	-44.24	303	-28.93	343	-32.74
24	-41.65	64	-31.61	104	-33.18	144	-27.93	184	-28.94	224	-32.25	264	-47.35	304	-28.73	344	-33.05
25	-42.55	65	-31.04	105	-33.71	145	-27.76	185	-30.06	225	-33.22	265	-52.08	305	-28.64	345	-33.24
26	-43.83	66	-30.5	106	-34.52	146	-27.36	186	-30.94	226	-34.3	266	-59.28	306	-28.62	346	-33.24
27	-43.63	67	-30.26	107	-35.3	147	-26.61	187	-31.97	227	-35.33	267	-55.63	307	-28.77	347	-33.22
28	-42.36	68	-30.15	108	-35.34	148	-25.69	188	-32.88	228	-36	268	-50.42	308	-29.1	348	-33.24
29	-40.64	69	-30.12	109	-34.6	149	-24.82	189	-32.76	229	-35.91	269	-46.68	309	-29.56	349	-33.37
30	-38.75	70	-30.14	110	-33.6	150	-24.14	190	-32.14	230	-35.15	270	-43.05	310	-30.14	350	-33.65
31	-37.19	71	-30.18	111	-33	151	-23.73	191	-30.8	231	-34.02	271	-39.63	311	-30.73	351	-33.98
32	-35.89	72	-30.22	112	-33.04	152	-23.63	192	-29.57	232	-32.89	272	-36.81	312	-31.05	352	-34.4
33	-34.95	73	-30.21	113	-33.87	153	-23.83	193	-28.33	233	-31.95	273	-34.66	313	-30.91	353	-34.81
34	-34.18	74	-30.2	114	-35.31	154	-24.31	194	-27.29	234	-31.09	274	-33.24	314	-30.09	354	-35.18
35	-33.7	75	-30.14	115	-36.66	155	-24.98	195	-26.44	235	-30.39	275	-32.34	315	-29.32	355	-35.49
36	-33.45	76	-30.02	116	-36.08	156	-25.77	196	-25.76	236	-29.86	276	-32	316	-28.54	356	-35.59
37	-33.37	77	-29.92	117	-33.9	157	-26.44	197	-25.17	237	-29.52	277	-32.08	317	-27.89	357	-35.59
38	-33.45	78	-29.89	118	-31.91	158	-26.63	198	-24.72	238	-29.42	278	-32.59	318	-27.4	358	-35.61
39	-33.67	79	-30.02	119	-30.56	159	-26.33	199	-24.37	239	-29.5	279	-33.53	319	-27.17	359	-35.62

Radiated Pattern : DMX1058XR




BT Lch Hor(ZX)

Received Power
MAX -19.66 MIN -63.58 AVE -29.3297

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-27.26	40	-28.26	80	-19.66	120	-20.82	160	-21.87	200	-22.91	240	-30.83	280	-30.63	320	-40.39
1	-26.91	41	-28.25	81	-19.72	121	-21.12	161	-21.65	201	-22.33	241	-31.65	281	-30.88	321	-37.92
2	-26.95	42	-28.29	82	-19.81	122	-21.27	162	-21.41	202	-21.92	242	-32.57	282	-31.16	322	-36.16
3	-27.03	43	-28.55	83	-20.04	123	-21.27	163	-21.19	203	-21.6	243	-33.29	283	-31.41	323	-34.99
4	-27.26	44	-28.83	84	-20.29	124	-21.12	164	-21.01	204	-21.41	244	-33.68	284	-31.76	324	-34.08
5	-27.57	45	-29.22	85	-20.62	125	-20.81	165	-20.85	205	-21.28	245	-33	285	-32.2	325	-33.46
6	-27.92	46	-29.75	86	-20.96	126	-20.55	166	-20.79	206	-21.19	246	-31.73	286	-32.65	326	-33.12
7	-28.35	47	-30.38	87	-21.37	127	-20.27	167	-20.78	207	-21.14	247	-30.35	287	-33.27	327	-33.02
8	-28.94	48	-31.14	88	-21.75	128	-20.08	168	-20.87	208	-21.12	248	-29.05	288	-33.93	328	-33.15
9	-29.58	49	-31.95	89	-22.36	129	-20	169	-21.05	209	-21.07	249	-27.79	289	-34.67	329	-33.45
10	-30.26	50	-32.87	90	-22.66	130	-20.01	170	-21.3	210	-21.02	250	-26.76	290	-35.52	330	-33.94
11	-31.01	51	-33.85	91	-22.8	131	-20.22	171	-21.65	211	-20.95	251	-25.88	291	-36.39	331	-34.43
12	-31.67	52	-34.98	92	-22.96	132	-20.58	172	-22.09	212	-20.86	252	-25.15	292	-37.41	332	-34.78
13	-32.26	53	-36.38	93	-23.01	133	-21.1	173	-22.68	213	-20.79	253	-24.62	293	-38.46	333	-34.77
14	-32.69	54	-37.91	94	-22.98	134	-21.82	174	-23.4	214	-20.75	254	-24.19	294	-39.5	334	-34.43
15	-32.97	55	-39.85	95	-22.97	135	-22.74	175	-24.36	215	-20.72	255	-23.93	295	-40.47	335	-33.86
16	-33.07	56	-41.1	96	-22.97	136	-23.91	176	-25.49	216	-20.71	256	-23.79	296	-41.3	336	-33.19
17	-33.11	57	-40.92	97	-23.13	137	-25.31	177	-26.8	217	-20.84	257	-23.77	297	-42.01	337	-32.52
18	-33.05	58	-38.46	98	-23.48	138	-26.82	178	-28.3	218	-20.98	258	-23.82	298	-42.69	338	-32
19	-32.99	59	-36.07	99	-24.12	139	-28.15	179	-30	219	-21.21	259	-23.93	299	-43.52	339	-31.6
20	-32.93	60	-32.6	100	-24.86	140	-28.67	180	-33.14	220	-21.55	260	-24.07	300	-44.7	340	-31.45
21	-32.99	61	-30.78	101	-26.09	141	-28.19	181	-35.68	221	-22.01	261	-24.33	301	-46.43	341	-31.45
22	-33.14	62	-29.13	102	-27.7	142	-27.09	182	-39.2	222	-22.57	262	-24.63	302	-48.6	342	-31.74
23	-33.38	63	-27.67	103	-30.21	143	-25.81	183	-44.32	223	-23.31	263	-25.03	303	-51.4	343	-32.34
24	-34.2	64	-26.56	104	-34.28	144	-24.66	184	-53.78	224	-24.13	264	-25.43	304	-54.36	344	-33.65
25	-35.04	65	-25.53	105	-42.47	145	-23.72	185	-57	225	-25.14	265	-25.91	305	-54.34	345	-34.95
26	-36.24	66	-24.59	106	-41.82	146	-22.96	186	-48.13	226	-26.1	266	-26.37	306	-51.26	346	-36.41
27	-37.88	67	-23.76	107	-33.56	147	-22.4	187	-44.21	227	-27.25	267	-26.88	307	-47.39	347	-37.89
28	-39.64	68	-23.06	108	-29.16	148	-21.96	188	-41.45	228	-28.28	268	-27.36	308	-44.71	348	-38.65
29	-41.12	69	-22.41	109	-26.27	149	-21.68	189	-38.64	229	-29.22	269	-27.92	309	-42.24	349	-37.99
30	-40.38	70	-21.89	110	-24.35	150	-21.51	190	-36.06	230	-29.86	270	-28.43	310	-40.54	350	-36.37
31	-38.2	71	-21.42	111	-22.85	151	-21.47	191	-33.57	231	-30.13	271	-28.92	311	-40.29	351	-34.38
32	-35.59	72	-20.98	112	-21.79	152	-21.56	192	-31.59	232	-29.98	272	-29.37	312	-40.68	352	-32.64
33	-33.7	73	-20.69	113	-20.97	153	-21.72	193	-29.82	233	-29.59	273	-29.72	313	-41.74	353	-31.18
34	-31.91	74	-20.4	114	-20.39	154	-21.88	194	-28.46	234	-29.25	274	-29.95	314	-43.1	354	-30.02
35	-30.71	75	-20.18	115	-20.03	155	-22.06	195	-27.29	235	-29	275	-30.17	315	-45.96	355	-29.08
36	-29.73	76	-19.98	116	-19.85	156	-22.21	196	-26.24	236	-29.02	276	-30.28	316	-49.7	356	-28.31
37	-29.11	77	-19.78	117	-19.85	157	-22.23	197	-25.22	237	-29.13	277	-30.33	317	-63.58	357	-27.74
38	-28.59	78	-19.72	118	-20.02	158	-22.18	198	-24.38	238	-29.55	278	-30.41	318	-52.45	358	-27.36
39	-28.33	79	-19.66	119	-20.48	159	-22.08	199	-23.55	239	-30.06	279	-30.5	319	-44.32	359	-27.09

Radiated Pattern : DMX1058XR




BT Lch Ver (ZX)

Received Power
MAX -22.78 MIN -56.21 AVE -32.4295

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-28.79	40	-48.01	80	-42.31	120	-34.32	160	-27.83	200	-23.51	240	-26.99	280	-33.2	320	-30.45
1	-27.88	41	-45.19	81	-42.15	121	-33.8	161	-27.33	201	-23.76	241	-27.47	281	-33.55	321	-29.76
2	-27.62	42	-43.14	82	-41.92	122	-33.23	162	-27	202	-24.06	242	-27.98	282	-33.9	322	-29.25
3	-27.43	43	-41.66	83	-41.63	123	-33.1	163	-26.66	203	-24.38	243	-28.68	283	-34.3	323	-28.9
4	-27.25	44	-40.4	84	-40.95	124	-32.4	164	-26.32	204	-24.82	244	-29.35	284	-34.76	324	-28.63
5	-27.08	45	-39.55	85	-40.32	125	-32.23	165	-25.95	205	-25.24	245	-30.23	285	-35.23	325	-28.62
6	-26.9	46	-38.77	86	-39.67	126	-31.67	166	-25.6	206	-25.76	246	-31.23	286	-35.71	326	-28.75
7	-26.73	47	-37.96	87	-39.07	127	-31.01	167	-25.24	207	-26.25	247	-32.43	287	-36.29	327	-28.82
8	-26.6	48	-37.36	88	-38.66	128	-30.56	168	-24.84	208	-26.75	248	-33.72	288	-36.79	328	-29.13
9	-26.52	49	-36.65	89	-38.18	129	-30.13	169	-24.54	209	-27.27	249	-35.53	289	-37.42	329	-29.52
10	-26.49	50	-35.98	90	-37.96	130	-29.81	170	-24.28	210	-27.77	250	-37.28	290	-37.98	330	-30.04
11	-26.53	51	-35.27	91	-37.91	131	-29.59	171	-23.95	211	-28.29	251	-39.01	291	-39.09	331	-30.54
12	-26.6	52	-34.76	92	-37.87	132	-29.45	172	-23.64	212	-28.8	252	-40.24	292	-40.2	332	-31.03
13	-26.73	53	-34.24	93	-38.1	133	-29.44	173	-23.36	213	-29.27	253	-40.34	293	-41.39	333	-31.08
14	-26.9	54	-33.82	94	-38.38	134	-29.62	174	-23.16	214	-29.35	254	-39.07	294	-42.27	334	-30.89
15	-27.34	55	-33.45	95	-38.69	135	-29.85	175	-23.03	215	-29.41	255	-37.3	295	-43.82	335	-30.46
16	-27.44	56	-33.14	96	-39.33	136	-30.14	176	-22.85	216	-29.4	256	-35.69	296	-45.28	336	-29.94
17	-27.8	57	-32.88	97	-40.02	137	-30.37	177	-22.8	217	-29.14	257	-34.11	297	-47.65	337	-29.34
18	-28.21	58	-32.67	98	-40.83	138	-30.79	178	-22.82	218	-28.74	258	-32.9	298	-49.48	338	-28.79
19	-28.67	59	-32.53	99	-41.64	139	-30.95	179	-22.88	219	-28.33	259	-31.77	299	-49.53	339	-28.27
20	-29.15	60	-32.45	100	-42.27	140	-31.26	180	-22.97	220	-27.9	260	-30.86	300	-47.85	340	-27.89
21	-29.68	61	-32.38	101	-42.77	141	-31.17	181	-23.08	221	-27.47	261	-30.18	301	-46.19	341	-27.61
22	-30.41	62	-32.43	102	-42.86	142	-31.1	182	-23.23	222	-27	262	-29.38	302	-45.34	342	-27.48
23	-30.75	63	-32.52	103	-42.43	143	-30.94	183	-23.3	223	-26.68	263	-29.01	303	-44.69	343	-27.5
24	-31.28	64	-32.85	104	-41.73	144	-30.74	184	-23.43	224	-26.28	264	-28.73	304	-44.8	344	-27.65
25	-31.79	65	-33.17	105	-40.72	145	-30.6	185	-23.46	225	-25.94	265	-28.55	305	-44.76	345	-27.93
26	-32.64	66	-33.53	106	-39.9	146	-30.53	186	-23.56	226	-25.46	266	-28.49	306	-44.7	346	-28.33
27	-33.18	67	-33.93	107	-39.09	147	-30.76	187	-23.57	227	-25.2	267	-28.49	307	-44.54	347	-28.78
28	-33.81	68	-34.38	108	-38.59	148	-30.81	188	-23.56	228	-24.95	268	-28.61	308	-45.25	348	-29.26
29	-34.49	69	-34.89	109	-38.15	149	-31.09	189	-23.45	229	-24.8	269	-28.78	309	-46.06	349	-29.81
30	-35.36	70	-35.4	110	-37.82	150	-31.35	190	-23.34	230	-24.76	270	-29.04	310	-46.44	350	-30.27
31	-36.42	71	-36.09	111	-37.62	151	-31.71	191	-23.2	231	-24.77	271	-29.35	311	-46.3	351	-30.66
32	-37.71	72	-36.81	112	-37.41	152	-31.84	192	-22.95	232	-24.78	272	-29.71	312	-44.57	352	-30.96
33	-39.24	73	-37.58	113	-37.3	153	-31.82	193	-22.83	233	-24.9	273	-30.14	313	-42.11	353	-31
34	-41.15	74	-38.43	114	-37.08	154	-31.48	194	-22.79	234	-25.09	274	-30.62	314	-39.65	354	-30.9
35	-43.46	75	-39.28	115	-36.67	155	-31.21	195	-22.78	235	-25.33	275	-31.12	315	-37.46	355	-30.58
36	-46.85	76	-40.32	116	-36.29	156	-30.69	196	-22.84	236	-25.6	276	-31.56	316	-35.47	356	-30.18
37	-51.64	77	-40.97	117	-35.86	157	-30.05	197	-22.98	237	-25.9	277	-32.04	317	-33.81	357	-29.66
38	-56.21	78	-41.63	118	-35.3	158	-29.36	198	-23.14	238	-26.26	278	-32.51	318	-32.46	358	-29.14
39	-52.15	79	-42.08	119	-34.76	159	-28.71	199	-23.31	239	-26.64	279	-32.83	319	-31.34	359	-28.69

Radiated Pattern : DMX1058XR




BT Cch Hor(ZX)

Received Power
MAX -17.6 MIN -57.77 AVE -26.5263

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-25.46	40	-31.26	80	-21.14	120	-19.22	160	-20.6	200	-21.72	240	-37.31	280	-26.55	320	-26.91
1	-25.49	41	-30.58	81	-21.07	121	-18.63	161	-21.07	201	-21.74	241	-40.94	281	-26.6	321	-27.58
2	-25.64	42	-30.14	82	-21.04	122	-18.16	162	-21.56	202	-21.77	242	-43.81	282	-26.57	322	-28.18
3	-25.86	43	-29.8	83	-21.12	123	-17.84	163	-22.02	203	-21.79	243	-41.34	283	-26.56	323	-28.73
4	-26.14	44	-29.66	84	-21.25	124	-17.64	164	-22.47	204	-21.8	244	-37.28	284	-26.57	324	-28.91
5	-26.47	45	-29.69	85	-21.41	125	-17.6	165	-22.87	205	-21.77	245	-34.34	285	-26.66	325	-28.7
6	-26.76	46	-29.9	86	-21.59	126	-17.7	166	-23.48	206	-21.76	246	-32.12	286	-26.84	326	-28.05
7	-27.03	47	-30.31	87	-21.83	127	-17.94	167	-23.66	207	-21.75	247	-30.11	287	-27.22	327	-27.3
8	-27.27	48	-31	88	-22.12	128	-18.29	168	-23.96	208	-21.77	248	-28.6	288	-27.68	328	-26.53
9	-27.41	49	-31.72	89	-22.43	129	-18.81	169	-24.36	209	-21.79	249	-27.14	289	-28.39	329	-25.81
10	-27.44	50	-32.88	90	-22.81	130	-19.43	170	-24.93	210	-21.86	250	-25.99	290	-29.37	330	-25.18
11	-27.47	51	-34.25	91	-23.19	131	-20.12	171	-25.35	211	-21.95	251	-24.95	291	-30.62	331	-24.62
12	-27.42	52	-36.19	92	-23.58	132	-20.79	172	-25.78	212	-22.06	252	-24.08	292	-32.25	332	-24.22
13	-27.35	53	-37.72	93	-24.06	133	-21.78	173	-26.34	213	-22.19	253	-23.34	293	-34.47	333	-23.92
14	-27.25	54	-39.58	94	-24.81	134	-22.21	174	-26.97	214	-22.32	254	-22.65	294	-37.25	334	-23.71
15	-27.11	55	-41.03	95	-25.62	135	-22.32	175	-27.6	215	-22.46	255	-22.08	295	-39.88	335	-23.62
16	-26.98	56	-41.43	96	-25.95	136	-22.49	176	-28.18	216	-22.59	256	-21.62	296	-40.66	336	-23.58
17	-26.89	57	-40.54	97	-27.03	137	-22.5	177	-28.75	217	-22.74	257	-21.23	297	-39.19	337	-23.64
18	-26.84	58	-39.04	98	-28.52	138	-22.56	178	-29.31	218	-22.88	258	-20.92	298	-37.02	338	-23.73
19	-26.83	59	-37.58	99	-31.5	139	-22.69	179	-29.65	219	-23.04	259	-20.63	299	-35.44	339	-23.95
20	-26.83	60	-36.26	100	-34.93	140	-22.94	180	-29.78	220	-23.16	260	-20.46	300	-34.56	340	-24.2
21	-26.88	61	-35.03	101	-41.11	141	-23.29	181	-29.66	221	-23.26	261	-20.34	301	-34.2	341	-24.57
22	-26.9	62	-33.79	102	-57.77	142	-23.67	182	-29.32	222	-23.33	262	-20.28	302	-34.21	342	-24.98
23	-26.99	63	-32.78	103	-39.53	143	-23.99	183	-28.78	223	-23.38	263	-20.26	303	-34.9	343	-25.5
24	-27.08	64	-31.72	104	-33.83	144	-24.14	184	-28.17	224	-23.4	264	-20.29	304	-36.22	344	-26.07
25	-27.22	65	-30.21	105	-30.61	145	-24.04	185	-27.47	225	-23.46	265	-20.38	305	-38.36	345	-26.73
26	-27.53	66	-29.11	106	-28.54	146	-23.6	186	-26.77	226	-23.52	266	-20.51	306	-42.24	346	-27.41
27	-27.78	67	-28.09	107	-26.98	147	-22.93	187	-26.06	227	-23.69	267	-20.7	307	-48.87	347	-28.47
28	-28.14	68	-27.19	108	-25.88	148	-22.13	188	-25.42	228	-23.9	268	-20.94	308	-43.53	348	-28.81
29	-28.57	69	-26.28	109	-25.04	149	-21.34	189	-24.81	229	-24.23	269	-21.24	309	-37.45	349	-29.39
30	-29.13	70	-25.48	110	-24.41	150	-20.64	190	-24.26	230	-24.58	270	-21.59	310	-34.12	350	-29.41
31	-29.8	71	-24.7	111	-23.93	151	-20.04	191	-23.78	231	-25.01	271	-22.02	311	-31.67	351	-29.11
32	-30.6	72	-24	112	-23.61	152	-19.61	192	-23.36	232	-25.53	272	-22.48	312	-29.12	352	-28.58
33	-31.43	73	-23.39	113	-23.27	153	-19.28	193	-22.97	233	-26.13	273	-23.04	313	-27.93	353	-27.96
34	-32.24	74	-22.85	114	-22.95	154	-19.12	194	-22.61	234	-26.9	274	-23.63	314	-27.03	354	-27.33
35	-32.86	75	-22.4	115	-22.49	155	-19.06	195	-22.31	235	-27.72	275	-24.21	315	-26.38	355	-26.71
36	-33.17	76	-22	116	-21.96	156	-19.16	196	-22.08	236	-28.76	276	-25.11	316	-26.02	356	-26.2
37	-32.99	77	-21.7	117	-21.31	157	-19.37	197	-21.88	237	-29.99	277	-25.4	317	-25.91	357	-25.79
38	-32.6	78	-21.46	118	-20.61	158	-19.7	198	-21.77	238	-32.38	278	-25.87	318	-26.05	358	-25.52
39	-31.88	79	-21.26	119	-19.91	159	-20.12	199	-21.74	239	-34.57	279	-26.36	319	-26.41	359	-25.37

Radiated Pattern : DMX1058XR




BT Cch Ver(ZX)

Received Power
MAX MIN AVE
-22.91 -43.49 -31.4929

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-29.81	40	-39.4	80	-33.21	120	-26.59	160	-29.96	200	-24.41	240	-29.15	280	-32.24	320	-29.64
1	-29.02	41	-38.48	81	-32.76	121	-26.16	161	-29.52	201	-24.67	241	-29.42	281	-33.8	321	-29.43
2	-28.88	42	-37.54	82	-32.37	122	-25.81	162	-29.05	202	-24.99	242	-30.15	282	-34.98	322	-29.31
3	-28.84	43	-36.66	83	-32	123	-25.54	163	-28.52	203	-25.32	243	-30.42	283	-36.17	323	-29.3
4	-28.9	44	-35.95	84	-31.7	124	-25.36	164	-27.98	204	-25.67	244	-30.84	284	-37.3	324	-29.38
5	-29	45	-35.31	85	-31.43	125	-25.21	165	-27.44	205	-26.03	245	-31.74	285	-38.44	325	-29.6
6	-29.12	46	-34.71	86	-31.2	126	-25.18	166	-26.97	206	-26.4	246	-32.32	286	-39.39	326	-29.93
7	-29.25	47	-34.12	87	-31.11	127	-25.18	167	-26.55	207	-26.79	247	-33	287	-40.32	327	-30.41
8	-29.38	48	-33.5	88	-31.04	128	-25.29	168	-26.2	208	-27.26	248	-33.58	288	-41.1	328	-30.9
9	-29.51	49	-32.84	89	-31.04	129	-25.44	169	-25.93	209	-27.85	249	-34.13	289	-41.92	329	-31.41
10	-29.67	50	-32.18	90	-31.1	130	-25.63	170	-25.69	210	-28.53	250	-34.54	290	-42.49	330	-31.86
11	-29.89	51	-31.56	91	-31.27	131	-25.86	171	-25.53	211	-29.34	251	-35.03	291	-42.66	331	-32.13
12	-30.12	52	-31.01	92	-31.59	132	-26.11	172	-25.31	212	-30.26	252	-35.57	292	-42.54	332	-32.08
13	-30.43	53	-30.45	93	-32.05	133	-26.45	173	-25.11	213	-31.43	253	-35.84	293	-41.99	333	-31.68
14	-30.76	54	-30	94	-32.69	134	-26.82	174	-24.92	214	-32.77	254	-36.08	294	-41.11	334	-31.1
15	-31.1	55	-29.37	95	-33.51	135	-27.32	175	-24.74	215	-34.31	255	-36.21	295	-40.01	335	-30.37
16	-31.5	56	-29	96	-34.48	136	-27.86	176	-24.59	216	-36.26	256	-35.95	296	-38.92	336	-29.69
17	-31.94	57	-28.7	97	-35.5	137	-28.52	177	-24.47	217	-38.66	257	-35.53	297	-37.87	337	-29.08
18	-32.4	58	-28.48	98	-36.46	138	-29.29	178	-24.37	218	-42.61	258	-34.81	298	-36.83	338	-28.57
19	-33.21	59	-28.35	99	-36.98	139	-30.16	179	-24.25	219	-43.23	259	-33.95	299	-35.83	339	-28.19
20	-33.47	60	-28.35	100	-36.92	140	-31.15	180	-24.07	220	-41.56	260	-33.07	300	-34.97	340	-27.93
21	-34.25	61	-28.43	101	-36.29	141	-32.29	181	-23.92	221	-39.06	261	-32.1	301	-34.2	341	-27.8
22	-34.78	62	-28.65	102	-35.37	142	-33.38	182	-23.76	222	-37.29	262	-31.22	302	-33.7	342	-27.82
23	-35.31	63	-28.96	103	-34.31	143	-34.54	183	-23.6	223	-35.85	263	-30.39	303	-33.34	343	-28
24	-35.74	64	-29.41	104	-33.24	144	-35.91	184	-23.44	224	-34.59	264	-29.7	304	-33.13	344	-28.32
25	-36.16	65	-30	105	-32.2	145	-37.6	185	-23.3	225	-33.47	265	-29.1	305	-32.91	345	-28.86
26	-36.5	66	-30.72	106	-31.33	146	-39.7	186	-23.17	226	-32.62	266	-28.59	306	-32.72	346	-29.56
27	-36.84	67	-31.52	107	-30.59	147	-41.73	187	-23.08	227	-31.76	267	-28.21	307	-32.57	347	-31.08
28	-37.2	68	-32.44	108	-29.99	148	-43.49	188	-23	228	-31.14	268	-27.95	308	-32.47	348	-32.45
29	-37.67	69	-33.47	109	-29.52	149	-43.17	189	-22.95	229	-30.47	269	-27.79	309	-32.46	349	-34
30	-38.2	70	-34.48	110	-29.18	150	-40.03	190	-22.91	230	-29.98	270	-27.75	310	-32.53	350	-35.49
31	-38.85	71	-35.38	111	-28.91	151	-37.49	191	-22.92	231	-29.54	271	-27.78	311	-32.6	351	-36.51
32	-39.61	72	-36.09	112	-28.7	152	-35.59	192	-22.96	232	-29.23	272	-27.88	312	-32.62	352	-36.39
33	-40.48	73	-36.44	113	-28.57	153	-34.15	193	-23.05	233	-28.97	273	-28.07	313	-32.52	353	-35.33
34	-41.34	74	-36.5	114	-28.44	154	-32.98	194	-23.18	234	-28.72	274	-28.38	314	-32.17	354	-33.93
35	-42.06	75	-36.12	115	-28.33	155	-32.18	195	-23.35	235	-28.63	275	-28.76	315	-31.75	355	-32.68
36	-42.36	76	-35.54	116	-28.09	156	-31.64	196	-23.55	236	-28.53	276	-29.25	316	-31.28	356	-31.54
37	-42.01	77	-34.85	117	-27.79	157	-31.15	197	-23.75	237	-28.61	277	-29.87	317	-30.78	357	-30.68
38	-41.27	78	-34.29	118	-27.47	158	-30.79	198	-23.94	238	-28.72	278	-30.54	318	-30.33	358	-30.03
39	-40.31	79	-33.72	119	-27.02	159	-30.39	199	-24.15	239	-28.84	279	-31.34	319	-29.95	359	-29.54

Radiated Pattern : DMX1058XR




BT Hch Hor(ZX)

Received Power
MAX MIN AVE
-20.35 -46.92 -28.5015

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-26.99	40	-27.74	80	-23.88	120	-20.86	160	-22.69	200	-27.69	240	-34.56	280	-29.1	320	-30.85
1	-26.22	41	-27.39	81	-24.06	121	-20.79	161	-23.32	201	-27.27	241	-33.76	281	-29.25	321	-30.75
2	-26.19	42	-27.14	82	-24.2	122	-20.85	162	-23.89	202	-26.85	242	-33.09	282	-29.1	322	-30.78
3	-26.28	43	-27.05	83	-24.28	123	-21.14	163	-24.52	203	-26.46	243	-32.52	283	-29	323	-30.89
4	-26.45	44	-27.02	84	-24.56	124	-21.53	164	-25.08	204	-26.15	244	-32.07	284	-28.71	324	-31.06
5	-26.77	45	-27.14	85	-24.84	125	-22.21	165	-25.62	205	-25.87	245	-31.8	285	-28.41	325	-31.27
6	-27.11	46	-27.4	86	-25.03	126	-23.04	166	-26.08	206	-25.64	246	-31.51	286	-28.16	326	-31.25
7	-27.46	47	-27.86	87	-25.31	127	-24.06	167	-26.49	207	-25.46	247	-31.39	287	-27.96	327	-31.1
8	-27.82	48	-28.54	88	-25.57	128	-25.27	168	-26.75	208	-25.29	248	-31.26	288	-27.79	328	-30.73
9	-28.06	49	-29.46	89	-25.84	129	-26.3	169	-26.98	209	-25.2	249	-31.14	289	-27.72	329	-30.17
10	-28.07	50	-30.49	90	-26.24	130	-27.11	170	-27.15	210	-25.16	250	-30.92	290	-27.88	330	-29.35
11	-27.93	51	-32.36	91	-26.75	131	-27.45	171	-27.28	211	-25.16	251	-30.62	291	-28.16	331	-28.53
12	-27.6	52	-33.66	92	-27.46	132	-27.25	172	-27.48	212	-25.17	252	-30.26	292	-28.61	332	-27.66
13	-27.23	53	-34.58	93	-28.09	133	-26.76	173	-27.68	213	-25.16	253	-29.83	293	-29.22	333	-26.97
14	-26.7	54	-34.79	94	-28.98	134	-26.24	174	-28.06	214	-25.2	254	-29.39	294	-29.96	334	-26.24
15	-26.23	55	-34.43	95	-30.31	135	-25.73	175	-28.49	215	-25.24	255	-28.92	295	-30.91	335	-25.69
16	-25.63	56	-33.8	96	-31.84	136	-25.35	176	-29.07	216	-25.27	256	-28.47	296	-32.15	336	-25.25
17	-25.33	57	-32.85	97	-34.11	137	-25.13	177	-29.81	217	-25.46	257	-28.01	297	-33.77	337	-24.86
18	-25.15	58	-32.01	98	-36.44	138	-25.06	178	-31.21	218	-25.58	258	-27.59	298	-35.63	338	-24.61
19	-25.02	59	-31.13	99	-39.73	139	-25.17	179	-31.71	219	-25.76	259	-27.16	299	-38.02	339	-24.47
20	-25	60	-30.5	100	-42.58	140	-25.36	180	-33.13	220	-25.95	260	-26.79	300	-41.05	340	-24.46
21	-25.03	61	-29.91	101	-41.02	141	-25.6	181	-33.56	221	-26.2	261	-26.4	301	-44.82	341	-24.54
22	-25.16	62	-29.44	102	-37.75	142	-25.74	182	-34.03	222	-26.46	262	-26.09	302	-46.92	342	-24.74
23	-25.35	63	-28.95	103	-34.85	143	-25.69	183	-33.6	223	-26.78	263	-25.84	303	-46.16	343	-25.08
24	-25.6	64	-28.44	104	-32.99	144	-25.33	184	-32.73	224	-27.25	264	-25.61	304	-43.92	344	-25.53
25	-25.93	65	-27.92	105	-31.35	145	-24.75	185	-31.82	225	-27.78	265	-25.42	305	-42.16	345	-26.14
26	-26.28	66	-27.4	106	-30.21	146	-23.99	186	-31	226	-28.41	266	-25.29	306	-41.3	346	-26.92
27	-26.7	67	-26.85	107	-29.31	147	-23.17	187	-30.23	227	-29.17	267	-25.19	307	-41.06	347	-27.92
28	-27.12	68	-26.32	108	-28.63	148	-22.42	188	-29.69	228	-30.02	268	-25.18	308	-41.28	348	-29.14
29	-27.57	69	-25.84	109	-28.02	149	-21.77	189	-29.27	229	-31.04	269	-25.21	309	-41.86	349	-30.57
30	-28.01	70	-25.35	110	-27.52	150	-21.02	190	-29.03	230	-32.05	270	-25.32	310	-42.35	350	-32.09
31	-28.42	71	-24.95	111	-26.95	151	-20.65	191	-28.85	231	-33.2	271	-25.55	311	-41.94	351	-33.62
32	-28.77	72	-24.55	112	-26.31	152	-20.42	192	-28.79	232	-34.43	272	-25.84	312	-40.61	352	-34.21
33	-29.06	73	-24.28	113	-25.6	153	-20.35	193	-28.77	233	-35.61	273	-26.16	313	-38.82	353	-33.16
34	-29.2	74	-24.09	114	-24.36	154	-20.37	194	-28.78	234	-36.61	274	-26.52	314	-37.01	354	-31.62
35	-29.23	75	-23.86	115	-23.58	155	-20.52	195	-28.76	235	-37.14	275	-27.01	315	-35.23	355	-30.13
36	-29.06	76	-23.76	116	-22.78	156	-20.81	196	-28.71	236	-37.28	276	-27.49	316	-33.43	356	-28.93
37	-28.8	77	-23.73	117	-22.12	157	-21.15	197	-28.58	237	-36.91	277	-27.99	317	-32.37	357	-27.98
38	-28.5	78	-23.8	118	-21.54	158	-21.63	198	-28.37	238	-36.24	278	-28.44	318	-31.73	358	-27.24
39	-28.08	79	-23.85	119	-21.12	159	-22.14	199	-28.04	239	-35.45	279	-28.87	319	-31.16	359	-26.72

Radiated Pattern : DMX1058XR



BT Hch Ver(ZX)

Received Power

MAX

-22.45

MIN


-58.15

AVE

-32.7238

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-33.84	40	-58.15	80	-31.2	120	-26.26	160	-36.54	200	-22.45	240	-32.32	280	-36.18	320	-31.96
1	-34.75	41	-49.52	81	-30.98	121	-26.34	161	-35.41	201	-22.46	241	-32.18	281	-36.96	321	-32.56
2	-35.07	42	-45.03	82	-30.8	122	-26.45	162	-34.35	202	-22.54	242	-32.37	282	-37.53	322	-33.18
3	-35.42	43	-41.97	83	-30.78	123	-26.47	163	-33.41	203	-22.63	243	-32.6	283	-37.85	323	-33.76
4	-35.77	44	-39.98	84	-30.81	124	-26.48	164	-32.46	204	-22.74	244	-32.89	284	-37.87	324	-34.59
5	-36.11	45	-38.35	85	-30.93	125	-26.41	165	-31.79	205	-22.8	245	-33.42	285	-37.53	325	-35.18
6	-36.44	46	-37.15	86	-31.1	126	-26.34	166	-31.17	206	-22.97	246	-34.07	286	-36.97	326	-35.73
7	-36.77	47	-36.17	87	-31.31	127	-26.25	167	-30.55	207	-23.15	247	-35.01	287	-36.3	327	-36.25
8	-37.13	48	-35.25	88	-31.54	128	-26.15	168	-30.12	208	-23.34	248	-35.97	288	-35.66	328	-36.69
9	-37.49	49	-34.25	89	-31.66	129	-26.08	169	-29.7	209	-23.69	249	-37.18	289	-35.02	329	-36.94
10	-37.97	50	-33.29	90	-31.83	130	-26.04	170	-29.44	210	-24.03	250	-38.36	290	-34.37	330	-37.12
11	-38.67	51	-32.29	91	-31.83	131	-26	171	-29.1	211	-24.49	251	-39.89	291	-33.74	331	-37.04
12	-39.47	52	-31.4	92	-31.78	132	-25.99	172	-28.95	212	-24.98	252	-41.46	292	-33.14	332	-36.82
13	-40.41	53	-30.61	93	-31.68	133	-26.05	173	-28.94	213	-25.51	253	-42.55	293	-32.5	333	-36.62
14	-41.39	54	-29.91	94	-31.49	134	-26.19	174	-29.02	214	-26.1	254	-42.34	294	-31.63	334	-36.47
15	-42.48	55	-29.35	95	-31.23	135	-26.48	175	-29.27	215	-26.65	255	-40.65	295	-31.09	335	-36.4
16	-43.46	56	-28.82	96	-30.89	136	-26.87	176	-29.56	216	-27.31	256	-38.76	296	-30.59	336	-36.34
17	-44.51	57	-28.43	97	-30.57	137	-27.45	177	-29.87	217	-28.05	257	-36.94	297	-30.14	337	-36.3
18	-45.42	58	-28.14	98	-30.22	138	-28.18	178	-30.15	218	-28.82	258	-34.57	298	-29.68	338	-36.23
19	-45.55	59	-27.98	99	-29.96	139	-29.11	179	-30.21	219	-29.75	259	-33.3	299	-29.24	339	-36.21
20	-44.66	60	-27.98	100	-29.79	140	-30.32	180	-30.01	220	-30.64	260	-32.22	300	-28.81	340	-36.2
21	-42.99	61	-28.14	101	-29.76	141	-31.74	181	-29.6	221	-31.65	261	-31.31	301	-28.41	341	-36.18
22	-41.33	62	-28.46	102	-29.82	142	-33.39	182	-28.96	222	-32.55	262	-30.61	302	-28.09	342	-36.06
23	-39.28	63	-28.9	103	-30.02	143	-35.42	183	-28.22	223	-33.5	263	-30.05	303	-27.85	343	-35.72
24	-38.06	64	-29.44	104	-30.3	144	-37.52	184	-27.42	224	-34.37	264	-29.63	304	-27.7	344	-35.29
25	-37.24	65	-30.12	105	-30.65	145	-39.96	185	-26.55	225	-35.45	265	-29.34	305	-27.61	345	-34.79
26	-36.7	66	-30.89	106	-31	146	-42.14	186	-25.81	226	-37.37	266	-29.14	306	-27.62	346	-34.27
27	-36.36	67	-31.87	107	-31.26	147	-43.84	187	-25.18	227	-38.15	267	-29.06	307	-27.62	347	-33.93
28	-36.25	68	-32.87	108	-31.28	148	-44.13	188	-24.62	228	-39.76	268	-29.08	308	-27.72	348	-33.36
29	-36.17	69	-33.98	109	-30.92	149	-43.24	189	-24.2	229	-40.56	269	-29.23	309	-27.86	349	-33.03
30	-36.31	70	-35	110	-30.32	150	-41.7	190	-23.64	230	-40.73	270	-29.48	310	-28.1	350	-32.85
31	-36.63	71	-35.79	111	-29.59	151	-40.55	191	-23.49	231	-40.27	271	-29.87	311	-28.38	351	-32.73
32	-37.16	72	-36.14	112	-28.82	152	-39.58	192	-23.22	232	-39.09	272	-30.3	312	-28.65	352	-32.69
33	-37.87	73	-35.84	113	-28.1	153	-39.25	193	-23.01	233	-37.73	273	-30.79	313	-28.95	353	-32.68
34	-38.82	74	-35.16	114	-27.47	154	-38.95	194	-22.79	234	-36.48	274	-31.33	314	-29.27	354	-32.71
35	-40.11	75	-34.26	115	-26.94	155	-38.84	195	-22.69	235	-35.27	275	-31.95	315	-29.58	355	-32.82
36	-41.98	76	-33.43	116	-26.59	156	-38.86	196	-22.62	236	-34.4	276	-32.7	316	-29.94	356	-32.98
37	-44.47	77	-32.68	117	-26.28	157	-38.61	197	-22.57	237	-33.56	277	-33.6	317	-30.36	357	-33.22
38	-48.02	78	-32.07	118	-26.24	158	-38.53	198	-22.5	238	-32.95	278	-34.46	318	-30.86	358	-33.52
39	-53.91	79	-31.59	119	-26.24	159	-37.79	199	-22.5	239	-32.57	279	-35.39	319	-31.39	359	-33.88

Radiated Pattern : DMX1058XR




WiFi 2.4GHz Lch (ANT1) Hor (XY)

Received Power
MAX -20.33 MIN -46.24 AVE -26.7819

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-24.34	40	-27.78	80	-30.84	120	-40.95	160	-24.18	200	-22.38	240	-24.71	280	-29.16	320	-27
1	-24.05	41	-28.74	81	-30.39	121	-38.6	161	-23.9	201	-22.7	241	-25.03	281	-30.45	321	-26.17
2	-23.9	42	-29.97	82	-30.07	122	-34.94	162	-23.73	202	-22.97	242	-25.32	282	-32.02	322	-25.39
3	-23.7	43	-31.46	83	-30	123	-32.01	163	-23.66	203	-23.27	243	-25.74	283	-34.39	323	-24.68
4	-23.45	44	-32.9	84	-30.26	124	-29.74	164	-23.68	204	-23.49	244	-26.15	284	-38.03	324	-24.03
5	-23.15	45	-34.26	85	-30.81	125	-27.96	165	-23.84	205	-23.69	245	-26.69	285	-43.55	325	-23.51
6	-22.9	46	-34.97	86	-31.67	126	-26.66	166	-24.08	206	-23.87	246	-27.33	286	-46.24	326	-23.09
7	-22.57	47	-35.02	87	-33.77	127	-25.52	167	-24.45	207	-24.07	247	-28	287	-39.57	327	-22.82
8	-22.25	48	-34.34	88	-35.95	128	-24.64	168	-24.88	208	-24.33	248	-28.64	288	-35.23	328	-22.67
9	-21.94	49	-33.35	89	-39.76	129	-23.92	169	-25.34	209	-24.59	249	-29.39	289	-32.41	329	-22.65
10	-21.64	50	-32.32	90	-46.08	130	-23.4	170	-25.79	210	-24.88	250	-30.21	290	-30.15	330	-22.7
11	-21.39	51	-31.29	91	-44.5	131	-22.97	171	-26.14	211	-25.15	251	-31.17	291	-28.38	331	-22.88
12	-21.15	52	-30.34	92	-38.23	132	-22.67	172	-26.3	212	-25.4	252	-32.1	292	-27.01	332	-23.01
13	-21	53	-29.46	93	-34.41	133	-22.47	173	-26.31	213	-25.69	253	-32.97	293	-25.97	333	-23.26
14	-20.92	54	-28.79	94	-31.8	134	-22.23	174	-26.16	214	-25.94	254	-33.81	294	-25.15	334	-23.53
15	-20.93	55	-28.16	95	-29.69	135	-21.97	175	-25.85	215	-26.25	255	-34.49	295	-24.48	335	-23.93
16	-21.01	56	-27.68	96	-28	136	-21.85	176	-25.46	216	-26.55	256	-34.93	296	-24.02	336	-24.35
17	-21.19	57	-27.17	97	-26.62	137	-21.68	177	-24.98	217	-26.91	257	-34.95	297	-23.58	337	-24.84
18	-21.45	58	-26.97	98	-25.5	138	-21.56	178	-24.49	218	-27.32	258	-34.47	298	-23.23	338	-25.47
19	-21.81	59	-26.89	99	-24.65	139	-21.47	179	-23.89	219	-27.72	259	-34.12	299	-22.97	339	-26.23
20	-22.44	60	-26.96	100	-23.93	140	-21.4	180	-23.32	220	-28.11	260	-33.45	300	-22.82	340	-27.06
21	-22.95	61	-27.15	101	-23.34	141	-21.32	181	-22.76	221	-28.38	261	-32.49	301	-22.74	341	-27.86
22	-23.46	62	-27.42	102	-22.88	142	-21.26	182	-22.26	222	-28.73	262	-31.69	302	-22.78	342	-28.75
23	-23.96	63	-27.83	103	-22.53	143	-21.25	183	-21.89	223	-29	263	-30.97	303	-22.86	343	-29.6
24	-24.37	64	-28.34	104	-22.31	144	-21.29	184	-21.57	224	-29.2	264	-30.06	304	-23.01	344	-30.25
25	-24.77	65	-28.95	105	-22.14	145	-21.41	185	-21.36	225	-29.3	265	-29.23	305	-23.22	345	-30.4
26	-25.02	66	-29.69	106	-22.06	146	-21.59	186	-21.14	226	-29.18	266	-28.48	306	-23.49	346	-30.2
27	-25.14	67	-30.57	107	-22.16	147	-21.84	187	-20.86	227	-29.21	267	-27.89	307	-23.81	347	-29.6
28	-25.15	68	-31.67	108	-22.31	148	-22.16	188	-20.55	228	-28.8	268	-27.34	308	-24.2	348	-28.5
29	-25.03	69	-33.09	109	-22.67	149	-22.59	189	-20.45	229	-28.4	269	-26.86	309	-24.67	349	-28.07
30	-24.95	70	-34.65	110	-23.12	150	-23.06	190	-20.33	230	-28.1	270	-26.58	310	-25.16	350	-27.35
31	-24.87	71	-36.55	111	-23.76	151	-23.6	191	-20.35	231	-27.5	271	-26.34	311	-26.06	351	-26.71
32	-24.87	72	-38.56	112	-24.52	152	-24.18	192	-20.46	232	-26.77	272	-26.15	312	-26.71	352	-25.98
33	-24.92	73	-39.96	113	-25.45	153	-24.68	193	-20.62	233	-26.13	273	-26.01	313	-27.36	353	-25.6
34	-25.04	74	-39.75	114	-26.54	154	-25.37	194	-20.81	234	-25.55	274	-26.01	314	-27.91	354	-25.24
35	-25.25	75	-38.02	115	-27.87	155	-25.51	195	-21.06	235	-25.18	275	-26.06	315	-28.32	355	-24.95
36	-25.55	76	-35.99	116	-29.25	156	-25.46	196	-21.18	236	-24.62	276	-26.43	316	-28.59	356	-24.76
37	-25.93	77	-34.29	117	-31.19	157	-25.25	197	-21.44	237	-24.52	277	-26.63	317	-28.61	357	-24.59
38	-26.4	78	-32.87	118	-33.46	158	-24.86	198	-21.68	238	-24.49	278	-27.1	318	-28.33	358	-24.44
39	-26.97	79	-31.71	119	-38.54	159	-24.48	199	-21.97	239	-24.52	279	-28.22	319	-27.74	359	-24.29

Radiated Pattern : DMX1058XR




WiFi 2.4GHz Lch (ANT1) Ver (XY)

Received Power
MAX -11.58 MIN -56.27 AVE -24.1501

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-17.65	40	-26.26	80	-19.69	120	-29.94	160	-17.54	200	-12.75	240	-16.8	280	-31.99	320	-53.48
1	-18.05	41	-27.31	81	-19.83	121	-28.56	161	-17.41	201	-12.95	241	-17.09	281	-31.54	321	-54.89
2	-18.34	42	-28.7	82	-20.16	122	-27.01	162	-17.3	202	-13.21	242	-17.43	282	-31.15	322	-53.43
3	-18.71	43	-30.31	83	-20.63	123	-26.56	163	-17.23	203	-13.48	243	-17.77	283	-30.91	323	-50.27
4	-19.1	44	-32.2	84	-21.09	124	-25.7	164	-17.16	204	-13.82	244	-18.15	284	-30.39	324	-47.37
5	-19.63	45	-34.58	85	-21.87	125	-25.34	165	-17.11	205	-14.18	245	-18.52	285	-29.87	325	-45.4
6	-20.2	46	-36.97	86	-22.75	126	-25.07	166	-17.01	206	-14.53	246	-18.97	286	-29.32	326	-42.99
7	-20.86	47	-39.33	87	-23.84	127	-24.82	167	-16.93	207	-14.89	247	-19.44	287	-28.79	327	-41.43
8	-21.48	48	-40.38	88	-24.95	128	-24.7	168	-16.87	208	-15.23	248	-19.95	288	-28.71	328	-40.42
9	-22.08	49	-39.36	89	-26.35	129	-24.43	169	-16.77	209	-15.52	249	-20.53	289	-28.36	329	-39.95
10	-22.54	50	-37.45	90	-28.08	130	-24.18	170	-16.65	210	-15.85	250	-21.18	290	-28.02	330	-39.5
11	-22.79	51	-35.82	91	-28.69	131	-23.92	171	-16.54	211	-16.13	251	-21.84	291	-27.57	331	-39.07
12	-22.85	52	-34.36	92	-28.31	132	-23.67	172	-16.37	212	-16.33	252	-22.6	292	-27.14	332	-38.98
13	-22.64	53	-33.06	93	-27.17	133	-23.25	173	-16.18	213	-16.45	253	-23.48	293	-27.04	333	-38.65
14	-22.26	54	-31.81	94	-25.82	134	-22.84	174	-16.04	214	-16.43	254	-24.38	294	-26.7	334	-38.01
15	-21.85	55	-30.61	95	-24.39	135	-22.29	175	-15.87	215	-16.37	255	-25.47	295	-26.6	335	-36.92
16	-21.42	56	-29.67	96	-23.18	136	-21.68	176	-15.73	216	-16.26	256	-26.61	296	-26.46	336	-35.54
17	-21.04	57	-28.77	97	-22.16	137	-21.06	177	-15.55	217	-16.11	257	-27.82	297	-26.34	337	-33.95
18	-20.68	58	-27.67	98	-21.4	138	-20.51	178	-15.29	218	-15.96	258	-29.23	298	-26.12	338	-32.55
19	-20.37	59	-27.09	99	-20.86	139	-19.94	179	-14.96	219	-15.82	259	-30.78	299	-26.09	339	-31.13
20	-20.09	60	-26.52	100	-20.47	140	-19.41	180	-14.6	220	-15.66	260	-32.35	300	-26.33	340	-29.87
21	-19.88	61	-26.11	101	-20.18	141	-18.89	181	-14.23	221	-15.45	261	-33.77	301	-26.76	341	-28.76
22	-19.76	62	-25.6	102	-20.1	142	-18.42	182	-13.83	222	-15.27	262	-34.93	302	-27.11	342	-27.49
23	-19.81	63	-25.1	103	-20.05	143	-17.98	183	-13.44	223	-15.13	263	-34.91	303	-27.59	343	-26.33
24	-19.83	64	-24.71	104	-20.23	144	-17.65	184	-13.07	224	-15.03	264	-34.58	304	-28.13	344	-25.46
25	-20.05	65	-24.18	105	-20.47	145	-17.42	185	-12.7	225	-14.97	265	-34	305	-29.08	345	-24.49
26	-20.23	66	-23.59	106	-20.9	146	-17.31	186	-12.38	226	-14.95	266	-33.21	306	-30.37	346	-23.57
27	-20.62	67	-23.18	107	-21.55	147	-17.32	187	-12.11	227	-14.98	267	-32.39	307	-32.11	347	-22.82
28	-21.01	68	-22.7	108	-22.24	148	-17.42	188	-11.9	228	-15.03	268	-31.82	308	-34.05	348	-22.03
29	-21.39	69	-22.16	109	-23.19	149	-17.56	189	-11.74	229	-15.08	269	-31.77	309	-36.17	349	-21.22
30	-21.9	70	-21.68	110	-24.37	150	-17.75	190	-11.63	230	-15.23	270	-31.7	310	-37.71	350	-20.52
31	-22.38	71	-21.28	111	-25.8	151	-17.97	191	-11.58	231	-15.33	271	-31.78	311	-40.07	351	-19.87
32	-22.74	72	-20.8	112	-27.24	152	-18.18	192	-11.58	232	-15.43	272	-31.65	312	-42.37	352	-19.37
33	-23.12	73	-20.5	113	-29.26	153	-18.35	193	-11.6	233	-15.53	273	-32.08	313	-45.93	353	-18.82
34	-23.42	74	-20.19	114	-31.77	154	-18.44	194	-11.67	234	-15.66	274	-31.87	314	-51.18	354	-18.4
35	-23.67	75	-19.94	115	-34.21	155	-18.46	195	-11.8	235	-15.79	275	-32.06	315	-56.27	355	-18.02
36	-24	76	-19.72	116	-36.34	156	-18.42	196	-12.04	236	-15.93	276	-32.3	316	-52.78	356	-17.81
37	-24.39	77	-19.59	117	-35.98	157	-18.3	197	-12.23	237	-16.08	277	-32.85	317	-51.58	357	-17.68
38	-24.87	78	-19.59	118	-33.94	158	-18.07	198	-12.38	238	-16.26	278	-32.53	318	-51.13	358	-17.61
39	-25.5	79	-19.58	119	-31.7	159	-17.83	199	-12.55	239	-16.51	279	-32.25	319	-53.05	359	-17.65

Radiated Pattern : DMX1058XR




WiFi 2.4GHz Cch (ANT1) Hor (XY)

Received Power
MAX -17.95 MIN -50.21 AVE -26.8461

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-23.23	40	-42.5	80	-34.51	120	-28.94	160	-18.56	200	-19.8	240	-24.18	280	-28.05	320	-32.44
1	-23.48	41	-50.21	81	-34.87	121	-30.63	161	-18.45	201	-20.13	241	-24.2	281	-28.62	321	-32.76
2	-23.63	42	-49.26	82	-34.77	122	-32.33	162	-18.47	202	-20.46	242	-24.33	282	-29.36	322	-32.08
3	-23.74	43	-41.36	83	-35.01	123	-33.46	163	-18.57	203	-20.74	243	-24.55	283	-30.46	323	-31.33
4	-23.8	44	-37.04	84	-35.21	124	-33.22	164	-18.77	204	-21.04	244	-24.7	284	-31.69	324	-30.48
5	-23.76	45	-34.16	85	-35.7	125	-31.91	165	-19.06	205	-21.37	245	-24.96	285	-33.19	325	-29.56
6	-23.66	46	-31.43	86	-35.7	126	-30.2	166	-19.42	206	-21.64	246	-25.37	286	-34.51	326	-28.93
7	-23.52	47	-30.4	87	-35.22	127	-28.43	167	-19.81	207	-22.01	247	-25.82	287	-35.83	327	-28.3
8	-23.27	48	-29.73	88	-34.95	128	-26.91	168	-20.21	208	-22.37	248	-26.22	288	-36.35	328	-27.8
9	-22.99	49	-29.43	89	-34.06	129	-25.66	169	-20.64	209	-22.75	249	-26.84	289	-35.46	329	-27.45
10	-22.61	50	-29.4	90	-32.82	130	-24.52	170	-21.15	210	-23.05	250	-27.82	290	-33.93	330	-27.21
11	-22.51	51	-29.6	91	-31.59	131	-23.58	171	-21.72	211	-23.21	251	-28.62	291	-32.38	331	-27.1
12	-22.26	52	-29.93	92	-30.4	132	-22.67	172	-22.29	212	-23.52	252	-29.4	292	-30.34	332	-27.04
13	-22.21	53	-30.23	93	-29.19	133	-21.85	173	-22.84	213	-23.72	253	-30.24	293	-29.39	333	-27.04
14	-22.27	54	-30.46	94	-28.15	134	-21.17	174	-23.27	214	-24.03	254	-30.9	294	-28.61	334	-27.17
15	-22.43	55	-30.4	95	-27.14	135	-20.46	175	-23.62	215	-24.36	255	-31.74	295	-27.95	335	-27.39
16	-22.64	56	-30.08	96	-26.42	136	-19.93	176	-23.77	216	-24.76	256	-32.69	296	-27.42	336	-27.73
17	-22.97	57	-29.47	97	-25.63	137	-19.4	177	-23.71	217	-25.08	257	-33.58	297	-26.99	337	-28.11
18	-23.39	58	-28.74	98	-24.97	138	-18.97	178	-23.5	218	-25.38	258	-34.48	298	-26.7	338	-28.58
19	-23.88	59	-28.04	99	-24.37	139	-18.62	179	-23.2	219	-25.71	259	-35.17	299	-26.44	339	-29.07
20	-24.48	60	-27.52	100	-23.79	140	-18.36	180	-22.82	220	-25.9	260	-36.37	300	-26.33	340	-29.52
21	-25.17	61	-27.04	101	-23.43	141	-18.15	181	-22.32	221	-26.32	261	-38.35	301	-26.33	341	-29.66
22	-25.94	62	-26.78	102	-23.02	142	-18.03	182	-21.83	222	-26.73	262	-40.58	302	-26.36	342	-29.67
23	-26.7	63	-26.67	103	-22.65	143	-17.96	183	-21.35	223	-27	263	-43.51	303	-26.54	343	-29.35
24	-27.48	64	-26.74	104	-22.48	144	-17.95	184	-20.65	224	-26.97	264	-45.45	304	-26.69	344	-28.77
25	-28.33	65	-26.95	105	-22.28	145	-18.07	185	-20.2	225	-27.07	265	-45.72	305	-26.83	345	-28.14
26	-29.07	66	-27.29	106	-22.12	146	-18.25	186	-19.84	226	-27.07	266	-42.48	306	-26.94	346	-27.42
27	-29.74	67	-27.88	107	-22.1	147	-18.49	187	-19.55	227	-27.2	267	-39.16	307	-27.08	347	-26.73
28	-30.22	68	-28.63	108	-22.07	148	-18.79	188	-19.3	228	-27.04	268	-36.52	308	-27.19	348	-25.98
29	-30.54	69	-29.53	109	-22.13	149	-19.14	189	-19.11	229	-26.6	269	-34.71	309	-27.34	349	-25.34
30	-30.77	70	-30.56	110	-22.17	150	-19.46	190	-19	230	-26.24	270	-32.62	310	-27.52	350	-24.79
31	-30.97	71	-31.66	111	-22.26	151	-19.95	191	-18.91	231	-25.81	271	-31.34	311	-27.73	351	-24.32
32	-31.17	72	-32.79	112	-22.47	152	-20.09	192	-18.86	232	-25.52	272	-30.03	312	-27.97	352	-23.96
33	-31.5	73	-33.88	113	-22.89	153	-20.16	193	-18.81	233	-24.98	273	-29.14	313	-28.24	353	-23.66
34	-31.98	74	-34.63	114	-23.32	154	-20.09	194	-18.82	234	-24.6	274	-28.47	314	-28.56	354	-23.44
35	-32.66	75	-35.44	115	-23.81	155	-19.87	195	-18.8	235	-24.32	275	-28.16	315	-28.99	355	-23.26
36	-33.57	76	-35.67	116	-24.45	156	-19.62	196	-18.87	236	-24.12	276	-27.7	316	-29.55	356	-23.15
37	-34.72	77	-35.61	117	-25.3	157	-19.31	197	-19	237	-24.08	277	-27.68	317	-30.28	357	-23.12
38	-36.46	78	-35.27	118	-26.32	158	-19	198	-19.22	238	-23.98	278	-27.69	318	-31.06	358	-23.13
39	-38.72	79	-34.9	119	-27.57	159	-18.73	199	-19.5	239	-24.09	279	-27.84	319	-31.91	359	-23.21

Radiated Pattern : DMX1058XR




WiFi 2.4GHz Cch (ANT1) Ver (XY)

Received Power
MAX -12.39 MIN -54.8 AVE -24.8681

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-19.4	40	-30.68	80	-22.19	120	-30	160	-19.8	200	-13.84	240	-18.63	280	-30.44	320	-34.86
1	-18.4	41	-31.16	81	-22.26	121	-28.9	161	-19.5	201	-14.04	241	-18.92	281	-30.01	321	-34.69
2	-18.33	42	-31.89	82	-22.37	122	-27.64	162	-19.14	202	-14.2	242	-19.28	282	-30.09	322	-34.13
3	-18.38	43	-32.91	83	-22.63	123	-26.33	163	-18.86	203	-14.43	243	-19.68	283	-30.05	323	-33.6
4	-18.55	44	-33.81	84	-22.87	124	-25.12	164	-18.57	204	-14.63	244	-20.13	284	-29.97	324	-32.85
5	-18.85	45	-34.63	85	-23.47	125	-23.98	165	-18.37	205	-14.83	245	-20.6	285	-29.91	325	-32.15
6	-19.26	46	-35.18	86	-23.85	126	-23	166	-18.16	206	-15.02	246	-21.03	286	-29.86	326	-30.42
7	-19.73	47	-35.53	87	-24.34	127	-22.16	167	-17.98	207	-15.23	247	-21.53	287	-30.28	327	-29.57
8	-20.35	48	-35.57	88	-24.92	128	-21.43	168	-17.84	208	-15.48	248	-22.04	288	-30.7	328	-28.5
9	-21.09	49	-35.54	89	-25.6	129	-20.81	169	-17.76	209	-15.72	249	-22.59	289	-31.09	329	-27.76
10	-21.92	50	-35.24	90	-26.13	130	-20.24	170	-17.63	210	-15.97	250	-22.98	290	-31.32	330	-27.33
11	-22.92	51	-35.02	91	-26.83	131	-19.76	171	-17.54	211	-16.18	251	-23.43	291	-31.16	331	-26.44
12	-23.99	52	-34.91	92	-27.29	132	-19.35	172	-17.48	212	-16.28	252	-23.95	292	-30.73	332	-25.9
13	-25.67	53	-35.08	93	-27.68	133	-19.01	173	-17.33	213	-16.3	253	-24.62	293	-30.55	333	-25.63
14	-26.68	54	-35.66	94	-27.9	134	-18.7	174	-17.15	214	-16.23	254	-25.26	294	-30.47	334	-25.41
15	-27.3	55	-36.05	95	-27.89	135	-18.36	175	-16.85	215	-16.14	255	-25.97	295	-30.04	335	-25.29
16	-27.49	56	-36.57	96	-27.66	136	-18.04	176	-16.46	216	-16	256	-26.82	296	-29.45	336	-25.38
17	-27.31	57	-37.1	97	-27.35	137	-17.71	177	-16.06	217	-15.85	257	-27.73	297	-28.63	337	-25.62
18	-26.88	58	-36.77	98	-27.01	138	-17.38	178	-15.61	218	-15.72	258	-28.91	298	-28.31	338	-25.95
19	-26.34	59	-36.33	99	-26.71	139	-17.07	179	-15.13	219	-15.56	259	-30.34	299	-28.07	339	-26.42
20	-25.83	60	-35.66	100	-26.43	140	-16.81	180	-14.66	220	-15.41	260	-31.98	300	-28.15	340	-27
21	-25.41	61	-34.9	101	-26.21	141	-16.57	181	-14.26	221	-15.26	261	-34.03	301	-28.4	341	-27.76
22	-25.16	62	-34.3	102	-26.05	142	-16.41	182	-13.83	222	-15.13	262	-36.41	302	-28.43	342	-28.81
23	-25	63	-33.17	103	-25.95	143	-16.3	183	-13.46	223	-15.02	263	-39.54	303	-28.43	343	-30.05
24	-25.01	64	-32	104	-25.92	144	-16.26	184	-12.94	224	-15.01	264	-44.54	304	-28.38	344	-31.88
25	-25.12	65	-30.79	105	-25.9	145	-16.25	185	-12.83	225	-15.04	265	-54.8	305	-28.74	345	-34.62
26	-25.38	66	-29.77	106	-25.91	146	-16.35	186	-12.52	226	-15.1	266	-50.12	306	-28.99	346	-39.02
27	-25.78	67	-28.6	107	-25.92	147	-16.55	187	-12.46	227	-15.21	267	-44.29	307	-29.57	347	-47.82
28	-26.36	68	-27.54	108	-25.98	148	-16.86	188	-12.39	228	-15.36	268	-41.59	308	-30	348	-44.96
29	-27	69	-26.64	109	-26.12	149	-17.24	189	-12.39	229	-15.54	269	-39.95	309	-30.36	349	-36.32
30	-27.84	70	-25.79	110	-26.33	150	-17.71	190	-12.44	230	-15.75	270	-38.73	310	-30.61	350	-31.94
31	-28.8	71	-24.99	111	-26.58	151	-18.25	191	-12.53	231	-15.97	271	-37.85	311	-30.81	351	-28.87
32	-29.63	72	-24.33	112	-27.22	152	-18.79	192	-12.61	232	-16.19	272	-36.66	312	-31.19	352	-26.75
33	-30.35	73	-23.81	113	-27.45	153	-19.32	193	-12.72	233	-16.48	273	-35.28	313	-31.82	353	-24.85
34	-30.68	74	-23.31	114	-28.12	154	-20.04	194	-12.86	234	-16.75	274	-34.38	314	-32.54	354	-23.32
35	-30.68	75	-22.89	115	-29.13	155	-20.4	195	-13.02	235	-17.04	275	-33.62	315	-33.45	355	-22.05
36	-30.45	76	-22.6	116	-29.87	156	-20.6	196	-13.19	236	-17.38	276	-33.17	316	-34.22	356	-21.05
37	-30.26	77	-22.43	117	-30.49	157	-20.64	197	-13.33	237	-17.65	277	-32.34	317	-34.68	357	-20.26
38	-30.21	78	-22.25	118	-30.81	158	-20.46	198	-13.49	238	-17.97	278	-31.6	318	-34.9	358	-19.58
39	-30.36	79	-22.21	119	-30.72	159	-20.15	199	-13.66	239	-18.29	279	-30.93	319	-34.8	359	-19.06

Radiated Pattern : DMX1058XR




WiFi 2.4GHz Hch (ANT1) Hor (XY)

Received Power
MAX MIN AVE
-20.06 -57.86 -28.8377

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-24.45	40	-28.56	80	-30.11	120	-36.13	160	-23.17	200	-21.33	240	-28.62	280	-41.24	320	-26.29
1	-23.55	41	-28.63	81	-30.08	121	-37.49	161	-23.46	201	-21.5	241	-28.45	281	-49.07	321	-27.81
2	-23.13	42	-28.4	82	-30.21	122	-39.75	162	-23.75	202	-21.7	242	-28.61	282	-57.86	322	-29.55
3	-22.98	43	-27.9	83	-30.57	123	-44.29	163	-24.2	203	-21.95	243	-28.83	283	-45	323	-32.07
4	-22.92	44	-27.28	84	-31.04	124	-53.01	164	-24.74	204	-22.22	244	-29.44	284	-40.11	324	-35.02
5	-22.92	45	-26.71	85	-31.62	125	-46.63	165	-25.4	205	-22.52	245	-30.45	285	-37.24	325	-39.74
6	-22.98	46	-26.36	86	-32.44	126	-39.64	166	-26.16	206	-23	246	-31.59	286	-35.44	326	-47.7
7	-23.06	47	-26.17	87	-33.33	127	-35.56	167	-27	207	-23.31	247	-33.14	287	-33.97	327	-46.9
8	-23.13	48	-26.19	88	-34.22	128	-32.78	168	-28.45	208	-23.58	248	-35.33	288	-32.89	328	-40.72
9	-23.2	49	-26.45	89	-35.4	129	-30.74	169	-29.25	209	-23.81	249	-37.87	289	-31.95	329	-36.63
10	-23.27	50	-26.98	90	-36.77	130	-28.2	170	-29.63	210	-23.99	250	-40.31	290	-31.25	330	-33.87
11	-23.34	51	-27.6	91	-38.21	131	-27	171	-29.63	211	-24.17	251	-42.92	291	-30.41	331	-32.12
12	-23.43	52	-28.5	92	-40.18	132	-25.94	172	-28.91	212	-24.37	252	-43.57	292	-29.64	332	-30.62
13	-23.53	53	-29.46	93	-42.66	133	-25.49	173	-28.1	213	-24.57	253	-42.93	293	-28.9	333	-29.36
14	-23.69	54	-30.25	94	-46.58	134	-24.44	174	-27.34	214	-24.88	254	-41.75	294	-28.04	334	-28.56
15	-23.85	55	-30.97	95	-49.21	135	-23.94	175	-26.66	215	-25.19	255	-40.96	295	-27.2	335	-27.81
16	-24.07	56	-31.21	96	-45.79	136	-23.55	176	-26.11	216	-25.57	256	-40.41	296	-26.44	336	-27.18
17	-24.27	57	-30.92	97	-41.77	137	-23.26	177	-25.72	217	-26.01	257	-39.58	297	-25.59	337	-26.67
18	-24.45	58	-30.44	98	-37.24	138	-23.11	178	-25.46	218	-26.48	258	-38.78	298	-24.82	338	-26.47
19	-24.55	59	-29.87	99	-35.09	139	-23.03	179	-25.23	219	-26.89	259	-37.09	299	-24.07	339	-26.46
20	-24.53	60	-29.32	100	-33.55	140	-23.02	180	-24.99	220	-27.39	260	-35.53	300	-23.38	340	-26.31
21	-24.43	61	-28.95	101	-32.56	141	-23.09	181	-24.88	221	-27.93	261	-34.22	301	-22.75	341	-26.22
22	-24.29	62	-28.76	102	-31.48	142	-23.24	182	-24.68	222	-28.54	262	-32.74	302	-22.2	342	-26.17
23	-24.12	63	-28.79	103	-30.83	143	-23.33	183	-24.58	223	-29.07	263	-31.38	303	-21.66	343	-26.11
24	-23.98	64	-29.08	104	-30.36	144	-23.5	184	-24.53	224	-29.53	264	-30.11	304	-21.2	344	-26.03
25	-23.87	65	-29.61	105	-30.12	145	-23.72	185	-24.53	225	-29.96	265	-29.38	305	-20.61	345	-25.95
26	-23.88	66	-30.39	106	-30.1	146	-23.82	186	-24.44	226	-30.18	266	-28.7	306	-20.35	346	-25.89
27	-24.01	67	-31.36	107	-30.44	147	-23.98	187	-24.24	227	-30.41	267	-28.07	307	-20.17	347	-25.81
28	-24.23	68	-33.53	108	-30.73	148	-24.12	188	-24.01	228	-30.57	268	-27.62	308	-20.06	348	-25.79
29	-24.51	69	-35.54	109	-31.37	149	-24.1	189	-23.62	229	-30.83	269	-27.53	309	-20.06	349	-25.83
30	-24.79	70	-37.97	110	-32.12	150	-24.08	190	-23.21	230	-30.7	270	-27.48	310	-20.14	350	-25.92
31	-25.13	71	-38.73	111	-32.95	151	-24.02	191	-22.8	231	-30.71	271	-27.74	311	-20.3	351	-26.03
32	-25.42	72	-39.08	112	-33.81	152	-23.83	192	-22.44	232	-30.71	272	-28	312	-20.51	352	-26.18
33	-25.79	73	-37.18	113	-34.38	153	-23.6	193	-22.13	233	-30.87	273	-28.55	313	-20.84	353	-26.27
34	-26.03	74	-35.15	114	-34.91	154	-23.38	194	-21.84	234	-30.82	274	-29.28	314	-21.3	354	-26.3
35	-26.31	75	-33.49	115	-35.15	155	-23.18	195	-21.59	235	-30.51	275	-30.27	315	-21.83	355	-26.15
36	-26.7	76	-32.24	116	-35.08	156	-23.02	196	-21.4	236	-30.13	276	-31.5	316	-22.5	356	-25.91
37	-27.2	77	-31.3	117	-35.08	157	-22.98	197	-21.28	237	-29.9	277	-33.03	317	-23.24	357	-25.41
38	-27.73	78	-30.67	118	-35.31	158	-22.95	198	-21.21	238	-29.35	278	-34.92	318	-24.11	358	-24.87
39	-28.24	79	-30.28	119	-35.64	159	-23.06	199	-21.22	239	-28.93	279	-37.58	319	-25.14	359	-24.35

Radiated Pattern : DMX1058XR




WiFi 2.4GHz Hch (ANT1) Ver (XY)

Received Power
MAX -13.06 MIN -45.03 AVE -25.6171

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-19.73	40	-28.03	80	-22.95	120	-34.52	160	-20.07	200	-15.05	240	-21.1	280	-40.09	320	-37.26
1	-19.76	41	-28.39	81	-23.46	121	-38.14	161	-19.42	201	-15.5	241	-21.7	281	-41.75	321	-37.4
2	-20	42	-28.89	82	-24.13	122	-42.04	162	-18.84	202	-16.04	242	-22.39	282	-41.03	322	-36.9
3	-20.39	43	-29.47	83	-24.93	123	-41.07	163	-18.39	203	-16.6	243	-23.16	283	-38.72	323	-36.12
4	-20.86	44	-30.01	84	-25.87	124	-36.73	164	-17.97	204	-17.23	244	-24.02	284	-36.61	324	-35.05
5	-21.5	45	-30.58	85	-26.95	125	-33.12	165	-17.62	205	-17.88	245	-24.99	285	-34.34	325	-34.31
6	-22.17	46	-30.96	86	-28.06	126	-30.34	166	-17.3	206	-18.52	246	-25.89	286	-32.58	326	-33.88
7	-23.05	47	-31.19	87	-29.7	127	-28.13	167	-17.09	207	-19.14	247	-26.9	287	-31.24	327	-33.27
8	-24.06	48	-31.12	88	-31.52	128	-25.6	168	-16.87	208	-19.77	248	-27.96	288	-30.23	328	-32.52
9	-25.23	49	-31.02	89	-34.29	129	-24.18	169	-16.69	209	-20.35	249	-28.98	289	-29.33	329	-32.14
10	-26.5	50	-30.72	90	-38.43	130	-22.94	170	-16.53	210	-20.85	250	-30.02	290	-28.4	330	-31.66
11	-27.78	51	-30.27	91	-44.92	131	-21.93	171	-16.45	211	-21.25	251	-31.23	291	-27.51	331	-31.12
12	-29.01	52	-29.69	92	-45.03	132	-21.01	172	-16.26	212	-21.51	252	-31.85	292	-26.74	332	-30.89
13	-30.22	53	-29.12	93	-35.82	133	-20.17	173	-16.13	213	-21.7	253	-32.58	293	-26.06	333	-30.53
14	-31.27	54	-28.41	94	-32.88	134	-19.48	174	-16.03	214	-21.76	254	-33.32	294	-25.51	334	-30.11
15	-31.85	55	-28.07	95	-30.47	135	-18.91	175	-16	215	-21.82	255	-33.64	295	-25.05	335	-29.69
16	-32.18	56	-27.96	96	-28.66	136	-18.38	176	-15.86	216	-21.78	256	-33.59	296	-24.71	336	-29.24
17	-31.51	57	-27.9	97	-27.21	137	-17.91	177	-15.62	217	-21.69	257	-33.73	297	-24.24	337	-28.88
18	-30.84	58	-28.01	98	-26.19	138	-17.53	178	-15.39	218	-21.55	258	-33.62	298	-24	338	-28.39
19	-30.26	59	-28.24	99	-25.48	139	-17.24	179	-15.2	219	-21.34	259	-33.35	299	-23.92	339	-28.22
20	-29.59	60	-28.56	100	-24.83	140	-17.1	180	-14.83	220	-21.14	260	-33.33	300	-24.13	340	-27.98
21	-28.98	61	-28.98	101	-24.32	141	-17.03	181	-14.51	221	-20.91	261	-33.09	301	-24.32	341	-27.95
22	-28.62	62	-29.24	102	-23.89	142	-17.09	182	-14.26	222	-20.75	262	-32.84	302	-24.44	342	-28.03
23	-28.45	63	-29.26	103	-23.69	143	-17.19	183	-13.94	223	-20.59	263	-32.51	303	-24.82	343	-28.1
24	-28.55	64	-28.86	104	-23.51	144	-17.36	184	-13.67	224	-20.48	264	-32.03	304	-25.38	344	-28.13
25	-28.66	65	-28.09	105	-23.45	145	-17.56	185	-13.41	225	-20.34	265	-31.56	305	-25.87	345	-27.96
26	-29.01	66	-27.17	106	-23.45	146	-17.85	186	-13.24	226	-20.26	266	-31.19	306	-26.75	346	-27.57
27	-29.46	67	-26.13	107	-23.61	147	-18.27	187	-13.17	227	-20.1	267	-30.91	307	-27.54	347	-26.98
28	-30.05	68	-25.19	108	-23.77	148	-18.78	188	-13.11	228	-19.93	268	-30.81	308	-28.33	348	-26.23
29	-30.68	69	-24.33	109	-24.05	149	-19.39	189	-13.1	229	-19.81	269	-30.72	309	-29.05	349	-25.35
30	-31.18	70	-23.65	110	-24.35	150	-20.03	190	-13.06	230	-19.74	270	-30.71	310	-29.79	350	-24.45
31	-31.51	71	-23.02	111	-24.7	151	-20.73	191	-13.19	231	-19.65	271	-30.87	311	-30.74	351	-23.56
32	-31.47	72	-22.54	112	-25.1	152	-21.42	192	-13.26	232	-19.56	272	-31.15	312	-31.95	352	-22.78
33	-31.09	73	-22.17	113	-25.58	153	-22.06	193	-13.3	233	-19.51	273	-31.62	313	-33.28	353	-22.01
34	-30.36	74	-21.96	114	-26.04	154	-22.43	194	-13.42	234	-19.5	274	-32.27	314	-34.53	354	-21.36
35	-29.53	75	-21.86	115	-26.69	155	-22.64	195	-13.59	235	-19.54	275	-33.26	315	-35.65	355	-20.82
36	-28.81	76	-21.9	116	-27.61	156	-22.59	196	-13.86	236	-19.68	276	-34.15	316	-35.97	356	-20.39
37	-28.26	77	-21.99	117	-28.72	157	-22.26	197	-14.09	237	-19.89	277	-35.2	317	-36.44	357	-20.03
38	-27.95	78	-22.22	118	-29.99	158	-21.72	198	-14.3	238	-20.18	278	-36.19	318	-36.82	358	-19.81
39	-27.9	79	-22.54	119	-31.96	159	-21.06	199	-14.66	239	-20.6	279	-38.36	319	-37.4	359	-19.67

Radiated Pattern : DMX1058XR




WiFi 2.4GHz Lch (ANT1) Hor (ZX)

Received Power
MAX MIN AVE
-12.67 -49.82 -19.9199

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-23.28	40	-19.48	80	-16.14	120	-19.07	160	-14.62	200	-16.17	240	-19.38	280	-17.53	320	-17.6
1	-23.65	41	-19.29	81	-16.28	121	-18.37	161	-14.26	201	-16.25	241	-19.44	281	-17.42	321	-17.91
2	-23.73	42	-19.12	82	-16.52	122	-17.77	162	-13.9	202	-16.33	242	-19.67	282	-17.36	322	-18.31
3	-23.74	43	-19.06	83	-16.82	123	-17.31	163	-13.57	203	-16.39	243	-19.9	283	-17.42	323	-18.75
4	-23.66	44	-18.95	84	-17.1	124	-16.98	164	-13.28	204	-16.54	244	-20.22	284	-17.57	324	-19.16
5	-23.55	45	-18.98	85	-17.44	125	-16.73	165	-13.08	205	-16.68	245	-20.58	285	-17.75	325	-19.45
6	-23.44	46	-19.08	86	-17.76	126	-16.59	166	-12.9	206	-16.81	246	-21.08	286	-17.99	326	-19.79
7	-23.38	47	-19.25	87	-18.06	127	-16.42	167	-12.77	207	-16.9	247	-21.71	287	-18.34	327	-20.07
8	-23.33	48	-19.58	88	-18.32	128	-16.28	168	-12.71	208	-17.02	248	-22.38	288	-18.7	328	-20.37
9	-23.34	49	-19.86	89	-18.49	129	-16.06	169	-12.67	209	-17.14	249	-23.3	289	-19.22	329	-20.74
10	-23.43	50	-20.23	90	-18.63	130	-15.77	170	-12.68	210	-17.18	250	-24.36	290	-19.85	330	-21.09
11	-23.63	51	-20.63	91	-18.7	131	-15.39	171	-12.7	211	-17.14	251	-25.57	291	-20.58	331	-21.55
12	-23.88	52	-21.01	92	-18.71	132	-15.03	172	-12.79	212	-17.11	252	-26.98	292	-21.41	332	-22.06
13	-24.21	53	-21.38	93	-18.66	133	-14.58	173	-12.84	213	-17.08	253	-28.5	293	-22.41	333	-22.7
14	-24.55	54	-21.69	94	-18.54	134	-14.25	174	-12.91	214	-17.04	254	-30.31	294	-23.48	334	-23.3
15	-24.95	55	-21.85	95	-18.42	135	-13.98	175	-13.08	215	-16.97	255	-32.47	295	-24.75	335	-24.13
16	-25.41	56	-21.99	96	-18.33	136	-13.84	176	-13.15	216	-16.91	256	-35.03	296	-25.97	336	-25.05
17	-25.89	57	-22.06	97	-18.25	137	-13.8	177	-13.2	217	-16.91	257	-38.37	297	-27.42	337	-25.92
18	-26.34	58	-22.02	98	-18.18	138	-13.89	178	-13.26	218	-16.9	258	-44.16	298	-28.86	338	-26.66
19	-26.82	59	-21.95	99	-18.13	139	-14.11	179	-13.3	219	-16.91	259	-49.82	299	-29.97	339	-27.02
20	-27.18	60	-21.75	100	-18.13	140	-14.43	180	-13.36	220	-16.89	260	-43.15	300	-30.34	340	-27.1
21	-27.49	61	-21.52	101	-18.1	141	-15.02	181	-13.46	221	-16.99	261	-37.62	301	-29.8	341	-26.75
22	-27.67	62	-21.3	102	-18.08	142	-15.48	182	-13.57	222	-17.17	262	-34.21	302	-28.77	342	-26.09
23	-27.73	63	-20.99	103	-18.08	143	-15.95	183	-13.73	223	-17.34	263	-31.52	303	-27.04	343	-25.34
24	-27.65	64	-20.62	104	-18.05	144	-16.33	184	-13.94	224	-17.52	264	-29.4	304	-25.58	344	-24.59
25	-27.44	65	-20.2	105	-18.01	145	-16.63	185	-14.19	225	-17.71	265	-27.59	305	-24.02	345	-23.96
26	-27.12	66	-19.74	106	-18	146	-16.77	186	-14.42	226	-17.83	266	-26.1	306	-22.65	346	-23.34
27	-26.75	67	-19.29	107	-18.01	147	-16.74	187	-14.65	227	-17.97	267	-24.87	307	-21.39	347	-22.81
28	-26.19	68	-18.8	108	-18.08	148	-16.57	188	-14.92	228	-18.13	268	-23.8	308	-20.43	348	-22.45
29	-25.54	69	-18.29	109	-18.22	149	-16.35	189	-15.2	229	-18.24	269	-22.77	309	-19.5	349	-22.11
30	-24.82	70	-17.81	110	-18.5	150	-16.12	190	-15.45	230	-18.34	270	-21.9	310	-18.79	350	-21.97
31	-24.16	71	-17.4	111	-18.87	151	-15.92	191	-15.7	231	-18.44	271	-21.12	311	-18.15	351	-21.89
32	-23.43	72	-17.01	112	-19.34	152	-15.77	192	-15.9	232	-18.49	272	-20.45	312	-17.63	352	-21.97
33	-22.73	73	-16.68	113	-19.91	153	-15.69	193	-16.04	233	-18.64	273	-19.88	313	-17.24	353	-21.98
34	-22.07	74	-16.4	114	-20.48	154	-15.64	194	-16.11	234	-18.75	274	-19.34	314	-16.96	354	-22.18
35	-21.48	75	-16.18	115	-20.94	155	-15.6	195	-16.13	235	-18.88	275	-18.93	315	-16.77	355	-22.32
36	-20.76	76	-15.99	116	-21.1	156	-15.53	196	-16.12	236	-18.92	276	-18.55	316	-16.7	356	-22.62
37	-20.36	77	-15.93	117	-20.94	157	-15.4	197	-16.08	237	-19.03	277	-18.22	317	-16.83	357	-22.84
38	-20.07	78	-15.96	118	-20.5	158	-15.2	198	-16.09	238	-19.17	278	-17.93	318	-16.98	358	-23.06
39	-19.76	79	-16.02	119	-19.8	159	-14.91	199	-16.12	239	-19.27	279	-17.7	319	-17.25	359	-23.3

Radiated Pattern : DMX1058XR




WiFi 2.4GHz Lch (ANT1) Ver (ZX)

Received Power
MAX MIN AVE
-15.15 -41.94 -24.3138

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-22.05	40	-39.2	80	-20.77	120	-16.77	160	-15.16	200	-21.53	240	-27.62	280	-26.16	320	-31.67
1	-20.95	41	-39.94	81	-20.83	121	-16.86	161	-15.29	201	-21.95	241	-28.02	281	-25.51	321	-31.4
2	-20.63	42	-39.02	82	-21.06	122	-16.98	162	-15.4	202	-22.18	242	-28.48	282	-24.4	322	-30.28
3	-20.39	43	-37.14	83	-21.41	123	-17.16	163	-15.52	203	-22.51	243	-28.86	283	-24.01	323	-28.73
4	-20.28	44	-35.6	84	-21.86	124	-17.31	164	-15.66	204	-22.79	244	-28.9	284	-23.49	324	-27.27
5	-20.3	45	-33.9	85	-22.43	125	-17.47	165	-15.66	205	-23.11	245	-28.67	285	-23.1	325	-25.91
6	-20.42	46	-32.41	86	-23.2	126	-17.52	166	-15.72	206	-23.42	246	-28.02	286	-22.94	326	-24.84
7	-20.66	47	-31.15	87	-24.13	127	-17.42	167	-15.72	207	-23.83	247	-27.12	287	-22.91	327	-23.67
8	-21.06	48	-30.15	88	-25.33	128	-17.24	168	-15.6	208	-24.25	248	-26.08	288	-22.91	328	-23.14
9	-21.56	49	-29.36	89	-26.73	129	-17.02	169	-15.61	209	-24.81	249	-25.13	289	-23.06	329	-22.7
10	-22.23	50	-28.75	90	-28.53	130	-16.73	170	-15.52	210	-25.62	250	-23.91	290	-23.31	330	-22.55
11	-23.08	51	-28.28	91	-30.2	131	-16.51	171	-15.45	211	-26.71	251	-23.04	291	-23.58	331	-22.52
12	-24.13	52	-27.88	92	-31.15	132	-16.27	172	-15.4	212	-28.08	252	-22.15	292	-24.05	332	-22.67
13	-25.47	53	-27.56	93	-30.39	133	-16.06	173	-15.35	213	-29.8	253	-21.31	293	-24.68	333	-23.07
14	-26.99	54	-27.35	94	-27.78	134	-15.96	174	-15.26	214	-31.7	254	-20.68	294	-25.48	334	-23.63
15	-29.04	55	-27.21	95	-25.81	135	-15.89	175	-15.24	215	-33.8	255	-20.12	295	-26.4	335	-24.33
16	-31.5	56	-27.14	96	-24.11	136	-15.95	176	-15.25	216	-35.96	256	-19.63	296	-27.41	336	-25.26
17	-34.33	57	-27.27	97	-22.66	137	-16.01	177	-15.3	217	-37.44	257	-19.37	297	-28.39	337	-26.35
18	-36.49	58	-27.57	98	-21.51	138	-16.2	178	-15.4	218	-40.47	258	-19.17	298	-29.47	338	-27.38
19	-36.26	59	-28.11	99	-20.66	139	-16.46	179	-15.58	219	-41.92	259	-19.05	299	-30.42	339	-28.37
20	-34.26	60	-28.77	100	-19.92	140	-16.73	180	-15.67	220	-41.94	260	-19.01	300	-31.08	340	-28.89
21	-32.17	61	-29.72	101	-19.34	141	-16.99	181	-15.9	221	-40.11	261	-19.06	301	-30.74	341	-28.89
22	-29.83	62	-30.8	102	-18.94	142	-17.29	182	-16.11	222	-38.81	262	-19.18	302	-30.25	342	-28.38
23	-29.2	63	-32.84	103	-18.69	143	-17.59	183	-16.32	223	-38.05	263	-19.41	303	-29.32	343	-27.58
24	-28.23	64	-34.12	104	-18.5	144	-17.86	184	-16.57	224	-38.15	264	-19.73	304	-28.33	344	-26.81
25	-27.29	65	-34.29	105	-18.48	145	-17.96	185	-16.77	225	-38.49	265	-20.12	305	-27.5	345	-26.07
26	-26.87	66	-32.88	106	-18.57	146	-18.04	186	-17.1	226	-38.5	266	-20.66	306	-26.84	346	-25.49
27	-26.64	67	-30.86	107	-18.77	147	-17.9	187	-17.28	227	-37.84	267	-21.33	307	-26.27	347	-24.99
28	-26.6	68	-28.9	108	-18.99	148	-17.72	188	-17.5	228	-35.99	268	-22.1	308	-25.9	348	-24.66
29	-26.71	69	-27.22	109	-19.17	149	-17.53	189	-17.7	229	-34.59	269	-23.08	309	-25.58	349	-24.41
30	-26.93	70	-25.92	110	-19.34	150	-17.29	190	-17.86	230	-33.28	270	-24.25	310	-25.38	350	-24.25
31	-27.3	71	-24.65	111	-19.33	151	-16.99	191	-18.1	231	-32.3	271	-25.72	311	-25.23	351	-24.16
32	-27.76	72	-23.58	112	-19.14	152	-16.65	192	-18.41	232	-30.54	272	-27.7	312	-25.39	352	-24.11
33	-28.46	73	-22.74	113	-18.78	153	-16.29	193	-18.7	233	-29.32	273	-30.28	313	-25.64	353	-24.05
34	-29.27	74	-22.18	114	-18.37	154	-16.01	194	-19.05	234	-28.61	274	-34.88	314	-26.12	354	-23.91
35	-30.22	75	-21.7	115	-17.91	155	-15.78	195	-19.29	235	-28.2	275	-36.34	315	-26.78	355	-23.66
36	-31.59	76	-21.31	116	-17.5	156	-15.51	196	-19.81	236	-27.67	276	-34.46	316	-27.61	356	-23.32
37	-33.27	77	-21.01	117	-17.16	157	-15.31	197	-20.02	237	-27.45	277	-31.6	317	-28.51	357	-22.92
38	-35.23	78	-20.82	118	-16.95	158	-15.2	198	-20.47	238	-27.46	278	-29.25	318	-30.32	358	-22.45
39	-37.39	79	-20.73	119	-16.84	159	-15.15	199	-20.92	239	-27.39	279	-28.24	319	-30.99	359	-21.94

Radiated Pattern : DMX1058XR




WiFi 2.4GHz Cch (ANT1) Hor (ZX)

Received Power
MAX -10.18 MIN -37.39 AVE -19.5391

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-22.62	40	-25.64	80	-19.42	120	-20.39	160	-11.2	200	-13.8	240	-15.09	280	-15.05	320	-21.52
1	-24.27	41	-24.81	81	-19.57	121	-21.73	161	-11.09	201	-13.91	241	-15.38	281	-15.29	321	-21.69
2	-25.13	42	-24.08	82	-19.72	122	-22.5	162	-10.8	202	-14.05	242	-15.75	282	-15.6	322	-21.81
3	-26.12	43	-23.39	83	-19.87	123	-22.27	163	-10.62	203	-14.17	243	-16.1	283	-15.98	323	-21.85
4	-27.06	44	-22.83	84	-19.92	124	-21.19	164	-10.49	204	-14.37	244	-16.45	284	-16.39	324	-21.93
5	-28.18	45	-22.27	85	-19.92	125	-19.81	165	-10.37	205	-14.52	245	-16.97	285	-16.79	325	-22.16
6	-29.28	46	-21.83	86	-19.94	126	-18.45	166	-10.28	206	-14.68	246	-17.5	286	-17.27	326	-22.25
7	-30.28	47	-21.45	87	-19.73	127	-17.51	167	-10.25	207	-14.85	247	-18.1	287	-17.8	327	-22.26
8	-31.06	48	-21.15	88	-19.48	128	-16.16	168	-10.19	208	-14.92	248	-18.69	288	-18.41	328	-22.15
9	-31.59	49	-20.97	89	-19.2	129	-15.6	169	-10.18	209	-15.15	249	-19.45	289	-19.07	329	-22.16
10	-31.95	50	-20.88	90	-18.99	130	-15.23	170	-10.2	210	-15.29	250	-20.36	290	-19.63	330	-21.99
11	-32.24	51	-20.88	91	-18.63	131	-14.89	171	-10.24	211	-15.43	251	-21.4	291	-20.34	331	-21.86
12	-32.54	52	-20.98	92	-18.15	132	-14.52	172	-10.29	212	-15.49	252	-22.45	292	-21.09	332	-21.7
13	-32.91	53	-21.16	93	-17.74	133	-14.23	173	-10.31	213	-15.61	253	-23.92	293	-21.93	333	-21.7
14	-33.33	54	-21.43	94	-17.47	134	-14.02	174	-10.35	214	-15.79	254	-25.67	294	-22.79	334	-21.7
15	-33.81	55	-21.7	95	-17.11	135	-13.7	175	-10.42	215	-15.78	255	-27.92	295	-23.66	335	-21.75
16	-34.48	56	-22.02	96	-16.68	136	-13.39	176	-10.5	216	-15.84	256	-29.72	296	-24.71	336	-21.89
17	-35.16	57	-22.34	97	-16.43	137	-12.99	177	-10.61	217	-15.86	257	-31.07	297	-25.94	337	-21.99
18	-35.78	58	-22.65	98	-16.17	138	-12.58	178	-10.72	218	-15.82	258	-30.25	298	-27.38	338	-22.24
19	-36.33	59	-22.9	99	-15.95	139	-12.14	179	-10.83	219	-15.78	259	-28.07	299	-30.1	339	-22.51
20	-36.87	60	-23.06	100	-15.67	140	-11.84	180	-11.02	220	-15.74	260	-26.11	300	-32.47	340	-22.77
21	-37.12	61	-23.11	101	-15.43	141	-11.49	181	-11.15	221	-15.55	261	-23.98	301	-35.46	341	-22.96
22	-37.2	62	-23.07	102	-15.25	142	-11.24	182	-11.32	222	-15.27	262	-22.35	302	-37.39	342	-23.1
23	-36.92	63	-22.96	103	-14.99	143	-11.03	183	-11.48	223	-15.01	263	-20.94	303	-35.4	343	-23.13
24	-36.91	64	-22.71	104	-14.68	144	-10.92	184	-11.66	224	-14.74	264	-19.29	304	-32.57	344	-22.94
25	-37.14	65	-22.41	105	-14.43	145	-10.83	185	-11.87	225	-14.53	265	-18.35	305	-30.11	345	-22.55
26	-36.78	66	-22.06	106	-14.21	146	-10.84	186	-12.09	226	-14.14	266	-17.68	306	-28.03	346	-22.1
27	-36.74	67	-21.66	107	-14	147	-10.95	187	-12.28	227	-14.03	267	-17.04	307	-26.34	347	-21.59
28	-36.65	68	-21.08	108	-13.8	148	-11.08	188	-12.49	228	-13.9	268	-16.51	308	-25.2	348	-21.23
29	-36.58	69	-20.67	109	-13.66	149	-11.24	189	-12.68	229	-13.81	269	-15.99	309	-24.2	349	-20.84
30	-36.78	70	-20.33	110	-13.6	150	-11.43	190	-12.85	230	-13.77	270	-15.6	310	-23.38	350	-20.58
31	-36.44	71	-20.02	111	-13.63	151	-11.62	191	-12.97	231	-13.79	271	-15.29	311	-22.72	351	-20.47
32	-35.97	72	-19.76	112	-13.77	152	-11.77	192	-13.09	232	-13.87	272	-15.04	312	-22.12	352	-20.43
33	-35.02	73	-19.54	113	-14.02	153	-11.9	193	-13.18	233	-13.97	273	-14.94	313	-21.73	353	-20.45
34	-33.68	74	-19.38	114	-14.45	154	-11.95	194	-13.31	234	-14.07	274	-14.72	314	-21.59	354	-20.61
35	-32	75	-19.25	115	-14.98	155	-11.94	195	-13.4	235	-14.16	275	-14.66	315	-21.39	355	-20.85
36	-30.41	76	-19.19	116	-15.65	156	-11.89	196	-13.45	236	-14.31	276	-14.63	316	-21.34	356	-21.19
37	-28.94	77	-19.15	117	-16.6	157	-11.79	197	-13.54	237	-14.47	277	-14.72	317	-21.18	357	-21.56
38	-27.75	78	-19.2	118	-17.61	158	-11.64	198	-13.65	238	-14.66	278	-14.8	318	-21.23	358	-22.06
39	-26.59	79	-19.27	119	-18.96	159	-11.48	199	-13.75	239	-14.92	279	-14.93	319	-21.44	359	-22.68

Radiated Pattern : DMX1058XR




WiFi 2.4GHz Cch (ANT1) Ver (ZX)

Received Power
MAX MIN AVE
-13.5 -50.22 -25.607

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-26.02	40	-32.23	80	-22.79	120	-17.42	160	-14.84	200	-18.68	240	-28.2	280	-28.59	320	-28.67
1	-25.16	41	-32.98	81	-22.66	121	-17.53	161	-14.79	201	-19.08	241	-28.43	281	-27.98	321	-30.35
2	-24.88	42	-33.56	82	-22.67	122	-17.73	162	-14.7	202	-19.37	242	-28.63	282	-27.51	322	-33.01
3	-24.72	43	-34.13	83	-22.81	123	-17.95	163	-14.51	203	-19.59	243	-28.71	283	-27.18	323	-37.1
4	-24.66	44	-34.63	84	-23.06	124	-18.14	164	-14.35	204	-19.97	244	-28.62	284	-26.67	324	-43.81
5	-24.6	45	-35.28	85	-23.43	125	-18.21	165	-14.26	205	-20.38	245	-28.25	285	-26.24	325	-50.22
6	-24.6	46	-36.08	86	-23.82	126	-18.12	166	-13.98	206	-20.97	246	-27.52	286	-25.87	326	-39.33
7	-24.7	47	-36.95	87	-24.37	127	-17.75	167	-13.91	207	-21.57	247	-26.56	287	-25.62	327	-34.42
8	-24.88	48	-37.58	88	-24.91	128	-17.56	168	-13.75	208	-22.18	248	-25.45	288	-25.28	328	-31.49
9	-25.16	49	-37.69	89	-25.52	129	-17.15	169	-13.72	209	-22.97	249	-24.45	289	-24.84	329	-28.12
10	-25.55	50	-37.73	90	-26.01	130	-16.8	170	-13.59	210	-23.76	250	-23.11	290	-24.44	330	-26.53
11	-26.02	51	-37.47	91	-26.51	131	-16.37	171	-13.54	211	-24.84	251	-22.63	291	-24.05	331	-25.22
12	-26.55	52	-37.3	92	-26.92	132	-15.85	172	-13.5	212	-26.06	252	-21.96	292	-23.72	332	-24.21
13	-27.29	53	-37.21	93	-26.98	133	-15.55	173	-13.54	213	-27.37	253	-21.34	293	-23.4	333	-23.4
14	-28.22	54	-36.91	94	-26.65	134	-15.41	174	-13.55	214	-28.59	254	-20.63	294	-23.16	334	-22.9
15	-29.37	55	-36.62	95	-26.07	135	-15.36	175	-13.6	215	-29.73	255	-20.44	295	-22.94	335	-22.6
16	-30.8	56	-36.15	96	-24.92	136	-15.5	176	-13.66	216	-30.79	256	-20.18	296	-22.82	336	-22.55
17	-32.47	57	-35.77	97	-24.06	137	-15.74	177	-13.83	217	-31.73	257	-20.02	297	-22.88	337	-22.75
18	-34.8	58	-35.41	98	-23.29	138	-16	178	-14.11	218	-33.63	258	-20.01	298	-23.22	338	-23.12
19	-37.73	59	-35.27	99	-22.67	139	-16.41	179	-14.34	219	-34.39	259	-20.08	299	-24.03	339	-23.66
20	-41.3	60	-35.58	100	-22.07	140	-16.92	180	-14.74	220	-36.57	260	-20.26	300	-24.81	340	-24.44
21	-45.21	61	-36.02	101	-21.57	141	-17.42	181	-15	221	-36.26	261	-20.52	301	-25.78	341	-25.44
22	-44.5	62	-36.49	102	-21.16	142	-17.94	182	-15.38	222	-37.33	262	-20.88	302	-26.94	342	-26.7
23	-40.85	63	-37.17	103	-20.89	143	-18.48	183	-15.9	223	-37.44	263	-21.33	303	-28.57	343	-28.21
24	-38.18	64	-38.29	104	-20.66	144	-18.84	184	-16.25	224	-39.22	264	-21.84	304	-30.67	344	-29.95
25	-36.14	65	-38.75	105	-20.47	145	-18.95	185	-16.71	225	-40.33	265	-22.41	305	-33.31	345	-31.94
26	-33.87	66	-38.63	106	-20.39	146	-18.88	186	-17.09	226	-40.24	266	-23.06	306	-35.9	346	-33.88
27	-32.76	67	-36.95	107	-20.29	147	-18.59	187	-17.5	227	-40.1	267	-23.78	307	-37.85	347	-35.67
28	-31.83	68	-35.19	108	-20.23	148	-18.23	188	-17.72	228	-38.48	268	-24.48	308	-36.96	348	-36.54
29	-31.08	69	-33.07	109	-20.09	149	-17.85	189	-17.73	229	-36.57	269	-25.26	309	-34.42	349	-35.65
30	-30.52	70	-31.28	110	-19.88	150	-17.29	190	-17.79	230	-35.13	270	-26.09	310	-32.03	350	-34.21
31	-30.16	71	-29.68	111	-19.54	151	-16.75	191	-17.85	231	-33.51	271	-26.89	311	-30.11	351	-32.62
32	-29.99	72	-28.23	112	-19.17	152	-16.33	192	-17.96	232	-31.99	272	-27.64	312	-28.61	352	-31.27
33	-29.94	73	-27.01	113	-18.75	153	-16	193	-17.98	233	-30.86	273	-28.36	313	-27.53	353	-30.22
34	-29.93	74	-25.87	114	-18.37	154	-15.73	194	-17.92	234	-29.88	274	-28.96	314	-26.67	354	-29.3
35	-30	75	-24.96	115	-17.98	155	-15.46	195	-17.92	235	-29.27	275	-29.43	315	-26.15	355	-28.48
36	-30.15	76	-24.28	116	-17.66	156	-15.22	196	-18	236	-28.69	276	-29.65	316	-26.04	356	-27.8
37	-30.47	77	-23.73	117	-17.46	157	-15.09	197	-18.17	237	-28.24	277	-29.66	317	-26.13	357	-27.18
38	-30.88	78	-23.31	118	-17.34	158	-14.96	198	-18.29	238	-28.06	278	-29.48	318	-26.47	358	-26.56
39	-31.52	79	-23.02	119	-17.35	159	-14.83	199	-18.47	239	-28.03	279	-29.05	319	-27.42	359	-25.98

Radiated Pattern : DMX1058XR



WiFi 2.4GHz Hch (ANT1) Hor (ZX)

Received Power

MAX

-16.98

MIN


-48.8

AVE

-25.284

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-24.95	40	-37.42	80	-25.81	120	-26.08	160	-17.07	200	-19.14	240	-26.83	280	-22.27	320	-25.88
1	-26.38	41	-36.4	81	-25.88	121	-26.44	161	-16.98	201	-18.98	241	-27.34	281	-22.38	321	-26.16
2	-27.15	42	-35.8	82	-26	122	-26.7	162	-17.01	202	-18.92	242	-28.01	282	-22.51	322	-26.44
3	-28.09	43	-34.71	83	-25.93	123	-26.69	163	-17.08	203	-18.88	243	-28.57	283	-22.62	323	-26.97
4	-29.08	44	-33.41	84	-25.95	124	-26.44	164	-17.2	204	-18.93	244	-29.29	284	-22.78	324	-27.29
5	-30.2	45	-32.28	85	-25.88	125	-26.17	165	-17.41	205	-18.94	245	-30.07	285	-22.99	325	-27.32
6	-31.33	46	-31.2	86	-25.79	126	-26.01	166	-17.67	206	-18.98	246	-31.02	286	-23.25	326	-27.36
7	-32.65	47	-30.42	87	-25.78	127	-25.7	167	-17.95	207	-18.93	247	-31.96	287	-23.58	327	-27.35
8	-33.97	48	-29.55	88	-25.43	128	-25.31	168	-18.2	208	-18.95	248	-32.63	288	-23.94	328	-27.01
9	-35.39	49	-28.71	89	-25.21	129	-25.11	169	-18.45	209	-18.96	249	-33.48	289	-24.4	329	-26.46
10	-36.88	50	-28.16	90	-24.93	130	-24.68	170	-18.65	210	-19.05	250	-34.12	290	-24.92	330	-26.01
11	-38.68	51	-27.7	91	-24.66	131	-24.18	171	-18.73	211	-19.07	251	-34.84	291	-25.54	331	-25.55
12	-40.67	52	-27.49	92	-24.48	132	-23.55	172	-18.73	212	-19.04	252	-34.49	292	-26.2	332	-25.28
13	-43.21	53	-27	93	-23.95	133	-23.05	173	-18.69	213	-19.15	253	-33.18	293	-26.87	333	-24.98
14	-46.22	54	-26.89	94	-23.55	134	-22.41	174	-18.5	214	-19.21	254	-32.38	294	-27.8	334	-24.75
15	-48.8	55	-26.66	95	-23.25	135	-21.69	175	-18.33	215	-19.27	255	-30.94	295	-28.86	335	-24.63
16	-48.28	56	-26.56	96	-22.78	136	-21.11	176	-18.13	216	-19.32	256	-29.41	296	-29.74	336	-24.71
17	-45.42	57	-26.48	97	-22.32	137	-20.52	177	-17.94	217	-19.35	257	-28.17	297	-30.93	337	-24.88
18	-42.44	58	-26.46	98	-21.79	138	-19.97	178	-17.77	218	-19.48	258	-27.06	298	-32.18	338	-25.01
19	-39.11	59	-26.43	99	-21.53	139	-19.56	179	-17.65	219	-19.61	259	-26.24	299	-33.87	339	-25.29
20	-37.29	60	-26.46	100	-21.17	140	-19.18	180	-17.55	220	-19.77	260	-25.16	300	-35.15	340	-25.66
21	-35.97	61	-26.52	101	-20.81	141	-18.8	181	-17.52	221	-19.91	261	-24.38	301	-36.2	341	-25.99
22	-35.16	62	-26.44	102	-20.51	142	-18.53	182	-17.54	222	-20.14	262	-23.69	302	-37.16	342	-26.16
23	-34.63	63	-26.41	103	-20.17	143	-18.31	183	-17.57	223	-20.43	263	-23.21	303	-36.59	343	-26.35
24	-34.32	64	-26.37	104	-20.04	144	-18.23	184	-17.68	224	-20.71	264	-22.72	304	-35.68	344	-26.42
25	-34.09	65	-26.37	105	-19.88	145	-18.2	185	-17.85	225	-21	265	-22.25	305	-34.64	345	-26.35
26	-34.35	66	-26.31	106	-19.77	146	-18.3	186	-18.07	226	-21.3	266	-21.94	306	-33.26	346	-26.15
27	-34.4	67	-26.21	107	-19.72	147	-18.4	187	-18.33	227	-21.62	267	-21.8	307	-31.97	347	-25.86
28	-34.69	68	-26.15	108	-19.76	148	-18.47	188	-18.5	228	-21.88	268	-21.56	308	-30.79	348	-25.5
29	-35.04	69	-26.08	109	-19.93	149	-18.62	189	-18.78	229	-22.23	269	-21.43	309	-29.62	349	-25.08
30	-35.51	70	-26	110	-20.25	150	-18.69	190	-19.02	230	-22.54	270	-21.41	310	-28.76	350	-24.76
31	-35.51	71	-25.87	111	-20.62	151	-18.69	191	-19.29	231	-22.87	271	-21.39	311	-27.85	351	-24.47
32	-35.72	72	-25.79	112	-21	152	-18.69	192	-19.46	232	-23.21	272	-21.52	312	-27.13	352	-24.24
33	-36.01	73	-25.75	113	-21.52	153	-18.59	193	-19.51	233	-23.52	273	-21.61	313	-26.56	353	-24.12
34	-36.67	74	-25.7	114	-22.15	154	-18.4	194	-19.56	234	-24.06	274	-21.63	314	-26.27	354	-24.07
35	-37.15	75	-25.67	115	-22.84	155	-18.16	195	-19.63	235	-24.25	275	-21.75	315	-25.84	355	-24.12
36	-37.26	76	-25.61	116	-23.52	156	-17.89	196	-19.57	236	-24.92	276	-21.85	316	-25.78	356	-24.27
37	-37.69	77	-25.7	117	-24.26	157	-17.66	197	-19.42	237	-25.09	277	-22.02	317	-25.62	357	-24.49
38	-38.03	78	-25.64	118	-24.96	158	-17.43	198	-19.31	238	-25.76	278	-22.12	318	-25.67	358	-24.78
39	-37.87	79	-25.73	119	-25.62	159	-17.24	199	-19.26	239	-26.29	279	-22.15	319	-25.86	359	-25.18

Radiated Pattern : DMX1058XR




WiFi 2.4GHz Hch (ANT1) Ver (ZX)

Received Power
MAX MIN AVE
-16.97 -55.5 -29.2414

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-26.26	40	-44.28	80	-29.33	120	-25.2	160	-17.72	200	-24.39	240	-30.4	280	-36.42	320	-38.16
1	-25.52	41	-51.64	81	-29.53	121	-24.63	161	-17.53	201	-24.73	241	-29.18	281	-37.53	321	-38.48
2	-25.42	42	-51.16	82	-29.89	122	-23.84	162	-17.32	202	-25.12	242	-28.05	282	-38.7	322	-38.65
3	-25.48	43	-45.34	83	-30.44	123	-22.82	163	-17.17	203	-25.51	243	-27.13	283	-40.56	323	-39.36
4	-25.68	44	-41.8	84	-31.17	124	-21.77	164	-16.99	204	-26.09	244	-26.32	284	-43.37	324	-40.38
5	-26.04	45	-39.62	85	-32.16	125	-20.96	165	-16.97	205	-26.77	245	-25.73	285	-47.86	325	-42.6
6	-26.5	46	-38.4	86	-33.21	126	-20.22	166	-17.05	206	-27.39	246	-25.06	286	-55.5	326	-46.06
7	-27.13	47	-37.4	87	-34.37	127	-19.6	167	-17.15	207	-27.9	247	-24.51	287	-50.32	327	-50.12
8	-27.87	48	-36.62	88	-35.37	128	-19.15	168	-17.22	208	-28.47	248	-24.11	288	-45.37	328	-46.74
9	-28.77	49	-36.27	89	-35.61	129	-18.76	169	-17.44	209	-28.94	249	-23.67	289	-41.42	329	-42.74
10	-29.8	50	-36.14	90	-34.9	130	-18.54	170	-17.63	210	-29.53	250	-23.28	290	-38.67	330	-39.47
11	-31	51	-36.39	91	-33.63	131	-18.36	171	-17.78	211	-29.95	251	-22.88	291	-36.33	331	-36.81
12	-32.25	52	-36.69	92	-32.4	132	-18.36	172	-18.01	212	-30.32	252	-22.62	292	-34.82	332	-34.53
13	-33.4	53	-37.2	93	-31.11	133	-18.49	173	-18.16	213	-30.37	253	-22.46	293	-33.45	333	-32.58
14	-33.96	54	-37.71	94	-30.04	134	-18.7	174	-18.31	214	-30.46	254	-22.31	294	-32.61	334	-30.87
15	-34.16	55	-37.78	95	-29.08	135	-18.97	175	-18.5	215	-30.23	255	-22.24	295	-31.72	335	-29.44
16	-34.03	56	-37.72	96	-28.38	136	-19.28	176	-18.83	216	-29.86	256	-22.26	296	-31.12	336	-28.14
17	-33.34	57	-37.67	97	-27.81	137	-19.51	177	-19.13	217	-29.84	257	-22.38	297	-30.55	337	-27.09
18	-32.53	58	-37.55	98	-27.36	138	-19.86	178	-19.34	218	-30.13	258	-22.57	298	-30.1	338	-26.34
19	-31.62	59	-37.47	99	-27.3	139	-19.88	179	-19.63	219	-30.21	259	-22.81	299	-29.85	339	-25.79
20	-30.91	60	-37.25	100	-27.3	140	-19.9	180	-19.92	220	-30.28	260	-23.12	300	-29.67	340	-25.53
21	-30.17	61	-36.88	101	-27.41	141	-19.71	181	-20.25	221	-30.18	261	-23.53	301	-29.58	341	-25.49
22	-29.6	62	-36.45	102	-27.57	142	-19.47	182	-20.35	222	-30.73	262	-23.96	302	-29.68	342	-25.71
23	-29.14	63	-36.19	103	-27.67	143	-19.22	183	-20.53	223	-31.25	263	-24.47	303	-30	343	-26.48
24	-28.86	64	-36.01	104	-27.63	144	-19.1	184	-20.66	224	-31.76	264	-25.01	304	-30.59	344	-27.33
25	-28.67	65	-35.91	105	-27.37	145	-19	185	-20.85	225	-33.04	265	-25.68	305	-31.4	345	-28.42
26	-28.63	66	-35.7	106	-26.99	146	-19.02	186	-20.91	226	-34.2	266	-26.37	306	-32.44	346	-29.87
27	-28.72	67	-35.21	107	-26.53	147	-19.12	187	-20.86	227	-35.14	267	-27.11	307	-33.63	347	-31.77
28	-28.91	68	-34.37	108	-25.97	148	-19.3	188	-20.92	228	-36.53	268	-27.89	308	-34.63	348	-34.05
29	-29.21	69	-33.63	109	-25.43	149	-19.45	189	-21.11	229	-38.54	269	-28.72	309	-35.33	349	-37.3
30	-29.53	70	-32.9	110	-24.97	150	-19.68	190	-21.17	230	-40.46	270	-29.52	310	-34.85	350	-40
31	-29.99	71	-32.23	111	-24.59	151	-19.88	191	-21.36	231	-42.5	271	-30.36	311	-34.06	351	-39.55
32	-30.72	72	-31.57	112	-24.34	152	-19.89	192	-21.68	232	-43.26	272	-31.21	312	-33.4	352	-36.37
33	-31.08	73	-30.99	113	-24.22	153	-19.8	193	-21.79	233	-43.92	273	-31.92	313	-32.97	353	-33.47
34	-32.01	74	-30.39	114	-24.25	154	-19.65	194	-22.04	234	-42.07	274	-32.95	314	-32.83	354	-31.26
35	-32.83	75	-29.9	115	-24.4	155	-19.36	195	-22.33	235	-39.68	275	-33.49	315	-33.12	355	-29.51
36	-33.96	76	-29.58	116	-24.66	156	-18.97	196	-22.78	236	-36.55	276	-33.99	316	-33.88	356	-28.34
37	-35.42	77	-29.35	117	-25	157	-18.66	197	-23.08	237	-34.6	277	-34.35	317	-35.12	357	-27.39
38	-37.2	78	-29.25	118	-25.28	158	-18.35	198	-23.57	238	-32.98	278	-34.93	318	-36.56	358	-26.67
39	-40.01	79	-29.23	119	-25.39	159	-18.03	199	-24.01	239	-31.52	279	-35.62	319	-37.54	359	-26.19

Radiated Pattern : DMX1058XR




WiFi 5GHz Lch (ANT0) Hor (XY)

Received Power
MAX MIN AVE
-10.89 -47.16 -24.9751

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-24.69	40	-31.11	80	-24.01	120	-47.16	160	-29.61	200	-19.49	240	-18.64	280	-26.89	320	-26.59
1	-26.23	41	-28.63	81	-27.15	121	-38.48	161	-29.95	201	-20.19	241	-18.11	281	-26.8	321	-25.79
2	-28.46	42	-27.73	82	-31.42	122	-32.02	162	-26.32	202	-21.28	242	-17.31	282	-25.79	322	-25.55
3	-32.02	43	-27.64	83	-39.35	123	-30.4	163	-21.72	203	-23.07	243	-17.58	283	-24.81	323	-25.79
4	-34.02	44	-27.46	84	-30.57	124	-29.54	164	-19.42	204	-25.21	244	-18.63	284	-24.85	324	-25.49
5	-31.9	45	-26.38	85	-23.02	125	-27.23	165	-19.07	205	-26.15	245	-19.02	285	-25.86	325	-24.65
6	-28.62	46	-24.92	86	-20.06	126	-24.77	166	-20	206	-25.07	246	-18.4	286	-25.09	326	-24.03
7	-26.29	47	-23.5	87	-19.08	127	-23.21	167	-20.41	207	-24.14	247	-18.28	287	-24.05	327	-23.81
8	-25	48	-22.32	88	-17.38	128	-22.39	168	-19.93	208	-24.34	248	-19.38	288	-24.81	328	-23.96
9	-24.3	49	-21.61	89	-16.31	129	-21.45	169	-19.74	209	-24.09	249	-20.85	289	-25.75	329	-24.45
10	-24.12	50	-21.58	90	-16.73	130	-20.54	170	-19.79	210	-22.77	250	-21.98	290	-25.32	330	-25.34
11	-25.4	51	-22.53	91	-18.07	131	-20.75	171	-19.82	211	-20.93	251	-21.31	291	-24.48	331	-26.45
12	-27.21	52	-23.74	92	-20.11	132	-22.27	172	-19.56	212	-19.42	252	-19.48	292	-25.33	332	-26.95
13	-29.65	53	-25.27	93	-22.58	133	-24.98	173	-19.23	213	-18.69	253	-18.32	293	-28.9	333	-27.16
14	-32.3	54	-26.68	94	-24.24	134	-27.71	174	-19.01	214	-18.48	254	-17.98	294	-31.13	334	-27.39
15	-34.28	55	-28.31	95	-24.6	135	-32.69	175	-18.97	215	-18.32	255	-19.54	295	-32.97	335	-27.66
16	-35.72	56	-30.83	96	-20.96	136	-34.64	176	-19.07	216	-17.96	256	-23.66	296	-39.78	336	-27.31
17	-37.3	57	-32.99	97	-19.5	137	-29.32	177	-19.09	217	-17.65	257	-22.13	297	-34.04	337	-26.43
18	-38.08	58	-30.59	98	-19.31	138	-26.48	178	-18.6	218	-18.17	258	-17.97	298	-27.27	338	-25.81
19	-38.5	59	-27.19	99	-18.1	139	-24.87	179	-18.48	219	-20.13	259	-14.68	299	-24.23	339	-25.59
20	-39.89	60	-25.57	100	-17.93	140	-24.4	180	-19.07	220	-23.6	260	-12.38	300	-23.46	340	-25.37
21	-41.12	61	-25.13	101	-18.64	141	-25.6	181	-20.06	221	-28.42	261	-11.23	301	-23.64	341	-24.47
22	-39.81	62	-24.92	102	-18.71	142	-26.22	182	-20.71	222	-28.86	262	-10.98	302	-23.4	342	-23.21
23	-39.46	63	-25.08	103	-19.52	143	-25.14	183	-20.83	223	-25.8	263	-10.89	303	-22.41	343	-22.06
24	-39.29	64	-25.29	104	-21.87	144	-23.21	184	-19.9	224	-23.57	264	-11.3	304	-21.3	344	-21.48
25	-38.28	65	-25.67	105	-23.12	145	-22.25	185	-18.97	225	-21.59	265	-12.63	305	-21.18	345	-21.65
26	-37.29	66	-26.51	106	-21.56	146	-22.89	186	-18.64	226	-19.99	266	-15	306	-21.89	346	-22.55
27	-36.74	67	-28.21	107	-21.54	147	-23.38	187	-19	227	-19.45	267	-16.94	307	-22.36	347	-23.85
28	-36.05	68	-30.42	108	-23.1	148	-21.55	188	-19.73	228	-20.29	268	-17.33	308	-22.56	348	-24.91
29	-34.47	69	-33.75	109	-24.59	149	-20.66	189	-20.84	229	-22.14	269	-17.69	309	-23.81	349	-25.91
30	-33.05	70	-37.45	110	-26.98	150	-21.86	190	-21.28	230	-22.74	270	-17.23	310	-25.71	350	-27.13
31	-31.76	71	-42.16	111	-30.14	151	-22.92	191	-21.03	231	-21.85	271	-17.14	311	-27.5	351	-29.05
32	-31.01	72	-43.09	112	-28.16	152	-21.43	192	-20.49	232	-21.14	272	-18.18	312	-29.05	352	-32.07
33	-31.17	73	-32.93	113	-27.42	153	-19.78	193	-19.71	233	-21.49	273	-19.36	313	-33.84	353	-41.85
34	-31.72	74	-28.68	114	-28.34	154	-20.05	194	-18.94	234	-21.95	274	-20.04	314	-37	354	-37.25
35	-33.1	75	-26.66	115	-28.27	155	-22.16	195	-18.65	235	-21.67	275	-20.76	315	-39.78	355	-31.26
36	-35.8	76	-25.18	116	-29.22	156	-23.58	196	-18.81	236	-20.61	276	-22.18	316	-36.18	356	-27.94
37	-40.81	77	-23.06	117	-33.24	157	-25.09	197	-19.01	237	-19.17	277	-24.34	317	-29.75	357	-25.77
38	-43.3	78	-21.62	118	-32.49	158	-29.91	198	-19.22	238	-18.69	278	-25.92	318	-27.23	358	-24.77
39	-35.71	79	-22.01	119	-33.9	159	-37.6	199	-19.39	239	-18.65	279	-26.48	319	-26.76	359	-24.61

Radiated Pattern : DMX1058XR




WiFi 5GHz Lch (ANT0) Ver (XY)

Received Power
MAX -15.35 MIN -40.88 AVE -25.4655

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-23.8	40	-27.27	80	-22.21	120	-21.89	160	-18.41	200	-19.96	240	-25.72	280	-22.98	320	-22.81
1	-23.01	41	-27.48	81	-21.07	121	-21.15	161	-18.02	201	-19.79	241	-24.62	281	-22.59	321	-21.95
2	-22.78	42	-29.23	82	-20.01	122	-21.28	162	-17.94	202	-19.41	242	-24.79	282	-22.69	322	-21.82
3	-22.84	43	-32.58	83	-19.24	123	-21.52	163	-17.87	203	-18.84	243	-25.37	283	-23.71	323	-23.92
4	-23.16	44	-35.87	84	-18.99	124	-21.34	164	-17.62	204	-18.26	244	-26.55	284	-25.17	324	-25.16
5	-23.73	45	-36.66	85	-18.98	125	-21.48	165	-17.25	205	-17.99	245	-26.83	285	-26.02	325	-25.11
6	-24.75	46	-35.55	86	-18.94	126	-22.45	166	-16.86	206	-17.96	246	-29.32	286	-26.96	326	-25.09
7	-26.43	47	-34.99	87	-19.09	127	-24.25	167	-16.64	207	-17.83	247	-31.98	287	-30.43	327	-25.83
8	-28.71	48	-34.72	88	-19.76	128	-25.77	168	-16.87	208	-17.91	248	-32.56	288	-35.08	328	-27.1
9	-31.92	49	-33.5	89	-20.78	129	-25.55	169	-17.2	209	-17.99	249	-34.8	289	-31.62	329	-28.59
10	-32.23	50	-31.46	90	-21.84	130	-22.45	170	-17.72	210	-18.11	250	-40.15	290	-31.72	330	-29.85
11	-30.07	51	-29.53	91	-23.31	131	-20.21	171	-18.49	211	-18.54	251	-33.85	291	-30.75	331	-29.98
12	-28.12	52	-26.77	92	-26.11	132	-18.53	172	-18.97	212	-19.27	252	-30.21	292	-29.34	332	-29.84
13	-26.51	53	-25.89	93	-27.72	133	-17.49	173	-18.92	213	-20.12	253	-29.79	293	-29.11	333	-30.3
14	-25.43	54	-24.23	94	-28.21	134	-16.63	174	-18.57	214	-21.45	254	-30.76	294	-28.93	334	-31.21
15	-25.04	55	-23.9	95	-28.46	135	-15.82	175	-18.35	215	-23.93	255	-29.68	295	-27.18	335	-32.47
16	-25.13	56	-23.67	96	-29.64	136	-15.35	176	-18.44	216	-27.94	256	-27.03	296	-26.08	336	-33.27
17	-25.77	57	-24.02	97	-31.67	137	-15.65	177	-18.59	217	-33.32	257	-25.79	297	-26.05	337	-32.95
18	-26.71	58	-25.25	98	-33.1	138	-16.41	178	-18.82	218	-33.35	258	-26.25	298	-25.57	338	-31.59
19	-27.58	59	-26.57	99	-33.05	139	-17.08	179	-19.24	219	-28.86	259	-26.58	299	-24.64	339	-29.64
20	-28.22	60	-28.56	100	-31.91	140	-17.87	180	-19.8	220	-27.26	260	-26.48	300	-24.11	340	-27.6
21	-29.08	61	-30.98	101	-30.53	141	-19.29	181	-20.53	221	-27.38	261	-27.58	301	-24.04	341	-26.02
22	-30.57	62	-32.76	102	-29.05	142	-21.4	182	-21.54	222	-26.6	262	-30.26	302	-24.29	342	-24.87
23	-33.18	63	-30.83	103	-27.29	143	-24.54	183	-23	223	-24.23	263	-33.71	303	-24.37	343	-24.16
24	-33.77	64	-27.5	104	-26.03	144	-27.35	184	-25.06	224	-22.53	264	-34.14	304	-24.27	344	-23.86
25	-30.38	65	-25.3	105	-26.37	145	-32.02	185	-28.17	225	-22.19	265	-30.1	305	-24.55	345	-24.14
26	-28.19	66	-24.28	106	-26.86	146	-38.62	186	-32.84	226	-22.93	266	-28.14	306	-24.95	346	-25.07
27	-28	67	-24.28	107	-25.73	147	-29.7	187	-34.3	227	-23.91	267	-27.9	307	-24.88	347	-26.62
28	-29.63	68	-25.39	108	-24.57	148	-25.78	188	-30.78	228	-24.54	268	-26.55	308	-25	348	-28.48
29	-33.28	69	-27.67	109	-24.48	149	-22.67	189	-27.56	229	-24.85	269	-24.47	309	-26.35	349	-29.64
30	-40.88	70	-29.21	110	-24.81	150	-20.79	190	-25.15	230	-24.97	270	-23.62	310	-27.91	350	-29.61
31	-40.82	71	-28.97	111	-24.3	151	-19.59	191	-22.93	231	-25.41	271	-24.22	311	-28.49	351	-29.24
32	-35.09	72	-27.91	112	-23.36	152	-19.02	192	-21.26	232	-26.46	272	-24.63	312	-28.56	352	-29
33	-32.66	73	-27.24	113	-22.64	153	-18.61	193	-19.89	233	-27.37	273	-23.98	313	-27.94	353	-28.87
34	-32.92	74	-26.41	114	-22.06	154	-18.11	194	-18.89	234	-27.17	274	-23.98	314	-26.61	354	-29.11
35	-34.48	75	-25.13	115	-21.39	155	-18.27	195	-18.5	235	-26.55	275	-24.66	315	-25.55	355	-29.38
36	-34.91	76	-24.24	116	-21.17	156	-19	196	-18.58	236	-26.33	276	-24.67	316	-24.83	356	-28.6
37	-32.49	77	-23.77	117	-22.03	157	-19.77	197	-18.8	237	-26.47	277	-23.81	317	-23.98	357	-26.99
38	-29.93	78	-23.45	118	-23.17	158	-19.97	198	-19.24	238	-26.95	278	-23.16	318	-23.32	358	-25.46
39	-28.04	79	-23.06	119	-23	159	-19.27	199	-19.76	239	-26.97	279	-23.16	319	-23.18	359	-24.27

Radiated Pattern : DMX1058XR




WiFi 5GHz Cch (ANT0) Hor (XY)

Received Power
MAX MIN AVE
-18.99 -49.38 -28.1581

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-24.92	40	-34.28	80	-24.87	120	-40.95	160	-35.26	200	-26.43	240	-25.9	280	-31.86	320	-43.77
1	-25.59	41	-31.96	81	-25.14	121	-32.4	161	-30.03	201	-27.9	241	-25.39	281	-31.97	321	-43.09
2	-26.75	42	-30.77	82	-26.63	122	-28.5	162	-28.04	202	-30.84	242	-25.07	282	-31.51	322	-40.29
3	-28.36	43	-30.91	83	-28.58	123	-25.7	163	-27.32	203	-31	243	-26.4	283	-30.96	323	-35.13
4	-30.43	44	-31.57	84	-28.76	124	-23.26	164	-26.04	204	-27.63	244	-30.08	284	-30.23	324	-30.88
5	-34.14	45	-32.08	85	-27.34	125	-21.57	165	-24.4	205	-25	245	-29.78	285	-28.48	325	-28.7
6	-40.27	46	-31.81	86	-25.95	126	-20.98	166	-23.54	206	-24.31	246	-26.52	286	-27.25	326	-27.66
7	-42.67	47	-31.06	87	-25.14	127	-20.19	167	-23.93	207	-24.35	247	-25.49	287	-27.69	327	-27.02
8	-35.48	48	-30.31	88	-24.71	128	-19.54	168	-25.17	208	-23.81	248	-27.5	288	-27.84	328	-26.91
9	-31.52	49	-29.83	89	-23.85	129	-20.04	169	-26	209	-22.73	249	-30.9	289	-27.05	329	-27.49
10	-28.91	50	-29.26	90	-22.79	130	-21.44	170	-25.79	210	-21.8	250	-29.53	290	-26.63	330	-28.36
11	-27.01	51	-28.36	91	-22.91	131	-22.85	171	-26.15	211	-21.58	251	-28.44	291	-27.36	331	-28.67
12	-25.68	52	-28.14	92	-23.97	132	-24.14	172	-26.78	212	-22.23	252	-26.16	292	-29.91	332	-29.05
13	-24.93	53	-28.98	93	-26.9	133	-26.67	173	-26.89	213	-23.65	253	-22.62	293	-34.55	333	-30.44
14	-24.9	54	-29.87	94	-33.42	134	-29.08	174	-27.22	214	-25.07	254	-21.09	294	-38.61	334	-31.97
15	-25.47	55	-29.95	95	-37.24	135	-29.16	175	-28.06	215	-26.33	255	-23.24	295	-36.1	335	-32.01
16	-26.74	56	-29.98	96	-33.69	136	-29.61	176	-29.02	216	-29.07	256	-28.24	296	-30.7	336	-30.83
17	-27.83	57	-30.97	97	-28.25	137	-28.47	177	-30.09	217	-34.88	257	-33.61	297	-26.99	337	-29.9
18	-29.38	58	-33.89	98	-26.54	138	-27.98	178	-30.51	218	-36.58	258	-38.62	298	-25.4	338	-29.3
19	-31.18	59	-35.72	99	-25	139	-27.19	179	-27.87	219	-32.31	259	-28.26	299	-25.03	339	-28.17
20	-33.69	60	-35.28	100	-24.02	140	-25.64	180	-25.48	220	-30.87	260	-24.14	300	-24.63	340	-26.54
21	-38.26	61	-33.81	101	-23.73	141	-25.09	181	-24.39	221	-27.61	261	-23.34	301	-23.38	341	-24.94
22	-44.57	62	-32.63	102	-22.76	142	-25.45	182	-24.66	222	-23.59	262	-20.96	302	-22.17	342	-23.29
23	-39.95	63	-32.56	103	-20.67	143	-26.02	183	-25.21	223	-21.14	263	-20.09	303	-21.77	343	-23.02
24	-35.27	64	-32.8	104	-19.45	144	-25.41	184	-26.18	224	-19.83	264	-20.83	304	-21.85	344	-22.76
25	-32.96	65	-32.04	105	-19.59	145	-23.91	185	-27.67	225	-19.44	265	-22.41	305	-22	345	-22.89
26	-31.76	66	-30.67	106	-20.01	146	-22.71	186	-28.27	226	-19.52	266	-22.46	306	-22.3	346	-23.29
27	-31.15	67	-29.83	107	-20.44	147	-22.02	187	-28.29	227	-19.48	267	-21.66	307	-23.5	347	-23.45
28	-30.81	68	-29.37	108	-21.51	148	-21.06	188	-28.87	228	-19.4	268	-22.31	308	-24.9	348	-23.99
29	-30.22	69	-28.61	109	-23.51	149	-19.71	189	-29.69	229	-20.11	269	-24.2	309	-26.91	349	-25.09
30	-29.5	70	-27.52	110	-25.96	150	-18.99	190	-31.65	230	-22.14	270	-25.39	310	-28.95	350	-26.85
31	-29.03	71	-27.41	111	-28.53	151	-19.1	191	-35.76	231	-24.52	271	-26.74	311	-32.24	351	-31.19
32	-29.17	72	-28.29	112	-29.09	152	-19.78	192	-33.15	232	-25.2	272	-29.07	312	-37.02	352	-36.91
33	-29.67	73	-30.47	113	-28.62	153	-20.43	193	-30.03	233	-26	273	-30.88	313	-36.08	353	-49.38
34	-30.69	74	-33.07	114	-27.91	154	-20.87	194	-28.15	234	-27.88	274	-31.13	314	-35.13	354	-37.06
35	-32.61	75	-32.67	115	-27.43	155	-22.16	195	-27.35	235	-28.35	275	-30.25	315	-37.77	355	-31.41
36	-34.52	76	-31.5	116	-28.2	156	-24.5	196	-28.85	236	-25.8	276	-30.17	316	-43.22	356	-28.38
37	-35.4	77	-31.18	117	-29.1	157	-27.01	197	-30.25	237	-24.2	277	-30.33	317	-47.31	357	-26.51
38	-35.59	78	-29.09	118	-30.21	158	-29.2	198	-29.15	238	-24.63	278	-30.09	318	-42.55	358	-25.42
39	-35.65	79	-26.14	119	-35.18	159	-33.38	199	-27.08	239	-25.71	279	-30.65	319	-42.11	359	-24.88

Radiated Pattern : DMX1058XR



WiFi 5GHz Cch (ANT0) Ver (XY)

Received Power

MAX

-16.97

MIN


-53.85

AVE

-26.4836

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-26.55	40	-31.83	80	-23.06	120	-23.26	160	-19.15	200	-20.26	240	-24.3	280	-26.11	320	-22.28
1	-24.9	41	-31.13	81	-22.22	121	-22.25	161	-18.59	201	-19.83	241	-24.16	281	-25.59	321	-21.87
2	-24.71	42	-31.88	82	-21.3	122	-22.48	162	-18.19	202	-19.54	242	-25.26	282	-25.69	322	-22.42
3	-24.71	43	-34	83	-20.57	123	-23.04	163	-17.87	203	-19.17	243	-27.18	283	-26.76	323	-23.47
4	-24.93	44	-36.67	84	-20.32	124	-23.41	164	-17.47	204	-19.11	244	-28.75	284	-28.34	324	-23.71
5	-25.36	45	-40.22	85	-20.42	125	-24.38	165	-17.06	205	-19.39	245	-29.87	285	-29.34	325	-23.48
6	-25.94	46	-41.68	86	-20.49	126	-26.45	166	-16.97	206	-19.37	246	-32.56	286	-30.82	326	-23.81
7	-26.81	47	-38.51	87	-20.39	127	-29.34	167	-17.1	207	-19.13	247	-35.83	287	-35.81	327	-24.61
8	-28.25	48	-35.26	88	-21.18	128	-31.2	168	-17.26	208	-19.18	248	-34.48	288	-50.23	328	-25.42
9	-30.77	49	-32.12	89	-22.22	129	-29.55	169	-17.58	209	-19.35	249	-34.67	289	-43.99	329	-26.05
10	-34.12	50	-29.74	90	-23.38	130	-26.29	170	-17.89	210	-19.56	250	-37.63	290	-37.16	330	-26.48
11	-37.25	51	-27.89	91	-24.98	131	-23.34	171	-18.3	211	-20.2	251	-32.46	291	-32.22	331	-26.81
12	-33.53	52	-25.9	92	-26.87	132	-21.07	172	-18.71	212	-21.14	252	-28.86	292	-29.25	332	-27.01
13	-30.35	53	-25.29	93	-28.89	133	-19.54	173	-19.06	213	-22.13	253	-28.35	293	-27.72	333	-27.57
14	-28.24	54	-24.31	94	-30.04	134	-18.76	174	-19.29	214	-23.69	254	-29.62	294	-26.16	334	-28.75
15	-27.14	55	-24.04	95	-30.15	135	-18.12	175	-19.48	215	-26.17	255	-29.61	295	-24.5	335	-30.17
16	-26.86	56	-24.1	96	-30.87	136	-17.71	176	-19.53	216	-29.2	256	-27.9	296	-23.69	336	-30.89
17	-27.37	57	-24.59	97	-32.87	137	-18.11	177	-19.66	217	-30.83	257	-27.12	297	-23.63	337	-31.04
18	-28.59	58	-25.39	98	-34.73	138	-19.44	178	-19.97	218	-28.4	258	-28.04	298	-23.25	338	-30.74
19	-30.51	59	-26.5	99	-34.11	139	-20.98	179	-20.52	219	-25.66	259	-29.23	299	-22.57	339	-29.97
20	-32.78	60	-27.74	100	-31.23	140	-22.17	180	-21.27	220	-24.89	260	-29.86	300	-22.17	340	-28.81
21	-34.74	61	-28.78	101	-29.19	141	-24.24	181	-22.18	221	-25.51	261	-31.21	301	-22.18	341	-27.71
22	-36.12	62	-29.66	102	-28.21	142	-27.69	182	-23.38	222	-24.7	262	-33.55	302	-22.48	342	-26.48
23	-37.74	63	-29.43	103	-27.26	143	-34.06	183	-24.9	223	-22.61	263	-33.32	303	-22.74	343	-25.05
24	-41.62	64	-27.99	104	-26.57	144	-53.85	184	-26.79	224	-21.48	264	-29.72	304	-22.99	344	-24.08
25	-50.38	65	-26.18	105	-26.59	145	-36.46	185	-30.2	225	-21.46	265	-26.51	305	-23.45	345	-23.62
26	-40.08	66	-24.93	106	-27.3	146	-30.21	186	-35.27	226	-22.22	266	-25.44	306	-24.02	346	-24.18
27	-34.48	67	-24.41	107	-27.04	147	-25.93	187	-36.03	227	-23.52	267	-25.5	307	-24.45	347	-25.33
28	-32.52	68	-24.84	108	-26.06	148	-24.11	188	-31.17	228	-24.36	268	-24.66	308	-25.26	348	-26.93
29	-32.98	69	-26.13	109	-25.69	149	-22.68	189	-28	229	-24.12	269	-23.05	309	-27.53	349	-28.44
30	-35.57	70	-28.05	110	-25.61	150	-21.41	190	-25.84	230	-23.87	270	-23.36	310	-28.39	350	-29.05
31	-40.33	71	-29.3	111	-25.15	151	-20.76	191	-23.86	231	-24.39	271	-24.27	311	-28.83	351	-28.43
32	-41.43	72	-29.01	112	-24.12	152	-20.62	192	-22.22	232	-25.23	272	-24.58	312	-29.15	352	-27.51
33	-35.52	73	-28.2	113	-23.19	153	-20.87	193	-20.81	233	-26.36	273	-24.68	313	-28.87	353	-26.9
34	-32.95	74	-27.31	114	-22.62	154	-20.65	194	-20.04	234	-26.68	274	-25.81	314	-28.19	354	-27
35	-33.15	75	-25.86	115	-22.09	155	-20.58	195	-19.88	235	-26.62	275	-27.1	315	-27.62	355	-27.79
36	-35.49	76	-24.65	116	-21.76	156	-21.24	196	-20.11	236	-26.73	276	-26.9	316	-26.5	356	-28.68
37	-37.96	77	-23.92	117	-22.29	157	-21.9	197	-20.43	237	-27.11	277	-26.28	317	-25.15	357	-28.81
38	-35.81	78	-23.63	118	-23.44	158	-21.42	198	-20.9	238	-26.93	278	-26.27	318	-24.23	358	-27.71
39	-33.44	79	-23.52	119	-23.91	159	-20.17	199	-20.74	239	-25.56	279	-26.39	319	-23.29	359	-26.35

Radiated Pattern : DMX1058XR




WiFi 5GHz Hch (ANT0) Hor (XY)

Received Power
MAX -18.99 MIN -49.38 AVE -28.1581

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-24.92	40	-34.28	80	-24.87	120	-40.95	160	-35.26	200	-26.43	240	-25.9	280	-31.86	320	-43.77
1	-25.59	41	-31.96	81	-25.14	121	-32.4	161	-30.03	201	-27.9	241	-25.39	281	-31.97	321	-43.09
2	-26.75	42	-30.77	82	-26.63	122	-28.5	162	-28.04	202	-30.84	242	-25.07	282	-31.51	322	-40.29
3	-28.36	43	-30.91	83	-28.58	123	-25.7	163	-27.32	203	-31	243	-26.4	283	-30.96	323	-35.13
4	-30.43	44	-31.57	84	-28.76	124	-23.26	164	-26.04	204	-27.63	244	-30.08	284	-30.23	324	-30.88
5	-34.14	45	-32.08	85	-27.34	125	-21.57	165	-24.4	205	-25	245	-29.78	285	-28.48	325	-28.7
6	-40.27	46	-31.81	86	-25.95	126	-20.98	166	-23.54	206	-24.31	246	-26.52	286	-27.25	326	-27.66
7	-42.67	47	-31.06	87	-25.14	127	-20.19	167	-23.93	207	-24.35	247	-25.49	287	-27.69	327	-27.02
8	-35.48	48	-30.31	88	-24.71	128	-19.54	168	-25.17	208	-23.81	248	-27.5	288	-27.84	328	-26.91
9	-31.52	49	-29.83	89	-23.85	129	-20.04	169	-26	209	-22.73	249	-30.9	289	-27.05	329	-27.49
10	-28.91	50	-29.26	90	-22.79	130	-21.44	170	-25.79	210	-21.8	250	-29.53	290	-26.63	330	-28.36
11	-27.01	51	-28.36	91	-22.91	131	-22.85	171	-26.15	211	-21.58	251	-28.44	291	-27.36	331	-28.67
12	-25.68	52	-28.14	92	-23.97	132	-24.14	172	-26.78	212	-22.23	252	-26.16	292	-29.91	332	-29.05
13	-24.93	53	-28.98	93	-26.9	133	-26.67	173	-26.89	213	-23.65	253	-22.62	293	-34.55	333	-30.44
14	-24.9	54	-29.87	94	-33.42	134	-29.08	174	-27.22	214	-25.07	254	-21.09	294	-38.61	334	-31.97
15	-25.47	55	-29.95	95	-37.24	135	-29.16	175	-28.06	215	-26.33	255	-23.24	295	-36.1	335	-32.01
16	-26.74	56	-29.98	96	-33.69	136	-29.61	176	-29.02	216	-29.07	256	-28.24	296	-30.7	336	-30.83
17	-27.83	57	-30.97	97	-28.25	137	-28.47	177	-30.09	217	-34.88	257	-33.61	297	-26.99	337	-29.9
18	-29.38	58	-33.89	98	-26.54	138	-27.98	178	-30.51	218	-36.58	258	-38.62	298	-25.4	338	-29.3
19	-31.18	59	-35.72	99	-25	139	-27.19	179	-27.87	219	-32.31	259	-28.26	299	-25.03	339	-28.17
20	-33.69	60	-35.28	100	-24.02	140	-25.64	180	-25.48	220	-30.87	260	-24.14	300	-24.63	340	-26.54
21	-38.26	61	-33.81	101	-23.73	141	-25.09	181	-24.39	221	-27.61	261	-23.34	301	-23.38	341	-24.94
22	-44.57	62	-32.63	102	-22.76	142	-25.45	182	-24.66	222	-23.59	262	-20.96	302	-22.17	342	-23.29
23	-39.95	63	-32.56	103	-20.67	143	-26.02	183	-25.21	223	-21.14	263	-20.09	303	-21.77	343	-23.02
24	-35.27	64	-32.8	104	-19.45	144	-25.41	184	-26.18	224	-19.83	264	-20.83	304	-21.85	344	-22.76
25	-32.96	65	-32.04	105	-19.59	145	-23.91	185	-27.67	225	-19.44	265	-22.41	305	-22	345	-22.89
26	-31.76	66	-30.67	106	-20.01	146	-22.71	186	-28.27	226	-19.52	266	-22.46	306	-22.3	346	-23.29
27	-31.15	67	-29.83	107	-20.44	147	-22.02	187	-28.29	227	-19.48	267	-21.66	307	-23.5	347	-23.45
28	-30.81	68	-29.37	108	-21.51	148	-21.06	188	-28.87	228	-19.4	268	-22.31	308	-24.9	348	-23.99
29	-30.22	69	-28.61	109	-23.51	149	-19.71	189	-29.69	229	-20.11	269	-24.2	309	-26.91	349	-25.09
30	-29.5	70	-27.52	110	-25.96	150	-18.99	190	-31.65	230	-22.14	270	-25.39	310	-28.95	350	-26.85
31	-29.03	71	-27.41	111	-28.53	151	-19.1	191	-35.76	231	-24.52	271	-26.74	311	-32.24	351	-31.19
32	-29.17	72	-28.29	112	-29.09	152	-19.78	192	-33.15	232	-25.2	272	-29.07	312	-37.02	352	-36.91
33	-29.67	73	-30.47	113	-28.62	153	-20.43	193	-30.03	233	-26	273	-30.88	313	-36.08	353	-49.38
34	-30.69	74	-33.07	114	-27.91	154	-20.87	194	-28.15	234	-27.88	274	-31.13	314	-35.13	354	-37.06
35	-32.61	75	-32.67	115	-27.43	155	-22.16	195	-27.35	235	-28.35	275	-30.25	315	-37.77	355	-31.41
36	-34.52	76	-31.5	116	-28.2	156	-24.5	196	-28.85	236	-25.8	276	-30.17	316	-43.22	356	-28.38
37	-35.4	77	-31.18	117	-29.1	157	-27.01	197	-30.25	237	-24.2	277	-30.33	317	-47.31	357	-26.51
38	-35.59	78	-29.09	118	-30.21	158	-29.2	198	-29.15	238	-24.63	278	-30.09	318	-42.55	358	-25.42
39	-35.65	79	-26.14	119	-35.18	159	-33.38	199	-27.08	239	-25.71	279	-30.65	319	-42.11	359	-24.88

Radiated Pattern : DMX1058XR



WiFi 5GHz Hch (ANT0) Ver (XY)

Received Power

MAX

-16.97

MIN


-53.85

AVE

-26.4836

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-26.55	40	-31.83	80	-23.06	120	-23.26	160	-19.15	200	-20.26	240	-24.3	280	-26.11	320	-22.28
1	-24.9	41	-31.13	81	-22.22	121	-22.25	161	-18.59	201	-19.83	241	-24.16	281	-25.59	321	-21.87
2	-24.71	42	-31.88	82	-21.3	122	-22.48	162	-18.19	202	-19.54	242	-25.26	282	-25.69	322	-22.42
3	-24.71	43	-34	83	-20.57	123	-23.04	163	-17.87	203	-19.17	243	-27.18	283	-26.76	323	-23.47
4	-24.93	44	-36.67	84	-20.32	124	-23.41	164	-17.47	204	-19.11	244	-28.75	284	-28.34	324	-23.71
5	-25.36	45	-40.22	85	-20.42	125	-24.38	165	-17.06	205	-19.39	245	-29.87	285	-29.34	325	-23.48
6	-25.94	46	-41.68	86	-20.49	126	-26.45	166	-16.97	206	-19.37	246	-32.56	286	-30.82	326	-23.81
7	-26.81	47	-38.51	87	-20.39	127	-29.34	167	-17.1	207	-19.13	247	-35.83	287	-35.81	327	-24.61
8	-28.25	48	-35.26	88	-21.18	128	-31.2	168	-17.26	208	-19.18	248	-34.48	288	-50.23	328	-25.42
9	-30.77	49	-32.12	89	-22.22	129	-29.55	169	-17.58	209	-19.35	249	-34.67	289	-43.99	329	-26.05
10	-34.12	50	-29.74	90	-23.38	130	-26.29	170	-17.89	210	-19.56	250	-37.63	290	-37.16	330	-26.48
11	-37.25	51	-27.89	91	-24.98	131	-23.34	171	-18.3	211	-20.2	251	-32.46	291	-32.22	331	-26.81
12	-33.53	52	-25.9	92	-26.87	132	-21.07	172	-18.71	212	-21.14	252	-28.86	292	-29.25	332	-27.01
13	-30.35	53	-25.29	93	-28.89	133	-19.54	173	-19.06	213	-22.13	253	-28.35	293	-27.72	333	-27.57
14	-28.24	54	-24.31	94	-30.04	134	-18.76	174	-19.29	214	-23.69	254	-29.62	294	-26.16	334	-28.75
15	-27.14	55	-24.04	95	-30.15	135	-18.12	175	-19.48	215	-26.17	255	-29.61	295	-24.5	335	-30.17
16	-26.86	56	-24.1	96	-30.87	136	-17.71	176	-19.53	216	-29.2	256	-27.9	296	-23.69	336	-30.89
17	-27.37	57	-24.59	97	-32.87	137	-18.11	177	-19.66	217	-30.83	257	-27.12	297	-23.63	337	-31.04
18	-28.59	58	-25.39	98	-34.73	138	-19.44	178	-19.97	218	-28.4	258	-28.04	298	-23.25	338	-30.74
19	-30.51	59	-26.5	99	-34.11	139	-20.98	179	-20.52	219	-25.66	259	-29.23	299	-22.57	339	-29.97
20	-32.78	60	-27.74	100	-31.23	140	-22.17	180	-21.27	220	-24.89	260	-29.86	300	-22.17	340	-28.81
21	-34.74	61	-28.78	101	-29.19	141	-24.24	181	-22.18	221	-25.51	261	-31.21	301	-22.18	341	-27.71
22	-36.12	62	-29.66	102	-28.21	142	-27.69	182	-23.38	222	-24.7	262	-33.55	302	-22.48	342	-26.48
23	-37.74	63	-29.43	103	-27.26	143	-34.06	183	-24.9	223	-22.61	263	-33.32	303	-22.74	343	-25.05
24	-41.62	64	-27.99	104	-26.57	144	-53.85	184	-26.79	224	-21.48	264	-29.72	304	-22.99	344	-24.08
25	-50.38	65	-26.18	105	-26.59	145	-36.46	185	-30.2	225	-21.46	265	-26.51	305	-23.45	345	-23.62
26	-40.08	66	-24.93	106	-27.3	146	-30.21	186	-35.27	226	-22.22	266	-25.44	306	-24.02	346	-24.18
27	-34.48	67	-24.41	107	-27.04	147	-25.93	187	-36.03	227	-23.52	267	-25.5	307	-24.45	347	-25.33
28	-32.52	68	-24.84	108	-26.06	148	-24.11	188	-31.17	228	-24.36	268	-24.66	308	-25.26	348	-26.93
29	-32.98	69	-26.13	109	-25.69	149	-22.68	189	-28	229	-24.12	269	-23.05	309	-27.53	349	-28.44
30	-35.57	70	-28.05	110	-25.61	150	-21.41	190	-25.84	230	-23.87	270	-23.36	310	-28.39	350	-29.05
31	-40.33	71	-29.3	111	-25.15	151	-20.76	191	-23.86	231	-24.39	271	-24.27	311	-28.83	351	-28.43
32	-41.43	72	-29.01	112	-24.12	152	-20.62	192	-22.22	232	-25.23	272	-24.58	312	-29.15	352	-27.51
33	-35.52	73	-28.2	113	-23.19	153	-20.87	193	-20.81	233	-26.36	273	-24.68	313	-28.87	353	-26.9
34	-32.95	74	-27.31	114	-22.62	154	-20.65	194	-20.04	234	-26.68	274	-25.81	314	-28.19	354	-27
35	-33.15	75	-25.86	115	-22.09	155	-20.58	195	-19.88	235	-26.62	275	-27.1	315	-27.62	355	-27.79
36	-35.49	76	-24.65	116	-21.76	156	-21.24	196	-20.11	236	-26.73	276	-26.9	316	-26.5	356	-28.68
37	-37.96	77	-23.92	117	-22.29	157	-21.9	197	-20.43	237	-27.11	277	-26.28	317	-25.15	357	-28.81
38	-35.81	78	-23.63	118	-23.44	158	-21.42	198	-20.9	238	-26.93	278	-26.27	318	-24.23	358	-27.71
39	-33.44	79	-23.52	119	-23.91	159	-20.17	199	-20.74	239	-25.56	279	-26.39	319	-23.29	359	-26.35

Radiated Pattern : DMX1058XR




WiFi 5GHz Lch (ANT0) Hor (ZX)

Received Power
MAX -14.55 MIN -56.08 AVE -24.2789

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-21.75	40	-31.36	80	-20.29	120	-14.7	160	-19.87	200	-24.98	240	-29.48	280	-27.93	320	-23.78
1	-24.26	41	-28.33	81	-20.68	121	-15.19	161	-19.31	201	-24.38	241	-32.95	281	-30.28	321	-23.33
2	-26.06	42	-25.53	82	-21.14	122	-15.98	162	-18.75	202	-24.19	242	-33.88	282	-32.73	322	-23.17
3	-25.8	43	-23.4	83	-21.86	123	-17.05	163	-18.24	203	-24.22	243	-30.57	283	-35.44	323	-22.79
4	-24.76	44	-21.83	84	-22.66	124	-18.21	164	-17.63	204	-23.94	244	-27.72	284	-37.34	324	-22.43
5	-23.73	45	-20.65	85	-23.94	125	-19.65	165	-17.17	205	-23.7	245	-25.25	285	-36.58	325	-22.32
6	-22.93	46	-19.92	86	-25.71	126	-21.53	166	-16.7	206	-23.55	246	-23.61	286	-34.24	326	-21.94
7	-22.35	47	-19.55	87	-28.53	127	-24.65	167	-16.58	207	-23.03	247	-22.6	287	-32.02	327	-21.15
8	-22.09	48	-19.55	88	-33.09	128	-30.29	168	-16.61	208	-22.49	248	-21.83	288	-30.16	328	-20.45
9	-22.21	49	-19.73	89	-46.22	129	-42.99	169	-16.99	209	-21.99	249	-21.32	289	-28.46	329	-20.13
10	-22.47	50	-20.11	90	-37.4	130	-30.25	170	-17.59	210	-21.61	250	-21.61	290	-27.22	330	-20.09
11	-22.47	51	-20.63	91	-29.94	131	-24.81	171	-18.25	211	-21.29	251	-22.33	291	-26.5	331	-20.07
12	-22.18	52	-21.26	92	-26.13	132	-22.05	172	-18.95	212	-21.35	252	-23.2	292	-25.96	332	-19.8
13	-21.78	53	-21.87	93	-23.35	133	-20.36	173	-19.79	213	-21.54	253	-24.3	293	-25.64	333	-19.21
14	-21.54	54	-22.44	94	-21.48	134	-19.24	174	-20.54	214	-21.83	254	-25.8	294	-25.33	334	-18.98
15	-21.4	55	-23.01	95	-20.04	135	-19.22	175	-21.48	215	-22.24	255	-27.45	295	-24.8	335	-18.77
16	-21.58	56	-23.56	96	-18.91	136	-19.31	176	-22.6	216	-22.88	256	-29.76	296	-24.17	336	-18.74
17	-22.45	57	-23.99	97	-18.03	137	-19.42	177	-24.66	217	-23.44	257	-35.58	297	-23.42	337	-18.62
18	-24.13	58	-24.25	98	-17.28	138	-19.4	178	-27.39	218	-24.06	258	-56.08	298	-22.7	338	-18.42
19	-26.63	59	-24.24	99	-17.11	139	-19.45	179	-32.09	219	-24.52	259	-33.88	299	-22.23	339	-18.08
20	-29.85	60	-23.97	100	-16.91	140	-19.77	180	-41.57	220	-25.16	260	-27.91	300	-21.92	340	-17.95
21	-35.93	61	-23.61	101	-16.97	141	-20.64	181	-39.28	221	-25.84	261	-24.89	301	-22	341	-18.16
22	-49.26	62	-23.22	102	-17.28	142	-22.41	182	-32.86	222	-26.78	262	-23.15	302	-22.49	342	-18.7
23	-35.55	63	-22.96	103	-17.65	143	-25.27	183	-29.69	223	-27.55	263	-22.22	303	-23.17	343	-19.52
24	-30.47	64	-23.03	104	-18.39	144	-29.85	184	-27.73	224	-27.71	264	-21.42	304	-23.89	344	-20.6
25	-27.9	65	-23.44	105	-19.47	145	-38.09	185	-25.86	225	-26.91	265	-21.28	305	-24.48	345	-21.67
26	-26.58	66	-24.23	106	-21.03	146	-35.94	186	-24.47	226	-25.41	266	-21.08	306	-24.63	346	-22.39
27	-25.96	67	-25.49	107	-23.6	147	-31.56	187	-23.3	227	-23.83	267	-20.82	307	-24.41	347	-22.57
28	-25.74	68	-26.89	108	-27.12	148	-30.44	188	-22.38	228	-22.31	268	-20.7	308	-24.29	348	-22.41
29	-25.8	69	-27.74	109	-30.42	149	-31.38	189	-21.73	229	-21.31	269	-20.58	309	-24.31	349	-22.22
30	-26.44	70	-27.5	110	-28.71	150	-34.18	190	-21.57	230	-20.79	270	-20.29	310	-24.64	350	-21.92
31	-27.82	71	-25.93	111	-24.65	151	-41.17	191	-21.75	231	-20.44	271	-20.33	311	-25.26	351	-21.67
32	-31.45	72	-23.69	112	-21.73	152	-42.51	192	-22.11	232	-20.21	272	-20.51	312	-26.12	352	-21.56
33	-33.21	73	-22.56	113	-19.55	153	-34.94	193	-22.93	233	-20.06	273	-20.8	313	-26.91	353	-21.38
34	-38.21	74	-21.73	114	-18.08	154	-30.98	194	-23.49	234	-20.22	274	-21.12	314	-27.07	354	-21.13
35	-46.62	75	-21.15	115	-16.96	155	-28.23	195	-23.99	235	-20.53	275	-21.84	315	-26.97	355	-20.74
36	-42.57	76	-20.64	116	-16.07	156	-25.86	196	-24.17	236	-21.22	276	-22.66	316	-26.68	356	-20.52
37	-38.32	77	-20.37	117	-15.28	157	-23.83	197	-24.47	237	-22.39	277	-23.6	317	-25.97	357	-20.61
38	-36.52	78	-20.22	118	-14.71	158	-22.07	198	-24.52	238	-24.38	278	-24.72	318	-25.19	358	-21.03
39	-34.29	79	-20.2	119	-14.55	159	-20.77	199	-24.71	239	-26.81	279	-26.09	319	-24.57	359	-21.78

Radiated Pattern : DMX1058XR



WiFi 5GHz Lch (ANT0) Ver (ZX)

Received Power

MAX

-13.73

MIN


-47.69

AVE

-24.9683

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-25.28	40	-28.48	80	-23.79	120	-14.3	160	-21.16	200	-25.29	240	-22.04	280	-21.98	320	-27.78
1	-25.3	41	-27.26	81	-23.04	121	-14.6	161	-20.19	201	-25.84	241	-21.46	281	-22.18	321	-27.58
2	-25.84	42	-26.7	82	-22.3	122	-14.77	162	-19.34	202	-26.26	242	-20.95	282	-22.45	322	-27.17
3	-26.43	43	-26.34	83	-21.57	123	-14.94	163	-18.62	203	-26.86	243	-20.71	283	-22.67	323	-26.89
4	-26.9	44	-25.99	84	-20.93	124	-15.13	164	-17.86	204	-27.65	244	-20.57	284	-22.93	324	-26.91
5	-26.95	45	-25.47	85	-20.35	125	-15.47	165	-17.7	205	-27.94	245	-20.69	285	-23.22	325	-27.03
6	-26.84	46	-24.97	86	-19.85	126	-15.99	166	-17.5	206	-27.61	246	-21.06	286	-23.55	326	-27.15
7	-26.75	47	-24.4	87	-19.49	127	-16.84	167	-17.52	207	-26.52	247	-21.8	287	-23.86	327	-27.57
8	-26.96	48	-23.91	88	-19.24	128	-17.94	168	-17.62	208	-25.32	248	-22.9	288	-23.94	328	-27.99
9	-27.37	49	-23.55	89	-18.95	129	-19.3	169	-17.71	209	-24.38	249	-24.24	289	-23.87	329	-27.94
10	-28.13	50	-23.32	90	-18.73	130	-21.01	170	-17.79	210	-23.51	250	-25.46	290	-23.63	330	-27.62
11	-29.07	51	-23.02	91	-18.44	131	-21.55	171	-17.9	211	-22.73	251	-26.75	291	-23.4	331	-27.17
12	-30.24	52	-22.79	92	-18.4	132	-21.62	172	-18.16	212	-22.3	252	-27.94	292	-23.46	332	-26.85
13	-31.23	53	-22.57	93	-18.25	133	-21.63	173	-18.61	213	-21.86	253	-28.77	293	-24.03	333	-26.72
14	-31.86	54	-22.51	94	-18.14	134	-21.77	174	-19.27	214	-21.37	254	-29.58	294	-25.07	334	-26.83
15	-32.3	55	-22.55	95	-18.05	135	-22.06	175	-20.03	215	-20.97	255	-30.34	295	-26.7	335	-27.12
16	-33.09	56	-22.74	96	-18.07	136	-22.54	176	-20.71	216	-20.59	256	-31.27	296	-28.89	336	-27.48
17	-34.68	57	-22.98	97	-18.17	137	-22.91	177	-21.04	217	-20.22	257	-32.17	297	-31.47	337	-27.6
18	-37.28	58	-23.5	98	-18.43	138	-22.98	178	-21.19	218	-19.97	258	-33.78	298	-34.57	338	-27.64
19	-40.82	59	-23.73	99	-18.73	139	-22.65	179	-21.47	219	-19.8	259	-36.67	299	-37.5	339	-27.69
20	-42.89	60	-24.14	100	-19.11	140	-21.97	180	-21.83	220	-19.66	260	-39.79	300	-39.67	340	-27.84
21	-40.34	61	-24.61	101	-19.28	141	-21.27	181	-22.24	221	-19.5	261	-38.33	301	-41.39	341	-27.91
22	-34.96	62	-25.21	102	-19.49	142	-20.82	182	-22.87	222	-19.42	262	-35.19	302	-43.72	342	-27.81
23	-32.37	63	-25.43	103	-19.51	143	-20.47	183	-23.34	223	-19.41	263	-32.84	303	-47.69	343	-27.44
24	-30.68	64	-25.6	104	-19.38	144	-20.17	184	-23.16	224	-19.41	264	-31.31	304	-44.54	344	-26.85
25	-29.69	65	-25.72	105	-19.12	145	-20.11	185	-22.52	225	-19.6	265	-30.53	305	-37.68	345	-26.33
26	-29.18	66	-25.89	106	-18.85	146	-20.11	186	-21.92	226	-20.02	266	-29.84	306	-33.54	346	-25.77
27	-29.05	67	-26.07	107	-18.54	147	-20.25	187	-21.48	227	-20.59	267	-28.85	307	-30.9	347	-25.76
28	-29.48	68	-26.51	108	-18.19	148	-20.75	188	-21.38	228	-21.3	268	-27.85	308	-29.37	348	-26.13
29	-30.53	69	-27.3	109	-17.85	149	-21.5	189	-21.61	229	-22.48	269	-26.87	309	-28.49	349	-26.61
30	-32.14	70	-28.44	110	-17.53	150	-22.37	190	-21.82	230	-23.96	270	-25.86	310	-28.39	350	-26.94
31	-34.14	71	-29.81	111	-17.16	151	-23.3	191	-22.07	231	-25.73	271	-24.75	311	-28.31	351	-26.78
32	-36.41	72	-31.04	112	-16.71	152	-23.83	192	-22.36	232	-28.03	272	-23.77	312	-28.44	352	-26.21
33	-39.03	73	-31.58	113	-16.14	153	-24.31	193	-22.39	233	-31.26	273	-22.98	313	-28.49	353	-25.76
34	-42.08	74	-30.89	114	-15.48	154	-24.65	194	-22.6	234	-36.5	274	-22.15	314	-28.24	354	-25.56
35	-45.4	75	-29.55	115	-14.81	155	-24.61	195	-23.08	235	-35.44	275	-21.76	315	-27.86	355	-25.56
36	-41.8	76	-28.13	116	-14.21	156	-24.36	196	-23.44	236	-29.91	276	-21.6	316	-27.72	356	-25.63
37	-36	77	-26.76	117	-13.76	157	-23.87	197	-23.87	237	-26.28	277	-21.63	317	-27.86	357	-25.58
38	-32.53	78	-25.57	118	-13.73	158	-23.11	198	-24.47	238	-24.17	278	-21.76	318	-27.88	358	-25.37
39	-30.19	79	-24.59	119	-13.97	159	-22.07	199	-24.86	239	-22.94	279	-21.85	319	-27.84	359	-25.21

Radiated Pattern : DMX1058XR




WiFi 5GHz Cch (ANT0) Hor (ZX)

Received Power
MAX MIN AVE
-14.64 -45.3 -24.7695

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-23.15	40	-33.94	80	-23.34	120	-17.16	160	-18.86	200	-25.07	240	-24.61	280	-35.93	320	-40.75
1	-25.06	41	-33.32	81	-23.46	121	-17.46	161	-17.59	201	-23.53	241	-26.96	281	-40.51	321	-40.75
2	-26.27	42	-32.44	82	-23.81	122	-18.25	162	-16.53	202	-22.07	242	-29.25	282	-42.48	322	-35.11
3	-27.95	43	-30.97	83	-24.46	123	-18.63	163	-15.77	203	-20.96	243	-30.01	283	-38.4	323	-30.09
4	-29.43	44	-29.07	84	-25.35	124	-19.81	164	-15.24	204	-19.94	244	-28.05	284	-34.91	324	-29.17
5	-29.81	45	-27.23	85	-26.75	125	-20.28	165	-14.86	205	-19.15	245	-25.54	285	-31.95	325	-27.52
6	-28.79	46	-25.59	86	-28.53	126	-21.58	166	-14.69	206	-18.62	246	-23.61	286	-29.48	326	-26.33
7	-27.46	47	-24.24	87	-31.15	127	-23.33	167	-14.64	207	-18.06	247	-22.12	287	-27.28	327	-25.76
8	-26.33	48	-23.13	88	-34.24	128	-27.72	168	-14.67	208	-17.62	248	-21.01	288	-25.55	328	-25.82
9	-25.42	49	-22.39	89	-35.56	129	-29.48	169	-14.83	209	-17.27	249	-20.5	289	-24.07	329	-25.44
10	-24.94	50	-21.86	90	-32.75	130	-31.22	170	-15.04	210	-16.97	250	-20.51	290	-23.07	330	-24.4
11	-24.84	51	-21.51	91	-29.22	131	-28.06	171	-15.33	211	-16.67	251	-20.74	291	-22.34	331	-23.08
12	-24.99	52	-21.3	92	-26.67	132	-25.18	172	-15.7	212	-16.46	252	-21.31	292	-21.93	332	-22.04
13	-25.07	53	-21.32	93	-24.05	133	-23.09	173	-16.26	213	-16.25	253	-22.3	293	-21.79	333	-21.49
14	-25.12	54	-21.39	94	-22.72	134	-21.3	174	-16.87	214	-16.16	254	-23.45	294	-21.76	334	-21.36
15	-25.18	55	-21.71	95	-21.78	135	-19.71	175	-17.61	215	-16.19	255	-24.8	295	-21.92	335	-21.52
16	-25.33	56	-22.23	96	-21.04	136	-18.41	176	-18.49	216	-16.37	256	-26.58	296	-22.29	336	-21.67
17	-25.55	57	-22.94	97	-20.27	137	-17.42	177	-19.47	217	-16.84	257	-29.6	297	-22.77	337	-21.44
18	-25.98	58	-23.87	98	-19.65	138	-16.87	178	-20.62	218	-17.66	258	-38.86	298	-23.45	338	-20.88
19	-27.25	59	-24.91	99	-19.18	139	-16.61	179	-21.92	219	-18.91	259	-45.3	299	-24.37	339	-20.31
20	-29.29	60	-25.84	100	-18.85	140	-16.73	180	-22.87	220	-20.36	260	-33.11	300	-25.47	340	-20
21	-32.65	61	-26.66	101	-18.7	141	-17.07	181	-23.86	221	-22.31	261	-28.56	301	-27.08	341	-19.94
22	-37.28	62	-27.3	102	-18.81	142	-17.54	182	-24.9	222	-24.49	262	-25.83	302	-29.11	342	-20.18
23	-39.25	63	-27.57	103	-19.1	143	-18.01	183	-25.67	223	-27.56	263	-24.22	303	-31.86	343	-20.72
24	-35.4	64	-27.69	104	-19.68	144	-18.39	184	-26.2	224	-33.92	264	-23.22	304	-35.55	344	-21.37
25	-31.53	65	-27.74	105	-20.57	145	-18.71	185	-26.49	225	-34.98	265	-22.55	305	-40.42	345	-21.97
26	-28.97	66	-27.9	106	-21.75	146	-19.03	186	-26.44	226	-28.76	266	-22.34	306	-42.13	346	-22.45
27	-27.37	67	-28.03	107	-23.27	147	-19.36	187	-26.01	227	-26.76	267	-22.42	307	-38.28	347	-22.71
28	-26.48	68	-28.23	108	-24.93	148	-19.83	188	-25.81	228	-23.92	268	-22.53	308	-35.13	348	-22.78
29	-25.89	69	-28.48	109	-26.62	149	-20.57	189	-25.85	229	-21.62	269	-22.66	309	-33.26	349	-22.79
30	-25.77	70	-28.75	110	-27.23	150	-21.43	190	-26.51	230	-20.64	270	-23.02	310	-31.99	350	-22.74
31	-25.88	71	-28.68	111	-25.98	151	-22.66	191	-27.6	231	-20.03	271	-23.37	311	-31.5	351	-22.67
32	-26.29	72	-28.18	112	-23.92	152	-24.05	192	-30.28	232	-19.76	272	-23.62	312	-31.47	352	-22.49
33	-26.93	73	-27.48	113	-22.19	153	-25.58	193	-31.27	233	-19.68	273	-24.03	313	-32.06	353	-22.26
34	-27.94	74	-26.48	114	-20.63	154	-26.69	194	-32.91	234	-19.61	274	-24.72	314	-32.42	354	-22.2
35	-29.08	75	-25.58	115	-19.37	155	-26.69	195	-33.09	235	-19.72	275	-25.46	315	-32.73	355	-22.32
36	-30.32	76	-24.83	116	-18.5	156	-25.67	196	-32.38	236	-20	276	-26.45	316	-33.05	356	-22.51
37	-31.56	77	-24.19	117	-17.9	157	-24.13	197	-30.48	237	-20.77	277	-27.85	317	-33.32	357	-22.59
38	-32.87	78	-23.7	118	-17.43	158	-22.67	198	-28.6	238	-21.83	278	-29.81	318	-34.14	358	-22.75
39	-33.72	79	-23.45	119	-17.13	159	-21.13	199	-26.81	239	-23.04	279	-32.52	319	-36.75	359	-23.17

Radiated Pattern : DMX1058XR




WiFi 5GHz Cch (ANT0) Ver (ZX)

Received Power
MAX MIN AVE
-14.29 -56.02 -25.5259

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-27.33	40	-29.63	80	-23.26	120	-14.29	160	-19.52	200	-21.17	240	-24.2	280	-24.15	320	-28.93
1	-26.66	41	-29.65	81	-22.68	121	-14.42	161	-19.43	201	-21.31	241	-23.4	281	-24.73	321	-28.79
2	-26.92	42	-29.81	82	-22.1	122	-14.68	162	-19.52	202	-21.44	242	-22.8	282	-25.24	322	-28.56
3	-27.9	43	-29.76	83	-21.63	123	-15.07	163	-19.71	203	-21.76	243	-22.39	283	-25.54	323	-28.51
4	-28.54	44	-29.19	84	-21.17	124	-15.47	164	-19.85	204	-22.38	244	-22.22	284	-25.56	324	-28.51
5	-28.69	45	-28.26	85	-20.75	125	-15.93	165	-19.78	205	-22.91	245	-22.38	285	-25.29	325	-28.31
6	-28.45	46	-27.43	86	-20.33	126	-16.43	166	-19.5	206	-23.52	246	-22.71	286	-24.89	326	-28.06
7	-28.03	47	-26.81	87	-19.92	127	-16.99	167	-19.24	207	-24.21	247	-23.31	287	-24.48	327	-28.11
8	-27.56	48	-26.51	88	-19.7	128	-17.68	168	-19.12	208	-24.42	248	-24.15	288	-24.24	328	-28.26
9	-27.38	49	-26.43	89	-19.73	129	-18.81	169	-19.34	209	-24.22	249	-25.23	289	-24.37	329	-28.59
10	-27.56	50	-26.5	90	-19.86	130	-20.04	170	-19.62	210	-23.78	250	-26.2	290	-24.74	330	-29.01
11	-28.12	51	-26.53	91	-20.1	131	-21.11	171	-20.19	211	-23.06	251	-27.46	291	-25.18	331	-29.68
12	-28.89	52	-26.47	92	-20.32	132	-21.84	172	-20.37	212	-22.38	252	-29.07	292	-25.61	332	-30.22
13	-29.65	53	-26.24	93	-20.49	133	-22.2	173	-20.33	213	-21.74	253	-31.08	293	-25.92	333	-30.36
14	-29.91	54	-25.97	94	-20.66	134	-21.98	174	-20.21	214	-21.06	254	-33.4	294	-26.34	334	-30.04
15	-29.69	55	-25.85	95	-20.83	135	-21.47	175	-20.16	215	-20.49	255	-36.24	295	-27.05	335	-29.57
16	-29.24	56	-25.89	96	-20.98	136	-21.16	176	-20.33	216	-19.95	256	-39.81	296	-28.1	336	-29.08
17	-28.75	57	-26.12	97	-21.04	137	-21.27	177	-20.49	217	-19.47	257	-43.69	297	-29.54	337	-28.81
18	-28.34	58	-26.45	98	-21.03	138	-21.55	178	-20.49	218	-19.1	258	-45.39	298	-31.15	338	-29.04
19	-28.09	59	-26.97	99	-20.92	139	-22.02	179	-20.19	219	-18.88	259	-44.15	299	-32.83	339	-29.76
20	-28.04	60	-27.55	100	-20.67	140	-22.17	180	-19.84	220	-18.76	260	-41.19	300	-34.77	340	-30.43
21	-28.09	61	-28.06	101	-20.32	141	-21.75	181	-19.65	221	-18.73	261	-37.68	301	-37.76	341	-30.61
22	-28.4	62	-28.38	102	-20.35	142	-20.48	182	-19.74	222	-18.91	262	-35.17	302	-42.65	342	-29.94
23	-29.17	63	-28.49	103	-20.55	143	-19.64	183	-19.99	223	-19.16	263	-32.99	303	-56.02	343	-28.85
24	-30.34	64	-28.38	104	-20.86	144	-18.97	184	-20.12	224	-19.4	264	-30.88	304	-42.74	344	-28.22
25	-31.94	65	-28.14	105	-21.09	145	-18.72	185	-20	225	-19.7	265	-29.08	305	-36.27	345	-28.73
26	-34.04	66	-28.1	106	-21.01	146	-18.84	186	-19.65	226	-20.09	266	-27.77	306	-33.17	346	-30.04
27	-37.11	67	-28.23	107	-20.69	147	-19.27	187	-19.22	227	-20.5	267	-26.72	307	-31.59	347	-31.83
28	-42.12	68	-28.69	108	-20.16	148	-19.81	188	-18.91	228	-21.04	268	-25.91	308	-31.04	348	-32.77
29	-53.37	69	-29.49	109	-19.59	149	-20.33	189	-18.83	229	-21.88	269	-25.23	309	-30.81	349	-32.08
30	-46.6	70	-30.56	110	-18.98	150	-20.59	190	-18.95	230	-23.09	270	-24.62	310	-30.33	350	-30.67
31	-39.86	71	-31.73	111	-18.29	151	-20.53	191	-19.26	231	-24.67	271	-24.07	311	-29.72	351	-29.58
32	-36.96	72	-32.07	112	-17.59	152	-20.41	192	-19.76	232	-26.67	272	-23.74	312	-29.04	352	-29.05
33	-35.8	73	-31.26	113	-16.9	153	-20.29	193	-20.16	233	-29.83	273	-23.53	313	-28.46	353	-29.22
34	-35.42	74	-29.25	114	-16.24	154	-20.32	194	-20.44	234	-34.8	274	-23.35	314	-28.26	354	-29.79
35	-34.76	75	-27.95	115	-15.57	155	-20.36	195	-20.66	235	-47.7	275	-23.29	315	-28.38	355	-30.2
36	-33.64	76	-26.67	116	-15.04	156	-20.38	196	-20.73	236	-40.26	276	-23.28	316	-28.64	356	-29.79
37	-31.37	77	-25.57	117	-14.58	157	-20.27	197	-20.75	237	-32.53	277	-23.23	317	-28.89	357	-28.82
38	-30.33	78	-24.68	118	-14.37	158	-20.06	198	-20.94	238	-28.61	278	-23.38	318	-29.07	358	-27.88
39	-30	79	-23.96	119	-14.3	159	-19.73	199	-21.1	239	-25.41	279	-23.7	319	-29.04	359	-27.14

Radiated Pattern : DMX1058XR



WiFi 5GHz Hch (ANT0) Hor (ZX)

Received Power

MAX

-14.49

MIN


-50.97

AVE

-25.0358

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-24.88	40	-39.01	80	-24.93	120	-18.07	160	-18.55	200	-28.17	240	-21.82	280	-32.42	320	-29.94
1	-25.47	41	-36.57	81	-24.76	121	-18.28	161	-17.49	201	-25.57	241	-23.69	281	-33.92	321	-29.94
2	-26.06	42	-34.74	82	-25.09	122	-18.52	162	-16.6	202	-23.49	242	-26.06	282	-36.08	322	-30.5
3	-26.78	43	-33.14	83	-25.69	123	-18.81	163	-15.82	203	-21.97	243	-28.72	283	-39.52	323	-30.45
4	-27.87	44	-31.27	84	-26.79	124	-19.27	164	-15.18	204	-20.64	244	-29.11	284	-46.42	324	-29.67
5	-29.42	45	-29.05	85	-28.66	125	-19.87	165	-14.8	205	-19.62	245	-27.16	285	-47.07	325	-28.71
6	-30.58	46	-27.13	86	-31.13	126	-20.77	166	-14.54	206	-18.91	246	-24.08	286	-37.3	326	-28.18
7	-30.74	47	-25.54	87	-33.96	127	-22.12	167	-14.49	207	-18.22	247	-22.34	287	-32.38	327	-28.01
8	-29.66	48	-24.12	88	-35.44	128	-23.97	168	-14.53	208	-17.63	248	-21.31	288	-28.98	328	-28.04
9	-28.29	49	-23.11	89	-32.63	129	-26.17	169	-14.7	209	-17.19	249	-20.61	289	-25.51	329	-28.1
10	-27.1	50	-22.44	90	-29.26	130	-28.43	170	-15	210	-16.77	250	-20.28	290	-24.12	330	-27.93
11	-26.43	51	-21.98	91	-26.59	131	-29.51	171	-15.43	211	-16.34	251	-20.33	291	-23.18	331	-27.06
12	-26.17	52	-21.68	92	-24.63	132	-27.92	172	-15.84	212	-16.07	252	-20.84	292	-22.64	332	-26
13	-26.05	53	-21.56	93	-23.04	133	-25.19	173	-16.25	213	-15.85	253	-21.45	293	-22.4	333	-25.06
14	-26.06	54	-21.56	94	-22.04	134	-22.71	174	-16.74	214	-15.71	254	-22.14	294	-22.45	334	-24.5
15	-26.01	55	-21.78	95	-21.16	135	-20.65	175	-17.43	215	-15.65	255	-23.11	295	-22.76	335	-24.33
16	-26.05	56	-22.18	96	-20.46	136	-19.07	176	-18.2	216	-15.71	256	-24.39	296	-23.12	336	-24.39
17	-26.38	57	-22.73	97	-19.89	137	-17.7	177	-19.06	217	-16.22	257	-26.17	297	-23.69	337	-24.5
18	-26.72	58	-23.48	98	-19.38	138	-16.82	178	-20.64	218	-16.86	258	-29.05	298	-24.36	338	-24.56
19	-27.17	59	-24.27	99	-18.94	139	-16.32	179	-21.54	219	-17.79	259	-34.45	299	-25.16	339	-24.33
20	-28.02	60	-25.07	100	-18.7	140	-16.19	180	-22.23	220	-18.96	260	-50.97	300	-26.25	340	-23.87
21	-29.54	61	-25.68	101	-18.73	141	-16.42	181	-22.96	221	-20.54	261	-34.33	301	-27.6	341	-23.44
22	-32.07	62	-26.11	102	-19.17	142	-16.54	182	-23.42	222	-22.34	262	-28.44	302	-29.2	342	-23.27
23	-36.49	63	-26.38	103	-19.84	143	-16.82	183	-23.94	223	-25.26	263	-25.24	303	-31.58	343	-23.42
24	-46.37	64	-26.62	104	-20.76	144	-17.4	184	-24.46	224	-29.82	264	-23.32	304	-34.46	344	-23.69
25	-36.99	65	-26.66	105	-21.78	145	-17.63	185	-24.43	225	-42	265	-22.19	305	-37.59	345	-24.06
26	-32.45	66	-26.89	106	-22.93	146	-18.58	186	-24.27	226	-33.69	266	-21.64	306	-39.26	346	-24.43
27	-29.77	67	-26.98	107	-24.26	147	-19.33	187	-24.03	227	-26.98	267	-21.36	307	-37.51	347	-24.65
28	-28.07	68	-27.33	108	-25.53	148	-20.15	188	-23.98	228	-23.53	268	-21.35	308	-34.99	348	-24.67
29	-27	69	-28.02	109	-26.71	149	-20.91	189	-24.37	229	-21.58	269	-21.76	309	-32.84	349	-24.53
30	-26.56	70	-29.01	110	-27.14	150	-21.74	190	-25.13	230	-20.27	270	-22.31	310	-31.13	350	-24.35
31	-26.49	71	-29.6	111	-26.26	151	-22.57	191	-26.22	231	-19.42	271	-22.81	311	-30.01	351	-24.18
32	-26.73	72	-30.57	112	-24.61	152	-23.37	192	-27.33	232	-18.77	272	-23.5	312	-29.46	352	-23.97
33	-27.4	73	-31.34	113	-22.96	153	-23.91	193	-28.99	233	-18.33	273	-24.51	313	-29.2	353	-23.83
34	-28.57	74	-30.78	114	-21.55	154	-24.05	194	-30.29	234	-18.04	274	-25.34	314	-28.98	354	-23.78
35	-30.24	75	-29.57	115	-20.36	155	-23.62	195	-31.83	235	-17.95	275	-26.17	315	-28.85	355	-23.81
36	-32.17	76	-28.42	116	-19.48	156	-22.8	196	-34.39	236	-18.08	276	-27.3	316	-28.67	356	-24.14
37	-34.8	77	-27.13	117	-18.8	157	-21.97	197	-35.76	237	-18.61	277	-28.65	317	-28.33	357	-24.38
38	-37.86	78	-26.13	118	-18.32	158	-20.89	198	-33.61	238	-19.36	278	-29.78	318	-28.5	358	-24.75
39	-40.17	79	-25.36	119	-18.03	159	-19.71	199	-30.54	239	-20.4	279	-31.13	319	-28.88	359	-24.93

Radiated Pattern : DMX1058XR




WiFi 5GHz Hch (ANT0) Ver (ZX)

Received Power
MAX MIN AVE
-14.99 -58.09 -25.4019

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-27.73	40	-34.7	80	-21.61	120	-15.04	160	-18.36	200	-17.23	240	-34.14	280	-23.79	320	-28.85
1	-27.69	41	-36.02	81	-20.73	121	-15.25	161	-18.3	201	-17.28	241	-32.4	281	-24.01	321	-28.55
2	-28.38	42	-38.18	82	-20.03	122	-15.67	162	-18.35	202	-17.44	242	-30.31	282	-24.32	322	-28.2
3	-28.81	43	-43.99	83	-19.38	123	-16.24	163	-18.57	203	-17.7	243	-28.74	283	-24.27	323	-28.38
4	-28.99	44	-58.09	84	-18.85	124	-16.74	164	-18.84	204	-18.16	244	-27.76	284	-24.17	324	-29.08
5	-28.79	45	-42.62	85	-18.35	125	-17.17	165	-19.12	205	-18.67	245	-27.09	285	-24.09	325	-30.27
6	-28.35	46	-38.16	86	-17.98	126	-17.44	166	-19.45	206	-19.22	246	-26.57	286	-24.12	326	-31.73
7	-28.01	47	-36.47	87	-17.73	127	-17.67	167	-19.62	207	-19.88	247	-25.99	287	-24.31	327	-32.87
8	-27.87	48	-35.68	88	-17.66	128	-17.91	168	-19.52	208	-20.33	248	-25.53	288	-24.7	328	-33.17
9	-28	49	-35.83	89	-17.75	129	-18.27	169	-19.13	209	-20.69	249	-25.28	289	-25.24	329	-32.53
10	-28.36	50	-36.61	90	-17.9	130	-18.87	170	-18.6	210	-20.97	250	-25.33	290	-25.91	330	-31.45
11	-28.74	51	-37.14	91	-18.16	131	-19.65	171	-18.15	211	-21.06	251	-25.72	291	-26.51	331	-30.73
12	-28.76	52	-36.9	92	-18.56	132	-20.25	172	-17.55	212	-21.07	252	-26.58	292	-27.06	332	-30.68
13	-28.41	53	-36.09	93	-18.96	133	-20.43	173	-17.32	213	-20.95	253	-27.43	293	-27.7	333	-31.5
14	-27.79	54	-34.85	94	-19.32	134	-20.2	174	-17.15	214	-20.56	254	-27.89	294	-28.38	334	-32.9
15	-27.32	55	-33.37	95	-19.61	135	-19.75	175	-16.93	215	-20.24	255	-27.9	295	-29.49	335	-34.64
16	-27.12	56	-32.37	96	-19.71	136	-19.42	176	-16.52	216	-19.84	256	-27.72	296	-30.52	336	-36.51
17	-27.09	57	-31.49	97	-19.73	137	-19.14	177	-16.04	217	-19.47	257	-27.65	297	-31.67	337	-37.67
18	-27.26	58	-31.1	98	-19.82	138	-18.96	178	-15.52	218	-19.19	258	-28	298	-32.81	338	-36.99
19	-27.57	59	-31	99	-19.86	139	-19.1	179	-15.14	219	-19.09	259	-28.51	299	-33.36	339	-35.62
20	-28.05	60	-31.23	100	-19.88	140	-19.41	180	-14.99	220	-19	260	-29.01	300	-33.61	340	-34.19
21	-28.66	61	-31.67	101	-19.69	141	-19.51	181	-15.03	221	-19.06	261	-29.08	301	-33.93	341	-33.23
22	-29.5	62	-32.25	102	-19.46	142	-19.34	182	-15.19	222	-19.23	262	-29.19	302	-33.92	342	-32.63
23	-30.53	63	-32.81	103	-19.17	143	-18.84	183	-15.45	223	-19.49	263	-29.03	303	-34.08	343	-32.31
24	-31.74	64	-33.21	104	-19.13	144	-18.33	184	-15.67	224	-19.86	264	-28.73	304	-34.75	344	-32.13
25	-33.38	65	-33.85	105	-19.17	145	-17.94	185	-15.77	225	-20.23	265	-28.48	305	-34.68	345	-32.24
26	-35.18	66	-34.63	106	-19.12	146	-17.57	186	-15.78	226	-20.61	266	-28.31	306	-33.8	346	-32.59
27	-37.3	67	-35.71	107	-18.94	147	-17.5	187	-15.65	227	-20.85	267	-27.93	307	-32.15	347	-33.23
28	-38.39	68	-37.35	108	-18.54	148	-17.68	188	-15.49	228	-20.98	268	-27.53	308	-30.69	348	-33.82
29	-38.6	69	-39.54	109	-18.05	149	-18.01	189	-15.39	229	-21.13	269	-27.04	309	-29.33	349	-33.9
30	-37.94	70	-41.79	110	-17.6	150	-18.36	190	-15.37	230	-21.27	270	-26.14	310	-28.89	350	-33.28
31	-37.15	71	-41.81	111	-17.23	151	-18.51	191	-15.45	231	-21.53	271	-25.08	311	-28.82	351	-32.52
32	-36.65	72	-38.23	112	-16.96	152	-18.46	192	-15.72	232	-22	272	-24.18	312	-28.98	352	-32
33	-36.63	73	-34.1	113	-16.76	153	-18.29	193	-16.06	233	-22.76	273	-23.32	313	-28.73	353	-31.78
34	-36.94	74	-29.93	114	-16.56	154	-18.13	194	-16.34	234	-23.81	274	-22.75	314	-28.12	354	-31.72
35	-36.86	75	-27.85	115	-16.28	155	-18.05	195	-16.62	235	-25.06	275	-22.34	315	-27.87	355	-31.6
36	-36.64	76	-26.21	116	-15.88	156	-18.16	196	-16.86	236	-26.31	276	-22.21	316	-27.68	356	-30.44
37	-36.28	77	-24.75	117	-15.45	157	-18.3	197	-17.03	237	-27.98	277	-22.3	317	-28.03	357	-29.22
38	-35.56	78	-23.57	118	-15.17	158	-18.43	198	-17.18	238	-30.05	278	-22.57	318	-28.42	358	-28.17
39	-34.78	79	-22.56	119	-15.05	159	-18.46	199	-17.25	239	-32.61	279	-23	319	-28.8	359	-27.8

Radiated Pattern : DMX1058XR



WiFi 5GHz Lch (ANT1) Hor (XY)

Received Power

MAX

-6.4

MIN


-47.78

AVE

-17.9609

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-14.97	40	-19.64	80	-27.55	120	-16.76	160	-9.61	200	-18.11	240	-14.82	280	-15.13	320	-18.24
1	-16.13	41	-19.86	81	-22.75	121	-17.85	161	-9.9	201	-24.85	241	-13.96	281	-15.36	321	-18.24
2	-17.5	42	-20.35	82	-16.72	122	-18.68	162	-10.28	202	-24.9	242	-13.2	282	-15.98	322	-18.35
3	-19.56	43	-21.87	83	-14.26	123	-18.91	163	-11.29	203	-19.09	243	-12.91	283	-16.83	323	-18.5
4	-21.66	44	-24.35	84	-12.82	124	-19.27	164	-12.42	204	-17.28	244	-12.78	284	-18.55	324	-18.48
5	-22.53	45	-30.31	85	-12.1	125	-20.04	165	-13.39	205	-16.93	245	-13.28	285	-20.9	325	-18.88
6	-21.36	46	-31.39	86	-11.81	126	-21.06	166	-13.25	206	-16.84	246	-14.49	286	-24.58	326	-19.88
7	-19.65	47	-25.13	87	-12.21	127	-22.75	167	-12.85	207	-16.79	247	-16.26	287	-29.7	327	-21.86
8	-18.17	48	-20.72	88	-13.36	128	-25.33	168	-12.48	208	-16.5	248	-18.26	288	-30.48	328	-25.68
9	-16.98	49	-19.47	89	-14.67	129	-29.19	169	-11.76	209	-15.94	249	-19.37	289	-26.88	329	-32.88
10	-15.98	50	-18.64	90	-16.38	130	-33.39	170	-10.84	210	-15.7	250	-18.56	290	-24.68	330	-34.65
11	-15.45	51	-17.96	91	-17.82	131	-34.01	171	-10.44	211	-16.03	251	-15.11	291	-23.85	331	-28.87
12	-15.55	52	-17.8	92	-17.97	132	-30.62	172	-10.14	212	-16.52	252	-12.23	292	-24.19	332	-24.35
13	-15.89	53	-18.51	93	-17.67	133	-25.13	173	-10.02	213	-17.19	253	-10.71	293	-25.49	333	-21.4
14	-17.09	54	-20.99	94	-17.03	134	-21.93	174	-9.66	214	-18.07	254	-9.73	294	-27.99	334	-20.27
15	-18.42	55	-26.09	95	-16.74	135	-19.92	175	-9.05	215	-19.39	255	-9.47	295	-32.23	335	-20.51
16	-20.37	56	-37.43	96	-16.97	136	-18.77	176	-8.64	216	-21.02	256	-10.1	296	-33	336	-21.78
17	-22.82	57	-26.01	97	-17.13	137	-17.62	177	-8.5	217	-23	257	-11.48	297	-27.93	337	-24.6
18	-25.87	58	-22.04	98	-17.5	138	-15.95	178	-8.69	218	-24.07	258	-13.44	298	-23.37	338	-31.29
19	-28.59	59	-20.87	99	-18.02	139	-14.25	179	-9.12	219	-22.95	259	-15.92	299	-20.47	339	-31.95
20	-28.45	60	-20.96	100	-18.49	140	-12.3	180	-9.71	220	-20.78	260	-15.94	300	-18.64	340	-27.47
21	-25.35	61	-21.58	101	-19.92	141	-10.82	181	-10.24	221	-18.22	261	-13.33	301	-17.22	341	-23.74
22	-21.95	62	-21.12	102	-21.4	142	-9.37	182	-11.06	222	-16.3	262	-11.17	302	-16.55	342	-21.72
23	-19.31	63	-19.89	103	-22.17	143	-8.96	183	-12.32	223	-15.27	263	-9.94	303	-16.4	343	-20.34
24	-17.12	64	-19.29	104	-20.61	144	-8.55	184	-13.83	224	-15.31	264	-9.58	304	-16.55	344	-19.48
25	-15.87	65	-19.15	105	-17.78	145	-8.63	185	-15.8	225	-16.93	265	-10.05	305	-17.16	345	-19.12
26	-15.38	66	-19.49	106	-14.95	146	-8.81	186	-17.57	226	-20.2	266	-11.53	306	-18.63	346	-19.13
27	-15.54	67	-19.73	107	-13.07	147	-8.88	187	-19.25	227	-25.7	267	-13.69	307	-19.96	347	-19.56
28	-15.84	68	-19.26	108	-12.34	148	-8.57	188	-19.34	228	-47.78	268	-17.71	308	-22.09	348	-20.41
29	-16.07	69	-18.2	109	-12.72	149	-7.9	189	-18.27	229	-27.05	269	-22.95	309	-24.1	349	-21.77
30	-16.51	70	-17.1	110	-13.69	150	-7.18	190	-16.05	230	-20.74	270	-20.76	310	-25.97	350	-24.08
31	-17.01	71	-16.47	111	-15.79	151	-6.63	191	-13.67	231	-17.38	271	-16.92	311	-26.51	351	-27.59
32	-16.92	72	-16.22	112	-18.97	152	-6.4	192	-11.95	232	-15.39	272	-14.72	312	-24.89	352	-28.18
33	-16.09	73	-16.26	113	-23.25	153	-6.55	193	-10.86	233	-14.52	273	-13.31	313	-23.96	353	-23.9
34	-15.32	74	-16.83	114	-24.92	154	-7.14	194	-10.21	234	-14.38	274	-13.08	314	-22.98	354	-20.29
35	-15.21	75	-17.48	115	-21.41	155	-7.97	195	-10.02	235	-14.52	275	-13.26	315	-21.82	355	-17.9
36	-15.56	76	-18.41	116	-18.49	156	-8.57	196	-10.22	236	-14.52	276	-13.75	316	-21.24	356	-16.33
37	-16.05	77	-19.96	117	-17.12	157	-8.96	197	-10.51	237	-14.19	277	-14.25	317	-20.54	357	-15.35
38	-17.02	78	-22.21	118	-16.29	158	-9.09	198	-11.45	238	-14.03	278	-14.61	318	-19.83	358	-14.92
39	-18.39	79	-25.48	119	-16.1	159	-9.32	199	-14.01	239	-14.87	279	-14.83	319	-19.51	359	-14.85

Radiated Pattern : DMX1058XR




WiFi 5GHz Lch (ANT1) Ver (XY)

Received Power
MAX -9.11 MIN -36.1 AVE -17.8054

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-17.48	40	-16.21	80	-23.04	120	-14.85	160	-12.76	200	-15.54	240	-20.82	280	-12.73	320	-16.07
1	-18.18	41	-16.25	81	-21.57	121	-15.31	161	-12.17	201	-14.4	241	-19.97	281	-13.6	321	-16.93
2	-18.68	42	-16.08	82	-19.89	122	-15	162	-12.04	202	-13.9	242	-19.36	282	-14.54	322	-18.02
3	-19.4	43	-15.68	83	-18.64	123	-14.35	163	-12.43	203	-13.87	243	-19.29	283	-15.78	323	-19.45
4	-20.18	44	-14.93	84	-18.4	124	-13.93	164	-13.17	204	-14.47	244	-19.36	284	-17.34	324	-21.25
5	-21.04	45	-13.76	85	-18.96	125	-13.53	165	-13.8	205	-15.8	245	-19.82	285	-19.23	325	-22.61
6	-22.72	46	-12.8	86	-20.67	126	-13.08	166	-14.43	206	-17.41	246	-20.49	286	-20.53	326	-23.08
7	-23.69	47	-11.93	87	-22.17	127	-12.99	167	-14.68	207	-19.18	247	-20.86	287	-21.41	327	-23.08
8	-24.23	48	-11.01	88	-21.2	128	-13.2	168	-14.97	208	-21.19	248	-21.36	288	-20.93	328	-22.64
9	-24.37	49	-10.45	89	-18.41	129	-13.51	169	-14.96	209	-21.4	249	-21.02	289	-19.92	329	-22.16
10	-24.06	50	-9.91	90	-15.85	130	-14.16	170	-14.75	210	-18.43	250	-19.74	290	-19.28	330	-22.43
11	-24.41	51	-9.62	91	-14.21	131	-15.62	171	-14.8	211	-16.06	251	-17.87	291	-18.57	331	-23.45
12	-25.33	52	-9.38	92	-13.37	132	-17.7	172	-14.44	212	-14.1	252	-16.19	292	-18.39	332	-24.66
13	-27.36	53	-9.3	93	-13.19	133	-20.81	173	-14.61	213	-12.69	253	-14.44	293	-18.19	333	-26.47
14	-31.43	54	-9.22	94	-13.71	134	-25.07	174	-14.5	214	-11.69	254	-13.24	294	-17.84	334	-28.01
15	-35.18	55	-9.12	95	-14.96	135	-28.31	175	-14.49	215	-10.85	255	-12.54	295	-17.55	335	-30.39
16	-29.75	56	-9.11	96	-16.62	136	-24.8	176	-14.9	216	-10.37	256	-12.01	296	-16.88	336	-33.32
17	-25.08	57	-9.26	97	-18.89	137	-22.54	177	-15.04	217	-10.02	257	-11.5	297	-16.1	337	-35.51
18	-22.58	58	-9.51	98	-21.53	138	-21.82	178	-15.55	218	-9.94	258	-11.02	298	-15.57	338	-36.1
19	-21.53	59	-9.89	99	-22.56	139	-22.9	179	-16.25	219	-10.17	259	-10.65	299	-14.78	339	-34.43
20	-21.58	60	-10.59	100	-22.49	140	-28.03	180	-16.81	220	-10.64	260	-10.2	300	-14.28	340	-31.72
21	-22.74	61	-11.55	101	-22.39	141	-30.18	181	-17.43	221	-11.36	261	-9.98	301	-14.15	341	-28.85
22	-24.62	62	-12.66	102	-22.77	142	-24.04	182	-17.95	222	-12.45	262	-9.95	302	-13.94	342	-26.79
23	-27.45	63	-13.8	103	-24.26	143	-19.54	183	-18.61	223	-13.6	263	-9.99	303	-14.24	343	-24.43
24	-30.74	64	-14.78	104	-26.78	144	-15.99	184	-19.21	224	-14.9	264	-10.18	304	-14.91	344	-21.75
25	-32.93	65	-15.58	105	-29.96	145	-13.45	185	-19.55	225	-16.18	265	-10.59	305	-15.3	345	-20.41
26	-31.08	66	-16.13	106	-29.79	146	-11.98	186	-19.64	226	-17.28	266	-11.15	306	-15.98	346	-19.88
27	-26.6	67	-17.24	107	-28.51	147	-10.9	187	-19.84	227	-18.22	267	-11.99	307	-17	347	-18.85
28	-23.35	68	-18.48	108	-25.69	148	-10.66	188	-19.65	228	-18.38	268	-12.8	308	-16.75	348	-18.18
29	-21.19	69	-20.12	109	-22.08	149	-11.09	189	-19.59	229	-18.12	269	-13.53	309	-16.71	349	-17.65
30	-19.73	70	-21.3	110	-19.22	150	-11.81	190	-20.09	230	-17.75	270	-13.93	310	-16.22	350	-17.54
31	-19.11	71	-21.25	111	-16.78	151	-13.09	191	-21.28	231	-17.7	271	-13.8	311	-15.48	351	-17.54
32	-18.69	72	-19.91	112	-14.98	152	-14.61	192	-22.07	232	-17.99	272	-13.4	312	-15.27	352	-17.5
33	-18.83	73	-18.43	113	-13.61	153	-15.85	193	-22.67	233	-18.51	273	-12.76	313	-15.54	353	-17.59
34	-18.9	74	-17.51	114	-12.66	154	-17.98	194	-21.84	234	-19.46	274	-12.11	314	-15.68	354	-17.52
35	-18.54	75	-17.24	115	-12.09	155	-21.32	195	-20.59	235	-20.37	275	-11.71	315	-15.99	355	-17.49
36	-17.56	76	-17.55	116	-11.95	156	-23.16	196	-19.9	236	-20.24	276	-11.37	316	-16.21	356	-17.48
37	-16.74	77	-18.45	117	-12.2	157	-20.24	197	-19.15	237	-19.73	277	-11.42	317	-16.15	357	-17.35
38	-16.3	78	-20.12	118	-12.89	158	-16.82	198	-18.23	238	-19.73	278	-11.65	318	-16.02	358	-17.44
39	-16.31	79	-22.09	119	-14.04	159	-14.12	199	-17.01	239	-20.18	279	-12.11	319	-15.87	359	-17.58

Radiated Pattern : DMX1058XR




WiFi 5GHz Cch (ANT1) Hor (XY)

Received Power
MAX MIN AVE
-6.18 -59.18 -19.256

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-17.91	40	-23.04	80	-24.42	120	-16.07	160	-22.55	200	-11.19	240	-19.99	280	-15.3	320	-26.82
1	-19.39	41	-21.83	81	-30.49	121	-16.33	161	-25.36	201	-12.85	241	-23.78	281	-17	321	-25.86
2	-21.06	42	-21.41	82	-34.87	122	-17.56	162	-23.91	202	-16.29	242	-25.91	282	-19.75	322	-24.61
3	-23.93	43	-21.15	83	-28.88	123	-19.55	163	-22.23	203	-18.73	243	-25.35	283	-24.47	323	-23.24
4	-28.92	44	-21.57	84	-23.59	124	-22.58	164	-18.46	204	-21.63	244	-22.06	284	-32.26	324	-22.03
5	-39.21	45	-22.35	85	-20.63	125	-26.7	165	-17.32	205	-25.85	245	-18.76	285	-29.21	325	-21.19
6	-34.09	46	-22.96	86	-18.68	126	-26.32	166	-14.85	206	-25.86	246	-15.85	286	-22.92	326	-20.48
7	-28.3	47	-23.4	87	-17.44	127	-21.55	167	-14.11	207	-21.25	247	-13.95	287	-19.96	327	-19.84
8	-25.97	48	-23.88	88	-17.12	128	-17.99	168	-13.98	208	-17.98	248	-13.05	288	-17.94	328	-19.62
9	-25.53	49	-24.49	89	-17.16	129	-15.16	169	-14.09	209	-16.02	249	-12.68	289	-16.57	329	-19.5
10	-26.26	50	-25.48	90	-17.69	130	-13.41	170	-14.71	210	-14.79	250	-12.63	290	-15.87	330	-19.34
11	-27.17	51	-27.71	91	-18.69	131	-12.17	171	-16.14	211	-13.85	251	-12.64	291	-15.29	331	-19.39
12	-28.15	52	-30.79	92	-19.2	132	-11.3	172	-17.49	212	-13.44	252	-12.19	292	-15.31	332	-19.89
13	-29.64	53	-34.85	93	-19.12	133	-11.21	173	-19.52	213	-13.34	253	-11.14	293	-15.5	333	-20.5
14	-31.31	54	-59.18	94	-18.51	134	-11.09	174	-24.09	214	-14.08	254	-10.23	294	-15.89	334	-20.78
15	-31.28	55	-33.16	95	-17.98	135	-11.02	175	-36.1	215	-15.06	255	-9.62	295	-16.84	335	-21.3
16	-28.49	56	-25.98	96	-17.97	136	-11.01	176	-27.91	216	-16.68	256	-9.21	296	-17.94	336	-22.29
17	-26.72	57	-21.35	97	-18.59	137	-10.94	177	-20.7	217	-18.29	257	-9.37	297	-18.84	337	-23.49
18	-25.17	58	-18.24	98	-19.19	138	-10.97	178	-16.74	218	-18.11	258	-10.25	298	-19.36	338	-25.67
19	-23.84	59	-16.19	99	-20.07	139	-11.34	179	-14.6	219	-17.07	259	-11.84	299	-19.09	339	-31.15
20	-23	60	-15.03	100	-20.1	140	-11.7	180	-13.58	220	-15.44	260	-14.37	300	-17.9	340	-34.15
21	-22.76	61	-14.53	101	-18.73	141	-11.96	181	-12.7	221	-13.27	261	-19.03	301	-16.8	341	-27.51
22	-23.01	62	-14.53	102	-17.44	142	-11.7	182	-12.21	222	-11.83	262	-28.25	302	-16.1	342	-23.71
23	-24.46	63	-15.05	103	-16.34	143	-10.69	183	-12.04	223	-10.84	263	-30.28	303	-15.62	343	-21.56
24	-26.38	64	-16.13	104	-15.82	144	-9.35	184	-11.87	224	-10.13	264	-22.25	304	-15.76	344	-19.96
25	-27.99	65	-16.45	105	-15.86	145	-7.99	185	-11.97	225	-10.05	265	-19.61	305	-16.48	345	-19.1
26	-28.12	66	-17.31	106	-16.66	146	-7.01	186	-12.6	226	-9.92	266	-18.76	306	-17.77	346	-18.66
27	-26.62	67	-18.21	107	-17.58	147	-6.44	187	-13.14	227	-9.85	267	-18.48	307	-19.93	347	-19
28	-24.02	68	-18.42	108	-18.69	148	-6.18	188	-14.02	228	-9.84	268	-18.47	308	-23.46	348	-20.05
29	-23.26	69	-18.36	109	-20.35	149	-6.23	189	-15.93	229	-9.84	269	-18.04	309	-28.56	349	-21.88
30	-22.9	70	-17.83	110	-22.61	150	-6.46	190	-17.93	230	-10.03	270	-17.01	310	-36.13	350	-25.46
31	-22.83	71	-17.24	111	-26.92	151	-6.72	191	-20.93	231	-10.26	271	-16.2	311	-31.72	351	-31.08
32	-22.8	72	-16.81	112	-31.93	152	-7.03	192	-23.94	232	-10.34	272	-15.37	312	-27.55	352	-45.97
33	-23.25	73	-16.24	113	-31.97	153	-7.46	193	-20.42	233	-10.58	273	-14.41	313	-25.44	353	-33.32
34	-24.71	74	-16.09	114	-26.1	154	-8.07	194	-17.38	234	-11.01	274	-13.79	314	-24.3	354	-26.48
35	-25.73	75	-16.29	115	-22.69	155	-9.1	195	-14.5	235	-11.77	275	-13.44	315	-24.57	355	-22.62
36	-26.54	76	-16.61	116	-20.17	156	-10.72	196	-12.37	236	-12.9	276	-13.09	316	-25.85	356	-20.21
37	-26.7	77	-17.53	117	-18.2	157	-12.72	197	-10.83	237	-14.3	277	-13.16	317	-27.2	357	-18.8
38	-25.94	78	-18.95	118	-17.28	158	-15.4	198	-10.16	238	-15.73	278	-13.48	318	-27.89	358	-17.98
39	-24.8	79	-21.11	119	-16.71	159	-18.76	199	-10.34	239	-17.5	279	-14.13	319	-27.59	359	-17.81

Radiated Pattern : DMX1058XR




WiFi 5GHz Cch (ANT1) Ver (XY)

Received Power
MAX -8.27 MIN -41.09 AVE -17.0802

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-16.48	40	-14.45	80	-25.87	120	-14.14	160	-11.42	200	-15.12	240	-15.7	280	-12.99	320	-15.12
1	-16.47	41	-13.94	81	-30.38	121	-14.51	161	-11.56	201	-14.43	241	-15.14	281	-13.98	321	-15.39
2	-16.74	42	-13.66	82	-27.06	122	-14.36	162	-11.86	202	-13.91	242	-15.07	282	-15.12	322	-16.66
3	-17.23	43	-13.3	83	-23.9	123	-13.96	163	-12.51	203	-13.85	243	-15.44	283	-16.31	323	-17.37
4	-18.01	44	-12.72	84	-22.6	124	-13.73	164	-13.16	204	-14.29	244	-16.38	284	-17.27	324	-19.61
5	-18.89	45	-12.08	85	-22.91	125	-13.48	165	-13.57	205	-14.94	245	-17.34	285	-18.09	325	-20.27
6	-19.94	46	-11.09	86	-26.56	126	-13.13	166	-13.77	206	-16.26	246	-18.57	286	-18.23	326	-20.25
7	-20.66	47	-10.28	87	-32.12	127	-12.92	167	-13.36	207	-18.29	247	-19.82	287	-18.03	327	-19.67
8	-20.83	48	-9.36	88	-28.79	128	-13.26	168	-13.16	208	-20.09	248	-20.42	288	-17.27	328	-19.13
9	-20.73	49	-8.94	89	-23	129	-13.87	169	-12.9	209	-19.83	249	-20.05	289	-16.61	329	-19.1
10	-20.33	50	-8.66	90	-19.78	130	-14.8	170	-12.83	210	-18.18	250	-18.52	290	-16.13	330	-19.61
11	-20.12	51	-8.56	91	-17.73	131	-16.52	171	-12.8	211	-15.76	251	-16.54	291	-15.55	331	-20.9
12	-20.56	52	-8.41	92	-16.83	132	-19.21	172	-12.68	212	-13.86	252	-14.88	292	-15.61	332	-22.51
13	-21.54	53	-8.45	93	-16.67	133	-23.7	173	-12.6	213	-12.48	253	-12.63	293	-15.62	333	-24.8
14	-24.98	54	-8.58	94	-17.27	134	-28.29	174	-12.97	214	-11.2	254	-11.66	294	-15.85	334	-26.76
15	-29.7	55	-8.62	95	-18.59	135	-24.16	175	-13.52	215	-10.06	255	-11.07	295	-16.16	335	-26.95
16	-34.56	56	-8.85	96	-21.05	136	-20.44	176	-14.65	216	-9.28	256	-10.68	296	-16.13	336	-25.25
17	-30.03	57	-9.16	97	-23.44	137	-18.77	177	-16.08	217	-8.7	257	-10.36	297	-16.21	337	-23.75
18	-26.8	58	-9.53	98	-23.95	138	-18.12	178	-17.73	218	-8.35	258	-10.13	298	-15.84	338	-23.07
19	-25.68	59	-10.06	99	-22.75	139	-18.77	179	-18.86	219	-8.27	259	-9.85	299	-15.21	339	-22.81
20	-26.77	60	-10.69	100	-21.51	140	-20.54	180	-18.37	220	-8.45	260	-9.56	300	-14.83	340	-22.5
21	-29.52	61	-11.57	101	-21.33	141	-23.56	181	-17.29	221	-8.83	261	-9.43	301	-14.38	341	-22.29
22	-36.53	62	-12.64	102	-21.81	142	-28.16	182	-15.93	222	-9.81	262	-9.34	302	-14.01	342	-21.92
23	-41.09	63	-13.78	103	-22.7	143	-25.09	183	-14.95	223	-10.73	263	-9.27	303	-14.29	343	-21.49
24	-31.35	64	-14.75	104	-23.63	144	-20.51	184	-14.59	224	-11.84	264	-9.36	304	-14.48	344	-21.01
25	-28.49	65	-15.65	105	-24	145	-16.61	185	-14.37	225	-13.02	265	-9.59	305	-15.11	345	-20.63
26	-28.01	66	-16.1	106	-23.49	146	-14.79	186	-14.57	226	-13.99	266	-10.02	306	-15.97	346	-20.31
27	-28.11	67	-16.33	107	-23.01	147	-13.81	187	-14.94	227	-15.13	267	-10.57	307	-16.45	347	-20.28
28	-27.52	68	-16.75	108	-22.17	148	-13.45	188	-15.89	228	-16.1	268	-10.95	308	-16.91	348	-20.4
29	-24.93	69	-17.42	109	-20.38	149	-14.24	189	-17.81	229	-16.89	269	-10.98	309	-17.18	349	-20.23
30	-22.37	70	-18.75	110	-18.04	150	-14.9	190	-19.82	230	-18.11	270	-10.81	310	-16.87	350	-19.75
31	-20.43	71	-19.8	111	-15.88	151	-15.78	191	-21.48	231	-19.6	271	-10.56	311	-16.31	351	-19.16
32	-19.52	72	-20.3	112	-13.26	152	-17.77	192	-21.64	232	-20.9	272	-10.3	312	-15.82	352	-18.7
33	-18.46	73	-19.59	113	-12.19	153	-18.88	193	-20.83	233	-21.14	273	-9.98	313	-15.68	353	-18.15
34	-18.02	74	-18.95	114	-11.49	154	-20.98	194	-19.85	234	-20.18	274	-9.91	314	-15.62	354	-17.76
35	-17.88	75	-18.11	115	-11.15	155	-21.73	195	-19.59	235	-18.69	275	-10	315	-15.8	355	-17.56
36	-17.07	76	-17.82	116	-11.23	156	-18.76	196	-19.56	236	-17.45	276	-10.21	316	-16.27	356	-17.41
37	-16.02	77	-18.21	117	-11.61	157	-15.17	197	-18.68	237	-16.74	277	-10.69	317	-16.25	357	-17.17
38	-15.15	78	-19.41	118	-12.36	158	-13.06	198	-17.74	238	-16.6	278	-11.42	318	-15.81	358	-16.81
39	-14.68	79	-21.86	119	-13.28	159	-11.88	199	-16.35	239	-16.46	279	-12.1	319	-15.3	359	-16.51

Radiated Pattern : DMX1058XR




WiFi 5GHz Hch (ANT1) Hor (XY)

Received Power
MAX -8.69 MIN -51.12 AVE -20.1526

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-21.23	40	-41.56	80	-23.33	120	-21.77	160	-23.67	200	-10.99	240	-15.48	280	-15.42	320	-24.9
1	-22.65	41	-31.2	81	-35.51	121	-21.03	161	-23.11	201	-12.22	241	-17.4	281	-17.52	321	-23.82
2	-23.72	42	-27.81	82	-33.53	122	-22.26	162	-22.08	202	-13.46	242	-20.13	282	-20.51	322	-22.14
3	-25.04	43	-26.9	83	-24.9	123	-25.27	163	-21.02	203	-13.98	243	-22.52	283	-25.37	323	-20.52
4	-27.06	44	-27.72	84	-21	124	-28.06	164	-18.66	204	-15.17	244	-23.78	284	-27.41	324	-19.22
5	-30.16	45	-30.04	85	-18.87	125	-27.62	165	-16.15	205	-16.58	245	-21.5	285	-23.81	325	-18.2
6	-41.42	46	-30	86	-17.23	126	-23.36	166	-14.44	206	-17.82	246	-17.86	286	-20.39	326	-17.49
7	-38.4	47	-27.94	87	-16.63	127	-19.36	167	-13.43	207	-18.83	247	-15.14	287	-18.47	327	-17.17
8	-32.76	48	-27.07	88	-16.27	128	-16.82	168	-13.25	208	-18.39	248	-13.53	288	-17.08	328	-17.12
9	-30.34	49	-25.9	89	-16.86	129	-14.62	169	-13.28	209	-17.13	249	-12.93	289	-16.03	329	-17.26
10	-29.85	50	-25.41	90	-18.62	130	-13.42	170	-13.48	210	-15.96	250	-13.07	290	-15.31	330	-17.96
11	-30.92	51	-25.62	91	-21.53	131	-12.75	171	-14.46	211	-15.38	251	-13.4	291	-14.68	331	-19.31
12	-34.68	52	-25.57	92	-26.04	132	-12.64	172	-15.18	212	-14.69	252	-12.97	292	-14.69	332	-21.27
13	-39.31	53	-26.12	93	-26.82	133	-12.75	173	-15.63	213	-14.78	253	-11.67	293	-14.65	333	-23.35
14	-36.07	54	-29.01	94	-23.1	134	-13.05	174	-17.02	214	-16.18	254	-10.28	294	-15.11	334	-25.27
15	-31.75	55	-35.72	95	-20.56	135	-13.21	175	-19.57	215	-18.21	255	-9.37	295	-16.2	335	-26.42
16	-29.59	56	-38.54	96	-19.26	136	-13.24	176	-24.33	216	-20.35	256	-8.69	296	-17.58	336	-28.38
17	-29.13	57	-27.09	97	-19.43	137	-13.33	177	-51.12	217	-20.69	257	-8.75	297	-20.03	337	-30.99
18	-30.24	58	-22.55	98	-20.07	138	-13.22	178	-24.95	218	-18.04	258	-10.13	298	-23.2	338	-37.69
19	-32.42	59	-20.05	99	-20.55	139	-13.31	179	-19.22	219	-15.29	259	-12.16	299	-23.78	339	-35.57
20	-33.97	60	-19	100	-20.67	140	-13.74	180	-16.68	220	-13.1	260	-15.08	300	-21.28	340	-27.51
21	-31.95	61	-18.62	101	-19.32	141	-14.19	181	-14.96	221	-11.12	261	-19.48	301	-18.96	341	-23.03
22	-29.12	62	-19.13	102	-17.82	142	-14.86	182	-13.59	222	-9.88	262	-22.48	302	-17.58	342	-20.37
23	-26.88	63	-20.23	103	-16.65	143	-15.12	183	-12.79	223	-9.1	263	-20.13	303	-16.8	343	-18.63
24	-26.26	64	-21.31	104	-15.66	144	-14.23	184	-12.24	224	-8.87	264	-18.19	304	-16.7	344	-17.5
25	-26.92	65	-22.65	105	-15.36	145	-12.82	185	-11.54	225	-9.14	265	-17.28	305	-17.3	345	-16.93
26	-28.08	66	-23.43	106	-15.52	146	-11.19	186	-11.6	226	-9.74	266	-17.55	306	-18.45	346	-16.89
27	-29.68	67	-23.53	107	-16.52	147	-10.03	187	-11.51	227	-10.14	267	-18.46	307	-20.65	347	-17.38
28	-28.38	68	-22.9	108	-17.25	148	-9.35	188	-12.01	228	-10.62	268	-19.21	308	-27.04	348	-18.99
29	-26.87	69	-21.13	109	-17.98	149	-9.27	189	-12.9	229	-11.13	269	-19.24	309	-37.49	349	-20.98
30	-26.72	70	-19.37	110	-19.39	150	-9.75	190	-14.18	230	-11.3	270	-18.06	310	-33.51	350	-23.34
31	-27.05	71	-17.91	111	-21.65	151	-10.24	191	-16.19	231	-11.48	271	-16.51	311	-28.03	351	-24.44
32	-27.29	72	-17.03	112	-24.7	152	-10.65	192	-20.2	232	-11.52	272	-15.15	312	-25.52	352	-24.58
33	-28.87	73	-16.22	113	-27.62	153	-11.02	193	-24.48	233	-11.41	273	-13.92	313	-23.9	353	-23.21
34	-32.77	74	-15.85	114	-38.33	154	-11.52	194	-21.44	234	-11.55	274	-13.16	314	-23.73	354	-22.23
35	-32.32	75	-15.61	115	-33.2	155	-12.56	195	-16.2	235	-12.08	275	-12.66	315	-24.75	355	-21.29
36	-30.35	76	-16	116	-28.28	156	-14.25	196	-13.09	236	-12.94	276	-12.43	316	-26.08	356	-20.48
37	-30.45	77	-16.69	117	-25.77	157	-16.6	197	-11.08	237	-13.78	277	-12.62	317	-26.95	357	-20.16
38	-32.52	78	-17.64	118	-24.67	158	-19.62	198	-10.27	238	-14.07	278	-13.15	318	-27.19	358	-20.29
39	-40.42	79	-20.01	119	-23.25	159	-22.33	199	-10.47	239	-14.48	279	-14.03	319	-26.23	359	-20.82

Radiated Pattern : DMX1058XR




WiFi 5GHz Hch (ANT1) Ver (XY)

Received Power
MAX -8.41 MIN -37.53 AVE -17.4042

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-19.68	40	-12.74	80	-28.67	120	-14.2	160	-10.52	200	-16.89	240	-16.69	280	-13.67	320	-15.31
1	-17.32	41	-12.1	81	-31.82	121	-14.5	161	-10.87	201	-16.42	241	-16.41	281	-14.91	321	-15.46
2	-16.54	42	-11.76	82	-28.56	122	-14.3	162	-11.26	202	-15.68	242	-17.1	282	-16.24	322	-15.81
3	-15.84	43	-11.55	83	-25.07	123	-13.85	163	-11.9	203	-15.14	243	-18.74	283	-17.52	323	-16.6
4	-15.5	44	-11	84	-23.2	124	-13.76	164	-12.66	204	-15.07	244	-20.8	284	-18.27	324	-17.76
5	-15.57	45	-10.4	85	-23.58	125	-13.77	165	-13.18	205	-15.07	245	-23.37	285	-18.21	325	-18.56
6	-15.93	46	-9.79	86	-24.41	126	-13.72	166	-13.48	206	-15.32	246	-26.63	286	-17.59	326	-18.95
7	-16.61	47	-9.13	87	-27.4	127	-13.84	167	-13.36	207	-16.13	247	-29	287	-16.53	327	-18.44
8	-17.41	48	-8.74	88	-32.02	128	-14.11	168	-12.92	208	-16.7	248	-31.57	288	-15.37	328	-17.74
9	-18.15	49	-8.42	89	-32.05	129	-14.65	169	-12.37	209	-16.98	249	-37.31	289	-14.7	329	-17.35
10	-18.55	50	-8.41	90	-27.75	130	-15.51	170	-12	210	-16.94	250	-34.09	290	-14.13	330	-17.34
11	-19.12	51	-8.64	91	-24.56	131	-17.56	171	-11.35	211	-16.2	251	-24.55	291	-13.88	331	-17.73
12	-19.77	52	-8.81	92	-23.13	132	-21.12	172	-11.24	212	-15.34	252	-19.73	292	-13.87	332	-18.78
13	-20.65	53	-9	93	-22.89	133	-28.16	173	-11.06	213	-14.1	253	-16.71	293	-13.88	333	-20.05
14	-22.25	54	-9.3	94	-23.19	134	-30.81	174	-11.47	214	-12.5	254	-14.6	294	-14.14	334	-21.86
15	-24.32	55	-9.6	95	-24.44	135	-23.04	175	-12.52	215	-11.25	255	-13.92	295	-14.39	335	-23.96
16	-27.14	56	-10	96	-24.62	136	-19.43	176	-14.06	216	-10.38	256	-13.34	296	-14.66	336	-25.62
17	-30.8	57	-10.52	97	-22.72	137	-18.08	177	-16.47	217	-9.57	257	-12.86	297	-14.83	337	-25.16
18	-35.18	58	-11.14	98	-20.43	138	-17.27	178	-19.2	218	-9.13	258	-12.42	298	-14.62	338	-23.81
19	-37.53	59	-11.9	99	-18.14	139	-16.91	179	-21.01	219	-9.08	259	-11.84	299	-14.41	339	-22.54
20	-34.66	60	-12.71	100	-16.74	140	-17.33	180	-19.69	220	-9.16	260	-11.38	300	-14.01	340	-21.99
21	-32.5	61	-13.61	101	-15.94	141	-18.4	181	-17.23	221	-9.91	261	-10.81	301	-13.48	341	-22.06
22	-32.01	62	-14.65	102	-15.57	142	-19.91	182	-14.86	222	-10.81	262	-10.27	302	-13.29	342	-22.49
23	-31.88	63	-15.84	103	-15.59	143	-20.61	183	-14.09	223	-11.34	263	-9.84	303	-13.18	343	-22.91
24	-31.51	64	-16.95	104	-15.88	144	-20.61	184	-13.81	224	-13	264	-9.75	304	-13.01	344	-23.09
25	-30.67	65	-17.78	105	-15.9	145	-18.69	185	-13.75	225	-14.25	265	-9.86	305	-13.1	345	-22.79
26	-29.78	66	-18.32	106	-15.43	146	-17.47	186	-13.96	226	-15.58	266	-10.12	306	-13.23	346	-22.71
27	-30.35	67	-18.28	107	-15.05	147	-17.55	187	-14.44	227	-16.21	267	-10.49	307	-13.47	347	-22.73
28	-30.87	68	-18.5	108	-14.59	148	-17.44	188	-14.86	228	-17.06	268	-10.7	308	-13.83	348	-23.21
29	-30.21	69	-18.88	109	-14.14	149	-18.27	189	-15.34	229	-18.2	269	-10.67	309	-14.4	349	-24.12
30	-26.82	70	-19.7	110	-13.74	150	-18.43	190	-16.03	230	-19.26	270	-10.36	310	-14.74	350	-25.48
31	-23.69	71	-21.38	111	-13.07	151	-18.77	191	-16.79	231	-20.45	271	-10.02	311	-14.85	351	-26.76
32	-20.71	72	-22.68	112	-12.21	152	-21.12	192	-17.26	232	-20.54	272	-9.75	312	-14.89	352	-26.87
33	-18.66	73	-23.92	113	-11.51	153	-23.91	193	-17.7	233	-20.14	273	-9.55	313	-14.65	353	-26.01
34	-16.63	74	-22.96	114	-11.1	154	-21.95	194	-18.37	234	-18.72	274	-9.56	314	-14.4	354	-24.91
35	-16.2	75	-21.77	115	-10.99	155	-17.37	195	-19.43	235	-17.4	275	-9.74	315	-14.51	355	-23.6
36	-15.41	76	-21.32	116	-11.14	156	-14.24	196	-20.22	236	-16.91	276	-10.13	316	-14.76	356	-22.52
37	-14.99	77	-21.55	117	-11.7	157	-12.06	197	-20.28	237	-17.1	277	-10.76	317	-15.16	357	-21.35
38	-13.87	78	-22.7	118	-12.4	158	-11.11	198	-19.63	238	-17.19	278	-11.51	318	-15.28	358	-20.4
39	-13.18	79	-25.15	119	-13.38	159	-10.69	199	-18.13	239	-17.13	279	-12.52	319	-15.31	359	-19.51

Radiated Pattern : DMX1058XR




WiFi 5GHz Lch (ANT1) Hor (ZX)

Received Power
MAX MIN AVE
-5.5 -37.81 -14.4358

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-15.77	40	-13.17	80	-13.35	120	-18.6	160	-6.25	200	-5.57	240	-14.29	280	-8.99	320	-22.22
1	-16.62	41	-13.29	81	-13.42	121	-17.88	161	-7.01	201	-5.62	241	-13.81	281	-9.28	321	-21.36
2	-16.85	42	-13.58	82	-13.87	122	-17.09	162	-7.91	202	-5.67	242	-13.79	282	-9.54	322	-20.76
3	-16.8	43	-14.19	83	-14.42	123	-16.12	163	-9.02	203	-5.56	243	-13.82	283	-9.87	323	-20.02
4	-16.61	44	-14.59	84	-15	124	-14.9	164	-10.01	204	-5.73	244	-13.99	284	-10.25	324	-19.25
5	-16.22	45	-15.38	85	-15.33	125	-13.88	165	-11.03	205	-5.98	245	-14.22	285	-10.7	325	-19.21
6	-15.77	46	-16	86	-15.85	126	-12.88	166	-11.79	206	-6.15	246	-14.53	286	-11.09	326	-18.65
7	-15.1	47	-16.48	87	-16.05	127	-12.14	167	-12.45	207	-6.36	247	-15.05	287	-11.59	327	-17.66
8	-14.46	48	-16.29	88	-15.77	128	-12.3	168	-13.25	208	-6.91	248	-17.03	288	-11.96	328	-17.27
9	-14.06	49	-15.99	89	-15.29	129	-13.38	169	-13.81	209	-7.41	249	-18.38	289	-12.4	329	-17.2
10	-14.04	50	-15.64	90	-14.86	130	-15.73	170	-15.22	210	-7.94	250	-23.84	290	-12.7	330	-17.02
11	-14.15	51	-14.97	91	-14.47	131	-19.64	171	-16.28	211	-8.41	251	-25.48	291	-13.03	331	-16.52
12	-14.31	52	-14.66	92	-14.45	132	-26.61	172	-17.93	212	-8.95	252	-21.54	292	-13.43	332	-16.11
13	-14.57	53	-14.02	93	-14.78	133	-24.71	173	-19.49	213	-9.16	253	-18.4	293	-13.52	333	-15.83
14	-14.6	54	-13.69	94	-15.85	134	-19.52	174	-20.43	214	-9.25	254	-16.46	294	-13.71	334	-15.66
15	-14.58	55	-13.14	95	-17.07	135	-15.88	175	-20.63	215	-9.22	255	-15.39	295	-13.8	335	-15.56
16	-14.52	56	-12.87	96	-19.42	136	-13.71	176	-20.06	216	-8.92	256	-14.68	296	-14.14	336	-15.3
17	-14.58	57	-12.92	97	-22.1	137	-11.79	177	-18.36	217	-8.9	257	-14.18	297	-14.58	337	-14.64
18	-14.62	58	-13.39	98	-24.98	138	-10.45	178	-16.67	218	-8.83	258	-13.69	298	-15.31	338	-13.98
19	-14.72	59	-14.78	99	-29.84	139	-8.73	179	-15.98	219	-8.75	259	-12.93	299	-16.15	339	-13.28
20	-14.87	60	-16.71	100	-32.66	140	-8.31	180	-16.29	220	-8.74	260	-12.29	300	-17.22	340	-12.78
21	-15.19	61	-20.24	101	-28.08	141	-8.04	181	-16.52	221	-8.59	261	-11.92	301	-18.76	341	-12.77
22	-15.5	62	-25.24	102	-23.74	142	-8.28	182	-18.81	222	-8.47	262	-11.98	302	-20.64	342	-13.14
23	-15.55	63	-30.61	103	-19.74	143	-9.08	183	-18.53	223	-8.4	263	-12.56	303	-22.49	343	-13.71
24	-15.33	64	-27.63	104	-16.23	144	-10.33	184	-16.7	224	-8.27	264	-13.77	304	-23.58	344	-14.22
25	-14.89	65	-24.29	105	-13.66	145	-11.91	185	-14.63	225	-8.16	265	-15.53	305	-24.76	345	-14.41
26	-14.49	66	-22.94	106	-11.63	146	-11.58	186	-13.6	226	-8.16	266	-17.43	306	-25.49	346	-14.44
27	-14.05	67	-22	107	-10.49	147	-9.94	187	-12.73	227	-8.31	267	-19.22	307	-26.41	347	-14.18
28	-13.82	68	-21.21	108	-9.9	148	-8.62	188	-12.46	228	-8.42	268	-18.47	308	-28.98	348	-14.08
29	-13.37	69	-19.7	109	-9.71	149	-7.82	189	-11.88	229	-8.76	269	-16.35	309	-33.34	349	-14.17
30	-12.67	70	-18.3	110	-9.48	150	-7.6	190	-11.07	230	-9.39	270	-14.32	310	-37.81	350	-14.51
31	-11.21	71	-16.96	111	-9.02	151	-7.54	191	-10.05	231	-10.54	271	-12.45	311	-34.69	351	-14.84
32	-10.45	72	-15.87	112	-8.84	152	-7.46	192	-9.15	232	-11.92	272	-11.32	312	-30.13	352	-15.17
33	-10.18	73	-15.07	113	-8.63	153	-7.11	193	-8.22	233	-13.66	273	-10.43	313	-26.96	353	-15.41
34	-9.74	74	-14.32	114	-8.77	154	-6.61	194	-7.75	234	-15.47	274	-9.68	314	-25.28	354	-15.34
35	-9.74	75	-13.95	115	-9.53	155	-5.96	195	-7.55	235	-17.5	275	-9.26	315	-24.84	355	-15.17
36	-10.34	76	-13.58	116	-11.02	156	-5.65	196	-7.15	236	-18.23	276	-9	316	-24.4	356	-14.93
37	-11.12	77	-13.3	117	-13.15	157	-5.5	197	-6.77	237	-16.84	277	-8.86	317	-24.07	357	-14.97
38	-11.97	78	-13.15	118	-15.47	158	-5.57	198	-6.32	238	-15.73	278	-8.85	318	-23.84	358	-15.23
39	-12.82	79	-13.08	119	-17.76	159	-5.89	199	-5.89	239	-14.9	279	-8.84	319	-23.14	359	-15.74

Radiated Pattern : DMX1058XR




WiFi 5GHz Lch (ANT1) Ver (ZX)

Received Power
MAX MIN AVE
-10.43 -78.24 -21.2399

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-16.8	40	-31.25	80	-13.01	120	-11.82	160	-20.69	200	-19.18	240	-19.12	280	-17.15	320	-27.8
1	-16.92	41	-31.22	81	-12.67	121	-12.21	161	-20.11	201	-18.54	241	-19.44	281	-17.13	321	-27.51
2	-17.32	42	-28.7	82	-12.4	122	-12.75	162	-19.11	202	-18.19	242	-19.58	282	-17.17	322	-27.45
3	-18.17	43	-25.65	83	-12.33	123	-13.51	163	-18.13	203	-17.81	243	-19.46	283	-17.47	323	-27.78
4	-18.53	44	-23.55	84	-12.43	124	-14.23	164	-17.72	204	-17.84	244	-19.38	284	-17.99	324	-29.32
5	-18.83	45	-21.99	85	-12.77	125	-14.7	165	-18.15	205	-18.19	245	-19.48	285	-18.64	325	-33.01
6	-19.05	46	-21.05	86	-13.14	126	-14.73	166	-18.77	206	-18.57	246	-19.66	286	-19.54	326	-37.97
7	-19.14	47	-20.53	87	-13.65	127	-14.56	167	-19.05	207	-18.89	247	-20.44	287	-20.68	327	-33.14
8	-19.23	48	-20.69	88	-14.3	128	-13.96	168	-18.81	208	-19.51	248	-20.87	288	-21.66	328	-28.58
9	-19.41	49	-21.21	89	-14.82	129	-13.32	169	-17.82	209	-19.94	249	-21.23	289	-22.92	329	-25.14
10	-19.73	50	-22.16	90	-15.25	130	-12.66	170	-17	210	-20.66	250	-21.74	290	-23.77	330	-22.81
11	-20.29	51	-23.11	91	-15.39	131	-12.13	171	-16.16	211	-20.95	251	-22.45	291	-24.47	331	-21.57
12	-20.89	52	-23.95	92	-15.44	132	-11.69	172	-15.35	212	-21.59	252	-23.36	292	-26.35	332	-21.38
13	-21.56	53	-24.2	93	-15.48	133	-11.32	173	-15.49	213	-22.53	253	-23.91	293	-29.07	333	-21.91
14	-22.09	54	-23.92	94	-15.62	134	-11.1	174	-16	214	-24.32	254	-23.52	294	-31.72	334	-23.25
15	-22.87	55	-23.82	95	-15.93	135	-10.82	175	-16.66	215	-27.06	255	-22.3	295	-32.68	335	-25.14
16	-23.72	56	-23.48	96	-16.44	136	-10.69	176	-17.36	216	-32.29	256	-21.06	296	-29.95	336	-25.63
17	-23.88	57	-23.32	97	-17	137	-10.59	177	-17.89	217	-33.22	257	-19.8	297	-28.37	337	-24.1
18	-23.44	58	-23.03	98	-17.74	138	-10.45	178	-18.28	218	-31.99	258	-18.62	298	-27.49	338	-21.71
19	-22.58	59	-22.61	99	-18.54	139	-10.43	179	-18.17	219	-29.45	259	-17.73	299	-27.51	339	-19.85
20	-21.71	60	-21.96	100	-19.3	140	-10.56	180	-18.03	220	-27.66	260	-17.18	300	-28.75	340	-18.62
21	-21.06	61	-21.16	101	-19.99	141	-10.79	181	-18.11	221	-26.32	261	-16.96	301	-30.27	341	-18.07
22	-20.74	62	-20.66	102	-20.83	142	-11.22	182	-18.22	222	-25.62	262	-17.09	302	-32.37	342	-18.34
23	-20.56	63	-20.16	103	-23.18	143	-11.54	183	-18.22	223	-24.87	263	-17.5	303	-36.1	343	-19.22
24	-20.54	64	-19.62	104	-25.65	144	-12.66	184	-18.62	224	-23.88	264	-18.17	304	-36.72	344	-20.38
25	-20.91	65	-19.17	105	-28.91	145	-13.54	185	-19.06	225	-22.85	265	-19.37	305	-34.37	345	-21.26
26	-21.56	66	-18.65	106	-31.62	146	-14.22	186	-19.29	226	-21.78	266	-20.59	306	-32.41	346	-21
27	-22.67	67	-18.16	107	-28.64	147	-14.85	187	-19.39	227	-20.49	267	-22.48	307	-32.39	347	-19.9
28	-24.15	68	-17.67	108	-24.93	148	-15.64	188	-19.9	228	-19.68	268	-25.06	308	-32.86	348	-18.67
29	-25.65	69	-17.35	109	-21.84	149	-16.64	189	-19.93	229	-18.94	269	-28.7	309	-34.23	349	-17.75
30	-27.2	70	-17.04	110	-19.59	150	-17.75	190	-19.6	230	-18.68	270	-35.95	310	-36.91	350	-17.18
31	-28.64	71	-16.88	111	-17.5	151	-19.29	191	-19.54	231	-18.24	271	-46.57	311	-40.73	351	-17.22
32	-29.55	72	-16.75	112	-15.68	152	-20.46	192	-19.77	232	-17.93	272	-31.96	312	-44.89	352	-17.82
33	-29.67	73	-16.65	113	-14.33	153	-20.54	193	-19.71	233	-17.91	273	-26.78	313	-66.89	353	-18.67
34	-28.77	74	-16.47	114	-13.16	154	-20.03	194	-19.95	234	-17.85	274	-23.74	314	-52.22	354	-19.31
35	-27.57	75	-15.9	115	-12.36	155	-19.58	195	-20.74	235	-17.97	275	-21.74	315	-78.24	355	-19.3
36	-26.65	76	-15.69	116	-11.81	156	-19.59	196	-20.92	236	-18.16	276	-20.2	316	-46.79	356	-18.4
37	-26.4	77	-14.8	117	-11.5	157	-19.78	197	-21.01	237	-18.46	277	-18.98	317	-35.4	357	-17.68
38	-26.97	78	-14.17	118	-11.37	158	-20.22	198	-20.87	238	-18.65	278	-18.1	318	-33.46	358	-17.08
39	-28.38	79	-13.59	119	-11.51	159	-20.67	199	-20.08	239	-18.81	279	-17.56	319	-29	359	-16.72

Radiated Pattern : DMX1058XR




WiFi 5GHz Cch (ANT1) Hor(ZX)

Received Power
MAX -5.51 MIN -65.19 AVE -16.2794

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-19.07	40	-12.46	80	-15.27	120	-18.79	160	-6.84	200	-7.82	240	-15.9	280	-11.22	320	-32.32
1	-19.46	41	-11.99	81	-15.34	121	-18.71	161	-7.88	201	-7.97	241	-15.51	281	-11.16	321	-28.6
2	-19.12	42	-11.82	82	-15.4	122	-18.08	162	-9.45	202	-7.89	242	-15.58	282	-10.96	322	-25.53
3	-19.34	43	-11.88	83	-15.39	123	-17.83	163	-11.43	203	-7.92	243	-15.84	283	-10.88	323	-23.68
4	-19.86	44	-12.31	84	-16.08	124	-17.86	164	-13.69	204	-8.17	244	-16.49	284	-10.77	324	-22.24
5	-20.43	45	-12.95	85	-16.56	125	-17.43	165	-15.58	205	-8.21	245	-17.27	285	-10.77	325	-20.25
6	-20.25	46	-13.94	86	-17.26	126	-16.01	166	-16.55	206	-8.49	246	-17.96	286	-10.73	326	-18.32
7	-19.78	47	-14.84	87	-17.93	127	-14.28	167	-17.33	207	-9	247	-18.64	287	-10.58	327	-17.15
8	-18.92	48	-15.44	88	-18.34	128	-13.18	168	-19.28	208	-9.61	248	-19.58	288	-10.55	328	-16.61
9	-17.85	49	-16.01	89	-17.6	129	-13.19	169	-23.12	209	-10.04	249	-19.35	289	-10.42	329	-16.39
10	-16.85	50	-16.49	90	-16.16	130	-13.84	170	-31.05	210	-10.88	250	-17.98	290	-10.41	330	-16.31
11	-16.42	51	-16.41	91	-14.83	131	-15.37	171	-25.83	211	-11.24	251	-16.33	291	-10.45	331	-16.44
12	-16.57	52	-16.25	92	-13.71	132	-18.03	172	-20.38	212	-11.24	252	-14.58	292	-10.42	332	-16.61
13	-16.87	53	-16.17	93	-12.91	133	-21.04	173	-17.55	213	-10.96	253	-13.47	293	-10.46	333	-17.06
14	-16.88	54	-15.37	94	-12.61	134	-24.32	174	-16.02	214	-10.75	254	-12.81	294	-10.48	334	-17.41
15	-16.55	55	-14.81	95	-12.89	135	-30.05	175	-16.11	215	-10.42	255	-12.34	295	-10.57	335	-17.43
16	-16.28	56	-14.18	96	-13.19	136	-41.13	176	-16.8	216	-10.19	256	-12.15	296	-10.89	336	-16.95
17	-15.97	57	-13.81	97	-14.2	137	-23.54	177	-17.85	217	-10.29	257	-12.08	297	-11.41	337	-16.27
18	-15.56	58	-13.95	98	-15.05	138	-17.76	178	-18.2	218	-10.32	258	-11.96	298	-12.02	338	-15.68
19	-15.05	59	-14.7	99	-15.73	139	-14.29	179	-17.09	219	-10.37	259	-11.76	299	-12.89	339	-14.95
20	-14.8	60	-16.39	100	-15.9	140	-12.06	180	-16.79	220	-10.45	260	-11.53	300	-14.05	340	-14.84
21	-14.85	61	-19.05	101	-15.27	141	-10.93	181	-17.03	221	-10.44	261	-11.7	301	-15.34	341	-15.11
22	-14.98	62	-23.63	102	-14.31	142	-10.37	182	-18.33	222	-10.42	262	-11.94	302	-17.02	342	-16.03
23	-15.05	63	-30.47	103	-13.95	143	-10.36	183	-21.4	223	-10.53	263	-12.94	303	-18.49	343	-16.96
24	-14.84	64	-31.59	104	-14.62	144	-10.21	184	-26.56	224	-10.78	264	-14.47	304	-20.08	344	-17.87
25	-14.37	65	-27.08	105	-15.52	145	-9.51	185	-45.06	225	-10.89	265	-16.76	305	-21.83	345	-18.36
26	-14.06	66	-24.9	106	-16.36	146	-8.38	186	-31.3	226	-11.13	266	-20.04	306	-23.5	346	-18.34
27	-13.97	67	-24.4	107	-16.04	147	-7.18	187	-24.44	227	-11.66	267	-22.03	307	-25.44	347	-18.09
28	-14.15	68	-24.33	108	-15.21	148	-6.2	188	-21.14	228	-12.42	268	-19.84	308	-28.41	348	-17.94
29	-14.32	69	-23.8	109	-14.67	149	-5.64	189	-17.97	229	-13.56	269	-16.93	309	-31.36	349	-18
30	-14.2	70	-22.55	110	-14.4	150	-5.51	190	-14.87	230	-15.21	270	-14.68	310	-37.35	350	-18.2
31	-13.67	71	-20.79	111	-13.86	151	-5.63	191	-12.87	231	-17.56	271	-13.12	311	-50.58	351	-18.42
32	-12.77	72	-18.89	112	-12.87	152	-5.81	192	-11.46	232	-20.28	272	-12.21	312	-65.19	352	-18.58
33	-12	73	-18.11	113	-12.11	153	-6.09	193	-10.6	233	-24.46	273	-11.44	313	-44.54	353	-18.71
34	-11.23	74	-17.28	114	-11.49	154	-6.06	194	-10.22	234	-32.07	274	-11.04	314	-38.4	354	-18.63
35	-11.13	75	-16.81	115	-11.47	155	-5.93	195	-10.29	235	-35	275	-10.95	315	-36.92	355	-18.6
36	-11.44	76	-16.25	116	-12.23	156	-5.7	196	-9.78	236	-24.66	276	-10.97	316	-35.95	356	-18.62
37	-11.91	77	-16.11	117	-13.7	157	-5.69	197	-9.37	237	-20.46	277	-11.03	317	-36.97	357	-18.67
38	-12.34	78	-15.73	118	-15.49	158	-5.68	198	-8.75	238	-18.04	278	-11.18	318	-41.79	358	-18.74
39	-12.57	79	-15.37	119	-17.46	159	-6.09	199	-8.21	239	-16.67	279	-11.23	319	-36.72	359	-18.99

Radiated Pattern : DMX1058XR




WiFi 5GHz Cch (ANT1) Ver (ZX)

Received Power
MAX -7.73 MIN -46.18 AVE -17.9123

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-16.18	40	-15.92	80	-9.25	120	-10.83	160	-20.51	200	-9.53	240	-19.54	280	-10.99	320	-22.13
1	-14	41	-16.86	81	-9.09	121	-10.96	161	-21.55	201	-10.14	241	-19.6	281	-11.2	321	-24.65
2	-13.78	42	-18.18	82	-8.87	122	-11.47	162	-20.66	202	-10.74	242	-19.57	282	-11.46	322	-28.39
3	-13.93	43	-19.88	83	-8.69	123	-12.83	163	-18.64	203	-11.15	243	-18.74	283	-11.85	323	-31.55
4	-14.38	44	-22.38	84	-8.7	124	-13.62	164	-17.15	204	-11.39	244	-17.95	284	-12.08	324	-28.06
5	-14.96	45	-24.53	85	-8.75	125	-15.46	165	-16.91	205	-11.99	245	-17.33	285	-12.4	325	-24.01
6	-15.68	46	-25.5	86	-8.92	126	-17.33	166	-17.41	206	-12.81	246	-16.94	286	-12.8	326	-22.02
7	-15.83	47	-24.97	87	-9.35	127	-18.99	167	-18.67	207	-13.81	247	-16.26	287	-13.52	327	-21.58
8	-15.28	48	-23.41	88	-9.94	128	-20.3	168	-20.64	208	-15.33	248	-15.15	288	-14.86	328	-21.91
9	-14.12	49	-22.23	89	-10.92	129	-21.92	169	-22.14	209	-16.96	249	-14.1	289	-16.64	329	-23.51
10	-13.1	50	-21.33	90	-12.14	130	-23.83	170	-21.73	210	-18.7	250	-13.21	290	-19.15	330	-26.92
11	-12.29	51	-20.9	91	-13.46	131	-28.07	171	-19.68	211	-21.87	251	-12.6	291	-21.91	331	-32.64
12	-11.93	52	-20.86	92	-14.94	132	-39.12	172	-16.86	212	-26.24	252	-12.38	292	-24.32	332	-32.4
13	-12.17	53	-20.84	93	-16.14	133	-37.53	173	-14.95	213	-25.36	253	-12.48	293	-27.2	333	-27.21
14	-12.92	54	-20.1	94	-18.29	134	-27.98	174	-13.91	214	-19.79	254	-12.75	294	-28.05	334	-23.92
15	-14.38	55	-19.77	95	-20.02	135	-24.96	175	-13.53	215	-15.89	255	-12.69	295	-29.62	335	-22.36
16	-16.46	56	-18.61	96	-22.52	136	-24.54	176	-13.94	216	-13.3	256	-12.54	296	-30.4	336	-21.93
17	-19.04	57	-17.36	97	-27.48	137	-24.77	177	-14.81	217	-11.51	257	-12.46	297	-32.65	337	-22.95
18	-21.2	58	-15.55	98	-34.99	138	-26.55	178	-15.86	218	-10.26	258	-12.4	298	-38.32	338	-25.8
19	-21.32	59	-15.05	99	-27.38	139	-31.41	179	-16.11	219	-9.46	259	-12.67	299	-34.69	339	-31.99
20	-19.93	60	-14.29	100	-22.13	140	-37.72	180	-14.99	220	-8.95	260	-13.36	300	-29.44	340	-32.08
21	-19.18	61	-13.65	101	-19.93	141	-45.84	181	-13.11	221	-8.5	261	-14.52	301	-24.86	341	-25.84
22	-18.88	62	-13.19	102	-19.45	142	-36.22	182	-11.63	222	-8.2	262	-15.87	302	-23.66	342	-22.3
23	-19.03	63	-12.62	103	-20.12	143	-36.65	183	-10.63	223	-8.2	263	-17.7	303	-22.63	343	-20.53
24	-19.09	64	-11.9	104	-22.75	144	-33.74	184	-10.17	224	-8.36	264	-20.33	304	-22.17	344	-20.1
25	-19.2	65	-11.48	105	-26.48	145	-28.36	185	-10.19	225	-8.56	265	-21.51	305	-21.83	345	-21.04
26	-19.11	66	-11.11	106	-25.91	146	-22.65	186	-10.52	226	-8.86	266	-25.68	306	-22.35	346	-21.74
27	-19.27	67	-10.85	107	-21.27	147	-19.86	187	-10.8	227	-9.43	267	-31.16	307	-23.66	347	-23.48
28	-19.93	68	-10.66	108	-18.79	148	-17.61	188	-10.89	228	-10.02	268	-46.18	308	-25.24	348	-21.87
29	-20.96	69	-10.45	109	-17.09	149	-16.66	189	-10.47	229	-10.38	269	-29.66	309	-27.41	349	-19.4
30	-22.42	70	-10.33	110	-16.12	150	-16.33	190	-9.82	230	-10.65	270	-23.3	310	-27.91	350	-17.58
31	-23.34	71	-10.14	111	-15.56	151	-16.6	191	-9.04	231	-11.27	271	-19.6	311	-29.51	351	-16.47
32	-23.74	72	-9.95	112	-14.7	152	-17.42	192	-8.44	232	-11.75	272	-16.95	312	-28.92	352	-16.16
33	-23.35	73	-9.79	113	-13.69	153	-17.77	193	-8.03	233	-12.21	273	-15.08	313	-26.15	353	-16.41
34	-21.82	74	-9.58	114	-12.61	154	-17.52	194	-7.86	234	-12.95	274	-13.63	314	-24.02	354	-17.12
35	-19.51	75	-9.47	115	-11.93	155	-16.8	195	-7.73	235	-14.28	275	-12.57	315	-22.58	355	-18.03
36	-17.6	76	-9.36	116	-11.44	156	-15.65	196	-7.92	236	-15.83	276	-11.79	316	-21.37	356	-18.48
37	-16.61	77	-9.37	117	-11.23	157	-15.51	197	-8.05	237	-17.48	277	-11.27	317	-20.68	357	-18.09
38	-15.95	78	-9.35	118	-10.98	158	-15.79	198	-8.29	238	-18.5	278	-11.05	318	-20.75	358	-16.81
39	-15.68	79	-9.3	119	-10.84	159	-17.95	199	-8.88	239	-19.1	279	-10.91	319	-21.29	359	-15.53

Radiated Pattern : DMX1058XR




WiFi 5GHz Hch (ANT1) Hor (ZX)

Received Power
MAX -5.03 MIN -38.94 AVE -16.7499

Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]	Angle [deg]	Power [dB]
0	-19.9	40	-14.51	80	-17.07	120	-16.83	160	-8.41	200	-8.84	240	-17.9	280	-13.84	320	-35.4
1	-19.18	41	-14.1	81	-17.46	121	-17.47	161	-9.96	201	-8.85	241	-17.17	281	-13.77	321	-32.25
2	-18.43	42	-13.28	82	-18.47	122	-17.91	162	-12.2	202	-8.77	242	-17.12	282	-13.58	322	-29.71
3	-17.57	43	-12.67	83	-18.91	123	-17.91	163	-14.5	203	-8.86	243	-17.79	283	-13.42	323	-29.39
4	-17.02	44	-12.52	84	-19.68	124	-17.92	164	-15.36	204	-9.1	244	-18.7	284	-13.22	324	-28.62
5	-17.15	45	-12.69	85	-20.15	125	-16.94	165	-14.93	205	-9.37	245	-19.28	285	-13.13	325	-26.43
6	-17.65	46	-13.13	86	-20.83	126	-15.1	166	-14.27	206	-9.95	246	-19.3	286	-12.83	326	-23.99
7	-18.08	47	-13.82	87	-21.11	127	-13.11	167	-14.48	207	-10.76	247	-19.58	287	-12.46	327	-22.03
8	-18.01	48	-14.44	88	-20.48	128	-11.92	168	-15.05	208	-11.44	248	-20.16	288	-12.06	328	-20.53
9	-17.59	49	-14.94	89	-19.87	129	-11.76	169	-16.69	209	-12.09	249	-19.89	289	-11.58	329	-19.21
10	-16.52	50	-15.2	90	-17.4	130	-12.11	170	-16.44	210	-12.47	250	-18.99	290	-11.24	330	-18.65
11	-15.7	51	-15.26	91	-15.57	131	-12.94	171	-15.67	211	-12.62	251	-17.3	291	-10.97	331	-18.9
12	-15.35	52	-15.33	92	-14.23	132	-13.71	172	-14.41	212	-12.19	252	-15.16	292	-10.81	332	-19.76
13	-15.53	53	-15.32	93	-13.14	133	-14.43	173	-13.44	213	-11.95	253	-13.74	293	-10.74	333	-21.1
14	-15.97	54	-15.25	94	-12.77	134	-15.02	174	-13.13	214	-11.55	254	-12.93	294	-10.89	334	-22.37
15	-16.48	55	-15.07	95	-12.53	135	-15.71	175	-13.51	215	-11.56	255	-12.62	295	-11.02	335	-23.02
16	-16.93	56	-14.58	96	-12.95	136	-16.25	176	-14.65	216	-11.75	256	-12.78	296	-11.48	336	-23.12
17	-17.41	57	-13.81	97	-13.24	137	-15.95	177	-15.4	217	-12.08	257	-13.42	297	-12.04	337	-22.53
18	-18	58	-13.76	98	-14.04	138	-14.36	178	-16.14	218	-12.17	258	-13.86	298	-12.93	338	-21.82
19	-18.44	59	-13.93	99	-14.69	139	-12.76	179	-16.16	219	-12.24	259	-14.01	299	-14.06	339	-21.71
20	-18.58	60	-14.85	100	-14.63	140	-11.38	180	-16.49	220	-12.38	260	-13.97	300	-16.32	340	-22.2
21	-18.3	61	-16.4	101	-14.51	141	-10.26	181	-16.92	221	-12.71	261	-14.23	301	-18.26	341	-22.78
22	-18	62	-19.39	102	-14.19	142	-9.74	182	-18.4	222	-13.02	262	-14.87	302	-20.2	342	-23.39
23	-17.58	63	-23.99	103	-14.25	143	-9.18	183	-21.99	223	-13.46	263	-16.11	303	-21.94	343	-23.9
24	-16.69	64	-30.52	104	-14.41	144	-8.58	184	-24.12	224	-13.95	264	-17.97	304	-23.85	344	-24.16
25	-15.49	65	-28.71	105	-15.79	145	-7.74	185	-27.82	225	-14.04	265	-20.62	305	-25.55	345	-23.84
26	-14.43	66	-24.63	106	-17.7	146	-6.78	186	-26.89	226	-14.02	266	-22.26	306	-26.95	346	-23.45
27	-13.71	67	-22.75	107	-20.25	147	-5.89	187	-23.33	227	-14.44	267	-20.89	307	-28.02	347	-23.31
28	-13.6	68	-22.4	108	-20.21	148	-5.33	188	-18.5	228	-14.94	268	-18.24	308	-28.79	348	-23.21
29	-13.94	69	-22.19	109	-18.92	149	-5.03	189	-15.47	229	-15.75	269	-15.62	309	-29.95	349	-23.25
30	-14.31	70	-23.36	110	-17.19	150	-5.09	190	-13.49	230	-17.11	270	-14.2	310	-31.64	350	-23.56
31	-14.25	71	-23.82	111	-16.18	151	-5.23	191	-12.32	231	-18.38	271	-13.07	311	-32.8	351	-23.79
32	-13.69	72	-23.41	112	-14.69	152	-5.47	192	-11.64	232	-19.6	272	-12.4	312	-38.24	352	-23.57
33	-13.08	73	-21.64	113	-13.44	153	-5.79	193	-11.21	233	-21.49	273	-12.08	313	-38.94	353	-22.68
34	-12.54	74	-19.91	114	-12.61	154	-6.09	194	-11.15	234	-24.64	274	-12.27	314	-37.32	354	-21.86
35	-12.35	75	-18.47	115	-12.46	155	-6.11	195	-10.75	235	-32.43	275	-12.43	315	-33.31	355	-21.15
36	-12.37	76	-17.55	116	-12.9	156	-6.09	196	-10	236	-35.27	276	-12.81	316	-33.32	356	-20.41
37	-13.01	77	-16.79	117	-13.95	157	-6.25	197	-9.64	237	-25.12	277	-13.37	317	-33.18	357	-20.04
38	-13.7	78	-16.83	118	-15.46	158	-6.49	198	-9.21	238	-21.43	278	-13.59	318	-34.05	358	-19.81
39	-14.32	79	-16.68	119	-15.9	159	-7.17	199	-8.89	239	-19.07	279	-13.81	319	-36.39	359	-19.78

Radiated Pattern : DMX1058XR



WiFi 5GHz Hch (ANT1) Ver (ZX)

Received Power
MAX MIN AVE
-7.05 -39.16 -16.9312

Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power	Angle	Power
[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]	[deg]	[dB]
0	-16.65	40	-14.06	80	-10.88	120	-10.4	160	-20.7	200	-9.42	240	-20.37	280	-11.16	320	-20.74
1	-14.43	41	-14.08	81	-10.85	121	-10.7	161	-19.93	201	-10.14	241	-19.62	281	-11.44	321	-22.57
2	-14.39	42	-14.59	82	-10.77	122	-11.41	162	-17.72	202	-10.44	242	-18.46	282	-11.87	322	-24.39
3	-14.68	43	-15.45	83	-10.51	123	-12.27	163	-15.84	203	-10.54	243	-17.39	283	-12.5	323	-24.58
4	-15.08	44	-16.72	84	-10.33	124	-13.53	164	-14.86	204	-10.73	244	-16.6	284	-13.07	324	-22.83
5	-15.73	45	-18.73	85	-10.25	125	-15.23	165	-14.65	205	-11.21	245	-16.32	285	-13.84	325	-21.04
6	-16.09	46	-19.75	86	-10.39	126	-17.22	166	-14.99	206	-11.98	246	-16.11	286	-14.67	326	-19.81
7	-16.09	47	-19.89	87	-10.75	127	-19.44	167	-16.32	207	-13.15	247	-15.82	287	-15.56	327	-19.39
8	-15.37	48	-19.35	88	-11.16	128	-20.14	168	-16.77	208	-14.58	248	-15.19	288	-16.76	328	-19.56
9	-14.46	49	-19.05	89	-11.81	129	-20.86	169	-16.16	209	-16.17	249	-14.38	289	-17.89	329	-20.82
10	-13.49	50	-19.14	90	-12.81	130	-21.37	170	-14.64	210	-18.23	250	-13.79	290	-19.05	330	-23.72
11	-12.79	51	-19.51	91	-13.84	131	-22.93	171	-13.08	211	-21.38	251	-13.37	291	-19.27	331	-27.94
12	-12.41	52	-20.29	92	-14.66	132	-28.03	172	-11.96	212	-23.43	252	-13.38	292	-18.94	332	-26.11
13	-12.38	53	-20.68	93	-15.03	133	-35.13	173	-11.14	213	-20.94	253	-13.66	293	-18.73	333	-21.69
14	-12.9	54	-20.99	94	-15.28	134	-39.16	174	-10.98	214	-17.54	254	-14.13	294	-18.41	334	-19.12
15	-13.91	55	-20.69	95	-15.5	135	-30.86	175	-11.14	215	-14.98	255	-14.36	295	-18.97	335	-17.85
16	-15.65	56	-19.86	96	-16.84	136	-28.14	176	-11.75	216	-13.34	256	-14.49	296	-19.71	336	-17.63
17	-17.84	57	-18.46	97	-18.9	137	-25.45	177	-12.4	217	-11.99	257	-14.51	297	-21.02	337	-18.34
18	-19.97	58	-17.38	98	-21.99	138	-23.63	178	-12.55	218	-10.92	258	-14.55	298	-23.13	338	-19.92
19	-20.65	59	-16.24	99	-27.22	139	-23.4	179	-12.02	219	-10.22	259	-15.05	299	-24.43	339	-22.08
20	-20.25	60	-15.28	100	-36.7	140	-23.2	180	-10.92	220	-9.72	260	-16.06	300	-25.09	340	-22.85
21	-19.7	61	-14.47	101	-30.3	141	-25.12	181	-9.7	221	-9.15	261	-17.56	301	-23.33	341	-21.57
22	-19.58	62	-13.88	102	-27.36	142	-27.64	182	-8.89	222	-8.85	262	-18.95	302	-21.72	342	-19.54
23	-19.95	63	-13.36	103	-27.38	143	-28.6	183	-8.4	223	-8.89	263	-19.77	303	-21.54	343	-18.18
24	-20.74	64	-12.84	104	-31.19	144	-25.93	184	-8.23	224	-9.09	264	-19	304	-21.47	344	-17.78
25	-22.05	65	-12.4	105	-32.53	145	-21.73	185	-8.37	225	-9.41	265	-18.49	305	-21.84	345	-18.04
26	-23.01	66	-11.98	106	-24.81	146	-18.61	186	-8.64	226	-9.88	266	-18.46	306	-23.06	346	-19.16
27	-23.67	67	-11.66	107	-20.45	147	-16.53	187	-8.87	227	-10.61	267	-19.54	307	-23.32	347	-20.98
28	-23.54	68	-11.35	108	-17.63	148	-15.28	188	-8.96	228	-11.31	268	-24.1	308	-24.66	348	-22.85
29	-23.23	69	-11.27	109	-15.83	149	-15.36	189	-8.77	229	-11.84	269	-27.72	309	-26.49	349	-21.3
30	-23.2	70	-11.23	110	-14.76	150	-16.17	190	-8.32	230	-12.29	270	-31.77	310	-28.27	350	-18.9
31	-22.68	71	-11.2	111	-13.99	151	-17.51	191	-7.87	231	-12.86	271	-22.97	311	-30.17	351	-17.17
32	-22.26	72	-11.14	112	-13.07	152	-19.07	192	-7.5	232	-13.48	272	-18.34	312	-29.27	352	-16.41
33	-21.71	73	-11	113	-12.96	153	-19.13	193	-7.25	233	-14.17	273	-15.3	313	-26.22	353	-16.43
34	-20.97	74	-10.83	114	-11.75	154	-18.04	194	-7.12	234	-15.76	274	-12.88	314	-23.65	354	-17.13
35	-19.51	75	-10.69	115	-11.26	155	-16.77	195	-7.05	235	-17.29	275	-11.88	315	-21.7	355	-18.37
36	-17.8	76	-10.53	116	-10.91	156	-16	196	-7.25	236	-19.15	276	-11.22	316	-20.18	356	-19.48
37	-16.37	77	-10.53	117	-10.61	157	-16.06	197	-7.61	237	-20.83	277	-10.94	317	-19.51	357	-19.19
38	-15.4	78	-10.61	118	-10.43	158	-17.12	198	-8.03	238	-21.38	278	-10.86	318	-19.57	358	-17.61
39	-14.53	79	-10.76	119	-10.23	159	-18.63	199	-8.63	239	-21	279	-10.89	319	-20.01	359	-16.01