



Compliance Testing, LLC

Previously Flom Test Lab

EMI, EMC, RF Testing Experts Since 1963

toll-free: (866) 311-3268

fax: (480) 926-3598

<http://www.ComplianceTesting.com>

info@ComplianceTesting.com

Test Report

Prepared for: Garmin International, Inc.

Model: O5AHNH00

Description: Wireless Dog Trainer

Serial Number: 43T000000

FCC ID: IPH-02670

To

FCC Part 1.1310

Date of Issue: June 5, 2015

On the behalf of the applicant:

**Garmin International, Inc.
1200 E. 151 St
Olathe, KS 66062**

Attention of:

**Paul Phrommany, Senior Compliance Engineer
Ph: (913) 397-8200
E-Mail: paul.phrommany@garmin.com**

**Prepared By
Compliance Testing, LLC
1724 S. Nevada Way
Mesa, AZ 85204
(480) 926-3100 phone / (480) 926-3598 fax
www.compliancetesting.com
Project No: p1530009**

**Alex Macon
Project Test Engineer**

This report may not be reproduced, except in full, without written permission from Compliance Testing
All results contained herein relate only to the sample tested



Test Report Revision History

Revision	Date	Revised By	Reason for Revision
1.0	June 4, 2015	Alex Macon	Original Document



ILAC / A2LA

Compliance Testing, LLC, has been accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer joint ISO-ILAC-IAF Communiqué dated January 2009)

The tests results contained within this test report all fall within our scope of accreditation, unless below

Please refer to <http://www.compliancetesting.com/labscope.html> for current scope of accreditation.

Testing Certificate Number: **2152.01**



FCC Site Reg. #349717

IC Site Reg. #2044A-2

Non-accredited tests contained in this report:

N/A



Description

The EUT is a handheld transmitter paired with a receiver collar which is used in a dog training application. This is a portable device.

Measurement Result

Tuned Frequency	Conducted Peak Output power (100% Duty Cycle)	RF Exposure Limit
27.045 MHz	188 mW	929.41 mW

This is a portable device as it is a hand-held transmitter paired with a receiver collar which is used in a dog training application. The SAR exclusion from KDB 447498 Appendix C being applied.

Exclusion Ratio

Formula 1 from Section 4.3.1 of KDB 447498 D01

Exclusion Threshold = 7.5

Step 1: at 100 MHz and 50 mm, power threshold = $(7.5 * 50) / \sqrt{0.1} = 1185$ mW

Step 2a): $1185 + (50 - 50) * (27/150) = 1185$ mW

Step 3a): $1185 * [1 + \log(100/27)] = 1858.83$ mW

Step 3b): $1858.83/2 = 929.41$ mW

PER the exclusion requirement of KDB 447498 a SAR measurement is not necessary.

END OF TEST REPORT