


APPENDIX C - SETUP PHOTOS

Figure: 1

Setup Photo - Extremity Configuration				Separation Distance to Phantom (mm)	
Plot	DUT Position	Accessory	Phantom	DUT	Antenna
B1	Back	n/a	SAM	0	0



Normal View



Close-Up View

Figure: 2

Setup Photo - Extremity Configuration				Separation Distance to Phantom (mm)	
Plot	DUT Position	Accessory	Phantom	DUT	Antenna
B2	Front	n/a	SAM	0	0



Normal View



Close-Up View

Figure: 3

Setup Photo - Extremity Configuration				Separation Distance to Phantom (mm)	
Plot	DUT Position	Accessory	Phantom	DUT	Antenna
B3,B5	Top	n/a	SAM	0	0



Normal View



Close-Up View

Figure: 4


Setup Photo - Extremity Configuration				Separation Distance to Phantom (mm)	
Plot	DUT Position	Accessory	Phantom	DUT	Antenna
B4	Left	n/a	SAM	0	0
					
Normal View		Close-Up View			

Figure: 5

Setup Photo - Extremity Configuration				Separation Distance to Phantom (mm)	
Plot	DUT Position	Accessory	Phantom	DUT	Antenna
B6	Bottom	n/a	SAM	0	0



Normal View



Close-Up View

Figure: 6


Setup Photo - Extremity Configuration				Separation Distance to Phantom (mm)	
Plot	DUT Position	Accessory	Phantom	DUT	Antenna
B8,B12	Back	n/a	ELI	0	0
					
					

Figure: 7

Setup Photo - Extremity Configuration				Separation Distance to Phantom (mm)	
Plot	DUT Position	Accessory	Phantom	DUT	Antenna
B9,B14	Top	n/a	ELI	0	0




Normal View




Close-Up View

Figure: 8

Setup Photo - Extremity Configuration				Separation Distance to Phantom (mm)	
Plot	DUT Position	Accessory	Phantom	DUT	Antenna
B10,B15	Left	n/a	ELI	0	0



A photograph showing the overall setup. A black metal frame holds a white cylindrical phantom. A yellow tape is wrapped around the middle of the phantom. A black rectangular device with a white screen is mounted on top of the frame. The background is a wooden wall.



A close-up photograph of the black rectangular device. The screen displays a menu with the following options: Toggle Test, Set Test Mode, Threshold, Set WFL Band, Set Channel, Set Modulation, Set Channel, and Set Channel. At the top of the screen, there are three icons: an upward arrow, a downward arrow, and a circular arrow. The device is mounted on a black metal frame.

Figure: 9

Setup Photo - Extremity Configuration				Separation Distance to Phantom (mm)	
Plot	DUT Position	Accessory	Phantom	DUT	Antenna
B11,B13	Front	n/a	ELI	0	0



Normal View



Close-Up View