


|                                 |                             |
|---------------------------------|-----------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                        |
| <b>TESTED CONDITIONS MODES:</b> | TC#01 (a Mode SISO Radio A) |
| <b>TEST RESULTS:</b>            | PASS                        |

**Bandwidth: 20 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5469.750000     | -27.2       | 0.2         | -27.0       | PASS   |
| 5468.750000     | -27.4       | 0.4         | -27.0       | PASS   |
| 5469.250000     | -27.6       | 0.6         | -27.0       | PASS   |
| 5467.750000     | -28.7       | 1.7         | -27.0       | PASS   |
| 5468.250000     | -28.8       | 1.8         | -27.0       | PASS   |
| 5467.250000     | -28.8       | 1.8         | -27.0       | PASS   |
| 5465.750000     | -29.0       | 2.0         | -27.0       | PASS   |
| 5466.250000     | -29.0       | 2.0         | -27.0       | PASS   |
| 5466.750000     | -29.6       | 2.6         | -27.0       | PASS   |
| 5463.750000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5463.250000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5464.750000     | -30.2       | 3.2         | -27.0       | PASS   |
| 5465.250000     | -30.2       | 3.2         | -27.0       | PASS   |
| 5462.750000     | -30.4       | 3.4         | -27.0       | PASS   |
| 5464.250000     | -31.2       | 4.2         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.250000     | -32.0       | 5.0         | -27.0       | PASS   |
| 5725.750000     | -32.3       | 5.3         | -27.0       | PASS   |
| 5727.750000     | -32.5       | 5.5         | -27.0       | PASS   |
| 5727.250000     | -32.6       | 5.6         | -27.0       | PASS   |
| 5728.250000     | -32.6       | 5.6         | -27.0       | PASS   |
| 5726.250000     | -32.7       | 5.7         | -27.0       | PASS   |
| 5726.750000     | -32.7       | 5.7         | -27.0       | PASS   |
| 5728.750000     | -33.0       | 6.0         | -27.0       | PASS   |
| 5732.750000     | -33.5       | 6.5         | -27.0       | PASS   |
| 5732.250000     | -34.4       | 7.4         | -27.0       | PASS   |
| 5729.250000     | -34.4       | 7.4         | -27.0       | PASS   |
| 5730.250000     | -34.6       | 7.6         | -27.0       | PASS   |
| 5730.750000     | -34.7       | 7.7         | -27.0       | PASS   |
| 5729.750000     | -35.1       | 8.1         | -27.0       | PASS   |
| 5731.750000     | -35.2       | 8.2         | -27.0       | PASS   |

|                                 |                             |
|---------------------------------|-----------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                        |
| <b>TESTED CONDITIONS MODES:</b> | TC#01 (a Mode SISO Radio B) |
| <b>TEST RESULTS:</b>            | PASS                        |

**Bandwidth: 20 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5469.250000     | -47.3       | 20.3        | -27.0       | PASS   |
| 5468.750000     | -48.8       | 21.8        | -27.0       | PASS   |
| 5469.750000     | -48.8       | 21.8        | -27.0       | PASS   |
| 5466.750000     | -49.3       | 22.3        | -27.0       | PASS   |
| 5467.750000     | -49.3       | 22.3        | -27.0       | PASS   |
| 5467.250000     | -49.5       | 22.5        | -27.0       | PASS   |
| 5468.250000     | -49.7       | 22.7        | -27.0       | PASS   |
| 5466.250000     | -50.2       | 23.2        | -27.0       | PASS   |
| 5465.750000     | -50.3       | 23.3        | -27.0       | PASS   |
| 5465.250000     | -50.4       | 23.4        | -27.0       | PASS   |
| 5462.250000     | -50.8       | 23.8        | -27.0       | PASS   |
| 5463.250000     | -50.8       | 23.8        | -27.0       | PASS   |
| 5463.750000     | -50.8       | 23.8        | -27.0       | PASS   |
| 5464.750000     | -51.0       | 24.0        | -27.0       | PASS   |
| 5461.250000     | -51.2       | 24.2        | -27.0       | PASS   |

## TEST RESULTS (Cont.)

**Bandwidth: 20 MHz**

**Highest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.250000     | -35.3       | 8.3         | -27.0       | PASS   |
| 5726.250000     | -35.4       | 8.4         | -27.0       | PASS   |
| 5728.250000     | -35.8       | 8.8         | -27.0       | PASS   |
| 5727.750000     | -36.2       | 9.2         | -27.0       | PASS   |
| 5726.750000     | -36.3       | 9.3         | -27.0       | PASS   |
| 5725.750000     | -36.3       | 9.3         | -27.0       | PASS   |
| 5733.750000     | -36.7       | 9.7         | -27.0       | PASS   |
| 5733.250000     | -36.7       | 9.7         | -27.0       | PASS   |
| 5734.250000     | -36.8       | 9.8         | -27.0       | PASS   |
| 5728.750000     | -36.9       | 9.9         | -27.0       | PASS   |
| 5734.750000     | -36.9       | 9.9         | -27.0       | PASS   |
| 5727.250000     | -36.9       | 9.9         | -27.0       | PASS   |
| 5729.750000     | -37.0       | 10.0        | -27.0       | PASS   |
| 5732.750000     | -37.0       | 10.0        | -27.0       | PASS   |
| 5735.250000     | -37.1       | 10.1        | -27.0       | PASS   |

|                                 |                               |
|---------------------------------|-------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                          |
| <b>TESTED CONDITIONS MODES:</b> | TC#01 (a Mode MIMO Radio A+B) |
| <b>TEST RESULTS:</b>            | PASS                          |

**Bandwidth: 20 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5469.250000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5468.750000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5469.750000     | -29.9       | 2.9         | -27.0       | PASS   |
| 5468.250000     | -30.5       | 3.5         | -27.0       | PASS   |
| 5467.750000     | -30.7       | 3.7         | -27.0       | PASS   |
| 5466.750000     | -31.1       | 4.1         | -27.0       | PASS   |
| 5465.750000     | -31.2       | 4.2         | -27.0       | PASS   |
| 5467.250000     | -31.2       | 4.2         | -27.0       | PASS   |
| 5466.250000     | -31.3       | 4.3         | -27.0       | PASS   |
| 5464.750000     | -32.1       | 5.1         | -27.0       | PASS   |
| 5465.250000     | -32.6       | 5.6         | -27.0       | PASS   |
| 5462.750000     | -32.7       | 5.7         | -27.0       | PASS   |
| 5461.750000     | -32.7       | 5.7         | -27.0       | PASS   |
| 5463.250000     | -32.7       | 5.7         | -27.0       | PASS   |
| 5460.750000     | -32.8       | 5.8         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.250000     | -30.0       | 3.0         | -27.0       | PASS   |
| 5726.250000     | -30.3       | 3.3         | -27.0       | PASS   |
| 5725.750000     | -30.3       | 3.3         | -27.0       | PASS   |
| 5726.750000     | -31.7       | 4.7         | -27.0       | PASS   |
| 5727.250000     | -32.4       | 5.4         | -27.0       | PASS   |
| 5727.750000     | -32.5       | 5.5         | -27.0       | PASS   |
| 5728.250000     | -32.8       | 5.8         | -27.0       | PASS   |
| 5728.750000     | -33.6       | 6.6         | -27.0       | PASS   |
| 5729.250000     | -34.0       | 7.0         | -27.0       | PASS   |
| 5730.750000     | -34.0       | 7.0         | -27.0       | PASS   |
| 5731.750000     | -34.0       | 7.0         | -27.0       | PASS   |
| 5731.250000     | -34.0       | 7.0         | -27.0       | PASS   |
| 5730.250000     | -34.1       | 7.1         | -27.0       | PASS   |
| 5729.750000     | -34.2       | 7.2         | -27.0       | PASS   |
| 5732.250000     | -34.5       | 7.5         | -27.0       | PASS   |

|                                 |                             |
|---------------------------------|-----------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                        |
| <b>TESTED CONDITIONS MODES:</b> | TC#02 (n Mode SISO Radio A) |
| <b>TEST RESULTS:</b>            | PASS                        |

**Bandwidth: 20 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5147.250000     | -29.0       | 2.0         | -27.0       | PASS   |
| 5146.750000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5149.250000     | -30.6       | 3.6         | -27.0       | PASS   |
| 5145.250000     | -30.7       | 3.7         | -27.0       | PASS   |
| 5149.750000     | -31.3       | 4.3         | -27.0       | PASS   |
| 5148.250000     | -31.5       | 4.5         | -27.0       | PASS   |
| 5143.750000     | -31.5       | 4.5         | -27.0       | PASS   |
| 5148.750000     | -31.8       | 4.8         | -27.0       | PASS   |
| 5147.750000     | -31.9       | 4.9         | -27.0       | PASS   |
| 5143.250000     | -32.4       | 5.4         | -27.0       | PASS   |
| 5146.250000     | -33.0       | 6.0         | -27.0       | PASS   |
| 5142.750000     | -33.4       | 6.4         | -27.0       | PASS   |
| 5145.750000     | -33.7       | 6.7         | -27.0       | PASS   |
| 5144.750000     | -33.9       | 6.9         | -27.0       | PASS   |
| 5142.250000     | -34.2       | 7.2         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

**Bandwidth: 20 MHz**

**Highest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.250000     | -30.0       | 3.0         | -27.0       | PASS   |
| 5726.250000     | -30.3       | 3.3         | -27.0       | PASS   |
| 5725.750000     | -30.3       | 3.3         | -27.0       | PASS   |
| 5726.750000     | -31.7       | 4.7         | -27.0       | PASS   |
| 5727.250000     | -32.4       | 5.4         | -27.0       | PASS   |
| 5727.750000     | -32.5       | 5.5         | -27.0       | PASS   |
| 5728.250000     | -32.8       | 5.8         | -27.0       | PASS   |
| 5728.750000     | -33.6       | 6.6         | -27.0       | PASS   |
| 5729.250000     | -34.0       | 7.0         | -27.0       | PASS   |
| 5730.750000     | -34.0       | 7.0         | -27.0       | PASS   |
| 5731.750000     | -34.0       | 7.0         | -27.0       | PASS   |
| 5731.250000     | -34.0       | 7.0         | -27.0       | PASS   |
| 5730.250000     | -34.1       | 7.1         | -27.0       | PASS   |
| 5729.750000     | -34.2       | 7.2         | -27.0       | PASS   |
| 5732.250000     | -34.5       | 7.5         | -27.0       | PASS   |

|                                 |                             |
|---------------------------------|-----------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                        |
| <b>TESTED CONDITIONS MODES:</b> | TC#02 (n Mode SISO Radio B) |
| <b>TEST RESULTS:</b>            | PASS                        |

**Bandwidth: 20 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5148.250000     | -36.2       | 9.2         | -27.0       | PASS   |
| 5149.750000     | -36.2       | 9.2         | -27.0       | PASS   |
| 5147.750000     | -38.4       | 11.4        | -27.0       | PASS   |
| 5148.750000     | -38.8       | 11.8        | -27.0       | PASS   |
| 5147.250000     | -38.9       | 11.9        | -27.0       | PASS   |
| 5149.250000     | -38.9       | 11.9        | -27.0       | PASS   |
| 5146.750000     | -39.4       | 12.4        | -27.0       | PASS   |
| 5144.250000     | -39.4       | 12.4        | -27.0       | PASS   |
| 5144.750000     | -39.5       | 12.5        | -27.0       | PASS   |
| 5146.250000     | -39.8       | 12.8        | -27.0       | PASS   |
| 5145.250000     | -40.0       | 13.0        | -27.0       | PASS   |
| 5141.750000     | -40.2       | 13.2        | -27.0       | PASS   |
| 5145.750000     | -40.2       | 13.2        | -27.0       | PASS   |
| 5143.250000     | -40.3       | 13.3        | -27.0       | PASS   |
| 5143.750000     | -40.3       | 13.3        | -27.0       | PASS   |

## TEST RESULTS (Cont.)

**Bandwidth: 20 MHz**

**Highest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.250000     | -30.0       | 3.0         | -27.0       | PASS   |
| 5726.250000     | -30.3       | 3.3         | -27.0       | PASS   |
| 5725.750000     | -30.3       | 3.3         | -27.0       | PASS   |
| 5726.750000     | -31.7       | 4.7         | -27.0       | PASS   |
| 5727.250000     | -32.4       | 5.4         | -27.0       | PASS   |
| 5727.750000     | -32.5       | 5.5         | -27.0       | PASS   |
| 5728.250000     | -32.8       | 5.8         | -27.0       | PASS   |
| 5728.750000     | -33.6       | 6.6         | -27.0       | PASS   |
| 5729.250000     | -34.0       | 7.0         | -27.0       | PASS   |
| 5730.750000     | -34.0       | 7.0         | -27.0       | PASS   |
| 5731.750000     | -34.0       | 7.0         | -27.0       | PASS   |
| 5731.250000     | -34.0       | 7.0         | -27.0       | PASS   |
| 5730.250000     | -34.1       | 7.1         | -27.0       | PASS   |
| 5729.750000     | -34.2       | 7.2         | -27.0       | PASS   |
| 5732.250000     | -34.5       | 7.5         | -27.0       | PASS   |

|                                 |                               |
|---------------------------------|-------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                          |
| <b>TESTED CONDITIONS MODES:</b> | TC#02 (n Mode MIMO Radio A+B) |
| <b>TEST RESULTS:</b>            | PASS                          |

**Bandwidth: 20 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5469.750000     | -28.8       | 1.8         | -27.0       | PASS   |
| 5467.750000     | -29.9       | 2.9         | -27.0       | PASS   |
| 5469.250000     | -30.1       | 3.1         | -27.0       | PASS   |
| 5468.250000     | -30.1       | 3.1         | -27.0       | PASS   |
| 5468.750000     | -30.5       | 3.5         | -27.0       | PASS   |
| 5467.250000     | -31.1       | 4.1         | -27.0       | PASS   |
| 5466.750000     | -31.4       | 4.4         | -27.0       | PASS   |
| 5465.750000     | -31.7       | 4.7         | -27.0       | PASS   |
| 5466.250000     | -32.3       | 5.3         | -27.0       | PASS   |
| 5463.750000     | -32.4       | 5.4         | -27.0       | PASS   |
| 5464.250000     | -33.8       | 6.8         | -27.0       | PASS   |
| 5462.750000     | -33.9       | 6.9         | -27.0       | PASS   |
| 5464.750000     | -34.1       | 7.1         | -27.0       | PASS   |
| 5458.750000     | -34.1       | 7.1         | -27.0       | PASS   |
| 5465.250000     | -34.2       | 7.2         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.250000     | -31.0       | 4.0         | -27.0       | PASS   |
| 5725.750000     | -32.3       | 5.3         | -27.0       | PASS   |
| 5726.750000     | -32.3       | 5.3         | -27.0       | PASS   |
| 5726.250000     | -32.7       | 5.7         | -27.0       | PASS   |
| 5727.250000     | -32.8       | 5.8         | -27.0       | PASS   |
| 5728.750000     | -34.0       | 7.0         | -27.0       | PASS   |
| 5727.750000     | -34.1       | 7.1         | -27.0       | PASS   |
| 5730.250000     | -34.7       | 7.7         | -27.0       | PASS   |
| 5728.250000     | -34.8       | 7.8         | -27.0       | PASS   |
| 5731.250000     | -34.9       | 7.9         | -27.0       | PASS   |
| 5729.250000     | -34.9       | 7.9         | -27.0       | PASS   |
| 5729.750000     | -35.0       | 8.0         | -27.0       | PASS   |
| 5732.250000     | -35.3       | 8.3         | -27.0       | PASS   |
| 5730.750000     | -35.8       | 8.8         | -27.0       | PASS   |
| 5731.750000     | -35.8       | 8.8         | -27.0       | PASS   |

|                          |                             |
|--------------------------|-----------------------------|
| TESTED SAMPLES:          | S/01                        |
| TESTED CONDITIONS MODES: | TC#02 (n Mode SISO Radio A) |
| TEST RESULTS:            | PASS                        |

Bandwidth: 40 MHz

Lowest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5143.750000     | -29.5       | 2.5         | -27.0       | PASS   |
| 5149.250000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5149.750000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5148.250000     | -29.9       | 2.9         | -27.0       | PASS   |
| 5148.750000     | -30.0       | 3.0         | -27.0       | PASS   |
| 5147.750000     | -30.1       | 3.1         | -27.0       | PASS   |
| 5142.750000     | -30.2       | 3.2         | -27.0       | PASS   |
| 5144.250000     | -30.2       | 3.2         | -27.0       | PASS   |
| 5147.250000     | -30.4       | 3.4         | -27.0       | PASS   |
| 5146.250000     | -30.6       | 3.6         | -27.0       | PASS   |
| 5144.750000     | -30.6       | 3.6         | -27.0       | PASS   |
| 5143.250000     | -30.7       | 3.7         | -27.0       | PASS   |
| 5146.750000     | -30.7       | 3.7         | -27.0       | PASS   |
| 5145.750000     | -31.1       | 4.1         | -27.0       | PASS   |
| 5138.250000     | -31.3       | 4.3         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel

Band Edge




— Limit — Sum Level X Fail

| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.250000     | -38.4       | 11.4        | -27.0       | PASS   |
| 5735.750000     | -38.5       | 11.5        | -27.0       | PASS   |
| 5732.250000     | -38.8       | 11.8        | -27.0       | PASS   |
| 5725.750000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5732.750000     | -39.2       | 12.2        | -27.0       | PASS   |
| 5735.250000     | -39.3       | 12.3        | -27.0       | PASS   |
| 5730.750000     | -39.4       | 12.4        | -27.0       | PASS   |
| 5726.250000     | -39.9       | 12.9        | -27.0       | PASS   |
| 5730.250000     | -39.9       | 12.9        | -27.0       | PASS   |
| 5727.250000     | -40.0       | 13.0        | -27.0       | PASS   |
| 5736.250000     | -40.0       | 13.0        | -27.0       | PASS   |
| 5737.250000     | -40.1       | 13.1        | -27.0       | PASS   |
| 5731.250000     | -40.1       | 13.1        | -27.0       | PASS   |
| 5738.750000     | -40.4       | 13.4        | -27.0       | PASS   |
| 5737.750000     | -40.4       | 13.4        | -27.0       | PASS   |

|                                 |                             |
|---------------------------------|-----------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                        |
| <b>TESTED CONDITIONS MODES:</b> | TC#02 (n Mode SISO Radio B) |
| <b>TEST RESULTS:</b>            | PASS                        |

**Bandwidth: 40 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5469.250000     | -38.5       | 11.5        | -27.0       | PASS   |
| 5466.750000     | -38.9       | 11.9        | -27.0       | PASS   |
| 5469.750000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5467.750000     | -39.2       | 12.2        | -27.0       | PASS   |
| 5468.750000     | -39.5       | 12.5        | -27.0       | PASS   |
| 5468.250000     | -39.5       | 12.5        | -27.0       | PASS   |
| 5464.750000     | -39.9       | 12.9        | -27.0       | PASS   |
| 5467.250000     | -40.1       | 13.1        | -27.0       | PASS   |
| 5466.250000     | -40.4       | 13.4        | -27.0       | PASS   |
| 5465.750000     | -41.1       | 14.1        | -27.0       | PASS   |
| 5465.250000     | -41.9       | 14.9        | -27.0       | PASS   |
| 5463.250000     | -42.2       | 15.2        | -27.0       | PASS   |
| 5462.750000     | -42.5       | 15.5        | -27.0       | PASS   |
| 5463.750000     | -42.8       | 15.8        | -27.0       | PASS   |
| 5461.250000     | -43.3       | 16.3        | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5732.750000     | -47.3       | 20.3        | -27.0       | PASS   |
| 5725.250000     | -48.8       | 21.8        | -27.0       | PASS   |
| 5725.750000     | -48.8       | 21.8        | -27.0       | PASS   |
| 5727.750000     | -49.1       | 22.1        | -27.0       | PASS   |
| 5726.250000     | -49.1       | 22.1        | -27.0       | PASS   |
| 5727.250000     | -49.4       | 22.4        | -27.0       | PASS   |
| 5728.750000     | -49.5       | 22.5        | -27.0       | PASS   |
| 5729.250000     | -49.5       | 22.5        | -27.0       | PASS   |
| 5735.750000     | -49.5       | 22.5        | -27.0       | PASS   |
| 5732.250000     | -49.9       | 22.9        | -27.0       | PASS   |
| 5730.250000     | -49.9       | 22.9        | -27.0       | PASS   |
| 5735.250000     | -50.0       | 23.0        | -27.0       | PASS   |
| 5726.750000     | -50.0       | 23.0        | -27.0       | PASS   |
| 5729.750000     | -50.0       | 23.0        | -27.0       | PASS   |
| 5736.250000     | -50.0       | 23.0        | -27.0       | PASS   |

|                                 |                               |
|---------------------------------|-------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                          |
| <b>TESTED CONDITIONS MODES:</b> | TC#02 (n Mode MIMO Radio A+B) |
| <b>TEST RESULTS:</b>            | PASS                          |

**Bandwidth: 40 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5466.250000     | -29.4       | 2.4         | -27.0       | PASS   |
| 5469.250000     | -29.4       | 2.4         | -27.0       | PASS   |
| 5469.750000     | -29.5       | 2.5         | -27.0       | PASS   |
| 5468.750000     | -29.6       | 2.6         | -27.0       | PASS   |
| 5468.250000     | -29.6       | 2.6         | -27.0       | PASS   |
| 5467.750000     | -29.9       | 2.9         | -27.0       | PASS   |
| 5466.750000     | -30.0       | 3.0         | -27.0       | PASS   |
| 5467.250000     | -30.3       | 3.3         | -27.0       | PASS   |
| 5463.750000     | -30.8       | 3.8         | -27.0       | PASS   |
| 5464.750000     | -31.0       | 4.0         | -27.0       | PASS   |
| 5465.750000     | -31.1       | 4.1         | -27.0       | PASS   |
| 5464.250000     | -31.5       | 4.5         | -27.0       | PASS   |
| 5460.750000     | -31.5       | 4.5         | -27.0       | PASS   |
| 5463.250000     | -31.6       | 4.6         | -27.0       | PASS   |
| 5457.250000     | -31.6       | 4.6         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5732.250000     | -40.8       | 13.8        | -27.0       | PASS   |
| 5732.750000     | -41.1       | 14.1        | -27.0       | PASS   |
| 5747.250000     | -41.4       | 14.4        | -27.0       | PASS   |
| 5745.750000     | -41.5       | 14.5        | -27.0       | PASS   |
| 5735.750000     | -41.6       | 14.6        | -27.0       | PASS   |
| 5740.250000     | -41.7       | 14.7        | -27.0       | PASS   |
| 5727.750000     | -41.7       | 14.7        | -27.0       | PASS   |
| 5740.750000     | -41.7       | 14.7        | -27.0       | PASS   |
| 5742.250000     | -41.8       | 14.8        | -27.0       | PASS   |
| 5725.250000     | -41.9       | 14.9        | -27.0       | PASS   |
| 5726.750000     | -41.9       | 14.9        | -27.0       | PASS   |
| 5730.750000     | -42.1       | 15.1        | -27.0       | PASS   |
| 5737.750000     | -42.2       | 15.2        | -27.0       | PASS   |
| 5735.250000     | -42.2       | 15.2        | -27.0       | PASS   |
| 5727.250000     | -42.2       | 15.2        | -27.0       | PASS   |

|                                 |                              |
|---------------------------------|------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                         |
| <b>TESTED CONDITIONS MODES:</b> | TC#03 (ac Mode SISO Radio A) |
| <b>TEST RESULTS:</b>            | PASS                         |

**Bandwidth: 20 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5466.250000     | -27.6       | 0.6         | -27.0       | PASS   |
| 5469.750000     | -27.6       | 0.6         | -27.0       | PASS   |
| 5467.750000     | -27.8       | 0.8         | -27.0       | PASS   |
| 5467.250000     | -27.9       | 0.9         | -27.0       | PASS   |
| 5469.250000     | -28.4       | 1.4         | -27.0       | PASS   |
| 5468.750000     | -28.5       | 1.5         | -27.0       | PASS   |
| 5466.750000     | -28.8       | 1.8         | -27.0       | PASS   |
| 5468.250000     | -29.0       | 2.0         | -27.0       | PASS   |
| 5465.750000     | -29.5       | 2.5         | -27.0       | PASS   |
| 5464.750000     | -29.5       | 2.5         | -27.0       | PASS   |
| 5465.250000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5463.750000     | -30.5       | 3.5         | -27.0       | PASS   |
| 5462.250000     | -30.6       | 3.6         | -27.0       | PASS   |
| 5464.250000     | -30.6       | 3.6         | -27.0       | PASS   |
| 5463.250000     | -30.6       | 3.6         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.250000     | -31.3       | 4.3         | -27.0       | PASS   |
| 5725.750000     | -31.3       | 4.3         | -27.0       | PASS   |
| 5726.250000     | -31.3       | 4.3         | -27.0       | PASS   |
| 5726.750000     | -31.7       | 4.7         | -27.0       | PASS   |
| 5729.250000     | -32.3       | 5.3         | -27.0       | PASS   |
| 5729.750000     | -32.4       | 5.4         | -27.0       | PASS   |
| 5728.250000     | -32.6       | 5.6         | -27.0       | PASS   |
| 5727.250000     | -32.6       | 5.6         | -27.0       | PASS   |
| 5728.750000     | -32.8       | 5.8         | -27.0       | PASS   |
| 5727.750000     | -32.9       | 5.9         | -27.0       | PASS   |
| 5730.250000     | -33.2       | 6.2         | -27.0       | PASS   |
| 5731.250000     | -34.2       | 7.2         | -27.0       | PASS   |
| 5733.250000     | -34.2       | 7.2         | -27.0       | PASS   |
| 5731.750000     | -34.3       | 7.3         | -27.0       | PASS   |
| 5730.750000     | -34.4       | 7.4         | -27.0       | PASS   |

|                                 |                              |
|---------------------------------|------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                         |
| <b>TESTED CONDITIONS MODES:</b> | TC#03 (ac Mode SISO Radio B) |
| <b>TEST RESULTS:</b>            | PASS                         |

**Bandwidth: 20 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5469.250000     | -44.2       | 17.2        | -27.0       | PASS   |
| 5469.750000     | -44.6       | 17.6        | -27.0       | PASS   |
| 5468.750000     | -44.6       | 17.6        | -27.0       | PASS   |
| 5466.750000     | -45.3       | 18.3        | -27.0       | PASS   |
| 5465.250000     | -45.4       | 18.4        | -27.0       | PASS   |
| 5467.750000     | -45.4       | 18.4        | -27.0       | PASS   |
| 5468.250000     | -45.5       | 18.5        | -27.0       | PASS   |
| 5466.250000     | -45.6       | 18.6        | -27.0       | PASS   |
| 5467.250000     | -45.8       | 18.8        | -27.0       | PASS   |
| 5465.750000     | -46.1       | 19.1        | -27.0       | PASS   |
| 5463.250000     | -46.3       | 19.3        | -27.0       | PASS   |
| 5462.250000     | -46.4       | 19.4        | -27.0       | PASS   |
| 5463.750000     | -46.5       | 19.5        | -27.0       | PASS   |
| 5464.750000     | -46.6       | 19.6        | -27.0       | PASS   |
| 5462.750000     | -46.6       | 19.6        | -27.0       | PASS   |

## TEST RESULTS (Cont.)

**Bandwidth: 20 MHz**

**Highest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.750000     | -37.5       | 10.5        | -27.0       | PASS   |
| 5726.250000     | -37.6       | 10.6        | -27.0       | PASS   |
| 5725.250000     | -37.8       | 10.8        | -27.0       | PASS   |
| 5726.750000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5727.250000     | -39.6       | 12.6        | -27.0       | PASS   |
| 5727.750000     | -40.1       | 13.1        | -27.0       | PASS   |
| 5728.750000     | -40.2       | 13.2        | -27.0       | PASS   |
| 5728.250000     | -40.9       | 13.9        | -27.0       | PASS   |
| 5735.750000     | -41.0       | 14.0        | -27.0       | PASS   |
| 5729.750000     | -41.3       | 14.3        | -27.0       | PASS   |
| 5729.250000     | -41.6       | 14.6        | -27.0       | PASS   |
| 5734.750000     | -41.6       | 14.6        | -27.0       | PASS   |
| 5730.750000     | -42.2       | 15.2        | -27.0       | PASS   |
| 5734.250000     | -42.3       | 15.3        | -27.0       | PASS   |
| 5731.750000     | -42.4       | 15.4        | -27.0       | PASS   |

|                          |                                |
|--------------------------|--------------------------------|
| TESTED SAMPLES:          | S/01                           |
| TESTED CONDITIONS MODES: | TC#03 (ac Mode MIMO Radio A+B) |
| TEST RESULTS:            | PASS                           |

Bandwidth: 20 MHz

Lowest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5468.250000     | -28.9       | 1.9         | -27.0       | PASS   |
| 5468.750000     | -29.1       | 2.1         | -27.0       | PASS   |
| 5469.250000     | -29.2       | 2.2         | -27.0       | PASS   |
| 5469.750000     | -29.6       | 2.6         | -27.0       | PASS   |
| 5467.250000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5467.750000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5466.750000     | -30.0       | 3.0         | -27.0       | PASS   |
| 5465.250000     | -30.3       | 3.3         | -27.0       | PASS   |
| 5465.750000     | -30.5       | 3.5         | -27.0       | PASS   |
| 5466.250000     | -30.5       | 3.5         | -27.0       | PASS   |
| 5464.250000     | -30.8       | 3.8         | -27.0       | PASS   |
| 5464.750000     | -30.8       | 3.8         | -27.0       | PASS   |
| 5459.750000     | -31.3       | 4.3         | -27.0       | PASS   |
| 5463.750000     | -31.4       | 4.4         | -27.0       | PASS   |
| 5460.250000     | -31.7       | 4.7         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.250000     | -30.7       | 3.7         | -27.0       | PASS   |
| 5725.750000     | -31.8       | 4.8         | -27.0       | PASS   |
| 5727.750000     | -32.1       | 5.1         | -27.0       | PASS   |
| 5728.250000     | -32.3       | 5.3         | -27.0       | PASS   |
| 5726.750000     | -32.5       | 5.5         | -27.0       | PASS   |
| 5726.250000     | -32.7       | 5.7         | -27.0       | PASS   |
| 5728.750000     | -32.8       | 5.8         | -27.0       | PASS   |
| 5729.750000     | -32.9       | 5.9         | -27.0       | PASS   |
| 5729.250000     | -32.9       | 5.9         | -27.0       | PASS   |
| 5727.250000     | -33.2       | 6.2         | -27.0       | PASS   |
| 5730.250000     | -34.3       | 7.3         | -27.0       | PASS   |
| 5730.750000     | -34.7       | 7.7         | -27.0       | PASS   |
| 5733.250000     | -35.0       | 8.0         | -27.0       | PASS   |
| 5731.750000     | -35.1       | 8.1         | -27.0       | PASS   |
| 5731.250000     | -35.5       | 8.5         | -27.0       | PASS   |

|                                 |                              |
|---------------------------------|------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                         |
| <b>TESTED CONDITIONS MODES:</b> | TC#03 (ac Mode SISO Radio A) |
| <b>TEST RESULTS:</b>            | PASS                         |

**Bandwidth: 40 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5469.250000     | -27.5       | 0.5         | -27.0       | PASS   |
| 5467.750000     | -27.7       | 0.7         | -27.0       | PASS   |
| 5466.750000     | -27.8       | 0.8         | -27.0       | PASS   |
| 5468.750000     | -28.3       | 1.3         | -27.0       | PASS   |
| 5466.250000     | -28.6       | 1.6         | -27.0       | PASS   |
| 5468.250000     | -28.7       | 1.7         | -27.0       | PASS   |
| 5469.750000     | -28.8       | 1.8         | -27.0       | PASS   |
| 5467.250000     | -29.0       | 2.0         | -27.0       | PASS   |
| 5465.750000     | -29.3       | 2.3         | -27.0       | PASS   |
| 5465.250000     | -29.9       | 2.9         | -27.0       | PASS   |
| 5464.750000     | -30.0       | 3.0         | -27.0       | PASS   |
| 5464.250000     | -30.0       | 3.0         | -27.0       | PASS   |
| 5463.750000     | -30.3       | 3.3         | -27.0       | PASS   |
| 5461.250000     | -30.3       | 3.3         | -27.0       | PASS   |
| 5461.750000     | -30.3       | 3.3         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5732.250000     | -37.4       | 10.4        | -27.0       | PASS   |
| 5732.750000     | -37.8       | 10.8        | -27.0       | PASS   |
| 5731.250000     | -38.6       | 11.6        | -27.0       | PASS   |
| 5731.750000     | -38.7       | 11.7        | -27.0       | PASS   |
| 5727.750000     | -38.8       | 11.8        | -27.0       | PASS   |
| 5729.250000     | -38.8       | 11.8        | -27.0       | PASS   |
| 5726.750000     | -39.0       | 12.0        | -27.0       | PASS   |
| 5725.250000     | -39.0       | 12.0        | -27.0       | PASS   |
| 5729.750000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5741.250000     | -39.2       | 12.2        | -27.0       | PASS   |
| 5735.250000     | -39.3       | 12.3        | -27.0       | PASS   |
| 5741.750000     | -39.4       | 12.4        | -27.0       | PASS   |
| 5725.750000     | -39.5       | 12.5        | -27.0       | PASS   |
| 5726.250000     | -39.5       | 12.5        | -27.0       | PASS   |
| 5728.750000     | -39.6       | 12.6        | -27.0       | PASS   |

|                                 |                              |
|---------------------------------|------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                         |
| <b>TESTED CONDITIONS MODES:</b> | TC#03 (ac Mode SISO Radio B) |
| <b>TEST RESULTS:</b>            | PASS                         |

**Bandwidth: 40 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5467.250000     | -43.1       | 16.1        | -27.0       | PASS   |
| 5466.250000     | -43.8       | 16.8        | -27.0       | PASS   |
| 5469.750000     | -44.1       | 17.1        | -27.0       | PASS   |
| 5468.250000     | -44.2       | 17.2        | -27.0       | PASS   |
| 5464.250000     | -44.3       | 17.3        | -27.0       | PASS   |
| 5469.250000     | -44.5       | 17.5        | -27.0       | PASS   |
| 5468.750000     | -44.6       | 17.6        | -27.0       | PASS   |
| 5463.250000     | -44.9       | 17.9        | -27.0       | PASS   |
| 5467.750000     | -45.1       | 18.1        | -27.0       | PASS   |
| 5463.750000     | -45.3       | 18.3        | -27.0       | PASS   |
| 5464.750000     | -45.4       | 18.4        | -27.0       | PASS   |
| 5465.250000     | -45.4       | 18.4        | -27.0       | PASS   |
| 5465.750000     | -45.4       | 18.4        | -27.0       | PASS   |
| 5466.750000     | -45.5       | 18.5        | -27.0       | PASS   |
| 5462.750000     | -46.6       | 19.6        | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5732.250000     | -37.4       | 10.4        | -27.0       | PASS   |
| 5732.750000     | -37.8       | 10.8        | -27.0       | PASS   |
| 5731.250000     | -38.6       | 11.6        | -27.0       | PASS   |
| 5731.750000     | -38.7       | 11.7        | -27.0       | PASS   |
| 5727.750000     | -38.8       | 11.8        | -27.0       | PASS   |
| 5729.250000     | -38.8       | 11.8        | -27.0       | PASS   |
| 5726.750000     | -39.0       | 12.0        | -27.0       | PASS   |
| 5725.250000     | -39.0       | 12.0        | -27.0       | PASS   |
| 5729.750000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5741.250000     | -39.2       | 12.2        | -27.0       | PASS   |
| 5735.250000     | -39.3       | 12.3        | -27.0       | PASS   |
| 5741.750000     | -39.4       | 12.4        | -27.0       | PASS   |
| 5725.750000     | -39.5       | 12.5        | -27.0       | PASS   |
| 5726.250000     | -39.5       | 12.5        | -27.0       | PASS   |
| 5728.750000     | -39.6       | 12.6        | -27.0       | PASS   |

|                                 |                                |
|---------------------------------|--------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                           |
| <b>TESTED CONDITIONS MODES:</b> | TC#03 (ac Mode MIMO Radio A+B) |
| <b>TEST RESULTS:</b>            | PASS                           |

**Bandwidth: 40 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5467.250000     | -31.2       | 4.2         | -27.0       | PASS   |
| 5465.750000     | -31.2       | 4.2         | -27.0       | PASS   |
| 5468.750000     | -31.2       | 4.2         | -27.0       | PASS   |
| 5469.250000     | -31.5       | 4.5         | -27.0       | PASS   |
| 5469.750000     | -31.5       | 4.5         | -27.0       | PASS   |
| 5466.750000     | -31.6       | 4.6         | -27.0       | PASS   |
| 5468.250000     | -31.6       | 4.6         | -27.0       | PASS   |
| 5465.250000     | -31.6       | 4.6         | -27.0       | PASS   |
| 5467.750000     | -31.7       | 4.7         | -27.0       | PASS   |
| 5464.750000     | -31.8       | 4.8         | -27.0       | PASS   |
| 5463.250000     | -31.9       | 4.9         | -27.0       | PASS   |
| 5464.250000     | -32.0       | 5.0         | -27.0       | PASS   |
| 5466.250000     | -32.1       | 5.1         | -27.0       | PASS   |
| 5463.750000     | -32.5       | 5.5         | -27.0       | PASS   |
| 5458.750000     | -32.9       | 5.9         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.250000     | -38.2       | 11.2        | -27.0       | PASS   |
| 5732.750000     | -39.0       | 12.0        | -27.0       | PASS   |
| 5730.250000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5732.250000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5731.250000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5730.750000     | -39.2       | 12.2        | -27.0       | PASS   |
| 5731.750000     | -39.7       | 12.7        | -27.0       | PASS   |
| 5725.750000     | -39.9       | 12.9        | -27.0       | PASS   |
| 5727.250000     | -40.0       | 13.0        | -27.0       | PASS   |
| 5729.750000     | -40.1       | 13.1        | -27.0       | PASS   |
| 5733.250000     | -40.7       | 13.7        | -27.0       | PASS   |
| 5728.750000     | -40.9       | 13.9        | -27.0       | PASS   |
| 5726.250000     | -40.9       | 13.9        | -27.0       | PASS   |
| 5741.250000     | -41.0       | 14.0        | -27.0       | PASS   |
| 5729.250000     | -41.0       | 14.0        | -27.0       | PASS   |

|                                 |                              |
|---------------------------------|------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                         |
| <b>TESTED CONDITIONS MODES:</b> | TC#03 (ac Mode SISO Radio A) |
| <b>TEST RESULTS:</b>            | PASS                         |

**Bandwidth: 80 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5465.250000     | -27.8       | 0.8         | -27.0       | PASS   |
| 5465.750000     | -28.8       | 1.8         | -27.0       | PASS   |
| 5466.750000     | -28.9       | 1.9         | -27.0       | PASS   |
| 5469.750000     | -29.0       | 2.0         | -27.0       | PASS   |
| 5467.250000     | -29.4       | 2.4         | -27.0       | PASS   |
| 5463.250000     | -29.5       | 2.5         | -27.0       | PASS   |
| 5464.750000     | -29.7       | 2.7         | -27.0       | PASS   |
| 5467.750000     | -30.0       | 3.0         | -27.0       | PASS   |
| 5460.250000     | -30.0       | 3.0         | -27.0       | PASS   |
| 5464.250000     | -30.1       | 3.1         | -27.0       | PASS   |
| 5463.750000     | -30.1       | 3.1         | -27.0       | PASS   |
| 5461.250000     | -30.2       | 3.2         | -27.0       | PASS   |
| 5469.250000     | -30.4       | 3.4         | -27.0       | PASS   |
| 5458.750000     | -30.4       | 3.4         | -27.0       | PASS   |
| 5466.250000     | -30.5       | 3.5         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 80 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5729.750000     | -38.3       | 11.3        | -27.0       | PASS   |
| 5731.250000     | -38.5       | 11.5        | -27.0       | PASS   |
| 5730.250000     | -38.7       | 11.7        | -27.0       | PASS   |
| 5726.750000     | -38.9       | 11.9        | -27.0       | PASS   |
| 5727.250000     | -39.0       | 12.0        | -27.0       | PASS   |
| 5725.750000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5730.750000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5729.250000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5726.250000     | -39.2       | 12.2        | -27.0       | PASS   |
| 5725.250000     | -39.3       | 12.3        | -27.0       | PASS   |
| 5728.250000     | -39.4       | 12.4        | -27.0       | PASS   |
| 5733.250000     | -39.5       | 12.5        | -27.0       | PASS   |
| 5728.750000     | -39.6       | 12.6        | -27.0       | PASS   |
| 5727.750000     | -39.7       | 12.7        | -27.0       | PASS   |
| 5731.750000     | -40.0       | 13.0        | -27.0       | PASS   |

|                                 |                              |
|---------------------------------|------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                         |
| <b>TESTED CONDITIONS MODES:</b> | TC#03 (ac Mode SISO Radio B) |
| <b>TEST RESULTS:</b>            | PASS                         |

**Bandwidth: 80 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5465.250000     | -40.2       | 13.2        | -27.0       | PASS   |
| 5456.750000     | -40.5       | 13.5        | -27.0       | PASS   |
| 5436.750000     | -40.5       | 13.5        | -27.0       | PASS   |
| 5443.250000     | -40.6       | 13.6        | -27.0       | PASS   |
| 5460.750000     | -40.7       | 13.7        | -27.0       | PASS   |
| 5468.750000     | -40.7       | 13.7        | -27.0       | PASS   |
| 5441.750000     | -40.8       | 13.8        | -27.0       | PASS   |
| 5466.750000     | -40.9       | 13.9        | -27.0       | PASS   |
| 5461.750000     | -40.9       | 13.9        | -27.0       | PASS   |
| 5438.750000     | -40.9       | 13.9        | -27.0       | PASS   |
| 5461.250000     | -41.0       | 14.0        | -27.0       | PASS   |
| 5441.250000     | -41.0       | 14.0        | -27.0       | PASS   |
| 5439.250000     | -41.0       | 14.0        | -27.0       | PASS   |
| 5467.250000     | -41.1       | 14.1        | -27.0       | PASS   |
| 5465.750000     | -41.2       | 14.2        | -27.0       | PASS   |

## TEST RESULTS (Cont.)

**Bandwidth: 80 MHz**

**Highest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5762.250000     | -52.5       | 25.5        | -27.0       | PASS   |
| 5763.750000     | -53.3       | 26.3        | -27.0       | PASS   |
| 5763.250000     | -53.4       | 26.4        | -27.0       | PASS   |
| 5761.750000     | -53.4       | 26.4        | -27.0       | PASS   |
| 5754.750000     | -53.5       | 26.5        | -27.0       | PASS   |
| 5762.750000     | -53.6       | 26.6        | -27.0       | PASS   |
| 6824.250000     | -53.6       | 26.6        | -27.0       | PASS   |
| 5759.250000     | -53.7       | 26.7        | -27.0       | PASS   |
| 5755.250000     | -53.7       | 26.7        | -27.0       | PASS   |
| 5759.750000     | -53.7       | 26.7        | -27.0       | PASS   |
| 6782.750000     | -53.8       | 26.8        | -27.0       | PASS   |
| 5758.750000     | -53.8       | 26.8        | -27.0       | PASS   |
| 5764.750000     | -53.8       | 26.8        | -27.0       | PASS   |
| 5766.250000     | -53.9       | 26.9        | -27.0       | PASS   |
| 5760.750000     | -53.9       | 26.9        | -27.0       | PASS   |

|                                 |                                |
|---------------------------------|--------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                           |
| <b>TESTED CONDITIONS MODES:</b> | TC#03 (ac Mode MIMO Radio A+B) |
| <b>TEST RESULTS:</b>            | PASS                           |

**Bandwidth: 80 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5465.250000     | -27.3       | 0.3         | -27.0       | PASS   |
| 5465.750000     | -28.1       | 1.1         | -27.0       | PASS   |
| 5467.250000     | -28.7       | 1.7         | -27.0       | PASS   |
| 5466.750000     | -28.7       | 1.7         | -27.0       | PASS   |
| 5456.750000     | -28.8       | 1.8         | -27.0       | PASS   |
| 5468.750000     | -29.0       | 2.0         | -27.0       | PASS   |
| 5469.750000     | -29.3       | 2.3         | -27.0       | PASS   |
| 5464.750000     | -29.3       | 2.3         | -27.0       | PASS   |
| 5460.250000     | -29.4       | 2.4         | -27.0       | PASS   |
| 5466.250000     | -29.4       | 2.4         | -27.0       | PASS   |
| 5460.750000     | -29.7       | 2.7         | -27.0       | PASS   |
| 5468.250000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5467.750000     | -29.9       | 2.9         | -27.0       | PASS   |
| 5462.750000     | -30.0       | 3.0         | -27.0       | PASS   |
| 5457.250000     | -30.1       | 3.1         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 80 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5730.250000     | -39.3       | 12.3        | -27.0       | PASS   |
| 5731.250000     | -39.4       | 12.4        | -27.0       | PASS   |
| 5727.750000     | -39.6       | 12.6        | -27.0       | PASS   |
| 5730.750000     | -39.8       | 12.8        | -27.0       | PASS   |
| 5729.250000     | -39.9       | 12.9        | -27.0       | PASS   |
| 5728.750000     | -40.0       | 13.0        | -27.0       | PASS   |
| 5726.250000     | -40.0       | 13.0        | -27.0       | PASS   |
| 5727.250000     | -40.1       | 13.1        | -27.0       | PASS   |
| 5728.250000     | -40.1       | 13.1        | -27.0       | PASS   |
| 5725.250000     | -40.2       | 13.2        | -27.0       | PASS   |
| 5726.750000     | -40.4       | 13.4        | -27.0       | PASS   |
| 5725.750000     | -40.4       | 13.4        | -27.0       | PASS   |
| 5731.750000     | -40.6       | 13.6        | -27.0       | PASS   |
| 5729.750000     | -40.6       | 13.6        | -27.0       | PASS   |
| 5732.250000     | -40.6       | 13.6        | -27.0       | PASS   |

|                                 |                              |
|---------------------------------|------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                         |
| <b>TESTED CONDITIONS MODES:</b> | TC#04 (ax Mode SISO Radio A) |
| <b>TEST RESULTS:</b>            | PASS                         |

**Bandwidth: 20 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5467.250000     | -31.2       | 4.2         | -27.0       | PASS   |
| 5467.750000     | -32.4       | 5.4         | -27.0       | PASS   |
| 5468.250000     | -33.0       | 6.0         | -27.0       | PASS   |
| 5466.750000     | -33.0       | 6.0         | -27.0       | PASS   |
| 5466.250000     | -33.5       | 6.5         | -27.0       | PASS   |
| 5468.750000     | -33.6       | 6.6         | -27.0       | PASS   |
| 5465.750000     | -33.9       | 6.9         | -27.0       | PASS   |
| 5465.250000     | -34.3       | 7.3         | -27.0       | PASS   |
| 5469.750000     | -35.6       | 8.6         | -27.0       | PASS   |
| 5469.250000     | -35.7       | 8.7         | -27.0       | PASS   |
| 5464.750000     | -36.5       | 9.5         | -27.0       | PASS   |
| 5459.250000     | -39.6       | 12.6        | -27.0       | PASS   |
| 5464.250000     | -39.7       | 12.7        | -27.0       | PASS   |
| 5458.750000     | -39.9       | 12.9        | -27.0       | PASS   |
| 5456.250000     | -40.0       | 13.0        | -27.0       | PASS   |

# TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel

Band Edge




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.750000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5726.250000     | -39.3       | 12.3        | -27.0       | PASS   |
| 5725.250000     | -39.4       | 12.4        | -27.0       | PASS   |
| 5729.750000     | -39.9       | 12.9        | -27.0       | PASS   |
| 5727.750000     | -40.1       | 13.1        | -27.0       | PASS   |
| 5726.750000     | -40.4       | 13.4        | -27.0       | PASS   |
| 5728.250000     | -40.5       | 13.5        | -27.0       | PASS   |
| 5729.250000     | -40.8       | 13.8        | -27.0       | PASS   |
| 5728.750000     | -41.0       | 14.0        | -27.0       | PASS   |
| 5730.250000     | -41.2       | 14.2        | -27.0       | PASS   |
| 5727.250000     | -41.4       | 14.4        | -27.0       | PASS   |
| 5730.750000     | -41.5       | 14.5        | -27.0       | PASS   |
| 5731.250000     | -41.8       | 14.8        | -27.0       | PASS   |
| 5741.750000     | -42.4       | 15.4        | -27.0       | PASS   |
| 5742.250000     | -42.5       | 15.5        | -27.0       | PASS   |

|                                 |                              |
|---------------------------------|------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                         |
| <b>TESTED CONDITIONS MODES:</b> | TC#04 (ax Mode SISO Radio B) |
| <b>TEST RESULTS:</b>            | PASS                         |

**Bandwidth: 20 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5468.250000     | -45.3       | 18.3        | -27.0       | PASS   |
| 5466.750000     | -45.5       | 18.5        | -27.0       | PASS   |
| 5468.750000     | -46.6       | 19.6        | -27.0       | PASS   |
| 5467.750000     | -46.6       | 19.6        | -27.0       | PASS   |
| 5464.750000     | -47.4       | 20.4        | -27.0       | PASS   |
| 5465.250000     | -48.0       | 21.0        | -27.0       | PASS   |
| 5466.250000     | -48.6       | 21.6        | -27.0       | PASS   |
| 5465.750000     | -49.6       | 22.6        | -27.0       | PASS   |
| 5467.250000     | -49.6       | 22.6        | -27.0       | PASS   |
| 5463.750000     | -49.8       | 22.8        | -27.0       | PASS   |
| 5469.250000     | -50.3       | 23.3        | -27.0       | PASS   |
| 5464.250000     | -51.6       | 24.6        | -27.0       | PASS   |
| 5453.750000     | -51.8       | 24.8        | -27.0       | PASS   |
| 5413.750000     | -51.8       | 24.8        | -27.0       | PASS   |
| 5469.750000     | -52.0       | 25.0        | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel

Band Edge




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5745.750000     | -40.2       | 13.2        | -27.0       | PASS   |
| 5745.250000     | -40.5       | 13.5        | -27.0       | PASS   |
| 5746.250000     | -40.7       | 13.7        | -27.0       | PASS   |
| 5732.750000     | -40.9       | 13.9        | -27.0       | PASS   |
| 5747.250000     | -41.3       | 14.3        | -27.0       | PASS   |
| 5744.750000     | -41.6       | 14.6        | -27.0       | PASS   |
| 5734.750000     | -41.8       | 14.8        | -27.0       | PASS   |
| 5733.750000     | -42.2       | 15.2        | -27.0       | PASS   |
| 5732.250000     | -42.5       | 15.5        | -27.0       | PASS   |
| 5744.250000     | -42.9       | 15.9        | -27.0       | PASS   |
| 5746.750000     | -43.0       | 16.0        | -27.0       | PASS   |
| 5743.750000     | -43.0       | 16.0        | -27.0       | PASS   |
| 5734.250000     | -43.0       | 16.0        | -27.0       | PASS   |
| 5731.750000     | -43.5       | 16.5        | -27.0       | PASS   |
| 5730.750000     | -43.9       | 16.9        | -27.0       | PASS   |

|                                 |                                |
|---------------------------------|--------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                           |
| <b>TESTED CONDITIONS MODES:</b> | TC#04 (ax Mode MIMO Radio A+B) |
| <b>TEST RESULTS:</b>            | PASS                           |

**Bandwidth: 20 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5467.250000     | -31.2       | 4.2         | -27.0       | PASS   |
| 5467.750000     | -32.4       | 5.4         | -27.0       | PASS   |
| 5468.250000     | -33.0       | 6.0         | -27.0       | PASS   |
| 5466.750000     | -33.0       | 6.0         | -27.0       | PASS   |
| 5466.250000     | -33.5       | 6.5         | -27.0       | PASS   |
| 5468.750000     | -33.6       | 6.6         | -27.0       | PASS   |
| 5465.750000     | -33.9       | 6.9         | -27.0       | PASS   |
| 5465.250000     | -34.3       | 7.3         | -27.0       | PASS   |
| 5469.750000     | -35.6       | 8.6         | -27.0       | PASS   |
| 5469.250000     | -35.7       | 8.7         | -27.0       | PASS   |
| 5464.750000     | -36.5       | 9.5         | -27.0       | PASS   |
| 5459.250000     | -39.6       | 12.6        | -27.0       | PASS   |
| 5464.250000     | -39.7       | 12.7        | -27.0       | PASS   |
| 5458.750000     | -39.9       | 12.9        | -27.0       | PASS   |
| 5456.250000     | -40.0       | 13.0        | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel

Band Edge




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5726.250000     | -39.5       | 12.5        | -27.0       | PASS   |
| 5727.750000     | -40.0       | 13.0        | -27.0       | PASS   |
| 5725.750000     | -40.2       | 13.2        | -27.0       | PASS   |
| 5725.250000     | -40.5       | 13.5        | -27.0       | PASS   |
| 5726.750000     | -41.2       | 14.2        | -27.0       | PASS   |
| 5728.250000     | -41.5       | 14.5        | -27.0       | PASS   |
| 5747.250000     | -41.6       | 14.6        | -27.0       | PASS   |
| 5744.250000     | -41.7       | 14.7        | -27.0       | PASS   |
| 5746.250000     | -41.7       | 14.7        | -27.0       | PASS   |
| 5727.250000     | -41.7       | 14.7        | -27.0       | PASS   |
| 5728.750000     | -42.2       | 15.2        | -27.0       | PASS   |
| 5732.250000     | -42.3       | 15.3        | -27.0       | PASS   |
| 5745.750000     | -42.4       | 15.4        | -27.0       | PASS   |
| 5731.250000     | -42.5       | 15.5        | -27.0       | PASS   |
| 5729.750000     | -42.6       | 15.6        | -27.0       | PASS   |

|                          |                              |
|--------------------------|------------------------------|
| TESTED SAMPLES:          | S/01                         |
| TESTED CONDITIONS MODES: | TC#04 (ax Mode SISO Radio A) |
| TEST RESULTS:            | PASS                         |

Bandwidth: 40 MHz

Lowest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5469.750000     | -38.0       | 11.0        | -27.0       | PASS   |
| 5465.250000     | -38.2       | 11.2        | -27.0       | PASS   |
| 5466.750000     | -38.8       | 11.8        | -27.0       | PASS   |
| 5464.750000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5464.250000     | -39.2       | 12.2        | -27.0       | PASS   |
| 5467.250000     | -39.3       | 12.3        | -27.0       | PASS   |
| 5468.250000     | -39.3       | 12.3        | -27.0       | PASS   |
| 5467.750000     | -39.3       | 12.3        | -27.0       | PASS   |
| 5466.250000     | -39.4       | 12.4        | -27.0       | PASS   |
| 5465.750000     | -39.5       | 12.5        | -27.0       | PASS   |
| 5463.250000     | -39.9       | 12.9        | -27.0       | PASS   |
| 5461.250000     | -40.3       | 13.3        | -27.0       | PASS   |
| 5462.750000     | -40.4       | 13.4        | -27.0       | PASS   |
| 5462.250000     | -40.5       | 13.5        | -27.0       | PASS   |
| 5461.750000     | -40.6       | 13.6        | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5738.250000     | -50.2       | 23.2        | -27.0       | PASS   |
| 5748.750000     | -50.5       | 23.5        | -27.0       | PASS   |
| 5748.250000     | -50.5       | 23.5        | -27.0       | PASS   |
| 5749.250000     | -50.9       | 23.9        | -27.0       | PASS   |
| 5742.750000     | -51.2       | 24.2        | -27.0       | PASS   |
| 5726.250000     | -51.5       | 24.5        | -27.0       | PASS   |
| 5737.750000     | -51.5       | 24.5        | -27.0       | PASS   |
| 5726.750000     | -51.5       | 24.5        | -27.0       | PASS   |
| 5734.250000     | -51.6       | 24.6        | -27.0       | PASS   |
| 5725.750000     | -51.6       | 24.6        | -27.0       | PASS   |
| 5751.750000     | -51.6       | 24.6        | -27.0       | PASS   |
| 5725.250000     | -51.7       | 24.7        | -27.0       | PASS   |
| 5728.250000     | -51.8       | 24.8        | -27.0       | PASS   |
| 5739.250000     | -51.8       | 24.8        | -27.0       | PASS   |
| 5729.250000     | -51.9       | 24.9        | -27.0       | PASS   |

|                          |                              |
|--------------------------|------------------------------|
| TESTED SAMPLES:          | S/01                         |
| TESTED CONDITIONS MODES: | TC#04 (ax Mode SISO Radio B) |
| TEST RESULTS:            | PASS                         |

Bandwidth: 40 MHz

Lowest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5429.250000     | -51.3       | 24.3        | -27.0       | PASS   |
| 5428.250000     | -51.4       | 24.4        | -27.0       | PASS   |
| 5428.750000     | -52.0       | 25.0        | -27.0       | PASS   |
| 5467.250000     | -52.2       | 25.2        | -27.0       | PASS   |
| 5427.750000     | -52.3       | 25.3        | -27.0       | PASS   |
| 5468.250000     | -53.3       | 26.3        | -27.0       | PASS   |
| 5429.750000     | -53.3       | 26.3        | -27.0       | PASS   |
| 5460.750000     | -53.4       | 26.4        | -27.0       | PASS   |
| 5469.750000     | -53.4       | 26.4        | -27.0       | PASS   |
| 5463.750000     | -53.5       | 26.5        | -27.0       | PASS   |
| 5456.750000     | -53.5       | 26.5        | -27.0       | PASS   |
| 5457.250000     | -53.6       | 26.6        | -27.0       | PASS   |
| 5457.750000     | -53.6       | 26.6        | -27.0       | PASS   |
| 5466.750000     | -53.6       | 26.6        | -27.0       | PASS   |
| 5456.250000     | -53.7       | 26.7        | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5747.250000     | -50.1       | 23.1        | -27.0       | PASS   |
| 5748.250000     | -51.4       | 24.4        | -27.0       | PASS   |
| 5749.250000     | -52.4       | 25.4        | -27.0       | PASS   |
| 5748.750000     | -52.5       | 25.5        | -27.0       | PASS   |
| 5747.750000     | -52.7       | 25.7        | -27.0       | PASS   |
| 6684.750000     | -53.4       | 26.4        | -27.0       | PASS   |
| 6817.750000     | -53.5       | 26.5        | -27.0       | PASS   |
| 6438.750000     | -53.5       | 26.5        | -27.0       | PASS   |
| 6432.750000     | -53.5       | 26.5        | -27.0       | PASS   |
| 5725.250000     | -53.6       | 26.6        | -27.0       | PASS   |
| 6831.750000     | -53.7       | 26.7        | -27.0       | PASS   |
| 6675.250000     | -53.7       | 26.7        | -27.0       | PASS   |
| 5728.750000     | -53.8       | 26.8        | -27.0       | PASS   |
| 6841.250000     | -53.8       | 26.8        | -27.0       | PASS   |
| 6807.250000     | -53.8       | 26.8        | -27.0       | PASS   |

|                          |                                |
|--------------------------|--------------------------------|
| TESTED SAMPLES:          | S/01                           |
| TESTED CONDITIONS MODES: | TC#04 (ax Mode MIMO Radio A+B) |
| TEST RESULTS:            | PASS                           |

Bandwidth: 40 MHz

Lowest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5469.750000     | -37.3       | 10.3        | -27.0       | PASS   |
| 5469.250000     | -38.7       | 11.7        | -27.0       | PASS   |
| 5465.250000     | -38.7       | 11.7        | -27.0       | PASS   |
| 5467.250000     | -38.7       | 11.7        | -27.0       | PASS   |
| 5467.750000     | -38.9       | 11.9        | -27.0       | PASS   |
| 5465.750000     | -38.9       | 11.9        | -27.0       | PASS   |
| 5466.750000     | -39.0       | 12.0        | -27.0       | PASS   |
| 5468.250000     | -39.1       | 12.1        | -27.0       | PASS   |
| 5466.250000     | -39.2       | 12.2        | -27.0       | PASS   |
| 5461.750000     | -39.2       | 12.2        | -27.0       | PASS   |
| 5463.250000     | -39.3       | 12.3        | -27.0       | PASS   |
| 5461.250000     | -39.3       | 12.3        | -27.0       | PASS   |
| 5468.750000     | -39.3       | 12.3        | -27.0       | PASS   |
| 5462.250000     | -39.3       | 12.3        | -27.0       | PASS   |
| 5462.750000     | -39.5       | 12.5        | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5748.250000     | -47.0       | 20.0        | -27.0       | PASS   |
| 5749.250000     | -47.1       | 20.1        | -27.0       | PASS   |
| 5748.750000     | -48.0       | 21.0        | -27.0       | PASS   |
| 5747.750000     | -48.6       | 21.6        | -27.0       | PASS   |
| 5749.750000     | -48.9       | 21.9        | -27.0       | PASS   |
| 6830.750000     | -49.2       | 22.2        | -27.0       | PASS   |
| 5728.750000     | -49.3       | 22.3        | -27.0       | PASS   |
| 6840.750000     | -49.8       | 22.8        | -27.0       | PASS   |
| 5734.250000     | -50.0       | 23.0        | -27.0       | PASS   |
| 5743.750000     | -50.0       | 23.0        | -27.0       | PASS   |
| 5730.250000     | -50.0       | 23.0        | -27.0       | PASS   |
| 6823.750000     | -50.0       | 23.0        | -27.0       | PASS   |
| 5734.750000     | -50.1       | 23.1        | -27.0       | PASS   |
| 6807.750000     | -50.2       | 23.2        | -27.0       | PASS   |
| 6791.750000     | -50.3       | 23.3        | -27.0       | PASS   |

|                          |                              |
|--------------------------|------------------------------|
| TESTED SAMPLES:          | S/01                         |
| TESTED CONDITIONS MODES: | TC#04 (ax Mode SISO Radio A) |
| TEST RESULTS:            | PASS                         |

Bandwidth: 80 MHz

Lowest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5423.750000     | -28.8       | 1.8         | -27.0       | PASS   |
| 5418.250000     | -29.4       | 2.4         | -27.0       | PASS   |
| 5424.750000     | -29.5       | 2.5         | -27.0       | PASS   |
| 5418.750000     | -29.5       | 2.5         | -27.0       | PASS   |
| 5425.250000     | -29.7       | 2.7         | -27.0       | PASS   |
| 5417.250000     | -30.1       | 3.1         | -27.0       | PASS   |
| 5419.750000     | -30.1       | 3.1         | -27.0       | PASS   |
| 5425.750000     | -30.1       | 3.1         | -27.0       | PASS   |
| 5417.750000     | -30.2       | 3.2         | -27.0       | PASS   |
| 5426.750000     | -30.3       | 3.3         | -27.0       | PASS   |
| 5427.250000     | -30.4       | 3.4         | -27.0       | PASS   |
| 5420.250000     | -30.7       | 3.7         | -27.0       | PASS   |
| 5423.250000     | -30.7       | 3.7         | -27.0       | PASS   |
| 5420.750000     | -30.8       | 3.8         | -27.0       | PASS   |
| 5419.250000     | -30.8       | 3.8         | -27.0       | PASS   |

# TEST RESULTS (Cont.)

Bandwidth: 80 MHz

Highest Channel

Band Edge




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5726.250000     | -34.1       | 7.1         | -27.0       | PASS   |
| 5725.750000     | -36.2       | 9.2         | -27.0       | PASS   |
| 5725.250000     | -36.3       | 9.3         | -27.0       | PASS   |
| 5733.750000     | -36.4       | 9.4         | -27.0       | PASS   |
| 5729.750000     | -36.5       | 9.5         | -27.0       | PASS   |
| 5728.250000     | -36.6       | 9.6         | -27.0       | PASS   |
| 5730.750000     | -36.6       | 9.6         | -27.0       | PASS   |
| 5733.250000     | -36.6       | 9.6         | -27.0       | PASS   |
| 5728.750000     | -36.7       | 9.7         | -27.0       | PASS   |
| 5727.750000     | -36.8       | 9.8         | -27.0       | PASS   |
| 5739.250000     | -36.8       | 9.8         | -27.0       | PASS   |
| 5736.250000     | -36.8       | 9.8         | -27.0       | PASS   |
| 5735.250000     | -36.9       | 9.9         | -27.0       | PASS   |
| 5731.750000     | -36.9       | 9.9         | -27.0       | PASS   |
| 5734.250000     | -36.9       | 9.9         | -27.0       | PASS   |

|                                 |                              |
|---------------------------------|------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                         |
| <b>TESTED CONDITIONS MODES:</b> | TC#04 (ax Mode SISO Radio B) |
| <b>TEST RESULTS:</b>            | PASS                         |

**Bandwidth: 80 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5418.250000     | -34.2       | 7.2         | -27.0       | PASS   |
| 5417.250000     | -34.7       | 7.7         | -27.0       | PASS   |
| 5418.750000     | -35.4       | 8.4         | -27.0       | PASS   |
| 5416.750000     | -35.6       | 8.6         | -27.0       | PASS   |
| 5420.750000     | -35.8       | 8.8         | -27.0       | PASS   |
| 5421.250000     | -36.0       | 9.0         | -27.0       | PASS   |
| 5419.250000     | -36.1       | 9.1         | -27.0       | PASS   |
| 5419.750000     | -36.3       | 9.3         | -27.0       | PASS   |
| 5421.750000     | -36.5       | 9.5         | -27.0       | PASS   |
| 5420.250000     | -36.6       | 9.6         | -27.0       | PASS   |
| 5422.250000     | -37.4       | 10.4        | -27.0       | PASS   |
| 5423.750000     | -37.8       | 10.8        | -27.0       | PASS   |
| 5424.250000     | -38.1       | 11.1        | -27.0       | PASS   |
| 5417.750000     | -38.2       | 11.2        | -27.0       | PASS   |
| 5423.250000     | -38.7       | 11.7        | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 80 MHz

Highest Channel

Band Edge




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.250000     | -50.1       | 23.1        | -27.0       | PASS   |
| 5725.750000     | -50.3       | 23.3        | -27.0       | PASS   |
| 5727.250000     | -50.5       | 23.5        | -27.0       | PASS   |
| 5728.750000     | -50.6       | 23.6        | -27.0       | PASS   |
| 5731.750000     | -51.0       | 24.0        | -27.0       | PASS   |
| 5726.750000     | -51.1       | 24.1        | -27.0       | PASS   |
| 5728.250000     | -51.5       | 24.5        | -27.0       | PASS   |
| 5732.250000     | -51.6       | 24.6        | -27.0       | PASS   |
| 5743.250000     | -51.7       | 24.7        | -27.0       | PASS   |
| 5765.750000     | -51.7       | 24.7        | -27.0       | PASS   |
| 5734.750000     | -51.8       | 24.8        | -27.0       | PASS   |
| 5730.250000     | -51.8       | 24.8        | -27.0       | PASS   |
| 5760.750000     | -51.9       | 24.9        | -27.0       | PASS   |
| 5727.750000     | -52.0       | 25.0        | -27.0       | PASS   |
| 5729.750000     | -52.1       | 25.1        | -27.0       | PASS   |

|                          |                                |
|--------------------------|--------------------------------|
| TESTED SAMPLES:          | S/01                           |
| TESTED CONDITIONS MODES: | TC#04 (ax Mode MIMO Radio A+B) |
| TEST RESULTS:            | PASS                           |

Bandwidth: 80 MHz

Lowest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5418.750000     | -27.8       | 0.8         | -27.0       | PASS   |
| 5419.750000     | -28.1       | 1.1         | -27.0       | PASS   |
| 5424.750000     | -28.2       | 1.2         | -27.0       | PASS   |
| 5418.250000     | -28.3       | 1.3         | -27.0       | PASS   |
| 5417.750000     | -28.5       | 1.5         | -27.0       | PASS   |
| 5420.250000     | -28.7       | 1.7         | -27.0       | PASS   |
| 5425.750000     | -28.8       | 1.8         | -27.0       | PASS   |
| 5426.250000     | -28.8       | 1.8         | -27.0       | PASS   |
| 5425.250000     | -28.8       | 1.8         | -27.0       | PASS   |
| 5420.750000     | -28.8       | 1.8         | -27.0       | PASS   |
| 5423.750000     | -28.9       | 1.9         | -27.0       | PASS   |
| 5421.250000     | -29.3       | 2.3         | -27.0       | PASS   |
| 5419.250000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5426.750000     | -30.0       | 3.0         | -27.0       | PASS   |
| 5427.750000     | -30.0       | 3.0         | -27.0       | PASS   |

# TEST RESULTS (Cont.)

Bandwidth: 80 MHz

Highest Channel

Band Edge




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5726.250000     | -34.9       | 7.9         | -27.0       | PASS   |
| 5725.250000     | -35.9       | 8.9         | -27.0       | PASS   |
| 5728.750000     | -36.3       | 9.3         | -27.0       | PASS   |
| 5725.750000     | -36.7       | 9.7         | -27.0       | PASS   |
| 5731.250000     | -36.7       | 9.7         | -27.0       | PASS   |
| 5759.750000     | -36.9       | 9.9         | -27.0       | PASS   |
| 5734.250000     | -37.2       | 10.2        | -27.0       | PASS   |
| 5726.750000     | -37.2       | 10.2        | -27.0       | PASS   |
| 5731.750000     | -37.2       | 10.2        | -27.0       | PASS   |
| 5728.250000     | -37.3       | 10.3        | -27.0       | PASS   |
| 5736.750000     | -37.4       | 10.4        | -27.0       | PASS   |
| 5733.250000     | -37.4       | 10.4        | -27.0       | PASS   |
| 5729.750000     | -37.6       | 10.6        | -27.0       | PASS   |
| 5733.750000     | -37.6       | 10.6        | -27.0       | PASS   |
| 5735.250000     | -37.7       | 10.7        | -27.0       | PASS   |

|                                 |                              |
|---------------------------------|------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                         |
| <b>TESTED CONDITIONS MODES:</b> | TC#05 (ac Mode Beam forming) |
| <b>TEST RESULTS:</b>            | PASS                         |

**Bandwidth: 20 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5469.750000     | -27.8       | 0.8         | -27.0       | PASS   |
| 5465.750000     | -28.1       | 1.1         | -27.0       | PASS   |
| 5468.750000     | -28.2       | 1.2         | -27.0       | PASS   |
| 5469.250000     | -28.6       | 1.6         | -27.0       | PASS   |
| 5467.250000     | -29.4       | 2.4         | -27.0       | PASS   |
| 5464.750000     | -29.5       | 2.5         | -27.0       | PASS   |
| 5468.250000     | -29.9       | 2.9         | -27.0       | PASS   |
| 5467.750000     | -30.4       | 3.4         | -27.0       | PASS   |
| 5464.250000     | -30.4       | 3.4         | -27.0       | PASS   |
| 5466.750000     | -31.1       | 4.1         | -27.0       | PASS   |
| 5466.250000     | -31.1       | 4.1         | -27.0       | PASS   |
| 5456.750000     | -31.6       | 4.6         | -27.0       | PASS   |
| 5463.750000     | -32.1       | 5.1         | -27.0       | PASS   |
| 5465.250000     | -32.4       | 5.4         | -27.0       | PASS   |
| 5460.750000     | -32.9       | 5.9         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5725.250000     | -37.1       | 10.1        | -27.0       | PASS   |
| 5730.750000     | -39.8       | 12.8        | -27.0       | PASS   |
| 5725.750000     | -40.1       | 13.1        | -27.0       | PASS   |
| 5727.250000     | -40.5       | 13.5        | -27.0       | PASS   |
| 5729.250000     | -41.2       | 14.2        | -27.0       | PASS   |
| 5728.250000     | -41.5       | 14.5        | -27.0       | PASS   |
| 5726.250000     | -41.5       | 14.5        | -27.0       | PASS   |
| 5727.750000     | -41.6       | 14.6        | -27.0       | PASS   |
| 5726.750000     | -41.9       | 14.9        | -27.0       | PASS   |
| 5730.250000     | -42.4       | 15.4        | -27.0       | PASS   |
| 5728.750000     | -42.4       | 15.4        | -27.0       | PASS   |
| 5729.750000     | -42.5       | 15.5        | -27.0       | PASS   |
| 5731.750000     | -42.5       | 15.5        | -27.0       | PASS   |
| 5733.250000     | -42.5       | 15.5        | -27.0       | PASS   |
| 5733.750000     | -43.1       | 16.1        | -27.0       | PASS   |

|                                 |                              |
|---------------------------------|------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                         |
| <b>TESTED CONDITIONS MODES:</b> | TC#05 (ac Mode Beam forming) |
| <b>TEST RESULTS:</b>            | PASS                         |

**Bandwidth: 40 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5469.750000     | -32.3       | 5.3         | -27.0       | PASS   |
| 5461.250000     | -33.1       | 6.1         | -27.0       | PASS   |
| 5469.250000     | -33.5       | 6.5         | -27.0       | PASS   |
| 5465.750000     | -34.2       | 7.2         | -27.0       | PASS   |
| 5468.250000     | -35.0       | 8.0         | -27.0       | PASS   |
| 5460.250000     | -35.3       | 8.3         | -27.0       | PASS   |
| 5466.750000     | -35.4       | 8.4         | -27.0       | PASS   |
| 5466.250000     | -35.9       | 8.9         | -27.0       | PASS   |
| 5467.250000     | -36.1       | 9.1         | -27.0       | PASS   |
| 5467.750000     | -36.1       | 9.1         | -27.0       | PASS   |
| 5464.250000     | -36.3       | 9.3         | -27.0       | PASS   |
| 5464.750000     | -36.5       | 9.5         | -27.0       | PASS   |
| 5465.250000     | -37.2       | 10.2        | -27.0       | PASS   |
| 5468.750000     | -37.7       | 10.7        | -27.0       | PASS   |
| 5462.750000     | -37.7       | 10.7        | -27.0       | PASS   |

|                             |  |
|-----------------------------|--|
| <b>TEST RESULTS (Cont.)</b> |  |
|-----------------------------|--|

**Bandwidth: 40 MHz**

**Highest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5727.250000     | -49.5       | 22.5        | -27.0       | PASS   |
| 5726.750000     | -50.1       | 23.1        | -27.0       | PASS   |
| 6750.750000     | -50.4       | 23.4        | -27.0       | PASS   |
| 6841.250000     | -50.4       | 23.4        | -27.0       | PASS   |
| 6833.250000     | -50.5       | 23.5        | -27.0       | PASS   |
| 6848.250000     | -50.5       | 23.5        | -27.0       | PASS   |
| 6810.250000     | -50.5       | 23.5        | -27.0       | PASS   |
| 5743.750000     | -50.5       | 23.5        | -27.0       | PASS   |
| 6830.750000     | -50.6       | 23.6        | -27.0       | PASS   |
| 6836.750000     | -50.7       | 23.7        | -27.0       | PASS   |
| 6814.750000     | -50.7       | 23.7        | -27.0       | PASS   |
| 6774.750000     | -50.7       | 23.7        | -27.0       | PASS   |
| 6720.250000     | -50.8       | 23.8        | -27.0       | PASS   |
| 6798.250000     | -50.8       | 23.8        | -27.0       | PASS   |
| 6812.250000     | -50.8       | 23.8        | -27.0       | PASS   |

|                                 |                              |
|---------------------------------|------------------------------|
| <b>TESTED SAMPLES:</b>          | S/01                         |
| <b>TESTED CONDITIONS MODES:</b> | TC#05 (ac Mode Beam forming) |
| <b>TEST RESULTS:</b>            | PASS                         |

**Bandwidth: 80 MHz**

**Lowest Channel**




| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 5467.250000     | -28.8       | 1.8         | -27.0       | PASS   |
| 5466.250000     | -29.0       | 2.0         | -27.0       | PASS   |
| 5466.750000     | -29.1       | 2.1         | -27.0       | PASS   |
| 5467.750000     | -29.1       | 2.1         | -27.0       | PASS   |
| 5468.750000     | -29.2       | 2.2         | -27.0       | PASS   |
| 5469.750000     | -29.2       | 2.2         | -27.0       | PASS   |
| 5469.250000     | -29.2       | 2.2         | -27.0       | PASS   |
| 5465.250000     | -29.4       | 2.4         | -27.0       | PASS   |
| 5463.750000     | -29.6       | 2.6         | -27.0       | PASS   |
| 5463.250000     | -29.7       | 2.7         | -27.0       | PASS   |
| 5468.250000     | -29.7       | 2.7         | -27.0       | PASS   |
| 5459.250000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5464.250000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5436.250000     | -29.8       | 2.8         | -27.0       | PASS   |
| 5462.750000     | -29.8       | 2.8         | -27.0       | PASS   |

## TEST RESULTS (Cont.)

Bandwidth: 80 MHz

Highest Channel



| Frequency (MHz) | Level (dBm) | Margin (dB) | Limit (dBm) | Result |
|-----------------|-------------|-------------|-------------|--------|
| 6846.250000     | -50.6       | 23.6        | -27.0       | PASS   |
| 6834.250000     | -50.6       | 23.6        | -27.0       | PASS   |
| 6839.250000     | -50.7       | 23.7        | -27.0       | PASS   |
| 6842.250000     | -50.7       | 23.7        | -27.0       | PASS   |
| 6799.750000     | -50.8       | 23.8        | -27.0       | PASS   |
| 6825.750000     | -50.9       | 23.9        | -27.0       | PASS   |
| 6819.250000     | -50.9       | 23.9        | -27.0       | PASS   |
| 6830.750000     | -50.9       | 23.9        | -27.0       | PASS   |
| 6796.750000     | -51.0       | 24.0        | -27.0       | PASS   |
| 6849.250000     | -51.0       | 24.0        | -27.0       | PASS   |
| 6840.750000     | -51.0       | 24.0        | -27.0       | PASS   |
| 6824.750000     | -51.0       | 24.0        | -27.0       | PASS   |
| 6838.750000     | -51.0       | 24.0        | -27.0       | PASS   |
| 6812.250000     | -51.1       | 24.1        | -27.0       | PASS   |
| 6810.750000     | -51.1       | 24.1        | -27.0       | PASS   |

## SECTION D.5: UNDESIRABLE RADIATED EMISSIONS (TRANSMITTER)

|                |                   |                                                                 |
|----------------|-------------------|-----------------------------------------------------------------|
| <b>LIMITS:</b> | Product standard: | Part 15 Subpart C §15.407 and RSS-247                           |
|                | Test standard:    | Part 15 Subpart E §15.407(b) (1) & (4) and RSS-Gen 8.9 and 8.10 |

### LIMITS

For transmitters operating in the 5.15 – 5.25 GHz band: all emissions outside of the 5.15 – 5.25 GHz band shall not exceed an EIRP of -27 dBm/MHz (68.23 dBμ V/m at 3m distance).

Radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c) / RSS-Gen):

| Frequency Range (MHz) | Field strength (μV/m) | Field strength (dBμV/m) | Measurement distance (m) |
|-----------------------|-----------------------|-------------------------|--------------------------|
| 0.009-0.490           | 2400/F(kHz)           | -                       | 300                      |
| 0.490-1.705           | 24000/F(kHz)          | -                       | 30                       |
| 1.705 - 30.0          | 30                    | -                       | 30                       |
| 30 - 88               | 100                   | 40                      | 3                        |
| 88 - 216              | 150                   | 43.5                    | 3                        |
| 216 - 960             | 200                   | 46                      | 3                        |
| 960 - 25000           | 500                   | 54                      | 3                        |

The emission limits shown in the above table are based on measurements employing CISPR quasi-peak detector except for the frequency bands 9-90 kHz, 110-490 kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector.

For average radiated emission measurements above 1000 MHz, there is also a limit corresponding to 20 dB above the indicated values in the table is specified when measuring with peak detector function

### TEST SETUP

All radiated tests were performed in a semi-anechoic chamber. The measurement antenna is situated at 3 m for the frequency ranges 30-1000 MHz (Bilog antenna) and 1-18 GHz (Double ridge horn antennas) and at 1m for the frequency range 18-40 GHz (Double ridge horn antennas).

For radiated emissions in the range 18-40 GHz that is performed at a distance closer than the specified distance, an inverse proportionality factor of 20 dB per decade is used to normalize the measured data for determining compliance.


The equipment under test was set up on a non-conductive platform above the ground plane and the situation and orientation was varied to find the maximum radiated emission. It was also rotated 360° and the antenna height was varied from 1 to 4 meters to find the maximum radiated emission.

Measurements were made in both horizontal and vertical planes of polarization.


The field strength is calculated by adding correction factor to the measured level from the spectrum analyzer. This correction factor includes antenna factor, cable loss and pre-amplifiers gain.

## TEST SETUP (CONT.)


### Radiated measurements Setup $f < 1$ GHz



### Radiated measurements setup $1 < f < 18$ GHz



### Radiated measurements setup $f > 18$ GHz



|                          |                                |
|--------------------------|--------------------------------|
| TESTED SAMPLES:          | S/02                           |
| TESTED CONDITIONS MODES: | TC#05 (ac Mode MIMO Radio A+B) |
| TEST RESULTS:            | PASS                           |

### Frequency range 1 GHz – 40 GHz


The results and plots below show the maximum measured levels in the 1- 40 GHz range and the restricted band 4.5 – 5.46 GHz. Selected operation mode for this range (ac mode MIMO Radio A+B).

The results for the worst operation mode of ac20 mode are shown below.

|                 |                |
|-----------------|----------------|
| FREQUENCY RANGE | 1 GHz – 18 GHz |
|-----------------|----------------|

Bandwidth: 20 MHz

Lowest Channel



— AVG\_MAXH  
 — PK+\_MAXH  
 — TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)  
 — TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)


| Frequency (MHz) | PK+_MAXH (dBμV/m) | AVG_MAXH (dBμV/m) | Pol | Margin - AVG (dB) | Limit - AVG (dBμV/m) | Comment     |
|-----------------|-------------------|-------------------|-----|-------------------|----------------------|-------------|
| 5505.000000     | 103.8             | 94.6              | H   | ---               | ---                  | Fundamental |
| 17941.500000    | 60.6              | 50.4              | H   | 3.6               | 54.0                 |             |

**TEST RESULTS (Cont.)**

**1 GHz – 18 GHz**

**Bandwidth: 20 MHz**

**Middle Channel**




| Frequency (MHz) | PK+_MAXH (dBμV/m) | AVG_MAXH (dBμV/m) | Pol | Margin - AVG (dB) | Limit - AVG (dBμV/m) | Comment     |
|-----------------|-------------------|-------------------|-----|-------------------|----------------------|-------------|
| 5582.000000     | 100.6             | 93.9              | H   | ---               | ---                  | Fundamental |
| 17924.500000    | 59.1              | 50.3              | V   | 3.7               | 54.0                 |             |

**TEST RESULTS (Cont.)**

**1 GHz – 18 GHz**

**Bandwidth: 20 MHz**

**Highest Channel**



— AVG\_MAXH  
 — PK+\_MAXH  
 — TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)  
 — TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)


| Frequency (MHz) | PK+_MAXH (dBμV/m) | AVG_MAXH (dBμV/m) | Pol | Margin - AVG (dB) | Limit - AVG (dBμV/m) | Comment     |
|-----------------|-------------------|-------------------|-----|-------------------|----------------------|-------------|
| 5703.500000     | 104.6             | 97.1              | H   | ---               | ---                  | Fundamental |
| 17940.000000    | 59.7              | 50.2              | V   | 3.8               | 54.0                 |             |

**FREQUENCY RANGE**

**18 GHz – 40 GHz**

**Bandwidth: 20 MHz**

**Lowest Channel**



— AVG\_MAXH  
 — PK+\_MAXH  
 — TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)  
 — TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)


| Frequency (MHz) | PK+_MAXH (dBμV/m) | AVG_MAXH (dBμV/m) | Pol | Margin - AVG (dB) | Limit - AVG (dBμV/m) |
|-----------------|-------------------|-------------------|-----|-------------------|----------------------|
| 21999.875000    | 41.9              | 34.8              | V   | ---               | ---                  |
| 39988.312500    | 49.1              | 40.7              | H   | 13.3              | 54.0                 |

**TEST RESULTS (Cont.)**

**18 GHz – 40 GHz**

**Bandwidth: 20 MHz**

**Middle Channel**



— AVG \_ M A X H  
 — PK + \_ M A X H  
 — T X lim its to S purious E m ission F C C 1 5 . 4 0 7 ( 1 G H z to 4 0 G H z )  
 — T X lim its to S purious E m ission F C C 1 5 . 4 0 7 ( 1 G H z to 4 0 G H z )


| Frequency (MHz) | PK+_MAXH (dBμV/m) | AVG_MAXH (dBμV/m) | Pol | Margin - AVG (dB) | Limit - AVG (dBμV/m) |
|-----------------|-------------------|-------------------|-----|-------------------|----------------------|
| 22319.562500    | 42.9              | 36.5              | V   | 17.5              | 54.0                 |
| 39977.312500    | 49.9              | 41.0              | V   | 13.0              | 54.0                 |

**TEST RESULTS (Cont.)**

**18 GHz – 40 GHz**

**Bandwidth: 20 MHz**

**Highest Channel**



— AVG\_MAXH  
 — PK+\_MAXH  
 — TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)  
 — TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)


| Frequency (MHz) | PK+_MAXH (dBμV/m) | AVG_MAXH (dBμV/m) | Pol | Margin - AVG (dB) | Limit - AVG (dBμV/m) |
|-----------------|-------------------|-------------------|-----|-------------------|----------------------|
| 24216.375000    | 43.8              | 34.5              | H   | ---               | ---                  |
| 39962.875000    | 49.4              | 40.5              | H   | 13.5              | 54.0                 |

**TEST RESULTS (Cont.)**

**1 GHz – 18 GHz**

**Bandwidth: 40 MHz**

**Lowest Channel**




| Frequency (MHz) | PK+_MAXH (dBμV/m) | AVG_MAXH (dBμV/m) | Pol | Margin - AVG (dB) | Limit - AVG (dBμV/m) | Comment     |
|-----------------|-------------------|-------------------|-----|-------------------|----------------------|-------------|
| 5517.500000     | 101.1             | 93.1              | H   | ---               | ---                  | Fundamental |
| 17941.000000    | 61.0              | 50.3              | H   | 3.7               | 54.0                 |             |

**TEST RESULTS (Cont.)**

**1 GHz – 18 GHz**

**Bandwidth: 40 MHz**

**Middle Channel**



— AVG\_MAXH  
 — PK+\_MAXH  
 — TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)  
 — TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)

| Frequency (MHz) | PK+_MAXH (dBμV/m) | AVG_MAXH (dBμV/m) | Pol | Margin - AVG (dB) | Limit - AVG (dBμV/m) | Comment     |
|-----------------|-------------------|-------------------|-----|-------------------|----------------------|-------------|
| 5533.000000     | 101.1             | 93.0              | H   | ---               | ---                  | Fundamental |
| 17927.000000    | 60.0              | 50.4              | V   | 3.6               | 54.0                 |             |