




SPORTON INTERNATIONAL INC.  
Haw Ya 1st.Road,Qui Shan,Tao Yuan  
Taiwan,R.O.C  
Tel : +886-3-3273456 Fax : +886-3-3180055  
www.sporton.com.tw

Data#: 23 File#: D:\認證五部\環隆\411614\備份.EMI




Site : 03CH03-HY  
Condition : FCC CLASS-B 3m HORN-ANT-6741 VERTICAL  
EUT : TeamPed7500w  
Power : 110 V /60Hz  
Memo : FHT68XXXX/MiniPCI 11b Ch01 2412MHz

|     | Freq     | Level  | Over   | Limit  | Read   | Probe  | Cable | Preamp | Remark  | Ant | Table |
|-----|----------|--------|--------|--------|--------|--------|-------|--------|---------|-----|-------|
|     |          |        | Limit  | Line   | Level  | Factor |       |        |         |     |       |
|     | MHz      | dBuV/m | dB     | dBuV/m | dBuV   | dB     | dB    | dB     |         | cm  | deg   |
| 1 ! | 2390.000 | 72.72  | -1.28  | 74.00  | 73.79  | 28.20  | 6.97  | 36.24  | Peak    | --- | ---   |
| 2 ! | 2390.000 | 50.35  | -3.65  | 54.00  | 51.42  | 28.20  | 6.97  | 36.24  | Average | --- | ---   |
| 3 X | 2414.000 | 103.88 | 49.88  | 54.00  | 104.86 | 28.25  | 7.00  | 36.23  | Average | 112 | 295   |
| 4 X | 2414.000 | 112.67 | 38.67  | 74.00  | 113.65 | 28.25  | 7.00  | 36.23  | Peak    | --- | ---   |
| 5   | 2483.500 | 57.28  | -16.72 | 74.00  | 57.95  | 28.39  | 7.16  | 36.22  | Peak    | --- | ---   |
| 6 ! | 2483.500 | 49.81  | -4.19  | 54.00  | 50.48  | 28.39  | 7.16  | 36.22  | Average | --- | ---   |



SPORTON INTERNATIONAL INC.  
Haw Ya 1st.Road,Qui Shan,Tao Yuan  
Taiwan,R.O.C  
Tel : +886-3-3273456 Fax : +886-3-3180055  
www.sporton.com.tw

Data#: 19 File#: D:\認證五部\環隆\411614\備份.EMI




Site : 03CH03-HY  
Condition : FCC CLASS-B 3m HORN-ANT-6741 HORIZONTAL  
EUT : TeamPed7500w  
Power : 110 V /60Hz  
Memo : FHT68XXXX/MiniPCI 11b Ch01 2412MHz

|     | Freq     | Level  | Over Limit | Limit Line | Read Level | Probe Factor | Cable Loss | Preamp Factor | Remark  | Ant Pos | Table Pos |
|-----|----------|--------|------------|------------|------------|--------------|------------|---------------|---------|---------|-----------|
|     | MHz      | dBuV/m | dB         | dBuV/m     | dBuV       | dB           | dB         | dB            |         | cm      | deg       |
| 1   | 2390.000 | 62.36  | -11.64     | 74.00      | 63.43      | 28.20        | 6.97       | 36.24         | Peak    | ---     | ---       |
| 2   | 2390.000 | 43.25  | -10.75     | 54.00      | 44.32      | 28.20        | 6.97       | 36.24         | Average | ---     | ---       |
| 3 X | 2412.000 | 106.50 | 32.50      | 74.00      | 107.49     | 28.24        | 7.00       | 36.23         | Peak    | 112     | 295       |
| 4 X | 2412.000 | 98.54  | 44.54      | 54.00      | 99.53      | 28.24        | 7.00       | 36.23         | Average | 112     | 295       |
| 5   | 2483.500 | 56.93  | -17.07     | 74.00      | 57.60      | 28.39        | 7.16       | 36.22         | Peak    | ---     | ---       |
| 6   | 2483.500 | 44.45  | -9.55      | 54.00      | 45.12      | 28.39        | 7.16       | 36.22         | Average | ---     | ---       |



SPORTON INTERNATIONAL INC.  
Haw Ya 1st.Road,Qui Shan,Tao Yuan  
Taiwan,R.O.C  
Tel : +886-3-3273456 Fax : +886-3-3180055  
www.sporton.com.tw

Data#: 35 File#: D:\認證五部\環隆\411614\備份.EMI




Site : 03CH03-HY  
Condition : FCC CLASS-B 3m HORN-ANT-6741 VERTICAL  
EUT : TeamPed7500w  
Power : 110 V /60Hz  
Memo : FHT68XXXX/MiniPCI 11b Ch11 2462MHz

|     | Freq     | Level  | Over Limit | Limit Line | Read Level | Probe Factor | Cable Loss | Preamp Factor | Remark  | Ant Pos | Table Pos |
|-----|----------|--------|------------|------------|------------|--------------|------------|---------------|---------|---------|-----------|
|     | MHz      | dBuV/m | dB         | dBuV/m     | dBuV       | dB           | dB         | dB            |         | cm      | deg       |
| 1   | 2390.000 | 56.02  | -17.98     | 74.00      | 57.09      | 28.20        | 6.97       | 36.24         | Peak    | ---     | ---       |
| 2   | 2390.000 | 42.61  | -11.39     | 54.00      | 43.68      | 28.20        | 6.97       | 36.24         | Average | ---     | ---       |
| 3 X | 2462.000 | 103.78 | 49.78      | 54.00      | 104.59     | 28.35        | 7.06       | 36.22         | Average | 112     | 257       |
| 4 X | 2462.000 | 112.37 | 38.37      | 74.00      | 113.18     | 28.35        | 7.06       | 36.22         | Peak    | ---     | ---       |
| 5   | 2483.500 | 66.19  | -7.81      | 74.00      | 66.86      | 28.39        | 7.16       | 36.22         | Peak    | ---     | ---       |
| 6   | 2483.500 | 47.12  | -6.88      | 54.00      | 47.79      | 28.39        | 7.16       | 36.22         | Average | ---     | ---       |



SPORTON INTERNATIONAL INC.  
Haw Ya 1st.Road,Qui Shan,Tao Yuan  
Taiwan,R.O.C  
Tel : +886-3-3273456 Fax : +886-3-3180055  
www.sporton.com.tw

Data#: 39 File#: D:\認證五部\環隆\411614\備份.EMI




Site : 03CH03-HY  
Condition : FCC CLASS-B 3m HORN-ANT-6741 HORIZONTAL  
EUT : TeamPed7500w  
Power : 110 V /60Hz  
Memo : FHT68XXXX/MiniPCI 11b Ch11 2462MHz

|     | Freq     | Level  | Over Limit | Limit Line | Read Level | Probe Factor | Cable Loss | Preamp Factor | Remark  | Ant Pos | Table Pos |
|-----|----------|--------|------------|------------|------------|--------------|------------|---------------|---------|---------|-----------|
|     | MHz      | dBuV/m | dB         | dBuV/m     | dBuV       | dB           | dB         | dB            |         | cm      | deg       |
| 1   | 2390.000 | 56.38  | -17.62     | 74.00      | 57.45      | 28.20        | 6.97       | 36.24         | Peak    | ---     | ---       |
| 2   | 2390.000 | 44.87  | -9.13      | 54.00      | 45.94      | 28.20        | 6.97       | 36.24         | Average | ---     | ---       |
| 3 X | 2462.000 | 107.38 | 33.38      | 74.00      | 108.19     | 28.35        | 7.06       | 36.22         | Peak    | ---     | ---       |
| 4 X | 2462.000 | 95.68  | 41.68      | 54.00      | 96.49      | 28.35        | 7.06       | 36.22         | Average | 112     | 232       |
| 5   | 2483.500 | 61.01  | -12.99     | 74.00      | 61.68      | 28.39        | 7.16       | 36.22         | Peak    | ---     | ---       |
| 6   | 2483.500 | 44.92  | -9.08      | 54.00      | 45.59      | 28.39        | 7.16       | 36.22         | Average | ---     | ---       |



SPORTON INTERNATIONAL INC.  
Haw Ya 1st.Road,Qui Shan,Tao Yuan  
Taiwan,R.O.C  
Tel : +886-3-3273456 Fax : +886-3-3180055  
www.sporton.com.tw

Data#: 93 File#: D:\認證五部\環隆\411614\備份.EMI




Site : 03CH03-HY  
Condition : FCC CLASS-B 3m HORN-ANT-6741 VERTICAL  
EUT : TeamPed7500w  
Power : 110 V /60Hz  
Memo : FHT68XXXX/MiniPCI 11g TX Ch11 2462MHz

|     | Freq     | Level  | Over<br>Limit | Limit<br>Line | Read<br>Level | Probe<br>Factor | Cable<br>Loss | Preamp<br>Factor | Remark  | Ant<br>Pos | Table<br>Pos |
|-----|----------|--------|---------------|---------------|---------------|-----------------|---------------|------------------|---------|------------|--------------|
|     | MHz      | dBuV/m | dB            | dBuV/m        | dBuV          | dB              | dB            | dB               |         | cm         | deg          |
| 1   | 2390.000 | 66.02  | -7.98         | 74.00         | 71.99         | 28.20           | 6.97          | 41.14            | Peak    | ---        | ---          |
| 2   | 2390.000 | 47.65  | -6.35         | 54.00         | 53.62         | 28.20           | 6.97          | 41.14            | Average | ---        | ---          |
| 3 X | 2464.720 | 106.38 | 32.38         | 74.00         | 112.16        | 28.35           | 7.06          | 41.19            | Peak    | 100        | 321          |
| 4 X | 2464.720 | 98.85  | 44.85         | 54.00         | 104.63        | 28.35           | 7.06          | 41.19            | Average | 100        | 321          |
| 5 ! | 2483.500 | 71.64  | -2.36         | 74.00         | 77.29         | 28.39           | 7.16          | 41.20            | Peak    | 100        | 321          |
| 6   | 2483.500 | 47.84  | -6.16         | 54.00         | 53.49         | 28.39           | 7.16          | 41.20            | Average | 100        | 321          |



SPORTON INTERNATIONAL INC.  
Haw Ya 1st.Road,Qui Shan,Tao Yuan  
Taiwan,R.O.C  
Tel : +886-3-3273456 Fax : +886-3-3180055  
www.sporton.com.tw

Data#: 94 File#: D:\認證五部\環隆\411614\備份.EMI




Site : 03CH03-HY  
Condition : FCC CLASS-B 3m HORN-ANT-6741 HORIZONTAL  
EUT : TeamPed7500w  
Power : 110 V /60Hz  
Memo : FHT68XXXX/MiniPCI 11g TX Ch11 2462MHz

|     | Freq     | Level  | Over Limit | Limit Line | Read Level | Probe Factor | Cable Loss | Preamplifier Factor | Remark  | Ant Pos | Table Pos |
|-----|----------|--------|------------|------------|------------|--------------|------------|---------------------|---------|---------|-----------|
|     | MHz      | dBuV/m | dB         | dBuV/m     | dBuV       | dB           | dB         | dB                  |         | cm      | deg       |
| 1   | 2390.000 | 58.13  | -15.87     | 74.00      | 64.10      | 28.20        | 6.97       | 41.14               | Peak    | ---     | ---       |
| 2   | 2390.000 | 47.45  | -6.55      | 54.00      | 53.42      | 28.20        | 6.97       | 41.14               | Average | ---     | ---       |
| 3 X | 2466.670 | 97.34  | 23.34      | 74.00      | 103.12     | 28.35        | 7.06       | 41.19               | Peak    | ---     | ---       |
| 4 X | 2466.670 | 91.26  | 37.26      | 54.00      | 97.04      | 28.35        | 7.06       | 41.19               | Average | ---     | ---       |
| 5 ! | 2483.500 | 69.38  | -4.62      | 74.00      | 75.03      | 28.39        | 7.16       | 41.20               | Peak    | ---     | ---       |
| 6 ! | 2483.500 | 48.09  | -5.91      | 54.00      | 53.74      | 28.39        | 7.16       | 41.20               | Average | ---     | ---       |



SPORTON INTERNATIONAL INC.  
Haw Ya 1st.Road,Qui Shan,Tao Yuan  
Taiwan,R.O.C  
Tel : +886-3-3273456 Fax : +886-3-3180055  
www.sporton.com.tw

Data#: 96 File#: D:\認證五部\環隆\411614\備份.EMI




Site : 03CH03-HY  
Condition : FCC CLASS-B 3m HORN-ANT-6741 VERTICAL  
EUT : TeamPed7500w  
Power : 110 V /60Hz  
Memo : FHT68XXXX/MiniPCI 11g TX Ch01 2412MHz

|   | Freq     | Level  | Over<br>Limit | Limit<br>Line | Read<br>Level | Probe<br>Factor | Cable<br>Loss | Preamp<br>Factor | Remark  | Ant<br>Pos | Table<br>Pos |
|---|----------|--------|---------------|---------------|---------------|-----------------|---------------|------------------|---------|------------|--------------|
|   | MHz      | dBuV/m |               | dBuV/m        | dBuV          | dB              | dB            | dB               |         | cm         | deg          |
| 1 | 1830.000 | 45.70  | -28.30        | 74.00         | 53.62         | 26.72           | 6.17          | 40.81            | Peak    | ---        | ---          |
| 2 | 2390.000 | 70.04  | -3.96         | 74.00         | 76.01         | 28.20           | 6.97          | 41.14            | Peak    | ---        | ---          |
| 3 | 2390.000 | 47.07  | -6.93         | 54.00         | 53.04         | 28.20           | 6.97          | 41.14            | Average | ---        | ---          |
| 4 | 2412.000 | 105.10 | 31.10         | 74.00         | 111.01        | 28.24           | 7.00          | 41.15            | Peak    | ---        | ---          |
| 5 | 2412.000 | 97.85  | 43.85         | 54.00         | 103.76        | 28.24           | 7.00          | 41.15            | Average | ---        | ---          |
| 6 | 2483.500 | 60.84  | -13.16        | 74.00         | 66.49         | 28.39           | 7.16          | 41.20            | Peak    | ---        | ---          |
| 7 | 2483.500 | 47.72  | -6.28         | 54.00         | 53.37         | 28.39           | 7.16          | 41.20            | Average | ---        | ---          |



SPORTON INTERNATIONAL INC.  
Haw Ya 1st.Road,Qui Shan,Tao Yuan  
Taiwan,R.O.C  
Tel : +886-3-3273456 Fax : +886-3-3180055  
www.sporton.com.tw

Data#: 95 File#: D:\認證五部\環隆\411614\備份.EMI



Site : 03CH03-HY  
Condition : FCC CLASS-B 3m HORN-ANT-6741 HORIZONTAL  
EUT : TeamPed7500w  
Power : 110 V /60Hz  
Memo : FHT68XXXX/MiniPCI 11g TX Ch01 2412MHz

|     | Freq     | Level  | Over Limit | Limit Line | Read Level | Probe Factor | Cable Loss | Preamp Factor | Remark  | Ant Pos | Table Pos |
|-----|----------|--------|------------|------------|------------|--------------|------------|---------------|---------|---------|-----------|
|     | MHz      | dBuV/m | dB         | dBuV/m     | dBuV       | dB           | dB         | dB            |         | cm      | deg       |
| 1   | 2390.000 | 65.60  | -8.40      | 74.00      | 71.57      | 28.20        | 6.97       | 41.14         | Peak    | ---     | ---       |
| 2   | 2390.000 | 47.48  | -6.52      | 54.00      | 53.45      | 28.20        | 6.97       | 41.14         | Average | ---     | ---       |
| 3 X | 2412.000 | 96.80  | 22.80      | 74.00      | 102.71     | 28.24        | 7.00       | 41.15         | Peak    | ---     | ---       |
| 4 X | 2412.000 | 88.73  | 34.73      | 54.00      | 94.64      | 28.24        | 7.00       | 41.15         | Average | ---     | ---       |
| 5   | 2483.500 | 63.93  | -10.07     | 74.00      | 69.58      | 28.39        | 7.16       | 41.20         | Peak    | ---     | ---       |
| 6 ! | 2483.500 | 48.47  | -5.53      | 54.00      | 54.12      | 28.39        | 7.16       | 41.20         | Average | ---     | ---       |