





THIS DOCUMENT CONTAINS INFORMATION PROPRIETARY TO XIRCOM, INC. AND IS FURNISHED TO

FOR THE PURPOSE OF INSTALLATION, OPERATION OR MAINTENANCE OF THE ITEM(S) DESCRIBED HEREIN. ALL OTHER USES OF THIS DOCUMENT OR ITS CONTENTS ARE NOT AUTHORIZED BY XIRCOM, INC.

© 2001 ALL RIGHTS RESERVED. COPYING OF THIS DOCUMENT IS UNLAWFUL WITHOUT THE WRITTEN PERMISSION OF XIRCOM, INC., THOUSAND OAKS, CA 91320-1420.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	Per ECN 23528		N. Guetschoff



- 11 • REF. ELECTRONIC ARTWORK #832-2672-001A, ADOBE ILLUSTRATOR 9.0 FILE
- 10 • LABEL MATERIAL AND SUPPLIER MUST BE UL APPROVED
- 9 • A/W PART NUMBERS TO PRINT ON ALL FILM LAYERS (100% SCREEN OF PMS OR CMYK COLORS) IF FILM IS REQD
- 8 • CLEANING TEST: PERFORM LABEL CLEANING TEST PER XIRCOM QA LABEL CLEANING TEST #QAI-020
- 7 • GAP BETWEEN LABELS ON ROLL TO BE BETWEEN 10.16MM (.400") TO 12.70MM (.500")
- 6 • ALL TEXT AND GRAPHICS REVERSE OUT WHITE UNLESS OTHERWISE SPECIFIED ON FAB OR IN ART FILE
- 5 • BLACK
- 4 • FOR LABEL ORIENTATION ON ROLL, REF: FAB DWG #802-0016-001, PAGEMAKER 5.0 FILE
- 3 • MARK PART NUMBER AND REVISION IN CONSPICUOUS AREA ON OUTSIDE OF BULK PACKAGING
- 2 FINISH • MATTE
- 1 MATERIAL • MYLAR, WHITE, 2.3 MIL FACESTOCK, 3M#7815; ACRYLIC PERM ADHESIVE, 3M#310, 0.8 MIL(PENANG REQMT) OR XIRCOM APPROVED EQUIVALENT

NOTES: (UNLESS OTHERWISE SPECIFIED)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ± .008 MATERIAL  FINISH  DO NOT SCALE DRAWING	CONTRACT NO.		Xircom an Intel company LABEL, BOTTOM, WCB5000			
	APPROVALS		DATE			
	DRAWN N. Guetschoff		10-18-01			
	CHECKED K. Hovsepian					
	APPROVED T. Aerden B. Winter L. Thum		SIZE A		FSCM NO.	
		SCALE = 1" = 1"		DRAWING NO. 830-1774-001		
				REV. A		
				SHEET 1 OF 1		

