



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #3

Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:57:07

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 559MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	25.0501	-113.26	peak	25.18	-88.08	-36.00	150	270	-52.08	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2


Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:18:03

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 559MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.


Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	88.9378	-97.59	peak	21.39	-76.20	-54.00	150	120	-22.20	
	107.6753	-99.83	peak	20.80	-79.03	-54.00	150	240	-25.03	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 559MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-97.86	peak	21.70	-76.16	-54.00	150	300	-22.16	
	181.6032	-100.73	peak	22.81	-77.92	-54.00	150	110	-23.92	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1

Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 02:01:07

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 559MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	692.1844	-74.64	peak	-3.50	-78.14	-54.00	150	270	-24.14	
*	767.5351	-65.10	peak	-5.18	-70.28	-54.00	150	100	-16.28	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #2


Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 02:03:42

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 559MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	705.0101	-74.79	peak	-3.80	-78.59	-54.00	150	240	-24.59	
*	772.3447	-59.19	peak	-3.74	-62.93	-54.00	150	100	-8.93	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2025/12/31

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 02:18:47

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 559MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1114.228	-43.65	peak	-0.73	-44.38	-30.00	150	320	-14.38	
*	2232.465	-48.49	peak	4.31	-44.18	-30.00	150	300	-14.18	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #2


Date: 2025/12/31

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 02:22:00

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 559MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1114.228	-49.75	peak	0.13	-49.62	-30.00	150	270	-19.62	
*	2418.838	-50.17	peak	4.60	-45.57	-30.00	150	100	-15.57	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #1

Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:24:25

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 607.875MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	25.5711	-113.64	peak	26.47	-87.17	-36.00	150	270	-51.17	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1


Data : #3

Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:54:50

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 607.875MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	25.2505	-113.46	peak	25.08	-88.38	-36.00	150	300	-52.38	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:25:13

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 607.875MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	88.9380	-96.97	peak	21.39	-75.58	-54.00	150	110	-21.58	
	107.3347	-99.37	peak	20.81	-78.56	-54.00	150	310	-24.56	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :1

Data :#4


Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:55:38

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 607.875MHz

Note :

Polarization: **Vertical**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-97.76	peak	21.70	-76.06	-54.00	150	300	-22.06	
	190.1202	-101.86	peak	22.90	-78.96	-54.00	150	70	-24.96	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1


Date: 2026/1/6

Temperature: 22.4 °C

Time: 下午 02:11:04

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 607.875MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	688.9780	-76.52	peak	-3.48	-80.00	-54.00	150	130	-26.00	
*	767.5351	-64.46	peak	-5.18	-69.64	-54.00	150	270	-15.64	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #2


Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 02:13:38

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 607.875MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	721.0421	-76.06	peak	-3.59	-79.65	-54.00	150	320	-25.65	
*	767.5351	-58.99	peak	-3.63	-62.62	-54.00	150	100	-8.62	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2025/12/5

Temperature: 22.7 °C

-20.0 dBm

Time: 下午 07:46:37

Humidity: 58.1 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 607.875MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1210.421	-45.74	peak	-0.55	-46.29	-30.00	150	270	-16.29	
*	1745.491	-47.92	peak	2.20	-45.72	-30.00	150	110	-15.72	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #2


Date: 2025/12/5

Temperature: 22.7 °C

-20.0 dBm

Time: 下午 07:48:16

Humidity: 58.1 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 607.875MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1210.421	-44.27	peak	0.58	-43.69	-30.00	150	120	-13.69	
	1823.647	-51.02	peak	3.69	-47.33	-30.00	150	80	-17.33	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1


Data : #1

Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:26:56

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 614.125MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	25.0601	-114.13	peak	26.78	-87.35	-36.00	150	40	-51.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #3


Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:52:40

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 614.125MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	25.0501	-113.87	peak	25.18	-88.69	-36.00	150	300	-52.69	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2


Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:27:45

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 614.125MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	88.9380	-96.96	peak	21.39	-75.57	-54.00	150	210	-21.57	
	107.3347	-99.62	peak	20.81	-78.81	-54.00	150	270	-24.81	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :1


Data :#4

Date: 2025/12/31

Temperature:22.4 °C

Time: 下午 03:53:28

Humidity:56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 614.125MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-97.45	peak	21.70	-75.75	-54.00	150	110	-21.75	
	195.9118	-101.77	peak	22.96	-78.81	-54.00	150	270	-24.81	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1

Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 02:18:00

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 614.125MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	690.5812	-75.68	peak	-3.49	-79.17	-54.00	150	50	-25.17	
*	767.5351	-63.96	peak	-5.18	-69.14	-54.00	150	110	-15.14	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #2


Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 02:20:15

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 614.125MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	716.2325	-74.37	peak	-3.65	-78.02	-54.00	150	300	-24.02	
*	772.3447	-59.21	peak	-3.74	-62.95	-54.00	150	140	-8.95	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2025/12/5

Temperature: 22.7 °C

-20.0 dBm

Time: 下午 07:54:27

Humidity: 58.1 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 614.125MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1228.457	-44.46	peak	-0.52	-44.98	-30.00	150	100	-14.98	
	1841.683	-50.49	peak	3.07	-47.42	-30.00	150	230	-17.42	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #2


Date: 2025/12/5

Temperature: 22.7 °C

-20.0 dBm

Time: 下午 07:56:12

Humidity: 58.1 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 614.125MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1228.457	-44.28	peak	0.66	-43.62	-30.00	150	110	-13.62	
	1841.683	-50.02	peak	3.79	-46.23	-30.00	150	60	-16.23	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #1

Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:31:33

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 615.875MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	25.7114	-113.53	peak	26.39	-87.14	-36.00	150	50	-51.14	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #3

Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:50:28

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 615.875MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	25.0501	-114.18	peak	25.18	-89.00	-36.00	150	40	-53.00	

*:Maximum data x:Over limit !:over margin