



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2


Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:32:22

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 615.875MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	88.9380	-97.40	peak	21.39	-76.01	-54.00	150	130	-22.01	
	106.9940	-99.60	peak	20.83	-78.77	-54.00	150	270	-24.77	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #4


Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:51:17

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 615.875MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.4550	-98.42	peak	21.71	-76.71	-54.00	150	110	-22.71	
	197.6152	-101.07	peak	22.97	-78.10	-54.00	150	280	-24.10	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1


Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 02:24:49

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 615.875MHz

Note :

Polarization: Horizontal

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	658.5171	-76.12	peak	-3.36	-79.48	-54.00	150	110	-25.48	
*	767.5351	-65.64	peak	-5.18	-70.82	-54.00	150	300	-16.82	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #2

Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 02:27:12

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 615.875MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	692.1844	-75.73	peak	-4.21	-79.94	-54.00	150	140	-25.94	
*	767.5351	-59.65	peak	-3.63	-63.28	-54.00	150	300	-9.28	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 04:06:59

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 615.875MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1228.457	-45.24	peak	-0.52	-45.76	-30.00	150	100	-15.76	
	1847.695	-49.59	peak	3.12	-46.47	-30.00	150	270	-16.47	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #2


Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 04:08:50

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 615.875MHz

Note :

Polarization: **Vertical**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1228.457	-44.40	peak	0.66	-43.74	-30.00	150	200	-13.74	
	1847.695	-49.82	peak	3.82	-46.00	-30.00	150	120	-16.00	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2025/12/31

Temperature:22.4 °C

-20.0 dBm

Time: 下午 03:34:14

Humidity:56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 657.125MHz

Note :

Polarization: *Horizontal*

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	25.5310	-114.28	peak	26.50	-87.78	-36.00	150	70	-51.78	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1


Data : #3

Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:48:11

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 657.125MHz

Note :

Polarization: **Vertical**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	25.0401	-113.50	peak	25.18	-88.32	-36.00			-52.32	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2


Date: 2025/12/31

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 03:35:02

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 657.125MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	88.9380	-97.27	peak	21.39	-75.88	-54.00	150	220	-21.88	
	107.3347	-99.06	peak	20.81	-78.25	-54.00	150	270	-24.25	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :1

Data :#4


Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:49:00

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 657.125MHz

Note :

Polarization: **Vertical**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-98.01	peak	21.70	-76.31	-54.00	150	140	-22.31	
	190.1202	-101.76	peak	22.90	-78.86	-54.00	150	310	-24.86	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1


Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 02:32:15

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 657.125MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	685.7716	-76.00	peak	-3.47	-79.47	-54.00	150	270	-25.47	
*	767.5351	-64.55	peak	-5.18	-69.73	-54.00	150	110	-15.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #2


Date: 2026/1/6

Temperature: 22.4 °C

Time: 下午 02:34:11

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 657.125MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	721.0421	-74.79	peak	-3.59	-78.38	-54.00	150	300	-24.38	
*	767.5351	-58.62	peak	-3.63	-62.25	-54.00	150	120	-8.25	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2025/12/5

Temperature: 22.7 °C

-20.0 dBm

Time: 下午 08:00:01

Humidity: 58.1 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 657.125MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1312.625	-44.54	peak	-0.36	-44.90	-30.00	150	30	-14.90	
	1967.936	-51.52	peak	4.20	-47.32	-30.00	150	270	-17.32	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #2


Date: 2025/12/5

Temperature: 22.7 °C

-20.0 dBm

Time: 下午 08:01:48

Humidity: 58.1 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 657.125MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1312.625	-41.95	peak	1.05	-40.90	-30.00	150	320	-10.90	
	1967.936	-46.74	peak	4.47	-42.27	-30.00	150	120	-12.27	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1


Data : #1

Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:37:08

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 662.875MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	25.1703	-113.99	peak	26.71	-87.28	-36.00	150	210	-51.28	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #3

Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:45:35

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 662.875MHz

Note :

Polarization: **Vertical**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	25.0501	-114.00	peak	25.18	-88.82	-36.00	150	300	-52.82	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2


Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:37:57

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 662.875MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	88.9380	-97.05	peak	21.39	-75.66	-54.00	150	200	-21.66	
	106.9940	-100.00	peak	20.83	-79.17	-54.00	150	270	-25.17	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #4


Date: 2025/12/31

Temperature: 22.4 °C

Time: 下午 03:46:23

Humidity: 56.4 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 662.875MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-97.76	peak	21.70	-76.06	-54.00	150	100	-22.06	
	199.6593	-101.16	peak	23.00	-78.16	-54.00	150	310	-24.16	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1


Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 02:38:01

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 662.875MHz

Note :

Polarization: Horizontal

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	695.3908	-76.14	peak	-3.51	-79.65	-54.00	150	300	-25.65	
*	769.1383	-63.55	peak	-5.20	-68.75	-54.00	150	140	-14.75	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #2

Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 02:39:52

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 662.875MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	711.4230	-75.59	peak	-3.71	-79.30	-54.00	150	300	-25.30	
*	769.1383	-59.55	peak	-3.66	-63.21	-54.00	150	140	-9.21	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 04:15:09

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 662.875MHz

Note :

Polarization: **Horizontal**

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1324.649	-44.85	peak	-0.33	-45.18	-30.00	150	270	-15.18	
	1985.972	-55.12	peak	4.36	-50.76	-30.00	150	100	-20.76	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #2


Date: 2026/1/6

Temperature: 22.4 °C

-20.0 dBm

Time: 下午 04:17:10

Humidity: 56.4 %



Site : 966A Chamber

Condition : ETSI EN300_422-TX_Spurious_OP

EUT : W6M22507-24577

M/N:

Test Mode : TX 662.875MHz

Note :

Polarization: Vertical

Power : 3.7Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1324.649	-41.44	peak	1.11	-40.33	-30.00	150	100	-10.33	
	1985.972	-48.72	peak	4.57	-44.15	-30.00	150	310	-14.15	

*:Maximum data x:Over limit !:over margin