


Appendix A: Test Results of Conducted Test

Test Result of 6 dB Bandwidth




BLE_1M

Channel	Channel Frequency (MHz)	6 dB Bandwidth (kHz)	Limit (kHz)	Result
Low Channel	2402	719.280	> 500	Pass
Middle Channel	2442	716.280	> 500	Pass
High Channel	2480	719.280	> 500	Pass



BLE_2M

Channel	Channel Frequency (MHz)	6 dB Bandwidth (kHz)	Limit (kHz)	Result
Low Channel	2402	1258.740	> 500	Pass
Middle Channel	2442	1253.750	> 500	Pass
High Channel	2480	1248.750	> 500	Pass


Low Channel

Middle Channel

High Channel


Test Result of 99% Occupied Bandwidth


BLE_1M

Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)
Low Channel	2402	1.03
Middle Channel	2442	1.03
High Channel	2480	1.03


Low Channel



Middle Channel




High Channel



BLE_2M


Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)
Low Channel	2402	2.04
Middle Channel	2442	2.04
High Channel	2480	2.04



Test Result of Power Spectral Density


BLE_1M

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
Low Channel	2402	-12.73	8	Pass
Middle Channel	2442	-12.80	8	Pass
High Channel	2480	-12.80	8	Pass







BLE_2M

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
Low Channel	2402	-15.24	8	Pass
Middle Channel	2442	-15.24	8	Pass
High Channel	2480	-15.32	8	Pass




Test Result of Conducted Spurious Emissions, Tx Mode

BLE_1M


BLE_2M
Low Channel
Middle Channel

High Channel


Test Result of Conducted Band Edge, Tx Mode

BLE_1M



BLE_2M

