

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


Band Edges, 2.31GHz ~ 2.9GHz

BLE_1M

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2315.31	52.48	15.38	37.10	74.00	-21.52	143	298	Peak	Horizontal	
2 *	2402.00	101.61	64.24	37.37	74.00	27.61	143	298	Peak	Horizontal	
3	2637.21	54.05	16.17	37.88	74.00	-19.95	143	298	Peak	Horizontal	

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2316.61	53.00	15.90	37.10	74.00	-21.00	314	63	Peak	Vertical	
2 *	2402.00	100.47	63.10	37.37	74.00	26.47	314	63	Peak	Vertical	
3	2809.38	54.34	16.40	37.94	74.00	-19.66	314	63	Peak	Vertical	

BLE_1M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.17	40.82	3.50	37.32	54.00	-13.18	143	298	Average	Horizontal		
2 *	2402.00	100.72	63.35	37.37	54.00	46.72	143	298	Average	Horizontal		
3	2899.06	42.21	3.89	38.32	54.00	-11.79	143	298	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2350.24	39.61	2.40	37.21	54.00	-14.39	314	63	Average	Vertical		
2 *	2402.00	99.45	62.88	37.37	54.00	45.45	314	63	Average	Vertical		
3	2633.44	41.16	3.26	37.90	54.00	-12.84	314	63	Average	Vertical		

BLE_1M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.15	52.52	15.28	37.24	74.00	-21.48	106	301	Peak	Horizontal	
2 *	2480.00	101.54	63.98	37.56	74.00	27.54	106	301	Peak	Horizontal	
3	2786.01	54.47	16.58	37.89	74.00	-19.53	106	301	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2343.39	52.21	15.02	37.19	74.00	-21.79	205	99	Peak	Vertical	
2 *	2480.00	98.65	61.09	37.56	74.00	24.65	205	99	Peak	Vertical	
3	2616.56	53.92	15.98	37.94	74.00	-20.08	205	99	Peak	Vertical	

BLE_1M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2311.89	39.68	2.60	37.08	54.00	-14.32	106	301	Average	Horizontal		
2 *	2480.00	100.56	63.00	37.56	54.00	46.56	106	301	Average	Horizontal		
3	2638.04	41.29	3.41	37.88	54.00	-12.71	106	301	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2312.71	39.79	2.70	37.09	54.00	-14.21	205	99	Average	Vertical		
2 *	2480.00	97.67	60.11	37.56	54.00	43.67	205	99	Average	Vertical		
3	2898.82	41.02	2.70	38.32	54.00	-12.98	205	99	Average	Vertical		

BLE_2M

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2335.84	53.18	15.94	37.16	74.00	-20.90	143	300	Peak	Horizontal	
2 *	2402.00	101.15	63.78	37.37	74.00	27.15	143	300	Peak	Horizontal	
3	2623.53	54.36	16.43	37.93	74.00	-19.64	143	300	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.35	53.85	16.52	37.33	74.00	-20.15	314	64	Peak	Vertical	
2 *	2402.00	100.63	63.46	37.37	74.00	26.63	314	64	Peak	Vertical	
3	2833.57	54.91	16.89	38.02	74.00	-19.09	314	64	Peak	Vertical	

BLE_2M

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.77	40.14	2.81	37.33	54.00	-13.86	143	300	Average	Horizontal	
2 *	2402.00	98.02	60.65	37.37	54.00	44.02	143	300	Average	Horizontal	
3	2897.76	41.75	3.44	38.31	54.00	-12.25	143	300	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2378.44	40.18	2.88	37.30	54.00	-13.82	314	64	Average	Vertical	
2 *	2402.00	97.49	60.12	37.37	54.00	43.49	314	64	Average	Vertical	
3	2899.53	41.70	3.38	38.32	54.00	-12.30	314	64	Average	Vertical	

BLE_2M


High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_2M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2311.42	40.24	3.16	37.08	54.00	-13.76	106	299	Average	Horizontal	
2 *	2480.00	98.39	60.63	37.56	54.00	44.39	106	299	Average	Horizontal	
3	2483.50	45.51	7.95	37.56	54.00	-8.49	106	299	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.40	40.11	2.79	37.32	54.00	-13.89	164	101	Average	Vertical	
2 *	2480.00	96.64	59.88	37.56	54.00	42.64	164	101	Average	Vertical	
3	2483.50	44.55	6.99	37.56	54.00	-9.45	164	101	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_1M

Low Channel 9kHz~150kHz

Low Channel 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	81.33	3.37	77.96	126.45	-45.12	100	33	QP	vertical		
2	0.03	71.95	1.19	70.76	118.87	-46.12	100	266	QP	vertical		
3	0.06	64.30	0.15	64.15	112.56	-48.26	100	163	QP	vertical		
4	0.09	58.56	-2.27	60.83	108.99	-50.43	100	26	QP	vertical		
5	0.11	55.97	-2.55	58.52	106.56	-50.59	100	48	QP	vertical		
6	0.13	54.21	-3.02	57.23	105.00	-50.79	100	1	QP	vertical		



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.47	59.57	12.31	47.26	94.17	-34.60	100	230	QP	vertical		
2	4.88	50.64	12.30	38.34	69.50	-18.86	100	207	QP	vertical		
3	9.03	50.52	12.75	37.77	69.50	-18.98	100	5	QP	vertical		
4	14.85	49.97	12.26	37.71	69.50	-19.53	100	176	QP	vertical		
5	19.43	48.99	12.63	36.36	69.50	-20.51	100	88	QP	vertical		
6	23.87	47.70	12.73	34.97	69.50	-21.80	100	218	QP	vertical		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	147.95	34.93	42.60	-7.67	43.50	-8.57	100	177	QP	horizontal		
2	160.08	34.68	42.14	-7.46	43.50	-8.82	100	177	QP	horizontal		
3	224.00	36.92	46.28	-9.36	46.00	-9.08	200	336	QP	horizontal		
4	384.05	40.94	45.90	-4.96	46.00	-5.06	100	71	QP	horizontal		
5	447.97	33.35	37.13	-3.78	46.00	-12.65	200	248	QP	horizontal		
6	544.10	34.47	36.98	-2.51	46.00	-11.53	200	312	QP	horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	96.25	28.51	41.85	-13.34	43.50	-14.99	200	95	QP	vertical		
2	150.77	34.44	42.12	-7.68	43.50	-9.06	200	75	QP	vertical		
3	384.05	31.81	36.77	-4.96	46.00	-14.19	200	62	QP	vertical		
4	544.00	28.31	30.82	-2.51	46.00	-17.69	200	51	QP	vertical		
5	727.04	30.38	29.74	0.64	46.00	-15.62	300	142	QP	vertical		
6	834.52	32.24	29.95	2.29	46.00	-13.76	400	22	QP	vertical		


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

BLE_1M

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3683.00	45.94	57.99	-12.05	54.00	-8.06	299	73	Average	horizontal	
2	3683.00	50.13	62.18	-12.05	74.00	-23.87	299	73	Peak	horizontal	
3	4804.00	52.90	63.10	-10.20	54.00	-1.10	128	167	Average	horizontal	
4	4804.00	57.28	67.48	-10.20	74.00	-16.72	128	167	Peak	horizontal	
5	7206.00	47.24	54.89	-7.65	54.00	-6.76	124	346	Average	horizontal	
6	7206.00	57.08	64.73	-7.65	74.00	-16.92	124	346	Peak	horizontal	
7	9608.00	41.64	46.93	-5.29	54.00	-12.36	297	85	Average	horizontal	
8	9608.00	52.42	57.71	-5.29	74.00	-21.58	297	85	Peak	horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3683.00	47.75	59.80	-12.05	74.00	-26.25	300	101	Peak	vertical	
2	4804.00	49.43	59.63	-10.20	54.00	-4.57	317	208	Average	vertical	
3	4804.00	54.61	64.81	-10.20	74.00	-19.39	317	208	Peak	vertical	
4	7206.00	46.47	54.12	-7.65	54.00	-7.53	104	295	Average	vertical	
5	7206.00	56.85	64.50	-7.65	74.00	-17.15	104	295	Peak	vertical	
6	9608.00	50.10	55.39	-5.29	54.00	-3.90	110	295	Average	vertical	
7	9608.00	61.06	66.35	-5.29	74.00	-12.94	110	295	Peak	vertical	
8	12010.00	38.13	38.90	-0.77	54.00	-15.87	288	282	Average	vertical	
9	12010.00	50.10	50.87	-0.77	74.00	-23.90	288	282	Peak	vertical	

BLE_1M

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3668.00	49.06	68.80	-11.74	54.00	-4.94	370	116	Average	horizontal	
2	3668.00	52.68	64.42	-11.74	74.00	-21.32	370	116	Peak	horizontal	
3	4888.00	52.13	62.19	-10.06	54.00	-1.87	120	165	Average	horizontal	
4	4888.00	56.77	66.83	-10.06	74.00	-17.23	120	165	Peak	horizontal	
5	7320.00	43.74	51.52	-7.78	54.00	-10.26	112	346	Average	horizontal	
6	7320.00	53.78	61.56	-7.78	74.00	-20.22	112	346	Peak	horizontal	
7	9768.00	41.29	46.25	-4.96	54.00	-12.71	180	189	Average	horizontal	
8	9768.00	52.12	57.08	-4.96	74.00	-21.88	180	189	Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3668.00	46.79	58.53	-11.74	54.00	-7.21	298	99	Average	vertical	
2	3668.00	50.86	62.60	-11.74	74.00	-23.14	298	99	Peak	vertical	
3	4888.00	47.85	57.91	-10.06	54.00	-6.15	100	212	Average	vertical	
4	4888.00	53.26	63.32	-10.06	74.00	-20.74	100	212	Peak	vertical	
5	7320.00	44.77	52.55	-7.78	54.00	-9.23	100	314	Average	vertical	
6	7320.00	55.07	62.85	-7.78	74.00	-18.93	100	314	Peak	vertical	
7	9768.00	49.51	54.47	-4.96	54.00	-4.49	114	281	Average	vertical	
8	9768.00	60.62	65.58	-4.96	74.00	-13.38	114	281	Peak	vertical	
9	12280.00	41.20	41.63	-0.43	54.00	-12.80	113	284	Average	vertical	
10	12280.00	52.67	53.10	-0.43	74.00	-21.33	113	284	Peak	vertical	

BLE_1M

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3720.00	45.54	57.21	-11.67	54.00	-8.46	287	317	Average	horizontal	
2	3720.00	50.07	61.74	-11.67	74.00	-23.93	287	317	Peak	horizontal	
3	4960.00	49.67	59.43	-9.76	54.00	-4.33	271	177	Average	horizontal	
4	4960.00	54.65	64.41	-9.76	74.00	-19.35	271	177	Peak	horizontal	
5	7440.00	43.52	51.24	-7.72	54.00	-10.48	102	348	Average	horizontal	
6	7440.00	53.53	61.25	-7.72	74.00	-20.47	102	348	Peak	horizontal	
7	9920.00	43.46	48.14	-4.68	54.00	-10.54	282	93	Average	horizontal	
8	9920.00	54.30	58.98	-4.68	74.00	-19.70	282	93	Peak	horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3720.00	45.73	57.40	-11.67	74.00	-28.27	400	94	Peak	vertical	
2	4960.00	49.03	58.79	-9.76	54.00	-4.97	100	230	Average	vertical	
3	4960.00	54.34	64.10	-9.76	74.00	-19.66	100	230	Peak	vertical	
4	7440.00	43.63	51.35	-7.72	54.00	-10.37	105	318	Average	vertical	
5	7440.00	53.57	61.29	-7.72	74.00	-20.43	105	318	Peak	vertical	
6	9920.00	49.52	54.20	-4.68	54.00	-4.48	105	298	Average	vertical	
7	9920.00	60.51	65.19	-4.68	74.00	-13.49	105	298	Peak	vertical	
8	12400.00	41.98	42.15	-0.17	54.00	-12.02	119	281	Average	vertical	
9	12400.00	53.37	53.54	-0.17	74.00	-20.63	119	281	Peak	vertical	

BLE_2M
Low Channel (Horizontal)

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3682.00	44.35	56.42	-12.07	54.00	-9.65	384	138	Average	horizontal		
2	3682.00	52.87	64.94	-12.07	74.00	-21.13	384	138	Peak	horizontal		
3	4804.00	46.84	57.04	-10.20	54.00	-7.16	149	170	Average	horizontal		
4	4804.00	56.72	66.92	-10.20	74.00	-17.28	149	170	Peak	horizontal		
5	7206.00	47.65	55.30	-7.65	54.00	-6.35	109	289	Average	horizontal		
6	7206.00	57.26	64.91	-7.65	74.00	-16.74	109	289	Peak	horizontal		
7	9608.00	47.38	52.67	-5.29	74.00	-26.62	202	155	Peak	horizontal		

Low Channel (Vertical)

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3682.00	46.81	58.88	-12.07	74.00	-27.19	300	99	Peak	vertical		
2	4804.00	44.98	55.18	-10.20	54.00	-9.02	104	89	Average	vertical		
3	4804.00	54.79	64.99	-10.20	74.00	-19.21	104	89	Peak	vertical		
4	7206.00	45.78	53.43	-7.65	54.00	-8.22	252	302	Average	vertical		
5	7206.00	55.60	63.25	-7.65	74.00	-18.40	252	302	Peak	vertical		
6	9608.00	49.49	54.78	-5.29	54.00	-4.51	119	294	Average	vertical		
7	9608.00	60.13	65.42	-5.29	74.00	-13.87	119	294	Peak	vertical		

BLE_2M

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3668.00	44.05	55.79	-11.74	54.00	-9.95	490	139	Average	horizontal		
2	3668.00	52.11	63.85	-11.74	74.00	-21.89	490	139	Peak	horizontal		
3	4888.00	47.78	57.84	-10.06	54.00	-6.22	100	172	Average	horizontal		
4	4888.00	57.54	67.60	-10.06	74.00	-16.46	100	172	Peak	horizontal		
5	7320.00	45.35	53.13	-7.78	54.00	-8.65	111	294	Average	horizontal		
6	7320.00	55.45	63.23	-7.78	74.00	-18.55	111	294	Peak	horizontal		
7	9768.00	41.58	46.54	-4.96	54.00	-12.42	106	154	Average	horizontal		
8	9768.00	52.65	57.61	-4.96	74.00	-21.35	106	154	Peak	horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3668.00	43.54	55.28	-11.74	54.00	-10.46	298	97	Average	vertical		
2	3668.00	51.85	63.59	-11.74	74.00	-22.15	298	97	Peak	vertical		
3	4888.00	44.28	54.34	-10.06	54.00	-9.72	100	66	Average	vertical		
4	4888.00	54.41	64.47	-10.06	74.00	-19.59	100	66	Peak	vertical		
5	7320.00	43.39	51.17	-7.78	54.00	-10.61	103	53	Average	vertical		
6	7320.00	53.50	61.36	-7.78	74.00	-20.42	103	53	Peak	vertical		
7	9768.00	50.07	55.03	-4.96	54.00	-3.93	110	294	Average	vertical		
8	9768.00	60.91	65.87	-4.96	74.00	-13.09	110	294	Peak	vertical		

BLE_2M

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3720.00	46.99	58.66	-11.67	74.00	-27.01	180	384	Peak	horizontal	
2	4960.00	47.52	57.28	-9.76	54.00	-6.48	112	243	Average	horizontal	
3	4960.00	57.41	67.17	-9.76	74.00	-16.59	112	243	Peak	horizontal	
4	7440.00	44.84	52.56	-7.72	54.00	-9.16	110	294	Average	horizontal	
5	7440.00	54.73	62.45	-7.72	74.00	-19.27	110	294	Peak	horizontal	
6	9920.00	39.98	44.66	-4.68	54.00	-14.02	480	6	Average	horizontal	
7	9920.00	51.13	55.81	-4.68	74.00	-22.87	480	6	Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	3720.00	47.30	58.97	-11.67	74.00	-26.70	300	45	Peak	vertical	
2	4960.00	43.08	52.84	-9.76	54.00	-10.92	113	223	Average	vertical	
3	4960.00	53.07	62.83	-9.76	74.00	-20.93	113	223	Peak	vertical	
4	7440.00	42.94	50.66	-7.72	54.00	-11.06	100	323	Average	vertical	
5	7440.00	52.93	60.65	-7.72	74.00	-21.07	100	323	Peak	vertical	
6	9920.00	49.51	54.19	-4.68	54.00	-4.49	113	286	Average	vertical	
7	9920.00	60.58	65.26	-4.68	74.00	-13.42	113	286	Peak	vertical	
8	12400.00	47.63	47.80	-0.17	74.00	-26.37	100	262	Peak	vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322




Trace: 1

	Read	Factor	Over			
Freq	Level		Limit	Remark	Poi/Phase	Note
MHz	dBuV	dB	dB	dB		
1	0.252	34.88	10.11	44.99	-16.72 QP	line1
2	0.252	8.15	10.11	18.26	-33.45 Average	line1
3	0.302	31.63	10.11	41.74	-18.44 QP	line1
4	0.302	12.94	10.11	23.05	-27.13 Average	line1
5	0.404	25.80	10.12	35.92	-21.85 QP	line1
6	0.404	11.10	10.12	21.22	-26.55 Average	line1
7	1.081	21.03	10.14	31.17	-24.83 QP	line1
8	1.081	9.25	10.14	19.39	-26.61 Average	line1
9	5.243	11.86	10.25	22.11	-37.89 QP	line1
10	5.243	2.10	10.25	12.35	-37.65 Average	line1
11	14.838	9.14	10.49	19.63	-40.37 QP	line1
12	14.838	0.44	10.49	10.93	-39.07 Average	line1



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Read	Factor	Over			
Freq	Level		Limit	Remark	Poi/Phase	Note
MHz	dBuV	dB	dB	dB		
1	0.162	35.92	10.11	46.03	-19.33 QP	neutral
2	0.162	19.53	10.11	29.64	-25.72 Average	neutral
3	0.186	31.97	10.11	42.08	-22.13 QP	neutral
4	0.186	17.60	10.11	27.71	-26.50 Average	neutral
5	0.370	32.55	10.11	42.66	-15.84 QP	neutral
6	0.370	26.35	10.11	36.46	-12.04 Average	neutral
7	4.154	12.29	10.20	22.49	-33.51 QP	neutral
8	4.154	3.61	10.20	13.81	-32.19 Average	neutral
9	7.809	12.55	10.31	22.86	-37.14 QP	neutral
10	7.809	4.07	10.31	14.38	-35.62 Average	neutral
11	18.569	6.79	10.55	17.34	-42.66 QP	neutral
12	18.569	0.54	10.55	11.09	-38.91 Average	neutral