CONSTRUCTION PHOTOS OF EUT

Black










logi
esc
F1
F2
F3
F4
F5
F6
F7
F8
F9
F10
F11
F12
del
back
home
tab
Q
W
E
R
T
Y
U
I
O
P
end
caps
A
S
D
F
G
H
J
K
L
enter
pg up
shift
Z
X
C
V
B
N
M
shift
pg dn
ctrl
fn


MX Mecha


IS 13252(Part1)
IEC 60950-1
NTC
Type Accepted
No.:ESD-XXXXX
E145614 C3
Approved by PTA(2021)
PTA
Pakistan Telecom Authority
ANATEL
XXXXX-XX-XXXXX
P/N:820-010002
S/N:2128SCU002Z9
R-XXXXXXXX
www.bis.gov.in
CONATEL
NOM
NYCE
X-00000
TAC NO: X.XXX/XXXX
XXXXX/SDPPI/2021
2100
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
M/N: YR0081; Rating: 5V ⎓ 500mA; Keyboard; Made in China
FCC ID: JNZYR0081; IC: 4418A-YR0081; IFT: XXXXXXXXX-XXXX
MX Mecha
Tactile Switches

White










logi
USA


USA


P/N: 820-010006
S/N: 2128SCU00808
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
MX Mecha
Tactile Switches

USB Cable Type A to Type C cable



USB Cable Type C to Type C cable

