




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008



Test Report No.: RF260626B008



Test Report No.: RF260626B008




BOOMWAVE TEST (SHENZHEN)
CO., LTD.


Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com


Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008



Test Report No.: RF260626B008



Test Report No.: RF260626B008





Test Report No.: RF260626B008

MAXIMUM CONDUCTED OUTPUT POWER

TEST RESULT

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	Verdict
11AX20MIMO	Ant3	5180	26Tone	RU0	8.51	≤23.98	1.90	10.41	PASS
11AX20MIMO	Ant5	5180	26Tone	RU0	9.62	≤23.98	1.20	10.82	PASS
11AX20MIMO	total	5180	26Tone	RU0	12.11	≤23.98	4.57	16.68	PASS
11AX20MIMO	Ant3	5180	26Tone	RU4	8.23	≤23.98	1.90	10.13	PASS
11AX20MIMO	Ant5	5180	26Tone	RU4	9.33	≤23.98	1.20	10.53	PASS
11AX20MIMO	total	5180	26Tone	RU4	11.83	≤23.98	4.57	16.40	PASS
11AX20MIMO	Ant3	5180	26Tone	RU8	9.36	≤23.98	1.90	11.26	PASS
11AX20MIMO	Ant5	5180	26Tone	RU8	9.89	≤23.98	1.20	11.09	PASS
11AX20MIMO	total	5180	26Tone	RU8	12.64	≤23.98	4.57	17.21	PASS
11AX20MIMO	Ant3	5180	52Tone	RU37	8.86	≤23.98	1.90	10.76	PASS
11AX20MIMO	Ant5	5180	52Tone	RU37	9.92	≤23.98	1.20	11.12	PASS
11AX20MIMO	total	5180	52Tone	RU37	12.43	≤23.98	4.57	17.00	PASS
11AX20MIMO	Ant3	5180	52Tone	RU38	8.71	≤23.98	1.90	10.61	PASS
11AX20MIMO	Ant5	5180	52Tone	RU38	9.63	≤23.98	1.20	10.83	PASS
11AX20MIMO	total	5180	52Tone	RU38	12.20	≤23.98	4.57	16.77	PASS
11AX20MIMO	Ant3	5180	52Tone	RU40	9.38	≤23.98	1.90	11.28	PASS
11AX20MIMO	Ant5	5180	52Tone	RU40	9.86	≤23.98	1.20	11.06	PASS
11AX20MIMO	total	5180	52Tone	RU40	12.64	≤23.98	4.57	17.21	PASS
11AX20MIMO	Ant3	5180	106Tone	RU53	8.86	≤23.98	1.90	10.76	PASS
11AX20MIMO	Ant5	5180	106Tone	RU53	9.82	≤23.98	1.20	11.02	PASS
11AX20MIMO	total	5180	106Tone	RU53	12.38	≤23.98	4.57	16.95	PASS
11AX20MIMO	Ant3	5180	106Tone	RU54	9.51	≤23.98	1.90	11.41	PASS
11AX20MIMO	Ant5	5180	106Tone	RU54	10.01	≤23.98	1.20	11.21	PASS
11AX20MIMO	total	5180	106Tone	RU54	12.78	≤23.98	4.57	17.35	PASS
11AX20MIMO	Ant3	5200	26Tone	RU0	9.47	≤23.98	1.90	11.37	PASS
11AX20MIMO	Ant5	5200	26Tone	RU0	10.45	≤23.98	1.20	11.65	PASS
11AX20MIMO	total	5200	26Tone	RU0	13.00	≤23.98	4.57	17.57	PASS
11AX20MIMO	Ant3	5200	26Tone	RU4	9.28	≤23.98	1.90	11.18	PASS
11AX20MIMO	Ant5	5200	26Tone	RU4	10.01	≤23.98	1.20	11.21	PASS
11AX20MIMO	total	5200	26Tone	RU4	12.67	≤23.98	4.57	17.24	PASS
11AX20MIMO	Ant3	5200	26Tone	RU8	9.98	≤23.98	1.90	11.88	PASS

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com

Test Report No.: RF260626B008

11AX20MIMO	Ant5	5200	26Tone	RU8	10.24	≤23.98	1.20	11.44	PASS
11AX20MIMO	total	5200	26Tone	RU8	13.12	≤23.98	4.57	17.69	PASS
11AX20MIMO	Ant3	5200	52Tone	RU37	9.45	≤23.98	1.90	11.35	PASS
11AX20MIMO	Ant5	5200	52Tone	RU37	10.14	≤23.98	1.20	11.34	PASS
11AX20MIMO	total	5200	52Tone	RU37	12.82	≤23.98	4.57	17.39	PASS
11AX20MIMO	Ant3	5200	52Tone	RU38	9.24	≤23.98	1.90	11.14	PASS
11AX20MIMO	Ant5	5200	52Tone	RU38	9.71	≤23.98	1.20	10.91	PASS
11AX20MIMO	total	5200	52Tone	RU38	12.49	≤23.98	4.57	17.06	PASS
11AX20MIMO	Ant3	5200	52Tone	RU40	9.75	≤23.98	1.90	11.65	PASS
11AX20MIMO	Ant5	5200	52Tone	RU40	10.14	≤23.98	1.20	11.34	PASS
11AX20MIMO	total	5200	52Tone	RU40	12.96	≤23.98	4.57	17.53	PASS
11AX20MIMO	Ant3	5200	106Tone	RU53	9.56	≤23.98	1.90	11.46	PASS
11AX20MIMO	Ant5	5200	106Tone	RU53	10.15	≤23.98	1.20	11.35	PASS
11AX20MIMO	total	5200	106Tone	RU53	12.88	≤23.98	4.57	17.45	PASS
11AX20MIMO	Ant3	5200	106Tone	RU54	9.88	≤23.98	1.90	11.78	PASS
11AX20MIMO	Ant5	5200	106Tone	RU54	10.21	≤23.98	1.20	11.41	PASS
11AX20MIMO	total	5200	106Tone	RU54	13.06	≤23.98	4.57	17.63	PASS
11AX20MIMO	Ant3	5240	26Tone	RU0	9.50	≤23.98	1.90	11.40	PASS
11AX20MIMO	Ant5	5240	26Tone	RU0	10.72	≤23.98	1.20	11.92	PASS
11AX20MIMO	total	5240	26Tone	RU0	13.16	≤23.98	4.57	17.73	PASS
11AX20MIMO	Ant3	5240	26Tone	RU4	9.15	≤23.98	1.90	11.05	PASS
11AX20MIMO	Ant5	5240	26Tone	RU4	10.10	≤23.98	1.20	11.30	PASS
11AX20MIMO	total	5240	26Tone	RU4	12.66	≤23.98	4.57	17.23	PASS
11AX20MIMO	Ant3	5240	26Tone	RU8	9.62	≤23.98	1.90	11.52	PASS
11AX20MIMO	Ant5	5240	26Tone	RU8	10.48	≤23.98	1.20	11.68	PASS
11AX20MIMO	total	5240	26Tone	RU8	13.08	≤23.98	4.57	17.65	PASS
11AX20MIMO	Ant3	5240	52Tone	RU37	9.54	≤23.98	1.90	11.44	PASS
11AX20MIMO	Ant5	5240	52Tone	RU37	10.39	≤23.98	1.20	11.59	PASS
11AX20MIMO	total	5240	52Tone	RU37	13.00	≤23.98	4.57	17.57	PASS
11AX20MIMO	Ant3	5240	52Tone	RU38	9.03	≤23.98	1.90	10.93	PASS
11AX20MIMO	Ant5	5240	52Tone	RU38	9.72	≤23.98	1.20	10.92	PASS
11AX20MIMO	total	5240	52Tone	RU38	12.40	≤23.98	4.57	16.97	PASS
11AX20MIMO	Ant3	5240	52Tone	RU40	9.22	≤23.98	1.90	11.12	PASS
11AX20MIMO	Ant5	5240	52Tone	RU40	9.64	≤23.98	1.20	10.84	PASS
11AX20MIMO	total	5240	52Tone	RU40	12.45	≤23.98	4.57	17.02	PASS
11AX20MIMO	Ant3	5240	106Tone	RU53	8.73	≤23.98	1.90	10.63	PASS

Test Report No.: RF260626B008

11AX20MIMO	Ant5	5240	106Tone	RU53	9.46	≤23.98	1.20	10.66	PASS
11AX20MIMO	total	5240	106Tone	RU53	12.12	≤23.98	4.57	16.69	PASS
11AX20MIMO	Ant3	5240	106Tone	RU54	8.74	≤23.98	1.90	10.64	PASS
11AX20MIMO	Ant5	5240	106Tone	RU54	9.33	≤23.98	1.20	10.53	PASS
11AX20MIMO	total	5240	106Tone	RU54	12.06	≤23.98	4.57	16.63	PASS
11AX20MIMO	Ant5	5260	26Tone	RU0	8.93	≤23.98	1.90	10.83	PASS
11AX20MIMO	total	5260	26Tone	RU0	11.63	≤23.98	1.20	12.83	PASS
11AX20MIMO	Ant3	5260	26Tone	RU0	8.28	≤23.98	4.57	12.85	PASS
11AX20MIMO	Ant3	5260	26Tone	RU4	7.89	≤23.55	1.90	9.79	PASS
11AX20MIMO	Ant5	5260	26Tone	RU4	8.85	≤23.55	1.20	10.05	PASS
11AX20MIMO	total	5260	26Tone	RU4	11.41	≤23.55	4.57	15.98	PASS
11AX20MIMO	Ant3	5260	26Tone	RU8	8.72	≤23.98	1.90	10.62	PASS
11AX20MIMO	Ant5	5260	26Tone	RU8	9.50	≤23.98	1.20	10.70	PASS
11AX20MIMO	total	5260	26Tone	RU8	12.14	≤23.98	4.57	16.71	PASS
11AX20MIMO	Ant3	5260	52Tone	RU37	8.62	≤23.98	1.90	10.52	PASS
11AX20MIMO	Ant5	5260	52Tone	RU37	9.23	≤23.98	1.20	10.43	PASS
11AX20MIMO	total	5260	52Tone	RU37	11.95	≤23.98	4.57	16.52	PASS
11AX20MIMO	Ant3	5260	52Tone	RU38	8.56	≤23.53	1.90	10.46	PASS
11AX20MIMO	Ant5	5260	52Tone	RU38	8.91	≤23.53	1.20	10.11	PASS
11AX20MIMO	total	5260	52Tone	RU38	11.75	≤23.53	4.57	16.32	PASS
11AX20MIMO	Ant3	5260	52Tone	RU40	8.95	≤23.98	1.90	10.85	PASS
11AX20MIMO	Ant5	5260	52Tone	RU40	9.39	≤23.98	1.20	10.59	PASS
11AX20MIMO	total	5260	52Tone	RU40	12.19	≤23.98	4.57	16.76	PASS
11AX20MIMO	Ant3	5260	106Tone	RU53	8.92	≤23.98	1.90	10.82	PASS
11AX20MIMO	Ant5	5260	106Tone	RU53	9.48	≤23.98	1.20	10.68	PASS
11AX20MIMO	total	5260	106Tone	RU53	12.22	≤23.98	4.57	16.79	PASS
11AX20MIMO	Ant3	5260	106Tone	RU54	9.18	≤23.98	1.90	11.08	PASS
11AX20MIMO	Ant5	5260	106Tone	RU54	9.60	≤23.98	1.20	10.80	PASS
11AX20MIMO	total	5260	106Tone	RU54	12.41	≤23.98	4.57	16.98	PASS
11AX20MIMO	Ant3	5280	26Tone	RU0	9.04	≤23.98	1.90	10.94	PASS
11AX20MIMO	Ant5	5280	26Tone	RU0	9.98	≤23.98	1.20	11.18	PASS
11AX20MIMO	total	5280	26Tone	RU0	12.55	≤23.98	4.57	17.12	PASS
11AX20MIMO	Ant3	5280	26Tone	RU4	8.65	≤23.41	1.90	10.55	PASS
11AX20MIMO	Ant5	5280	26Tone	RU4	9.60	≤23.41	1.20	10.80	PASS
11AX20MIMO	total	5280	26Tone	RU4	12.16	≤23.41	4.57	16.73	PASS
11AX20MIMO	Ant3	5280	26Tone	RU8	8.89	≤23.98	1.90	10.79	PASS

Test Report No.: RF260626B008

11AX20MIMO	Ant5	5280	26Tone	RU8	9.70	≤23.98	1.20	10.90	PASS
11AX20MIMO	total	5280	26Tone	RU8	12.32	≤23.98	4.57	16.89	PASS
11AX20MIMO	Ant3	5280	52Tone	RU37	9.13	≤23.98	1.90	11.03	PASS
11AX20MIMO	Ant5	5280	52Tone	RU37	9.77	≤23.98	1.20	10.97	PASS
11AX20MIMO	total	5280	52Tone	RU37	12.47	≤23.98	4.57	17.04	PASS
11AX20MIMO	Ant3	5280	52Tone	RU38	8.73	≤23.70	1.90	10.63	PASS
11AX20MIMO	Ant5	5280	52Tone	RU38	9.48	≤23.70	1.20	10.68	PASS
11AX20MIMO	total	5280	52Tone	RU38	12.13	≤23.70	4.57	16.70	PASS
11AX20MIMO	Ant3	5280	52Tone	RU40	9.03	≤23.94	1.90	10.93	PASS
11AX20MIMO	Ant5	5280	52Tone	RU40	9.57	≤23.94	1.20	10.77	PASS
11AX20MIMO	total	5280	52Tone	RU40	12.32	≤23.94	4.57	16.89	PASS
11AX20MIMO	Ant3	5280	106Tone	RU53	9.20	≤23.98	1.90	11.10	PASS
11AX20MIMO	Ant5	5280	106Tone	RU53	9.76	≤23.98	1.20	10.96	PASS
11AX20MIMO	total	5280	106Tone	RU53	12.50	≤23.98	4.57	17.07	PASS
11AX20MIMO	Ant3	5280	106Tone	RU54	9.22	≤23.98	1.90	11.12	PASS
11AX20MIMO	Ant5	5280	106Tone	RU54	9.56	≤23.98	1.20	10.76	PASS
11AX20MIMO	total	5280	106Tone	RU54	12.40	≤23.98	4.57	16.97	PASS
11AX20MIMO	Ant3	5320	26Tone	RU0	9.23	≤23.93	1.90	11.13	PASS
11AX20MIMO	Ant5	5320	26Tone	RU0	10.10	≤23.93	1.20	11.30	PASS
11AX20MIMO	total	5320	26Tone	RU0	12.70	≤23.93	4.57	17.27	PASS
11AX20MIMO	Ant3	5320	26Tone	RU4	8.69	≤23.51	1.90	10.59	PASS
11AX20MIMO	Ant5	5320	26Tone	RU4	9.64	≤23.51	1.20	10.84	PASS
11AX20MIMO	total	5320	26Tone	RU4	12.20	≤23.51	4.57	16.77	PASS
11AX20MIMO	Ant3	5320	26Tone	RU8	9.06	≤23.98	1.90	10.96	PASS
11AX20MIMO	Ant5	5320	26Tone	RU8	10.09	≤23.98	1.20	11.29	PASS
11AX20MIMO	total	5320	26Tone	RU8	12.62	≤23.98	4.57	17.19	PASS
11AX20MIMO	Ant3	5320	52Tone	RU37	9.21	≤23.98	1.90	11.11	PASS
11AX20MIMO	Ant5	5320	52Tone	RU37	9.79	≤23.98	1.20	10.99	PASS
11AX20MIMO	total	5320	52Tone	RU37	12.52	≤23.98	4.57	17.09	PASS
11AX20MIMO	Ant3	5320	52Tone	RU38	8.63	≤23.83	1.90	10.53	PASS
11AX20MIMO	Ant5	5320	52Tone	RU38	9.41	≤23.83	1.20	10.61	PASS
11AX20MIMO	total	5320	52Tone	RU38	12.05	≤23.83	4.57	16.62	PASS
11AX20MIMO	Ant3	5320	52Tone	RU40	8.91	≤23.98	1.90	10.81	PASS
11AX20MIMO	Ant5	5320	52Tone	RU40	9.47	≤23.98	1.20	10.67	PASS
11AX20MIMO	total	5320	52Tone	RU40	12.21	≤23.98	4.57	16.78	PASS
11AX20MIMO	Ant3	5320	106Tone	RU53	8.84	≤23.98	1.90	10.74	PASS

Test Report No.: RF260626B008

11AX20MIMO	Ant5	5320	106Tone	RU53	9.61	≤23.98	1.20	10.81	PASS
11AX20MIMO	total	5320	106Tone	RU53	12.25	≤23.98	4.57	16.82	PASS
11AX20MIMO	Ant3	5320	106Tone	RU54	9.04	≤23.98	1.90	10.94	PASS
11AX20MIMO	Ant5	5320	106Tone	RU54	9.62	≤23.98	1.20	10.82	PASS
11AX20MIMO	total	5320	106Tone	RU54	12.35	≤23.98	4.57	16.92	PASS
11AX20MIMO	Ant3	5500	26Tone	RU0	9.73	≤23.96	1.90	11.63	PASS
11AX20MIMO	Ant5	5500	26Tone	RU0	10.27	≤23.96	1.20	11.47	PASS
11AX20MIMO	total	5500	26Tone	RU0	13.02	≤23.96	4.57	17.59	PASS
11AX20MIMO	Ant3	5500	26Tone	RU4	8.60	≤23.61	1.90	10.50	PASS
11AX20MIMO	Ant5	5500	26Tone	RU4	9.80	≤23.61	1.20	11.00	PASS
11AX20MIMO	total	5500	26Tone	RU4	12.25	≤23.61	4.57	16.82	PASS
11AX20MIMO	Ant3	5500	26Tone	RU8	8.51	≤23.98	1.90	10.41	PASS
11AX20MIMO	Ant5	5500	26Tone	RU8	10.15	≤23.98	1.20	11.35	PASS
11AX20MIMO	total	5500	26Tone	RU8	12.42	≤23.98	4.57	16.99	PASS
11AX20MIMO	Ant3	5500	52Tone	RU37	9.68	≤23.98	1.90	11.58	PASS
11AX20MIMO	Ant5	5500	52Tone	RU37	10.14	≤23.98	1.20	11.34	PASS
11AX20MIMO	total	5500	52Tone	RU37	12.93	≤23.98	4.57	17.50	PASS
11AX20MIMO	Ant3	5500	52Tone	RU38	8.94	≤23.46	1.90	10.84	PASS
11AX20MIMO	Ant5	5500	52Tone	RU38	9.86	≤23.46	1.20	11.06	PASS
11AX20MIMO	total	5500	52Tone	RU38	12.43	≤23.46	4.57	17.00	PASS
11AX20MIMO	Ant3	5500	52Tone	RU40	8.71	≤23.98	1.90	10.61	PASS
11AX20MIMO	Ant5	5500	52Tone	RU40	9.96	≤23.98	1.20	11.16	PASS
11AX20MIMO	total	5500	52Tone	RU40	12.39	≤23.98	4.57	16.96	PASS
11AX20MIMO	Ant3	5500	106Tone	RU53	9.48	≤23.98	1.90	11.38	PASS
11AX20MIMO	Ant5	5500	106Tone	RU53	10.16	≤23.98	1.20	11.36	PASS
11AX20MIMO	total	5500	106Tone	RU53	12.84	≤23.98	4.57	17.41	PASS
11AX20MIMO	Ant3	5500	106Tone	RU54	9.17	≤23.98	1.90	11.07	PASS
11AX20MIMO	Ant5	5500	106Tone	RU54	10.00	≤23.98	1.20	11.20	PASS
11AX20MIMO	total	5500	106Tone	RU54	12.62	≤23.98	4.57	17.19	PASS
11AX20MIMO	Ant3	5580	26Tone	RU0	8.86	≤23.98	1.90	10.76	PASS
11AX20MIMO	Ant5	5580	26Tone	RU0	10.25	≤23.98	1.20	11.45	PASS
11AX20MIMO	total	5580	26Tone	RU0	12.62	≤23.98	4.57	17.19	PASS
11AX20MIMO	Ant3	5580	26Tone	RU4	8.01	≤22.94	1.90	9.91	PASS
11AX20MIMO	Ant5	5580	26Tone	RU4	9.84	≤22.94	1.20	11.04	PASS
11AX20MIMO	total	5580	26Tone	RU4	12.03	≤22.94	4.57	16.60	PASS
11AX20MIMO	Ant3	5580	26Tone	RU8	8.25	≤23.98	1.90	10.15	PASS

Test Report No.: RF260626B008

11AX20MIMO	Ant5	5580	26Tone	RU8	10.14	≤23.98	1.20	11.34	PASS
11AX20MIMO	total	5580	26Tone	RU8	12.31	≤23.98	4.57	16.88	PASS
11AX20MIMO	Ant3	5580	52Tone	RU37	9.24	≤23.98	1.90	11.14	PASS
11AX20MIMO	Ant5	5580	52Tone	RU37	10.04	≤23.98	1.20	11.24	PASS
11AX20MIMO	total	5580	52Tone	RU37	12.67	≤23.98	4.57	17.24	PASS
11AX20MIMO	Ant3	5580	52Tone	RU38	8.76	≤23.68	1.90	10.66	PASS
11AX20MIMO	Ant5	5580	52Tone	RU38	9.81	≤23.68	1.20	11.01	PASS
11AX20MIMO	total	5580	52Tone	RU38	12.33	≤23.68	4.57	16.90	PASS
11AX20MIMO	Ant3	5580	52Tone	RU40	8.73	≤23.94	1.90	10.63	PASS
11AX20MIMO	Ant5	5580	52Tone	RU40	9.99	≤23.94	1.20	11.19	PASS
11AX20MIMO	total	5580	52Tone	RU40	12.42	≤23.94	4.57	16.99	PASS
11AX20MIMO	Ant3	5580	106Tone	RU53	9.87	≤23.98	1.90	11.77	PASS
11AX20MIMO	Ant5	5580	106Tone	RU53	10.84	≤23.98	1.20	12.04	PASS
11AX20MIMO	total	5580	106Tone	RU53	13.39	≤23.98	4.57	17.96	PASS
11AX20MIMO	Ant3	5580	106Tone	RU54	9.43	≤23.98	1.90	11.33	PASS
11AX20MIMO	Ant5	5580	106Tone	RU54	10.35	≤23.98	1.20	11.55	PASS
11AX20MIMO	total	5580	106Tone	RU54	12.92	≤23.98	4.57	17.49	PASS
11AX20MIMO	Ant3	5700	26Tone	RU0	8.80	≤23.98	1.90	10.70	PASS
11AX20MIMO	Ant5	5700	26Tone	RU0	9.40	≤23.98	1.20	10.60	PASS
11AX20MIMO	total	5700	26Tone	RU0	12.12	≤23.98	4.57	16.69	PASS
11AX20MIMO	Ant3	5700	26Tone	RU4	7.83	≤23.65	1.90	9.73	PASS
11AX20MIMO	Ant5	5700	26Tone	RU4	9.11	≤23.65	1.20	10.31	PASS
11AX20MIMO	total	5700	26Tone	RU4	11.53	≤23.65	4.57	16.10	PASS
11AX20MIMO	Ant5	5700	26Tone	RU8	9.64	≤23.98	1.90	11.54	PASS
11AX20MIMO	total	5700	26Tone	RU8	12.09	≤23.98	1.20	13.29	PASS
11AX20MIMO	Ant3	5700	26Tone	RU8	8.44	≤23.98	4.57	13.01	PASS
11AX20MIMO	Ant3	5700	52Tone	RU37	8.68	≤23.98	1.90	10.58	PASS
11AX20MIMO	Ant5	5700	52Tone	RU37	9.07	≤23.98	1.20	10.27	PASS
11AX20MIMO	total	5700	52Tone	RU37	11.89	≤23.98	4.57	16.46	PASS
11AX20MIMO	Ant3	5700	52Tone	RU38	8.63	≤23.65	1.90	10.53	PASS
11AX20MIMO	Ant5	5700	52Tone	RU38	8.96	≤23.65	1.20	10.16	PASS
11AX20MIMO	total	5700	52Tone	RU38	11.81	≤23.65	4.57	16.38	PASS
11AX20MIMO	Ant3	5700	52Tone	RU40	8.49	≤23.98	1.90	10.39	PASS
11AX20MIMO	Ant5	5700	52Tone	RU40	9.24	≤23.98	1.20	10.44	PASS
11AX20MIMO	total	5700	52Tone	RU40	11.89	≤23.98	4.57	16.46	PASS
11AX20MIMO	total	5700	106Tone	RU53	12.16	≤23.98	1.90	14.06	PASS