




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




Test Report No.: RF260626B008




NTNV-11AX40MIMO-Ant5-5710-242Tone-RU62



NTNV-11AX40MIMO-Ant3-5710-242Tone-RU62




NTNV-11AX80MIMO-Ant3-5210-484Tone-RU65




NTNV-11AX80MIMO-Ant5-5210-484Tone-RU65


Test Report No.: RF260626B008



Test Report No.: RF260626B008




Test Report No.: RF260626B008





Test Report No.: RF260626B008



BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com

MAXIMUM POWER SPECTRAL DENSITY

TEST RESULT

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Raw Data [dBm/MHz]	DC Factor	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MI MO	Ant3	5180	26Tone	RU0	3.9	0.25	4.15	≤11.00	PASS
11AX20MI MO	Ant5	5180	26Tone	RU0	4.92	0.26	5.18	≤11.00	PASS
11AX20MI MO	total	5180	26Tone	RU0	---	---	7.71	≤11.00	PASS
11AX20MI MO	Ant3	5180	26Tone	RU4	2.31	0.25	2.56	≤11.00	PASS
11AX20MI MO	Ant5	5180	26Tone	RU4	3.34	0.25	3.59	≤11.00	PASS
11AX20MI MO	total	5180	26Tone	RU4	---	---	6.12	≤11.00	PASS
11AX20MI MO	Ant3	5180	26Tone	RU8	4.15	0.25	4.40	≤11.00	PASS
11AX20MI MO	Ant5	5180	26Tone	RU8	4.93	0.25	5.18	≤11.00	PASS
11AX20MI MO	total	5180	26Tone	RU8	---	---	7.82	≤11.00	PASS
11AX20MI MO	Ant3	5180	52Tone	RU37	0.81	0.25	1.06	≤11.00	PASS
11AX20MI MO	Ant5	5180	52Tone	RU37	2.14	0.25	2.39	≤11.00	PASS
11AX20MI MO	total	5180	52Tone	RU37	---	---	4.79	≤11.00	PASS
11AX20MI MO	Ant3	5180	52Tone	RU38	0.76	0.25	1.01	≤11.00	PASS
11AX20MI MO	Ant5	5180	52Tone	RU38	1.33	0.25	1.58	≤11.00	PASS
11AX20MI MO	total	5180	52Tone	RU38	---	---	4.31	≤11.00	PASS

Test Report No.: RF260626B008

11AX20MI MO	Ant3	5180	52Tone	RU4 0	1.49	0.24	1.73	≤11.00	PASS
11AX20MI MO	Ant5	5180	52Tone	RU4 0	1.94	0.24	2.18	≤11.00	PASS
11AX20MI MO	total	5180	52Tone	RU4 0	---	---	4.97	≤11.00	PASS
11AX20MI MO	Ant3	5180	106Tone	RU5 3	-1.98	0.25	-1.73	≤11.00	PASS
11AX20MI MO	Ant5	5180	106Tone	RU5 3	-1.2	0.26	-0.94	≤11.00	PASS
11AX20MI MO	total	5180	106Tone	RU5 3	---	---	1.69	≤11.00	PASS
11AX20MI MO	Ant3	5180	106Tone	RU5 4	-1.41	0.25	-1.16	≤11.00	PASS
11AX20MI MO	Ant5	5180	106Tone	RU5 4	-1.04	0.26	-0.78	≤11.00	PASS
11AX20MI MO	total	5180	106Tone	RU5 4	---	---	2.04	≤11.00	PASS
11AX20MI MO	Ant3	5200	26Tone	RU0	4.15	0.25	4.40	≤11.00	PASS
11AX20MI MO	Ant5	5200	26Tone	RU0	5.36	0.26	5.62	≤11.00	PASS
11AX20MI MO	total	5200	26Tone	RU0	---	---	8.06	≤11.00	PASS
11AX20MI MO	Ant3	5200	26Tone	RU4	2.86	0.25	3.11	≤11.00	PASS
11AX20MI MO	Ant5	5200	26Tone	RU4	3.81	0.25	4.06	≤11.00	PASS
11AX20MI MO	total	5200	26Tone	RU4	---	---	6.62	≤11.00	PASS
11AX20MI MO	Ant3	5200	26Tone	RU8	4.78	0.24	5.02	≤11.00	PASS
11AX20MI MO	Ant5	5200	26Tone	RU8	5.03	2.90	7.93	≤11.00	PASS
11AX20MI MO	total	5200	26Tone	RU8	---	---	9.72	≤11.00	PASS

Test Report No.: RF260626B008

11AX20MI MO	Ant3	5200	52Tone	RU3 7	1.65	0.25	1.90	≤11.00	PASS
11AX20MI MO	Ant5	5200	52Tone	RU3 7	2.33	0.26	2.59	≤11.00	PASS
11AX20MI MO	total	5200	52Tone	RU3 7	---	---	5.27	≤11.00	PASS
11AX20MI MO	Ant3	5200	52Tone	RU3 8	1.47	0.25	1.72	≤11.00	PASS
11AX20MI MO	Ant5	5200	52Tone	RU3 8	1.89	0.25	2.14	≤11.00	PASS
11AX20MI MO	total	5200	52Tone	RU3 8	---	---	4.95	≤11.00	PASS
11AX20MI MO	Ant3	5200	52Tone	RU4 0	1.79	0.25	2.04	≤11.00	PASS
11AX20MI MO	Ant5	5200	52Tone	RU4 0	2.11	0.25	2.36	≤11.00	PASS
11AX20MI MO	total	5200	52Tone	RU4 0	---	---	5.21	≤11.00	PASS
11AX20MI MO	Ant3	5200	106Tone	RU5 3	-1.32	0.25	-1.07	≤11.00	PASS
11AX20MI MO	Ant5	5200	106Tone	RU5 3	-0.56	0.26	-0.30	≤11.00	PASS
11AX20MI MO	total	5200	106Tone	RU5 3	---	---	2.34	≤11.00	PASS
11AX20MI MO	Ant3	5200	106Tone	RU5 4	-1	0.25	-0.75	≤11.00	PASS
11AX20MI MO	Ant5	5200	106Tone	RU5 4	-0.81	0.25	-0.56	≤11.00	PASS
11AX20MI MO	total	5200	106Tone	RU5 4	---	---	2.36	≤11.00	PASS
11AX20MI MO	Ant3	5240	26Tone	RU0	4.25	0.25	4.50	≤11.00	PASS
11AX20MI MO	Ant5	5240	26Tone	RU0	5.21	0.25	5.46	≤11.00	PASS
11AX20MI MO	total	5240	26Tone	RU0	---	---	8.02	≤11.00	PASS

Test Report No.: RF260626B008

11AX20MI MO	Ant3	5240	26Tone	RU4	2.9	0.26	3.16	≤11.00	PASS
11AX20MI MO	Ant5	5240	26Tone	RU4	3.9	0.25	4.15	≤11.00	PASS
11AX20MI MO	total	5240	26Tone	RU4	---	---	6.69	≤11.00	PASS
11AX20MI MO	Ant3	5240	26Tone	RU8	4.5	0.26	4.76	≤11.00	PASS
11AX20MI MO	Ant5	5240	26Tone	RU8	5.33	0.24	5.57	≤11.00	PASS
11AX20MI MO	total	5240	26Tone	RU8	---	---	8.19	≤11.00	PASS
11AX20MI MO	Ant3	5240	52Tone	RU3 7	1.49	0.25	1.74	≤11.00	PASS
11AX20MI MO	Ant5	5240	52Tone	RU3 7	2.12	0.25	2.37	≤11.00	PASS
11AX20MI MO	total	5240	52Tone	RU3 7	---	---	5.08	≤11.00	PASS
11AX20MI MO	Ant3	5240	52Tone	RU3 8	1.25	0.25	1.50	≤11.00	PASS
11AX20MI MO	Ant5	5240	52Tone	RU3 8	1.63	0.25	1.88	≤11.00	PASS
11AX20MI MO	total	5240	52Tone	RU3 8	---	---	4.70	≤11.00	PASS
11AX20MI MO	Ant3	5240	52Tone	RU4 0	1.86	0.26	2.12	≤11.00	PASS
11AX20MI MO	Ant5	5240	52Tone	RU4 0	2.21	0.25	2.46	≤11.00	PASS
11AX20MI MO	total	5240	52Tone	RU4 0	---	---	5.30	≤11.00	PASS
11AX20MI MO	Ant3	5240	106Tone	RU5 3	-1.41	0.25	-1.16	≤11.00	PASS
11AX20MI MO	Ant5	5240	106Tone	RU5 3	-0.68	0.25	-0.43	≤11.00	PASS
11AX20MI MO	total	5240	106Tone	RU5 3	---	---	2.23	≤11.00	PASS

Test Report No.: RF260626B008

11AX20MI MO	Ant3	5240	106To ne	RU5 4	-0.97	0.25	-0.72	≤11.00	PASS
11AX20MI MO	Ant5	5240	106To ne	RU5 4	-0.68	0.25	-0.43	≤11.00	PASS
11AX20MI MO	total	5240	106To ne	RU5 4	---	---	2.44	≤11.00	PASS
11AX20MI MO	Ant3	5260	26Ton e	RU0	4.52	0.25	4.77	≤11.00	PASS
11AX20MI MO	Ant5	5260	26Ton e	RU0	5.43	0.25	5.68	≤11.00	PASS
11AX20MI MO	total	5260	26Ton e	RU0	---	---	8.26	≤11.00	PASS
11AX20MI MO	Ant3	5260	26Ton e	RU4	3.05	0.24	3.29	≤11.00	PASS
11AX20MI MO	Ant5	5260	26Ton e	RU4	4.22	0.25	4.47	≤11.00	PASS
11AX20MI MO	total	5260	26Ton e	RU4	---	---	6.93	≤11.00	PASS
11AX20MI MO	Ant3	5260	26Ton e	RU8	4.67	0.24	4.91	≤11.00	PASS
11AX20MI MO	Ant5	5260	26Ton e	RU8	5.39	0.24	5.63	≤11.00	PASS
11AX20MI MO	total	5260	26Ton e	RU8	---	---	8.30	≤11.00	PASS
11AX20MI MO	Ant3	5260	52Ton e	RU3 7	1.78	0.25	2.03	≤11.00	PASS
11AX20MI MO	Ant5	5260	52Ton e	RU3 7	2.58	0.25	2.83	≤11.00	PASS
11AX20MI MO	total	5260	52Ton e	RU3 7	---	---	5.46	≤11.00	PASS
11AX20MI MO	Ant3	5260	52Ton e	RU3 8	1.71	0.25	1.96	≤11.00	PASS
11AX20MI MO	Ant5	5260	52Ton e	RU3 8	1.97	0.25	2.22	≤11.00	PASS
11AX20MI MO	total	5260	52Ton e	RU3 8	---	---	5.10	≤11.00	PASS

Test Report No.: RF260626B008

11AX20MI MO	Ant3	5260	52Tone	RU4 0	1.88	0.25	2.13	≤11.00	PASS
11AX20MI MO	Ant5	5260	52Tone	RU4 0	2.35	0.25	2.60	≤11.00	PASS
11AX20MI MO	total	5260	52Tone	RU4 0	---	---	5.38	≤11.00	PASS
11AX20MI MO	Ant3	5260	106Tone	RU5 3	-1.09	0.25	-0.84	≤11.00	PASS
11AX20MI MO	Ant5	5260	106Tone	RU5 3	-0.46	0.25	-0.21	≤11.00	PASS
11AX20MI MO	total	5260	106Tone	RU5 3	---	---	2.50	≤11.00	PASS
11AX20MI MO	Ant3	5260	106Tone	RU5 4	-0.95	0.25	-0.70	≤11.00	PASS
11AX20MI MO	Ant5	5260	106Tone	RU5 4	-0.48	0.25	-0.23	≤11.00	PASS
11AX20MI MO	total	5260	106Tone	RU5 4	---	---	2.55	≤11.00	PASS
11AX20MI MO	Ant3	5280	26Tone	RU0	4.45	0.25	4.70	≤11.00	PASS
11AX20MI MO	Ant5	5280	26Tone	RU0	5.52	0.25	5.77	≤11.00	PASS
11AX20MI MO	total	5280	26Tone	RU0	---	---	8.28	≤11.00	PASS
11AX20MI MO	Ant3	5280	26Tone	RU4	2.93	0.25	3.18	≤11.00	PASS
11AX20MI MO	Ant5	5280	26Tone	RU4	3.85	0.25	4.10	≤11.00	PASS
11AX20MI MO	total	5280	26Tone	RU4	---	---	6.67	≤11.00	PASS
11AX20MI MO	Ant3	5280	26Tone	RU8	4.43	0.25	4.68	≤11.00	PASS
11AX20MI MO	Ant5	5280	26Tone	RU8	5.33	0.25	5.58	≤11.00	PASS
11AX20MI MO	total	5280	26Tone	RU8	---	---	8.16	≤11.00	PASS

Test Report No.: RF260626B008

11AX20MI MO	Ant3	5280	52Tone	RU3 7	1.56	0.24	1.80	≤11.00	PASS
11AX20MI MO	Ant5	5280	52Tone	RU3 7	2.59	0.25	2.84	≤11.00	PASS
11AX20MI MO	total	5280	52Tone	RU3 7	---	---	5.36	≤11.00	PASS
11AX20MI MO	Ant3	5280	52Tone	RU3 8	1.23	0.25	1.48	≤11.00	PASS
11AX20MI MO	Ant5	5280	52Tone	RU3 8	2.04	0.25	2.29	≤11.00	PASS
11AX20MI MO	total	5280	52Tone	RU3 8	---	---	4.91	≤11.00	PASS
11AX20MI MO	Ant3	5280	52Tone	RU4 0	1.69	0.25	1.94	≤11.00	PASS
11AX20MI MO	Ant5	5280	52Tone	RU4 0	2.17	0.25	2.42	≤11.00	PASS
11AX20MI MO	total	5280	52Tone	RU4 0	---	---	5.20	≤11.00	PASS
11AX20MI MO	Ant3	5280	106Tone	RU5 3	-1.38	0.25	-1.13	≤11.00	PASS
11AX20MI MO	Ant5	5280	106Tone	RU5 3	-0.43	0.25	-0.18	≤11.00	PASS
11AX20MI MO	total	5280	106Tone	RU5 3	---	---	2.38	≤11.00	PASS
11AX20MI MO	Ant3	5280	106Tone	RU5 4	-1.2	0.25	-0.95	≤11.00	PASS
11AX20MI MO	Ant5	5280	106Tone	RU5 4	-0.75	0.25	-0.50	≤11.00	PASS
11AX20MI MO	total	5280	106Tone	RU5 4	---	---	2.29	≤11.00	PASS
11AX20MI MO	Ant3	5320	26Tone	RU0	4.65	0.25	4.90	≤11.00	PASS
11AX20MI MO	Ant5	5320	26Tone	RU0	5.67	0.25	5.92	≤11.00	PASS
11AX20MI MO	total	5320	26Tone	RU0	---	---	8.45	≤11.00	PASS

Test Report No.: RF260626B008

11AX20MI MO	Ant3	5320	26Tone	RU4	3.05	0.25	3.30	≤11.00	PASS
11AX20MI MO	Ant5	5320	26Tone	RU4	4.08	0.24	4.32	≤11.00	PASS
11AX20MI MO	total	5320	26Tone	RU4	---	---	6.85	≤11.00	PASS
11AX20MI MO	Ant3	5320	26Tone	RU8	4.45	0.26	4.71	≤11.00	PASS
11AX20MI MO	Ant5	5320	26Tone	RU8	5.29	0.25	5.54	≤11.00	PASS
11AX20MI MO	total	5320	26Tone	RU8	---	---	8.16	≤11.00	PASS
11AX20MI MO	Ant3	5320	52Tone	RU3 7	1.8	0.25	2.05	≤11.00	PASS
11AX20MI MO	Ant5	5320	52Tone	RU3 7	2.69	0.25	2.94	≤11.00	PASS
11AX20MI MO	total	5320	52Tone	RU3 7	---	---	5.53	≤11.00	PASS
11AX20MI MO	Ant3	5320	52Tone	RU3 8	1.62	0.25	1.87	≤11.00	PASS
11AX20MI MO	Ant5	5320	52Tone	RU3 8	2.15	0.25	2.40	≤11.00	PASS
11AX20MI MO	total	5320	52Tone	RU3 8	---	---	5.15	≤11.00	PASS
11AX20MI MO	Ant3	5320	52Tone	RU4 0	1.67	0.25	1.92	≤11.00	PASS
11AX20MI MO	Ant5	5320	52Tone	RU4 0	2.39	0.25	2.64	≤11.00	PASS
11AX20MI MO	total	5320	52Tone	RU4 0	---	---	5.31	≤11.00	PASS
11AX20MI MO	Ant3	5320	106Tone	RU5 3	-1.22	0.25	-0.97	≤11.00	PASS
11AX20MI MO	Ant5	5320	106Tone	RU5 3	-0.35	0.26	-0.09	≤11.00	PASS
11AX20MI MO	total	5320	106Tone	RU5 3	---	---	2.50	≤11.00	PASS

Test Report No.: RF260626B008

11AX20MI MO	Ant3	5320	106To ne	RU5 4	-1.13	0.26	-0.87	≤11.00	PASS
11AX20MI MO	Ant5	5320	106To ne	RU5 4	-0.58	0.25	-0.33	≤11.00	PASS
11AX20MI MO	total	5320	106To ne	RU5 4	---	---	2.42	≤11.00	PASS
11AX20MI MO	Ant3	5500	26Ton e	RU0	4.37	0.25	4.62	≤11.00	PASS
11AX20MI MO	Ant5	5500	26Ton e	RU0	5.15	0.25	5.40	≤11.00	PASS
11AX20MI MO	total	5500	26Ton e	RU0	---	---	8.04	≤11.00	PASS
11AX20MI MO	Ant3	5500	26Ton e	RU4	2.83	0.26	3.09	≤11.00	PASS
11AX20MI MO	Ant5	5500	26Ton e	RU4	4.17	0.25	4.42	≤11.00	PASS
11AX20MI MO	total	5500	26Ton e	RU4	---	---	6.82	≤11.00	PASS
11AX20MI MO	Ant3	5500	26Ton e	RU8	3.87	0.26	4.13	≤11.00	PASS
11AX20MI MO	Ant5	5500	26Ton e	RU8	5.32	0.26	5.58	≤11.00	PASS
11AX20MI MO	total	5500	26Ton e	RU8	---	---	7.93	≤11.00	PASS
11AX20MI MO	Ant3	5500	52Ton e	RU3 7	1.76	0.25	2.01	≤11.00	PASS
11AX20MI MO	Ant5	5500	52Ton e	RU3 7	2.22	0.25	2.47	≤11.00	PASS
11AX20MI MO	total	5500	52Ton e	RU3 7	---	---	5.26	≤11.00	PASS
11AX20MI MO	Ant3	5500	52Ton e	RU3 8	1.25	0.25	1.50	≤11.00	PASS
11AX20MI MO	Ant5	5500	52Ton e	RU3 8	2.13	0.25	2.38	≤11.00	PASS
11AX20MI MO	total	5500	52Ton e	RU3 8	---	---	4.97	≤11.00	PASS

Test Report No.: RF260626B008

11AX20MI MO	Ant3	5500	52Tone	RU4 0	1.23	0.26	1.49	≤11.00	PASS
11AX20MI MO	Ant5	5500	52Tone	RU4 0	2.28	0.25	2.53	≤11.00	PASS
11AX20MI MO	total	5500	52Tone	RU4 0	---	---	5.05	≤11.00	PASS
11AX20MI MO	Ant3	5500	106Tone	RU5 3	-1.22	0.25	-0.97	≤11.00	PASS
11AX20MI MO	Ant5	5500	106Tone	RU5 3	-0.77	0.26	-0.51	≤11.00	PASS
11AX20MI MO	total	5500	106Tone	RU5 3	---	---	2.28	≤11.00	PASS
11AX20MI MO	Ant3	5500	106Tone	RU5 4	-1.28	0.25	-1.03	≤11.00	PASS
11AX20MI MO	Ant5	5500	106Tone	RU5 4	-0.54	0.25	-0.29	≤11.00	PASS
11AX20MI MO	total	5500	106Tone	RU5 4	---	---	2.37	≤11.00	PASS
11AX20MI MO	Ant3	5580	26Tone	RU0	3.85	0.26	4.11	≤11.00	PASS
11AX20MI MO	Ant5	5580	26Tone	RU0	5.03	0.25	5.28	≤11.00	PASS
11AX20MI MO	total	5580	26Tone	RU0	---	---	7.74	≤11.00	PASS
11AX20MI MO	Ant3	5580	26Tone	RU4	2.03	0.25	2.28	≤11.00	PASS
11AX20MI MO	Ant5	5580	26Tone	RU4	3.63	0.25	3.88	≤11.00	PASS
11AX20MI MO	total	5580	26Tone	RU4	---	---	6.16	≤11.00	PASS
11AX20MI MO	Ant3	5580	26Tone	RU8	3.35	0.26	3.61	≤11.00	PASS
11AX20MI MO	Ant5	5580	26Tone	RU8	4.91	0.25	5.16	≤11.00	PASS
11AX20MI MO	total	5580	26Tone	RU8	---	---	7.46	≤11.00	PASS

Test Report No.: RF260626B008

11AX20MI MO	Ant3	5580	52Tone	RU3 7	1.59	0.24	1.83	≤11.00	PASS
11AX20MI MO	Ant5	5580	52Tone	RU3 7	2.14	0.25	2.39	≤11.00	PASS
11AX20MI MO	total	5580	52Tone	RU3 7	---	---	5.13	≤11.00	PASS
11AX20MI MO	Ant3	5580	52Tone	RU3 8	1.18	0.25	1.43	≤11.00	PASS
11AX20MI MO	Ant5	5580	52Tone	RU3 8	1.77	0.25	2.02	≤11.00	PASS
11AX20MI MO	total	5580	52Tone	RU3 8	---	---	4.75	≤11.00	PASS
11AX20MI MO	Ant3	5580	52Tone	RU4 0	1.02	0.24	1.26	≤11.00	PASS
11AX20MI MO	Ant5	5580	52Tone	RU4 0	1.85	0.25	2.10	≤11.00	PASS
11AX20MI MO	total	5580	52Tone	RU4 0	---	---	4.71	≤11.00	PASS
11AX20MI MO	Ant3	5580	106Tone	RU5 3	-1.4	0.25	-1.15	≤11.00	PASS
11AX20MI MO	Ant5	5580	106Tone	RU5 3	-0.87	0.25	-0.62	≤11.00	PASS
11AX20MI MO	total	5580	106Tone	RU5 3	---	---	2.13	≤11.00	PASS
11AX20MI MO	Ant3	5580	106Tone	RU5 4	-1.5	0.25	-1.25	≤11.00	PASS
11AX20MI MO	Ant5	5580	106Tone	RU5 4	-1.08	0.25	-0.83	≤11.00	PASS
11AX20MI MO	total	5580	106Tone	RU5 4	---	---	1.98	≤11.00	PASS
11AX20MI MO	Ant3	5700	26Tone	RU0	3.6	0.26	3.86	≤11.00	PASS
11AX20MI MO	Ant5	5700	26Tone	RU0	4.57	0.25	4.82	≤11.00	PASS
11AX20MI MO	total	5700	26Tone	RU0	---	---	7.38	≤11.00	PASS

Test Report No.: RF260626B008

11AX20MI MO	Ant3	5700	26Tone	RU4	1.73	0.26	1.99	≤11.00	PASS
11AX20MI MO	Ant5	5700	26Tone	RU4	3.49	0.26	3.75	≤11.00	PASS
11AX20MI MO	total	5700	26Tone	RU4	---	---	5.97	≤11.00	PASS
11AX20MI MO	Ant3	5700	26Tone	RU8	3.62	0.25	3.87	≤11.00	PASS
11AX20MI MO	Ant5	5700	26Tone	RU8	4.83	0.05	4.88	≤11.00	PASS
11AX20MI MO	total	5700	26Tone	RU8	---	---	7.41	≤11.00	PASS
11AX20MI MO	Ant3	5700	52Tone	RU3 7	1.35	0.26	1.61	≤11.00	PASS
11AX20MI MO	Ant5	5700	52Tone	RU3 7	1.7	0.25	1.95	≤11.00	PASS
11AX20MI MO	total	5700	52Tone	RU3 7	---	---	4.79	≤11.00	PASS
11AX20MI MO	Ant3	5700	52Tone	RU3 8	1.43	0.26	1.69	≤11.00	PASS
11AX20MI MO	Ant5	5700	52Tone	RU3 8	1.65	0.25	1.90	≤11.00	PASS
11AX20MI MO	total	5700	52Tone	RU3 8	---	---	4.81	≤11.00	PASS
11AX20MI MO	Ant3	5700	52Tone	RU4 0	1.41	0.25	1.66	≤11.00	PASS
11AX20MI MO	Ant5	5700	52Tone	RU4 0	1.96	0.25	2.21	≤11.00	PASS
11AX20MI MO	total	5700	52Tone	RU4 0	---	---	4.95	≤11.00	PASS
11AX20MI MO	Ant3	5700	106Tone	RU5 3	-1.34	0.25	-1.09	≤11.00	PASS
11AX20MI MO	Ant5	5700	106Tone	RU5 3	-1.26	0.26	-1.00	≤11.00	PASS
11AX20MI MO	total	5700	106Tone	RU5 3	---	---	1.97	≤11.00	PASS

Test Report No.: RF260626B008

11AX20MI MO	Ant3	5700	106To ne	RU5 4	-1.41	0.25	-1.16	≤11.00	PASS
11AX20MI MO	Ant5	5700	106To ne	RU5 4	-0.99	0.26	-0.73	≤11.00	PASS
11AX20MI MO	total	5700	106To ne	RU5 4	---	---	2.07	≤11.00	PASS
11AX20MI MO	Ant3	5720_UNII- 2C	26Ton e	RU0	3.68	0.25	3.93	≤11.00	PASS
11AX20MI MO	Ant5	5720_UNII- 2C	26Ton e	RU0	5.05	0.25	5.30	≤11.00	PASS
11AX20MI MO	total	5720_UNII- 2C	26Ton e	RU0	---	---	7.68	≤11.00	PASS
11AX20MI MO	Ant3	5720_UNII- 2C	26Ton e	RU4	2.01	0.24	2.25	≤11.00	PASS
11AX20MI MO	Ant5	5720_UNII- 2C	26Ton e	RU4	3.88	0.25	4.13	≤11.00	PASS
11AX20MI MO	total	5720_UNII- 2C	26Ton e	RU4	---	---	6.30	≤11.00	PASS
11AX20MI MO	Ant3	5720_UNII- 2C	26Ton e	RU8	-23.12	4.29	-18.83	≤11.00	PASS
11AX20MI MO	Ant5	5720_UNII- 2C	26Ton e	RU8	-20.55	0.25	-20.30	≤11.00	PASS
11AX20MI MO	total	5720_UNII- 2C	26Ton e	RU8	---	---	-16.49	≤11.00	PASS
11AX20MI MO	Ant3	5720_UNII- 2C	52Ton e	RU3 7	1.53	0.25	1.78	≤11.00	PASS
11AX20MI MO	Ant5	5720_UNII- 2C	52Ton e	RU3 7	2.14	0.25	2.39	≤11.00	PASS
11AX20MI MO	total	5720_UNII- 2C	52Ton e	RU3 7	---	---	5.11	≤11.00	PASS
11AX20MI MO	Ant3	5720_UNII- 2C	52Ton e	RU3 8	1.77	0.25	2.02	≤11.00	PASS
11AX20MI MO	Ant5	5720_UNII- 2C	52Ton e	RU3 8	1.94	0.25	2.19	≤11.00	PASS
11AX20MI MO	total	5720_UNII- 2C	52Ton e	RU3 8	---	---	5.12	≤11.00	PASS

Test Report No.: RF260626B008

11AX20MI MO	Ant3	5720_UNII- 2C	52Tone	RU4 0	-6.36	0.25	-6.11	≤11.00	PASS
11AX20MI MO	Ant5	5720_UNII- 2C	52Tone	RU4 0	-6.21	0.24	-5.97	≤11.00	PASS
11AX20MI MO	total	5720_UNII- 2C	52Tone	RU4 0	---	---	-3.03	≤11.00	PASS
11AX20MI MO	Ant3	5720_UNII- 2C	106Tone	RU5 3	-1.06	0.25	-0.81	≤11.00	PASS
11AX20MI MO	Ant5	5720_UNII- 2C	106Tone	RU5 3	-0.84	0.25	-0.59	≤11.00	PASS
11AX20MI MO	total	5720_UNII- 2C	106Tone	RU5 3	---	---	2.31	≤11.00	PASS
11AX20MI MO	Ant3	5720_UNII- 2C	106Tone	RU5 4	-1.13	0.26	-0.87	≤11.00	PASS
11AX20MI MO	Ant5	5720_UNII- 2C	106Tone	RU5 4	-1.22	0.25	-0.97	≤11.00	PASS
11AX20MI MO	total	5720_UNII- 2C	106Tone	RU5 4	---	---	2.09	≤11.00	PASS
11AX40MI MO	Ant3	5190	242Tone	RU6 1	-5.36	0.27	-5.09	≤11.00	PASS
11AX40MI MO	Ant5	5190	242Tone	RU6 1	-3.75	0.27	-3.48	≤11.00	PASS
11AX40MI MO	total	5190	242Tone	RU6 1	---	---	-1.20	≤11.00	PASS
11AX40MI MO	Ant3	5190	242Tone	RU6 2	-4.22	0.28	-3.94	≤11.00	PASS
11AX40MI MO	Ant5	5190	242Tone	RU6 2	-3.77	0.29	-3.48	≤11.00	PASS
11AX40MI MO	total	5190	242Tone	RU6 2	---	---	-0.69	≤11.00	PASS
11AX40MI MO	Ant3	5230	242Tone	RU6 1	-4.79	0.28	-4.51	≤11.00	PASS
11AX40MI MO	Ant5	5230	242Tone	RU6 1	-3.69	0.29	-3.40	≤11.00	PASS
11AX40MI MO	total	5230	242Tone	RU6 1	---	---	-0.91	≤11.00	PASS

Test Report No.: RF260626B008

11AX40MI MO	Ant3	5230	242To ne	RU6 2	-4.07	0.26	-3.81	≤11.00	PASS
11AX40MI MO	Ant5	5230	242To ne	RU6 2	-3.66	0.26	-3.40	≤11.00	PASS
11AX40MI MO	total	5230	242To ne	RU6 2	---	---	-0.59	≤11.00	PASS
11AX40MI MO	Ant3	5270	242To ne	RU6 1	-4.67	0.26	-4.41	≤11.00	PASS
11AX40MI MO	Ant5	5270	242To ne	RU6 1	-3.35	0.28	-3.07	≤11.00	PASS
11AX40MI MO	total	5270	242To ne	RU6 1	---	---	-0.68	≤11.00	PASS
11AX40MI MO	Ant3	5270	242To ne	RU6 2	-3.93	0.28	-3.65	≤11.00	PASS
11AX40MI MO	Ant5	5270	242To ne	RU6 2	-3.43	0.26	-3.17	≤11.00	PASS
11AX40MI MO	total	5270	242To ne	RU6 2	---	---	-0.39	≤11.00	PASS
11AX40MI MO	Ant3	5310	242To ne	RU6 1	-4.88	0.26	-4.62	≤11.00	PASS
11AX40MI MO	Ant5	5310	242To ne	RU6 1	-3.76	0.26	-3.50	≤11.00	PASS
11AX40MI MO	total	5310	242To ne	RU6 1	---	---	-1.01	≤11.00	PASS
11AX40MI MO	Ant3	5310	242To ne	RU6 2	-4.55	0.27	-4.28	≤11.00	PASS
11AX40MI MO	Ant5	5310	242To ne	RU6 2	-3.71	0.26	-3.45	≤11.00	PASS
11AX40MI MO	total	5310	242To ne	RU6 2	---	---	-0.83	≤11.00	PASS
11AX40MI MO	Ant3	5510	242To ne	RU6 1	-4.77	0.28	-4.49	≤11.00	PASS
11AX40MI MO	Ant5	5510	242To ne	RU6 1	-3.56	0.27	-3.29	≤11.00	PASS
11AX40MI MO	total	5510	242To ne	RU6 1	---	---	-0.84	≤11.00	PASS

Test Report No.: RF260626B008

11AX40MI MO	Ant3	5510	242To ne	RU6 2	-4.77	0.27	-4.50	≤11.00	PASS
11AX40MI MO	Ant5	5510	242To ne	RU6 2	-3.67	0.26	-3.41	≤11.00	PASS
11AX40MI MO	total	5510	242To ne	RU6 2	---	---	-0.91	≤11.00	PASS
11AX40MI MO	Ant3	5550	242To ne	RU6 1	-4.95	0.26	-4.69	≤11.00	PASS
11AX40MI MO	Ant5	5550	242To ne	RU6 1	-3.57	0.27	-3.30	≤11.00	PASS
11AX40MI MO	total	5550	242To ne	RU6 1	---	---	-0.93	≤11.00	PASS
11AX40MI MO	Ant3	5550	242To ne	RU6 2	-4.47	0.27	-4.20	≤11.00	PASS
11AX40MI MO	Ant5	5550	242To ne	RU6 2	-3.31	0.28	-3.03	≤11.00	PASS
11AX40MI MO	total	5550	242To ne	RU6 2	---	---	-0.57	≤11.00	PASS
11AX40MI MO	Ant3	5670	242To ne	RU6 1	-4.27	0.27	-4.00	≤11.00	PASS
11AX40MI MO	Ant5	5670	242To ne	RU6 1	-3.91	0.27	-3.64	≤11.00	PASS
11AX40MI MO	total	5670	242To ne	RU6 1	---	---	-0.81	≤11.00	PASS
11AX40MI MO	Ant3	5670	242To ne	RU6 2	-4.39	0.29	-4.10	≤11.00	PASS
11AX40MI MO	Ant5	5670	242To ne	RU6 2	-4.04	0.26	-3.78	≤11.00	PASS
11AX40MI MO	total	5670	242To ne	RU6 2	---	---	-0.93	≤11.00	PASS
11AX40MI MO	Ant3	5710_UNII- 2C	242To ne	RU6 1	-4.37	0.28	-4.09	≤11.00	PASS
11AX40MI MO	Ant5	5710_UNII- 2C	242To ne	RU6 1	-4.56	0.28	-4.28	≤11.00	PASS
11AX40MI MO	total	5710_UNII- 2C	242To ne	RU6 1	---	---	-1.17	≤11.00	PASS

Test Report No.: RF260626B008

11AX40MI MO	Ant3	5710_UNII- 2C	242To ne	RU6 2	-4.64	0.28	-4.36	≤11.00	PASS
11AX40MI MO	Ant5	5710_UNII- 2C	242To ne	RU6 2	-4.42	0.29	-4.13	≤11.00	PASS
11AX40MI MO	total	5710_UNII- 2C	242To ne	RU6 2	---	---	-1.23	≤11.00	PASS
11AX80MI MO	Ant3	5210	484To ne	RU6 5	-7.53	0.31	-7.22	≤11.00	PASS
11AX80MI MO	Ant5	5210	484To ne	RU6 5	-6.8	0.31	-6.49	≤11.00	PASS
11AX80MI MO	total	5210	484To ne	RU6 5	---	---	-3.83	≤11.00	PASS
11AX80MI MO	Ant3	5210	484To ne	RU6 6	-6.3	0.32	-5.98	≤11.00	PASS
11AX80MI MO	Ant5	5210	484To ne	RU6 6	-6.77	0.31	-6.46	≤11.00	PASS
11AX80MI MO	total	5210	484To ne	RU6 6	---	---	-3.20	≤11.00	PASS
11AX80MI MO	Ant3	5290	484To ne	RU6 5	-8.05	0.29	-7.76	≤11.00	PASS
11AX80MI MO	Ant5	5290	484To ne	RU6 5	-6.73	0.31	-6.42	≤11.00	PASS
11AX80MI MO	total	5290	484To ne	RU6 5	---	---	-4.03	≤11.00	PASS
11AX80MI MO	Ant3	5290	484To ne	RU6 6	-7.12	0.31	-6.81	≤11.00	PASS
11AX80MI MO	Ant5	5290	484To ne	RU6 6	-6.76	0.29	-6.47	≤11.00	PASS
11AX80MI MO	total	5290	484To ne	RU6 6	---	---	-3.63	≤11.00	PASS
11AX80MI MO	Ant3	5530	484To ne	RU6 5	-7.87	0.31	-7.56	≤11.00	PASS
11AX80MI MO	Ant5	5530	484To ne	RU6 5	-6.74	0.29	-6.45	≤11.00	PASS
11AX80MI MO	total	5530	484To ne	RU6 5	---	---	-3.96	≤11.00	PASS


Test Report No.: RF260626B008

11AX80MI MO	Ant3	5530	484To ne	RU6 6	-7.36	0.31	-7.05	≤11.00	PASS
11AX80MI MO	Ant5	5530	484To ne	RU6 6	-6.74	0.31	-6.43	≤11.00	PASS
11AX80MI MO	total	5530	484To ne	RU6 6	---	---	-3.72	≤11.00	PASS
11AX80MI MO	Ant3	5690_UNII- 2C	484To ne	RU6 5	-7.54	0.31	-7.23	≤11.00	PASS
11AX80MI MO	Ant5	5690_UNII- 2C	484To ne	RU6 5	-7.48	0.29	-7.19	≤11.00	PASS
11AX80MI MO	total	5690_UNII- 2C	484To ne	RU6 5	---	---	-4.20	≤11.00	PASS
11AX80MI MO	Ant3	5690_UNII- 2C	484To ne	RU6 6	-7.63	0.29	-7.34	≤11.00	PASS
11AX80MI MO	Ant5	5690_UNII- 2C	484To ne	RU6 6	-7.61	0.31	-7.30	≤11.00	PASS
11AX80MI MO	total	5690_UNII- 2C	484To ne	RU6 6	---	---	-4.31	≤11.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

TEST GRAPHS


11AX20MIMO_Ant3_5180_26Tone_RU0




11AX20MIMO_Ant3_5180_26Tone_RU4




11AX20MIMO_Ant3_5180_26Tone_RU8




11AX20MIMO_Ant3_5180_52Tone_RU37




11AX20MIMO_Ant3_5180_52Tone_RU38




11AX20MIMO_Ant3_5180_52Tone_RU40




11AX20MIMO_Ant3_5180_106Tone_RU53




11AX20MIMO_Ant3_5180_106Tone_RU54




11AX20MIMO_Ant5_5180_26Tone_RU0




11AX20MIMO_Ant5_5180_26Tone_RU4




11AX20MIMO_Ant5_5180_26Tone_RU8




11AX20MIMO_Ant5_5180_52Tone_RU37




11AX20MIMO_Ant5_5180_52Tone_RU38




11AX20MIMO_Ant5_5180_52Tone_RU40




11AX20MIMO_Ant5_5180_106Tone_RU53




11AX20MIMO_Ant5_5180_106Tone_RU54




11AX20MIMO_Ant3_5200_26Tone_RU0




11AX20MIMO_Ant3_5200_26Tone_RU4




11AX20MIMO_Ant3_5200_26Tone_RU8




11AX20MIMO_Ant3_5200_52Tone_RU37




11AX20MIMO_Ant3_5200_52Tone_RU38




11AX20MIMO_Ant3_5200_52Tone_RU40



11AX20MIMO_Ant3_5200_106Tone_RU53



11AX20MIMO_Ant3_5200_106Tone_RU54



11AX20MIMO_Ant5_5200_26Tone_RU0