



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5147.2400	17.98	58.47	40.49	74.00	15.53	150	304	PK	Vert	PASS
2	5376.0950	16.29	56.92	40.63	74.00	17.08	150	295	PK	Vert	PASS





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5108.3200	-1.68	38.79	40.47	54.00	15.21	150	19	AV	Vert	PASS
2	5362.5850	-1.46	39.15	40.61	54.00	14.85	150	52	AV	Vert	PASS



REMARKS:


- 1 Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- 2 Margin value = Limit value- Emission level.
- 3 5210MHz: Fundamental frequency.

Worst case harmonic:



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	10392.333	39.51	41.24	1.73	74.00	32.76	200	309	PK	Vert	PASS
2	15588.166	36.00	42.97	6.97	74.00	31.03	150	336	PK	Vert	PASS



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Emission level – Limit value.
2. 5200MHz: Fundamental frequency.
3. For frequency above 18GHz, the emission was tested 20db below the limit so the data not recorded in the sheet.

BADN 2

BELOW 1GHz WORST-CASE DATA

802.11AC(20MHz)


CHANNEL	TX Channel 56	DETECTOR FUNCTION	Quasi-Peak (QP)
FREQUENCY RANGE	30MHz ~ 1GHz		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	148.4585	52.93	23.31	-29.62	43.50	20.19	100	358	PK	Hori	PASS
2	250.4104	50.93	24.97	-25.96	46.00	21.03	150	348	PK	Hori	PASS
3	399.9399	49.19	29.26	-19.93	46.00	16.74	100	151	PK	Hori	PASS
4	494.1241	50.43	31.54	-18.89	46.00	14.46	200	180	PK	Hori	PASS
5	744.6346	39.82	26.34	-13.48	46.00	19.66	100	186	PK	Hori	PASS
6	948.5385	40.37	30.16	-10.21	46.00	15.84	100	45	PK	Hori	PASS

REMARKS:

1. Emission level (dBuV/m) = Read level (dBuV) + Correction Factor (dB/m).
2. Correction Factor (dB/m) = Antenna Factor (dB/m) + Cable Factor (dB).
3. The other emission levels were very low against the limit.
4. Margin value = Limit value- Emission level.




CHANNEL	Channel 56	DETECTOR FUNCTION	Quasi-Peak (QP)
FREQUENCY RANGE	30MHz ~ 1GHz		

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	148.4585	57.34	27.72	-29.62	43.50	15.78	100	2	PK	Vert	PASS
2	250.4104	50.44	24.48	-25.96	46.00	21.52	150	43	PK	Vert	PASS
3	399.9399	48.50	28.57	-19.93	46.00	17.43	200	99	PK	Vert	PASS
4	521.3113	41.19	24.19	-17.00	46.00	21.81	100	61	PK	Vert	PASS
5	701.9119	39.67	26.51	-13.16	46.00	19.49	200	2	PK	Vert	PASS
6	940.7708	39.57	29.71	-9.86	46.00	16.29	100	261	PK	Vert	PASS

REMARKS:


1. Emission level (dBuV/m) = Read level (dBuV) + Correction Factor (dB/m).
2. Correction Factor (dB/m) = Antenna Factor (dB/m) + Cable Factor (dB).
3. The other emission levels were very low against the limit.
4. Margin value = Limit value- Emission level.



ABOVE 1GHz WORST-CASE DATA

Note: 1. For higher frequency, the emission is too low to be detected.


2. For radiated emission testing, all supported channels, bandwidths and modes have been tested, the report only shown the worst-case data of each sub-band.




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5101.4500	20.44	60.91	40.47	74.00	13.09	150	252	PK	Vert	PASS
2	5129.2500	19.33	59.81	40.48	74.00	14.19	150	303	PK	Vert	PASS






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5113.9000	1.58	42.06	40.48	54.00	11.94	150	69	AV	Vert	PASS
2	5143.0500	1.67	42.16	40.49	54.00	11.84	150	103	AV	Vert	PASS




REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5352.9000	20.37	60.95	40.58	74.00	13.05	150	79	PK	Vert	PASS
2	5370.1500	21.97	62.59	40.62	74.00	11.41	150	294	PK	Vert	PASS






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5364.1313	2.24	42.85	40.61	54.00	11.15	150	255	AV	Vert	PASS
2	5388.6000	2.72	43.39	40.67	54.00	10.61	150	134	AV	Vert	PASS




REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5104.8000	19.08	59.55	40.47	74.00	14.45	150	179	PK	Vert	PASS
2	5146.0500	19.63	60.12	40.49	74.00	13.88	150	116	PK	Vert	PASS






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5114.4500	1.24	41.72	40.48	54.00	12.28	150	265	AV	Vert	PASS
2	5140.1500	2.06	42.55	40.49	54.00	11.45	150	174	AV	Vert	PASS



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5354.6813	19.35	59.93	40.58	74.00	14.07	150	343	PK	Vert	PASS
2	5381.2688	22.53	63.17	40.64	74.00	10.83	150	360	PK	Vert	PASS






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List												
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict	
1	5355.2063	1.72	42.30	40.58	54.00	11.70	150	264	AV	Vert	PASS	
2	5382.9938	2.34	42.99	40.65	54.00	11.01	150	257	AV	Vert	PASS	




REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5119.0500	20.32	60.80	40.48	74.00	13.20	150	55	PK	Vert	PASS
2	5148.2000	22.12	62.61	40.49	74.00	11.39	150	53	PK	Vert	PASS





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5104.4500	1.01	41.48	40.47	54.00	12.52	150	215	AV	Vert	PASS
2	5137.4000	1.25	41.73	40.48	54.00	12.27	150	332	AV	Vert	PASS




REMARKS:

- 1 Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- 2 Margin value = Limit value- Emission level.
- 3 5270MHz: Fundamental frequency.

CHANNEL	TX Channel 62	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5357.4750	18.14	58.72	40.58	74.00	15.28	150	310	PK	Hori	PASS
2	5395.2938	19.17	59.85	40.68	74.00	14.15	150	308	PK	Hori	PASS



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List												
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict	
1	5358.6188	18.96	59.55	40.59	74.00	14.45	150	120	PK	Vert	PASS	
2	5383.4813	20.04	60.69	40.65	74.00	13.31	150	301	PK	Vert	PASS	






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5362.7250	1.55	42.16	40.61	54.00	11.84	150	189	AV	Vert	PASS
2	5386.6688	2.00	42.65	40.65	54.00	11.35	150	246	AV	Vert	PASS




REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5310MHz: Fundamental frequency.



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List												
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict	
1	5114.9000	19.97	60.45	40.48	74.00	13.55	150	250	PK	Vert	PASS	
2	5139.1000	20.35	60.84	40.49	74.00	13.16	150	358	PK	Vert	PASS	






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5115.3500	1.38	41.86	40.48	54.00	12.14	150	135	AV	Vert	PASS
2	5144.5500	1.68	42.17	40.49	54.00	11.83	150	92	AV	Vert	PASS



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5353.9125	20.00	60.58	40.58	74.00	13.42	150	358	PK	Vert	PASS
2	5392.4063	21.70	62.37	40.67	74.00	11.63	150	90	PK	Vert	PASS






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5359.1438	2.36	42.95	40.59	54.00	11.05	150	153	AV	Vert	PASS
2	5390.6063	3.09	43.76	40.67	54.00	10.24	150	6	AV	Vert	PASS



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5114.5000	21.37	61.85	40.48	74.00	12.15	150	358	PK	Vert	PASS
2	5149.6500	20.13	60.62	40.49	74.00	13.38	150	47	PK	Vert	PASS






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5103.7000	1.21	41.68	40.47	54.00	12.32	150	276	AV	Vert	PASS
2	5136.8500	2.17	42.65	40.48	54.00	11.35	150	43	AV	Vert	PASS



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5270MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5358.4125	20.96	61.55	40.59	74.00	12.45	150	250	PK	Vert	PASS
2	5387.4938	20.50	61.15	40.65	74.00	12.85	150	293	PK	Vert	PASS






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5358.2063	1.96	42.55	40.59	54.00	11.45	150	299	AV	Vert	PASS
2	5388.6938	2.49	43.16	40.67	54.00	10.84	150	63	AV	Vert	PASS



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5310MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5116.7500	19.92	60.40	40.48	74.00	13.60	150	228	PK	Hori	PASS
2	5363.4500	19.61	60.22	40.61	74.00	13.78	150	172	PK	Hori	PASS






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5116.2000	1.29	41.77	40.48	54.00	12.23	150	180	AV	Vert	PASS
2	5376.1375	2.15	42.78	40.63	54.00	11.22	150	185	AV	Vert	PASS



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5290MHz: Fundamental frequency.


Test Report No.: RF260626B008




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5106.5500	19.04	59.51	40.47	74.00	14.49	150	6	PK	Vert	PASS
2	5145.0000	18.61	59.10	40.49	74.00	14.90	150	19	PK	Vert	PASS






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5104.7000	0.79	41.26	40.47	54.00	12.74	150	11	AV	Vert	PASS
2	5140.1000	1.08	41.57	40.49	54.00	12.43	150	15	AV	Vert	PASS



REMARKS:


- 1 Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- 2 Margin value = Limit value- Emission level.
- 3 5260MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5358.0563	20.79	61.38	40.59	74.00	12.62	150	301	PK	Vert	PASS
2	5388.6938	21.22	61.89	40.67	74.00	12.11	150	288	PK	Vert	PASS






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5359.1813	1.95	42.54	40.59	54.00	11.46	150	57	AV	Vert	PASS
2	5381.1188	2.35	42.99	40.64	54.00	11.01	150	176	AV	Vert	PASS



REMARKS:


- 1 Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- 2 Margin value = Limit value- Emission level.
- 3 5320MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5112.8000	20.02	60.50	40.48	74.00	13.50	150	275	PK	Hori	PASS
2	5129.9500	21.20	61.68	40.48	74.00	12.32	150	68	PK	Hori	PASS






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5115.2000	1.39	41.87	40.48	54.00	12.13	150	17	AV	Vert	PASS
2	5139.3500	1.54	42.03	40.49	54.00	11.97	150	324	AV	Vert	PASS



REMARKS:


- 1 Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- 2 Margin value = Limit value- Emission level.
- 3 5270MHz: Fundamental frequency.




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5359.2188	19.78	60.37	40.59	74.00	13.63	150	34	PK	Vert	PASS
2	5389.3313	22.72	63.39	40.67	74.00	10.61	150	335	PK	Vert	PASS






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5361.8438	2.02	42.61	40.59	54.00	11.39	150	311	AV	Vert	PASS
2	5386.5188	2.43	43.08	40.65	54.00	10.92	150	299	AV	Vert	PASS



REMARKS:

- 1 Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- 2 Margin value = Limit value- Emission level.
- 3 5310MHz: Fundamental frequency.



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	5130.5500	20.41	60.89	40.48	74.00	13.11	150	2	PK	Vert	PASS
2	5354.1375	21.22	61.80	40.58	74.00	12.20	150	263	PK	Vert	PASS

