



Test Report No.: RF260626B009





Test Report No.: RF260626B009





Test Report No.: RF260626B009


DUTY CYCLE TEST RESULT

TestMode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11AX20MIMO	Ant3	5955	5.44	5.46	99.63
11AX20MIMO	Ant5	5955	5.44	5.46	99.63
11AX20MIMO	Ant3	6175	5.44	5.46	99.63
11AX20MIMO	Ant5	6175	5.44	5.46	99.63
11AX20MIMO	Ant3	6415	5.44	5.46	99.63
11AX20MIMO	Ant5	6415	5.44	5.46	99.63
11AX40MIMO	Ant3	5965	5.44	5.46	99.63
11AX40MIMO	Ant5	5965	5.44	5.46	99.63
11AX40MIMO	Ant3	6165	5.45	5.47	99.63
11AX40MIMO	Ant5	6165	5.44	5.46	99.63
11AX40MIMO	Ant3	6405	5.45	5.47	99.63
11AX40MIMO	Ant5	6405	5.45	5.47	99.63
11AX80MIMO	Ant3	5985	5.45	5.46	99.82
11AX80MIMO	Ant5	5985	5.44	5.46	99.63
11AX80MIMO	Ant3	6145	5.44	5.46	99.63
11AX80MIMO	Ant5	6145	5.44	5.46	99.63
11AX80MIMO	Ant3	6385	5.45	5.47	99.63
11AX80MIMO	Ant5	6385	5.44	5.46	99.63
11AX160MIMO	Ant3	6025	5.44	5.46	99.63
11AX160MIMO	Ant5	6025	5.45	5.46	99.82
11AX160MIMO	Ant3	6185	5.44	5.46	99.63
11AX160MIMO	Ant5	6185	5.44	5.46	99.63
11AX160MIMO	Ant3	6345	5.44	5.46	99.63
11AX160MIMO	Ant5	6345	5.44	5.46	99.63




Test Report No.: RF260626B009

TEST GRAPHS





Test Report No.: RF260626B009




BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com




Test Report No.: RF260626B009





Test Report No.: RF260626B009




BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260626B009





Test Report No.: RF260626B009

MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dB]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant3	5955	-0.01	≤25.10	-1.10	-1.11	≤24.00	PASS
11AX20MIMO	Ant5	5955	1.13	≤25.60	-1.60	-0.47	≤24.00	PASS
11AX20MIMO	total	5955	3.61	≤22.34	1.66	5.27	≤24.00	PASS
11AX20MIMO	Ant3	6175	0.24	≤25.10	-1.10	-0.86	≤24.00	PASS
11AX20MIMO	Ant5	6175	1.58	≤25.60	-1.60	-0.02	≤24.00	PASS
11AX20MIMO	total	6175	3.97	≤22.34	1.66	5.63	≤24.00	PASS
11AX20MIMO	Ant3	6415	0.02	≤25.10	-1.10	-1.08	≤24.00	PASS
11AX20MIMO	Ant5	6415	0.63	≤25.60	-1.60	-0.97	≤24.00	PASS
11AX20MIMO	total	6415	3.35	≤22.34	1.66	5.01	≤24.00	PASS
11AX40MIMO	Ant3	5965	2.69	≤25.10	-1.10	1.59	≤24.00	PASS
11AX40MIMO	Ant5	5965	3.95	≤25.60	-1.60	2.35	≤24.00	PASS
11AX40MIMO	total	5965	6.38	≤22.34	1.66	8.04	≤24.00	PASS
11AX40MIMO	Ant3	6165	2.88	≤25.10	-1.10	1.78	≤24.00	PASS
11AX40MIMO	Ant5	6165	4.29	≤25.60	-1.60	2.69	≤24.00	PASS
11AX40MIMO	total	6165	6.65	≤22.34	1.66	8.31	≤24.00	PASS
11AX40MIMO	Ant3	6405	3.15	≤25.10	-1.10	2.05	≤24.00	PASS
11AX40MIMO	Ant5	6405	3.50	≤25.60	-1.60	1.90	≤24.00	PASS
11AX40MIMO	total	6405	6.34	≤22.34	1.66	8.00	≤24.00	PASS
11AX80MIMO	Ant3	5985	5.67	≤25.10	-1.10	4.57	≤24.00	PASS
11AX80MIMO	Ant5	5985	7.02	≤25.60	-1.60	5.42	≤24.00	PASS
11AX80MIMO	total	5985	9.41	≤22.34	1.66	11.07	≤24.00	PASS
11AX80MIMO	Ant3	6145	6.36	≤25.10	-1.10	5.26	≤24.00	PASS
11AX80MIMO	Ant5	6145	7.62	≤25.60	-1.60	6.02	≤24.00	PASS
11AX80MIMO	total	6145	10.05	≤22.34	1.66	11.71	≤24.00	PASS
11AX80MIMO	Ant3	6385	6.18	≤25.10	-1.10	5.08	≤24.00	PASS
11AX80MIMO	Ant5	6385	6.72	≤25.60	-1.60	5.12	≤24.00	PASS
11AX80MIMO	total	6385	9.47	≤22.34	1.66	11.13	≤24.00	PASS
11AX160MIMO	Ant3	6025	10.12	≤25.10	-1.10	9.02	≤24.00	PASS
11AX160MIMO	Ant5	6025	11.08	≤25.60	-1.60	9.48	≤24.00	PASS
11AX160MIMO	total	6025	13.64	≤22.34	1.66	15.30	≤24.00	PASS
11AX160MIMO	Ant3	6185	10.03	≤25.10	-1.10	8.93	≤24.00	PASS
11AX160MIMO	Ant5	6185	11.05	≤25.60	-1.60	9.45	≤24.00	PASS
11AX160MIMO	total	6185	13.58	≤22.34	1.66	15.24	≤24.00	PASS
11AX160MIMO	Ant3	6345	10.00	≤25.10	-1.10	8.90	≤24.00	PASS
11AX160MIMO	Ant5	6345	10.41	≤25.60	-1.60	8.81	≤24.00	PASS
11AX160MIMO	total	6345	13.22	≤22.34	1.66	14.88	≤24.00	PASS

Note:1. The Result with duty cycle factor.

2. The EIRP = Result + Ant Gain.



Test Report No.: RF260626B009

MAXIMUM POWER SPECTRAL DENSITY TEST RESULT


TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant3	5955	-11.48	≤ 0.10	-1.10	-12.58	≤ -1.00	PASS
11AX20MIMO	Ant5	5955	-10.39	≤ 0.60	-1.60	-11.99	≤ -1.00	PASS
11AX20MIMO	total	5955	-7.89	≤ -2.66	1.66	-6.23	≤ -1.00	PASS
11AX20MIMO	Ant3	6175	-10.63	≤ 0.10	-1.10	-11.73	≤ -1.00	PASS
11AX20MIMO	Ant5	6175	-9.03	≤ 0.60	-1.60	-10.63	≤ -1.00	PASS
11AX20MIMO	total	6175	-6.75	≤ -2.66	1.66	-5.09	≤ -1.00	PASS
11AX20MIMO	Ant3	6415	-10.95	≤ 0.10	-1.10	-12.05	≤ -1.00	PASS
11AX20MIMO	Ant5	6415	-10.30	≤ 0.60	-1.60	-11.90	≤ -1.00	PASS
11AX20MIMO	total	6415	-7.60	≤ -2.66	1.66	-5.94	≤ -1.00	PASS
11AX40MIMO	Ant3	5965	-12.07	≤ 0.10	-1.10	-13.17	≤ -1.00	PASS
11AX40MIMO	Ant5	5965	-10.60	≤ 0.60	-1.60	-12.20	≤ -1.00	PASS
11AX40MIMO	total	5965	-8.26	≤ -2.66	1.66	-6.60	≤ -1.00	PASS
11AX40MIMO	Ant3	6165	-10.94	≤ 0.10	-1.10	-12.04	≤ -1.00	PASS
11AX40MIMO	Ant5	6165	-9.59	≤ 0.60	-1.60	-11.19	≤ -1.00	PASS
11AX40MIMO	total	6165	-7.20	≤ -2.66	1.66	-5.54	≤ -1.00	PASS
11AX40MIMO	Ant3	6405	-10.76	≤ 0.10	-1.10	-11.86	≤ -1.00	PASS
11AX40MIMO	Ant5	6405	-10.25	≤ 0.60	-1.60	-11.85	≤ -1.00	PASS
11AX40MIMO	total	6405	-7.49	≤ -2.66	1.66	-5.83	≤ -1.00	PASS
11AX80MIMO	Ant3	5985	-11.90	≤ 0.10	-1.10	-13.00	≤ -1.00	PASS
11AX80MIMO	Ant5	5985	-10.36	≤ 0.60	-1.60	-11.96	≤ -1.00	PASS
11AX80MIMO	total	5985	-8.05	≤ -2.66	1.66	-6.39	≤ -1.00	PASS
11AX80MIMO	Ant3	6145	-10.79	≤ 0.10	-1.10	-11.89	≤ -1.00	PASS
11AX80MIMO	Ant5	6145	-9.82	≤ 0.60	-1.60	-11.42	≤ -1.00	PASS
11AX80MIMO	total	6145	-7.27	≤ -2.66	1.66	-5.61	≤ -1.00	PASS
11AX80MIMO	Ant3	6385	-10.83	≤ 0.10	-1.10	-11.93	≤ -1.00	PASS
11AX80MIMO	Ant5	6385	-10.39	≤ 0.60	-1.60	-11.99	≤ -1.00	PASS
11AX80MIMO	total	6385	-7.59	≤ -2.66	1.66	-5.93	≤ -1.00	PASS
11AX160MIMO	Ant3	6025	-9.74	≤ 0.10	-1.10	-10.84	≤ -1.00	PASS
11AX160MIMO	Ant5	6025	-8.67	≤ 0.60	-1.60	-10.27	≤ -1.00	PASS
11AX160MIMO	total	6025	-6.16	≤ -2.66	1.66	-4.50	≤ -1.00	PASS
11AX160MIMO	Ant3	6185	-10.01	≤ 0.10	-1.10	-11.11	≤ -1.00	PASS
11AX160MIMO	Ant5	6185	-9.00	≤ 0.60	-1.60	-10.60	≤ -1.00	PASS
11AX160MIMO	total	6185	-6.47	≤ -2.66	1.66	-4.81	≤ -1.00	PASS
11AX160MIMO	Ant3	6345	-10.33	≤ 0.10	-1.10	-11.43	≤ -1.00	PASS
11AX160MIMO	Ant5	6345	-9.57	≤ 0.60	-1.60	-11.17	≤ -1.00	PASS
11AX160MIMO	total	6345	-6.92	≤ -2.66	1.66	-5.26	≤ -1.00	PASS

Note: 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.




Test Report No.: RF260626B009

TEST GRAPHS





Test Report No.: RF260626B009




BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com




Test Report No.: RF260626B009





Test Report No.: RF260626B009




BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260626B009





Test Report No.: RF260626B009


INBAND EMISSIONS TEST RESULT

Test Mode	Antenna	Frequency[MHz]	Result	Limit	Verdict
11AX20MIMO	Ant3	5955	See test graph	See test graph	PASS
11AX20MIMO	Ant5	5955	See test graph	See test graph	PASS
11AX20MIMO	Ant3	6175	See test graph	See test graph	PASS
11AX20MIMO	Ant5	6175	See test graph	See test graph	PASS
11AX20MIMO	Ant3	6415	See test graph	See test graph	PASS
11AX20MIMO	Ant5	6415	See test graph	See test graph	PASS
11AX40MIMO	Ant3	5965	See test graph	See test graph	PASS
11AX40MIMO	Ant5	5965	See test graph	See test graph	PASS
11AX40MIMO	Ant3	6165	See test graph	See test graph	PASS
11AX40MIMO	Ant5	6165	See test graph	See test graph	PASS
11AX40MIMO	Ant3	6405	See test graph	See test graph	PASS
11AX40MIMO	Ant5	6405	See test graph	See test graph	PASS
11AX80MIMO	Ant3	5985	See test graph	See test graph	PASS
11AX80MIMO	Ant5	5985	See test graph	See test graph	PASS
11AX80MIMO	Ant3	6145	See test graph	See test graph	PASS
11AX80MIMO	Ant5	6145	See test graph	See test graph	PASS
11AX80MIMO	Ant3	6385	See test graph	See test graph	PASS
11AX80MIMO	Ant5	6385	See test graph	See test graph	PASS
11AX160MIMO	Ant3	6025	See test graph	See test graph	PASS
11AX160MIMO	Ant5	6025	See test graph	See test graph	PASS
11AX160MIMO	Ant3	6185	See test graph	See test graph	PASS
11AX160MIMO	Ant5	6185	See test graph	See test graph	PASS
11AX160MIMO	Ant3	6345	See test graph	See test graph	PASS
11AX160MIMO	Ant5	6345	See test graph	See test graph	PASS




Test Report No.: RF260626B009

TEST GRAPHS





Test Report No.: RF260626B009




BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA


Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260626B009



Test Report No.: RF260626B009





Test Report No.: RF260626B009

