





# Test Report No.: RF260626B009





# Test Report No.: RF260626B009




BOOMWAVE TEST (SHENZHEN)  
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan  
4th Road, Chiwan Community, Zhaoshang Street,  
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731  
Email:shimin.wang@boomwavelab.com



# Test Report No.: RF260626B009




# Test Report No.: RF260626B009





# Test Report No.: RF260626B009





Test Report No.: RF260626B009

## MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

| Test Mode  | Antenna | Frequency[MHz] | Ru Size | Ru Index | Result [dBm] | Limit [dBm] | Gain [dBi] | EIRP [dBm] | EIRP Limit [dBm] | Verdict |
|------------|---------|----------------|---------|----------|--------------|-------------|------------|------------|------------------|---------|
| 11AX20MIMO | Ant3    | 5955           | 26Tone  | RU0      | -7.19        | ≤25.10      | -1.10      | -8.29      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 5955           | 26Tone  | RU0      | -5.72        | ≤25.60      | -1.60      | -7.32      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 5955           | 26Tone  | RU0      | -3.38        | ≤22.34      | 1.66       | -1.72      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 5955           | 26Tone  | RU4      | -7.70        | ≤25.10      | -1.10      | -8.80      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 5955           | 26Tone  | RU4      | -6.16        | ≤25.60      | -1.60      | -7.76      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 5955           | 26Tone  | RU4      | -3.85        | ≤22.34      | 1.66       | -2.19      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 5955           | 26Tone  | RU8      | -7.65        | ≤25.10      | -1.10      | -8.75      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 5955           | 26Tone  | RU8      | -5.85        | ≤25.60      | -1.60      | -7.45      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 5955           | 26Tone  | RU8      | -3.65        | ≤22.34      | 1.66       | -1.99      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 5955           | 52Tone  | RU37     | -4.25        | ≤25.10      | -1.10      | -5.35      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 5955           | 52Tone  | RU37     | -2.89        | ≤25.60      | -1.60      | -4.49      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 5955           | 52Tone  | RU37     | -0.51        | ≤22.34      | 1.66       | 1.15       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 5955           | 52Tone  | RU38     | -4.64        | ≤25.10      | -1.10      | -5.74      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 5955           | 52Tone  | RU38     | -3.10        | ≤25.60      | -1.60      | -4.70      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 5955           | 52Tone  | RU38     | -0.79        | ≤22.34      | 1.66       | 0.87       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 5955           | 52Tone  | RU40     | -4.70        | ≤25.10      | -1.10      | -5.80      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 5955           | 52Tone  | RU40     | -2.99        | ≤25.60      | -1.60      | -4.59      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 5955           | 52Tone  | RU40     | -0.75        | ≤22.34      | 1.66       | 0.91       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 5955           | 106Tone | RU53     | -1.26        | ≤25.10      | -1.10      | -2.36      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 5955           | 106Tone | RU53     | 0.13         | ≤25.60      | -1.60      | -1.47      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 5955           | 106Tone | RU53     | 2.50         | ≤22.34      | 1.66       | 4.16       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 5955           | 106Tone | RU54     | -1.60        | ≤25.10      | -1.10      | -2.70      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 5955           | 106Tone | RU54     | -0.05        | ≤25.60      | -1.60      | -1.65      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 5955           | 106Tone | RU54     | 2.25         | ≤22.34      | 1.66       | 3.91       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 6175           | 26Tone  | RU0      | -6.67        | ≤25.10      | -1.10      | -7.77      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 6175           | 26Tone  | RU0      | -5.79        | ≤25.60      | -1.60      | -7.39      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6175           | 26Tone  | RU0      | -3.20        | ≤22.34      | 1.66       | -1.54      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 6175           | 26Tone  | RU4      | -7.14        | ≤25.10      | -1.10      | -8.24      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 6175           | 26Tone  | RU4      | -5.92        | ≤25.60      | -1.60      | -7.52      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6175           | 26Tone  | RU4      | -3.48        | ≤22.34      | 1.66       | -1.82      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 6175           | 26Tone  | RU8      | -6.64        | ≤25.10      | -1.10      | -7.74      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 6175           | 26Tone  | RU8      | -5.59        | ≤25.60      | -1.60      | -7.19      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6175           | 26Tone  | RU8      | -3.07        | ≤22.34      | 1.66       | -1.41      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 6175           | 52Tone  | RU37     | -4.05        | ≤25.10      | -1.10      | -5.15      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 6175           | 52Tone  | RU37     | -2.94        | ≤25.60      | -1.60      | -4.54      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6175           | 52Tone  | RU37     | -0.45        | ≤22.34      | 1.66       | 1.21       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 6175           | 52Tone  | RU38     | -4.18        | ≤25.10      | -1.10      | -5.28      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 6175           | 52Tone  | RU38     | -2.83        | ≤25.60      | -1.60      | -4.43      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6175           | 52Tone  | RU38     | -0.44        | ≤22.34      | 1.66       | 1.22       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 6175           | 52Tone  | RU40     | -3.92        | ≤25.10      | -1.10      | -5.02      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 6175           | 52Tone  | RU40     | -2.79        | ≤25.60      | -1.60      | -4.39      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6175           | 52Tone  | RU40     | -0.31        | ≤22.34      | 1.66       | 1.35       | ≤24.00           | PASS    |
| 11AX20MIMO | Ant3    | 6175           | 106Tone | RU53     | -0.84        | ≤25.10      | -1.10      | -1.94      | ≤24.00           | PASS    |
| 11AX20MIMO | Ant5    | 6175           | 106Tone | RU53     | 0.19         | ≤25.60      | -1.60      | -1.41      | ≤24.00           | PASS    |
| 11AX20MIMO | total   | 6175           | 106Tone | RU53     | 2.72         | ≤22.34      | 1.66       | 4.38       | ≤24.00           | PASS    |

BOOMWAVE TEST (SHENZHEN)  
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan  
4th Road, Chiwan Community, Zhaoshang Street,  
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731  
Email:shimin.wang@boomwavelab.com

**Test Report No.: RF260626B009**

|            |       |      |         |      |       |        |       |        |        |      |
|------------|-------|------|---------|------|-------|--------|-------|--------|--------|------|
| 11AX20MIMO | Ant3  | 6175 | 106Tone | RU54 | -0.95 | ≤25.10 | -1.10 | -2.05  | ≤24.00 | PASS |
| 11AX20MIMO | Ant5  | 6175 | 106Tone | RU54 | 0.27  | ≤25.60 | -1.60 | -1.33  | ≤24.00 | PASS |
| 11AX20MIMO | total | 6175 | 106Tone | RU54 | 2.71  | ≤22.34 | 1.66  | 4.37   | ≤24.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 26Tone  | RU0  | -8.96 | ≤25.10 | -1.10 | -10.06 | ≤24.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 26Tone  | RU0  | -8.86 | ≤25.60 | -1.60 | -10.46 | ≤24.00 | PASS |
| 11AX20MIMO | total | 6415 | 26Tone  | RU0  | -5.90 | ≤22.34 | 1.66  | -4.24  | ≤24.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 26Tone  | RU4  | -9.14 | ≤25.10 | -1.10 | -10.24 | ≤24.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 26Tone  | RU4  | -8.77 | ≤25.60 | -1.60 | -10.37 | ≤24.00 | PASS |
| 11AX20MIMO | total | 6415 | 26Tone  | RU4  | -5.94 | ≤22.34 | 1.66  | -4.28  | ≤24.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 26Tone  | RU8  | -8.80 | ≤25.10 | -1.10 | -9.90  | ≤24.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 26Tone  | RU8  | -8.33 | ≤25.60 | -1.60 | -9.93  | ≤24.00 | PASS |
| 11AX20MIMO | total | 6415 | 26Tone  | RU8  | -5.55 | ≤22.34 | 1.66  | -3.89  | ≤24.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 52Tone  | RU37 | -5.81 | ≤25.10 | -1.10 | -6.91  | ≤24.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 52Tone  | RU37 | -5.68 | ≤25.60 | -1.60 | -7.28  | ≤24.00 | PASS |
| 11AX20MIMO | total | 6415 | 52Tone  | RU37 | -2.73 | ≤22.34 | 1.66  | -1.07  | ≤24.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 52Tone  | RU38 | -6.17 | ≤25.10 | -1.10 | -7.27  | ≤24.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 52Tone  | RU38 | -5.50 | ≤25.60 | -1.60 | -7.10  | ≤24.00 | PASS |
| 11AX20MIMO | total | 6415 | 52Tone  | RU38 | -2.81 | ≤22.34 | 1.66  | -1.15  | ≤24.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 52Tone  | RU40 | -6.03 | ≤25.10 | -1.10 | -7.13  | ≤24.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 52Tone  | RU40 | -5.57 | ≤25.60 | -1.60 | -7.17  | ≤24.00 | PASS |
| 11AX20MIMO | total | 6415 | 52Tone  | RU40 | -2.78 | ≤22.34 | 1.66  | -1.12  | ≤24.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 106Tone | RU53 | -2.86 | ≤25.10 | -1.10 | -3.96  | ≤24.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 106Tone | RU53 | -2.58 | ≤25.60 | -1.60 | -4.18  | ≤24.00 | PASS |
| 11AX20MIMO | total | 6415 | 106Tone | RU53 | 0.29  | ≤22.34 | 1.66  | 1.95   | ≤24.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 106Tone | RU54 | -3.07 | ≤25.10 | -1.10 | -4.17  | ≤24.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 106Tone | RU54 | -2.72 | ≤25.60 | -1.60 | -4.32  | ≤24.00 | PASS |
| 11AX20MIMO | total | 6415 | 106Tone | RU54 | 0.12  | ≤22.34 | 1.66  | 1.78   | ≤24.00 | PASS |
| 11AX40MIMO | Ant3  | 5965 | 242Tone | RU61 | 0.35  | ≤25.10 | -1.10 | -0.75  | ≤24.00 | PASS |
| 11AX40MIMO | Ant5  | 5965 | 242Tone | RU61 | 0.74  | ≤25.60 | -1.60 | -0.86  | ≤24.00 | PASS |
| 11AX40MIMO | total | 5965 | 242Tone | RU61 | 3.56  | ≤22.34 | 1.66  | 5.22   | ≤24.00 | PASS |
| 11AX40MIMO | Ant3  | 5965 | 242Tone | RU62 | -0.30 | ≤25.10 | -1.10 | -1.40  | ≤24.00 | PASS |
| 11AX40MIMO | Ant5  | 5965 | 242Tone | RU62 | 0.57  | ≤25.60 | -1.60 | -1.03  | ≤24.00 | PASS |
| 11AX40MIMO | total | 5965 | 242Tone | RU62 | 3.17  | ≤22.34 | 1.66  | 4.83   | ≤24.00 | PASS |
| 11AX40MIMO | Ant3  | 6165 | 242Tone | RU61 | 0.13  | ≤25.10 | -1.10 | -0.97  | ≤24.00 | PASS |
| 11AX40MIMO | Ant5  | 6165 | 242Tone | RU61 | 0.63  | ≤25.60 | -1.60 | -0.97  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6165 | 242Tone | RU61 | 3.40  | ≤22.34 | 1.66  | 5.06   | ≤24.00 | PASS |
| 11AX40MIMO | Ant3  | 6165 | 242Tone | RU62 | 0.46  | ≤25.10 | -1.10 | -0.64  | ≤24.00 | PASS |
| 11AX40MIMO | Ant5  | 6165 | 242Tone | RU62 | 0.81  | ≤25.60 | -1.60 | -0.79  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6165 | 242Tone | RU62 | 3.65  | ≤22.34 | 1.66  | 5.31   | ≤24.00 | PASS |
| 11AX40MIMO | Ant3  | 6405 | 242Tone | RU61 | 0.12  | ≤25.10 | -1.10 | -0.98  | ≤24.00 | PASS |
| 11AX40MIMO | Ant5  | 6405 | 242Tone | RU61 | -0.22 | ≤25.60 | -1.60 | -1.82  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6405 | 242Tone | RU61 | 2.96  | ≤22.34 | 1.66  | 4.62   | ≤24.00 | PASS |
| 11AX40MIMO | Ant3  | 6405 | 242Tone | RU62 | -0.19 | ≤25.10 | -1.10 | -1.29  | ≤24.00 | PASS |
| 11AX40MIMO | Ant5  | 6405 | 242Tone | RU62 | -0.74 | ≤25.60 | -1.60 | -2.34  | ≤24.00 | PASS |
| 11AX40MIMO | total | 6405 | 242Tone | RU62 | 2.55  | ≤22.34 | 1.66  | 4.21   | ≤24.00 | PASS |
| 11AX80MIMO | Ant3  | 5985 | 484Tone | RU65 | 1.94  | ≤25.10 | -1.10 | 0.84   | ≤24.00 | PASS |
| 11AX80MIMO | Ant5  | 5985 | 484Tone | RU65 | 2.76  | ≤25.60 | -1.60 | 1.16   | ≤24.00 | PASS |
| 11AX80MIMO | total | 5985 | 484Tone | RU65 | 5.38  | ≤22.34 | 1.66  | 7.04   | ≤24.00 | PASS |
| 11AX80MIMO | Ant3  | 5985 | 484Tone | RU66 | 2.13  | ≤25.10 | -1.10 | 1.03   | ≤24.00 | PASS |
| 11AX80MIMO | Ant5  | 5985 | 484Tone | RU66 | 3.47  | ≤25.60 | -1.60 | 1.87   | ≤24.00 | PASS |
| 11AX80MIMO | total | 5985 | 484Tone | RU66 | 5.86  | ≤22.34 | 1.66  | 7.52   | ≤24.00 | PASS |
| 11AX80MIMO | Ant3  | 6145 | 484Tone | RU65 | 2.84  | ≤25.10 | -1.10 | 1.74   | ≤24.00 | PASS |
| 11AX80MIMO | Ant5  | 6145 | 484Tone | RU65 | 3.56  | ≤25.60 | -1.60 | 1.96   | ≤24.00 | PASS |
| 11AX80MIMO | total | 6145 | 484Tone | RU65 | 6.23  | ≤22.34 | 1.66  | 7.89   | ≤24.00 | PASS |

# Test Report No.: RF260626B009

|             |       |      |         |      |      |        |       |       |        |      |
|-------------|-------|------|---------|------|------|--------|-------|-------|--------|------|
| 11AX80MIMO  | Ant3  | 6145 | 484Tone | RU66 | 2.69 | ≤25.10 | -1.10 | 1.59  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant5  | 6145 | 484Tone | RU66 | 3.57 | ≤25.60 | -1.60 | 1.97  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6145 | 484Tone | RU66 | 6.16 | ≤22.34 | 1.66  | 7.82  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant3  | 6385 | 484Tone | RU65 | 2.40 | ≤25.10 | -1.10 | 1.30  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant5  | 6385 | 484Tone | RU65 | 2.75 | ≤25.60 | -1.60 | 1.15  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6385 | 484Tone | RU65 | 5.59 | ≤22.34 | 1.66  | 7.25  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant3  | 6385 | 484Tone | RU66 | 2.35 | ≤25.10 | -1.10 | 1.25  | ≤24.00 | PASS |
| 11AX80MIMO  | Ant5  | 6385 | 484Tone | RU66 | 2.35 | ≤25.60 | -1.60 | 0.75  | ≤24.00 | PASS |
| 11AX80MIMO  | total | 6385 | 484Tone | RU66 | 5.36 | ≤22.34 | 1.66  | 7.02  | ≤24.00 | PASS |
| 11AX160MIMO | Ant3  | 6025 | 996Tone | RU67 | 4.99 | ≤25.10 | -1.10 | 3.89  | ≤24.00 | PASS |
| 11AX160MIMO | Ant5  | 6025 | 996Tone | RU67 | 5.94 | ≤25.60 | -1.60 | 4.34  | ≤24.00 | PASS |
| 11AX160MIMO | total | 6025 | 996Tone | RU67 | 8.50 | ≤22.34 | 1.66  | 10.16 | ≤24.00 | PASS |
| 11AX160MIMO | Ant3  | 6025 | 996Tone | RU68 | 3.56 | ≤25.10 | -1.10 | 2.46  | ≤24.00 | PASS |
| 11AX160MIMO | Ant5  | 6025 | 996Tone | RU68 | 5.15 | ≤25.60 | -1.60 | 3.55  | ≤24.00 | PASS |
| 11AX160MIMO | total | 6025 | 996Tone | RU68 | 7.44 | ≤22.34 | 1.66  | 9.10  | ≤24.00 | PASS |
| 11AX160MIMO | Ant3  | 6185 | 996Tone | RU67 | 5.05 | ≤25.10 | -1.10 | 3.95  | ≤24.00 | PASS |
| 11AX160MIMO | Ant5  | 6185 | 996Tone | RU67 | 6.08 | ≤25.60 | -1.60 | 4.48  | ≤24.00 | PASS |
| 11AX160MIMO | total | 6185 | 996Tone | RU67 | 8.61 | ≤22.34 | 1.66  | 10.27 | ≤24.00 | PASS |
| 11AX160MIMO | Ant3  | 6185 | 996Tone | RU68 | 3.71 | ≤25.10 | -1.10 | 2.61  | ≤24.00 | PASS |
| 11AX160MIMO | Ant5  | 6185 | 996Tone | RU68 | 4.56 | ≤25.60 | -1.60 | 2.96  | ≤24.00 | PASS |
| 11AX160MIMO | total | 6185 | 996Tone | RU68 | 7.17 | ≤22.34 | 1.66  | 8.83  | ≤24.00 | PASS |
| 11AX160MIMO | Ant3  | 6345 | 996Tone | RU67 | 3.97 | ≤25.10 | -1.10 | 2.87  | ≤24.00 | PASS |
| 11AX160MIMO | Ant5  | 6345 | 996Tone | RU67 | 5.43 | ≤25.60 | -1.60 | 3.83  | ≤24.00 | PASS |
| 11AX160MIMO | total | 6345 | 996Tone | RU67 | 7.77 | ≤22.34 | 1.66  | 9.43  | ≤24.00 | PASS |
| 11AX160MIMO | Ant3  | 6345 | 996Tone | RU68 | 3.65 | ≤25.10 | -1.10 | 2.55  | ≤24.00 | PASS |
| 11AX160MIMO | Ant5  | 6345 | 996Tone | RU68 | 3.84 | ≤25.60 | -1.60 | 2.24  | ≤24.00 | PASS |
| 11AX160MIMO | total | 6345 | 996Tone | RU68 | 6.76 | ≤22.34 | 1.66  | 8.42  | ≤24.00 | PASS |

Note:1. The Result with duty cycle factor.  
2. The EIRP = Result + Ant Gain.



Test Report No.: RF260626B009

## MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

| TestMode   | Antenna | Frequency<br>[MHz] | Ru<br>Size | Ru<br>Index | Result<br>[dBm/MHz] | Limit<br>[dBm/MHz] | Gain<br>[dBi] | EIRP<br>[dBm/MHz] | Limit<br>[dBm/MHz] | Verdict |
|------------|---------|--------------------|------------|-------------|---------------------|--------------------|---------------|-------------------|--------------------|---------|
| 11AX20MIMO | Ant3    | 5955               | 26Tone     | RU0         | -10.94              | ≤0.10              | -1.10         | -12.04            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 5955               | 26Tone     | RU0         | -8.67               | ≤0.60              | -1.60         | -10.27            | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 5955               | 26Tone     | RU0         | -6.65               | ≤-2.66             | 1.66          | -4.99             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 5955               | 26Tone     | RU4         | -11.57              | ≤0.10              | -1.10         | -12.67            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 5955               | 26Tone     | RU4         | -9.80               | ≤0.60              | -1.60         | -11.40            | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 5955               | 26Tone     | RU4         | -7.59               | ≤-2.66             | 1.66          | -5.93             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 5955               | 26Tone     | RU8         | -10.27              | ≤0.10              | -1.10         | -11.37            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 5955               | 26Tone     | RU8         | -8.13               | ≤0.60              | -1.60         | -9.73             | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 5955               | 26Tone     | RU8         | -6.06               | ≤-2.66             | 1.66          | -4.40             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 5955               | 52Tone     | RU37        | -10.09              | ≤0.10              | -1.10         | -11.19            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 5955               | 52Tone     | RU37        | -7.97               | ≤0.60              | -1.60         | -9.57             | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 5955               | 52Tone     | RU37        | -5.89               | ≤-2.66             | 1.66          | -4.23             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 5955               | 52Tone     | RU38        | -10.34              | ≤0.10              | -1.10         | -11.44            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 5955               | 52Tone     | RU38        | -8.55               | ≤0.60              | -1.60         | -10.15            | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 5955               | 52Tone     | RU38        | -6.34               | ≤-2.66             | 1.66          | -4.68             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 5955               | 52Tone     | RU40        | -10.42              | ≤0.10              | -1.10         | -11.52            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 5955               | 52Tone     | RU40        | -8.28               | ≤0.60              | -1.60         | -9.88             | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 5955               | 52Tone     | RU40        | -6.21               | ≤-2.66             | 1.66          | -4.55             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 5955               | 106Tone    | RU53        | -10.28              | ≤0.10              | -1.10         | -11.38            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 5955               | 106Tone    | RU53        | -8.20               | ≤0.60              | -1.60         | -9.80             | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 5955               | 106Tone    | RU53        | -6.11               | ≤-2.66             | 1.66          | -4.45             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 5955               | 106Tone    | RU54        | -10.39              | ≤0.10              | -1.10         | -11.49            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 5955               | 106Tone    | RU54        | -8.30               | ≤0.60              | -1.60         | -9.90             | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 5955               | 106Tone    | RU54        | -6.21               | ≤-2.66             | 1.66          | -4.55             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 6175               | 26Tone     | RU0         | -9.64               | ≤0.10              | -1.10         | -10.74            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 6175               | 26Tone     | RU0         | -8.53               | ≤0.60              | -1.60         | -10.13            | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 6175               | 26Tone     | RU0         | -6.04               | ≤-2.66             | 1.66          | -4.38             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 6175               | 26Tone     | RU4         | -10.66              | ≤0.10              | -1.10         | -11.76            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 6175               | 26Tone     | RU4         | -9.52               | ≤0.60              | -1.60         | -11.12            | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 6175               | 26Tone     | RU4         | -7.04               | ≤-2.66             | 1.66          | -5.38             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 6175               | 26Tone     | RU8         | -9.79               | ≤0.10              | -1.10         | -10.89            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 6175               | 26Tone     | RU8         | -8.15               | ≤0.60              | -1.60         | -9.75             | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 6175               | 26Tone     | RU8         | -5.88               | ≤-2.66             | 1.66          | -4.22             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 6175               | 52Tone     | RU37        | -9.67               | ≤0.10              | -1.10         | -10.77            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 6175               | 52Tone     | RU37        | -8.28               | ≤0.60              | -1.60         | -9.88             | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 6175               | 52Tone     | RU37        | -5.91               | ≤-2.66             | 1.66          | -4.25             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 6175               | 52Tone     | RU38        | -10.03              | ≤0.10              | -1.10         | -11.13            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 6175               | 52Tone     | RU38        | -8.72               | ≤0.60              | -1.60         | -10.32            | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 6175               | 52Tone     | RU38        | -6.32               | ≤-2.66             | 1.66          | -4.66             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 6175               | 52Tone     | RU40        | -9.66               | ≤0.10              | -1.10         | -10.76            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 6175               | 52Tone     | RU40        | -8.34               | ≤0.60              | -1.60         | -9.94             | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 6175               | 52Tone     | RU40        | -5.94               | ≤-2.66             | 1.66          | -4.28             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 6175               | 106Tone    | RU53        | -9.47               | ≤0.10              | -1.10         | -10.57            | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant5    | 6175               | 106Tone    | RU53        | -7.74               | ≤0.60              | -1.60         | -9.34             | ≤-1.00             | PASS    |
| 11AX20MIMO | total   | 6175               | 106Tone    | RU53        | -5.51               | ≤-2.66             | 1.66          | -3.85             | ≤-1.00             | PASS    |
| 11AX20MIMO | Ant3    | 6175               | 106Tone    | RU54        | -9.41               | ≤0.10              | -1.10         | -10.51            | ≤-1.00             | PASS    |

BOOMWAVE TEST (SHENZHEN)  
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan  
4th Road, Chiwan Community, Zhaoshang Street,  
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731  
Email:shimin.wang@boomwavelab.com



### Test Report No.: RF260626B009

|            |       |      |         |      |        |        |       |        |        |      |
|------------|-------|------|---------|------|--------|--------|-------|--------|--------|------|
| 11AX20MIMO | Ant5  | 6175 | 106Tone | RU54 | -7.57  | ≤0.60  | -1.60 | -9.17  | ≤-1.00 | PASS |
| 11AX20MIMO | total | 6175 | 106Tone | RU54 | -5.38  | ≤-2.66 | 1.66  | -3.72  | ≤-1.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 26Tone  | RU0  | -11.44 | ≤0.10  | -1.10 | -12.54 | ≤-1.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 26Tone  | RU0  | -11.03 | ≤0.60  | -1.60 | -12.63 | ≤-1.00 | PASS |
| 11AX20MIMO | total | 6415 | 26Tone  | RU0  | -8.22  | ≤-2.66 | 1.66  | -6.56  | ≤-1.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 26Tone  | RU4  | -12.75 | ≤0.10  | -1.10 | -13.85 | ≤-1.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 26Tone  | RU4  | -12.23 | ≤0.60  | -1.60 | -13.83 | ≤-1.00 | PASS |
| 11AX20MIMO | total | 6415 | 26Tone  | RU4  | -9.47  | ≤-2.66 | 1.66  | -7.81  | ≤-1.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 26Tone  | RU8  | -11.32 | ≤0.10  | -1.10 | -12.42 | ≤-1.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 26Tone  | RU8  | -10.85 | ≤0.60  | -1.60 | -12.45 | ≤-1.00 | PASS |
| 11AX20MIMO | total | 6415 | 26Tone  | RU8  | -8.07  | ≤-2.66 | 1.66  | -6.41  | ≤-1.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 52Tone  | RU37 | -11.18 | ≤0.10  | -1.10 | -12.28 | ≤-1.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 52Tone  | RU37 | -10.96 | ≤0.60  | -1.60 | -12.56 | ≤-1.00 | PASS |
| 11AX20MIMO | total | 6415 | 52Tone  | RU37 | -8.06  | ≤-2.66 | 1.66  | -6.40  | ≤-1.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 52Tone  | RU38 | -11.27 | ≤0.10  | -1.10 | -12.37 | ≤-1.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 52Tone  | RU38 | -10.83 | ≤0.60  | -1.60 | -12.43 | ≤-1.00 | PASS |
| 11AX20MIMO | total | 6415 | 52Tone  | RU38 | -8.03  | ≤-2.66 | 1.66  | -6.37  | ≤-1.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 52Tone  | RU40 | -11.32 | ≤0.10  | -1.10 | -12.42 | ≤-1.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 52Tone  | RU40 | -10.84 | ≤0.60  | -1.60 | -12.44 | ≤-1.00 | PASS |
| 11AX20MIMO | total | 6415 | 52Tone  | RU40 | -8.06  | ≤-2.66 | 1.66  | -6.40  | ≤-1.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 106Tone | RU53 | -11.14 | ≤0.10  | -1.10 | -12.24 | ≤-1.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 106Tone | RU53 | -10.64 | ≤0.60  | -1.60 | -12.24 | ≤-1.00 | PASS |
| 11AX20MIMO | total | 6415 | 106Tone | RU53 | -7.87  | ≤-2.66 | 1.66  | -6.21  | ≤-1.00 | PASS |
| 11AX20MIMO | Ant3  | 6415 | 106Tone | RU54 | -11.36 | ≤0.10  | -1.10 | -12.46 | ≤-1.00 | PASS |
| 11AX20MIMO | Ant5  | 6415 | 106Tone | RU54 | -10.83 | ≤0.60  | -1.60 | -12.43 | ≤-1.00 | PASS |
| 11AX20MIMO | total | 6415 | 106Tone | RU54 | -8.08  | ≤-2.66 | 1.66  | -6.42  | ≤-1.00 | PASS |
| 11AX40MIMO | Ant3  | 5965 | 242Tone | RU61 | -11.87 | ≤0.10  | -1.10 | -12.97 | ≤-1.00 | PASS |
| 11AX40MIMO | Ant5  | 5965 | 242Tone | RU61 | -11.52 | ≤0.60  | -1.60 | -13.12 | ≤-1.00 | PASS |
| 11AX40MIMO | total | 5965 | 242Tone | RU61 | -8.68  | ≤-2.66 | 1.66  | -7.02  | ≤-1.00 | PASS |
| 11AX40MIMO | Ant3  | 5965 | 242Tone | RU62 | -12.28 | ≤0.10  | -1.10 | -13.38 | ≤-1.00 | PASS |
| 11AX40MIMO | Ant5  | 5965 | 242Tone | RU62 | -11.08 | ≤0.60  | -1.60 | -12.68 | ≤-1.00 | PASS |
| 11AX40MIMO | total | 5965 | 242Tone | RU62 | -8.63  | ≤-2.66 | 1.66  | -6.97  | ≤-1.00 | PASS |
| 11AX40MIMO | Ant5  | 6165 | 242Tone | RU61 | -10.76 | ≤0.60  | -1.60 | -12.36 | ≤-1.00 | PASS |
| 11AX40MIMO | total | 6165 | 242Tone | RU61 | -7.91  | ≤-2.66 | 1.66  | -6.25  | ≤-1.00 | PASS |
| 11AX40MIMO | Ant3  | 6165 | 242Tone | RU61 | -11.09 | ≤0.10  | -1.10 | -12.19 | ≤-1.00 | PASS |
| 11AX40MIMO | Ant3  | 6165 | 242Tone | RU62 | -11.18 | ≤0.10  | -1.10 | -12.28 | ≤-1.00 | PASS |
| 11AX40MIMO | Ant5  | 6165 | 242Tone | RU62 | -10.66 | ≤0.60  | -1.60 | -12.26 | ≤-1.00 | PASS |
| 11AX40MIMO | total | 6165 | 242Tone | RU62 | -7.90  | ≤-2.66 | 1.66  | -6.24  | ≤-1.00 | PASS |
| 11AX40MIMO | Ant3  | 6405 | 242Tone | RU61 | -11.72 | ≤0.10  | -1.10 | -12.82 | ≤-1.00 | PASS |
| 11AX40MIMO | Ant5  | 6405 | 242Tone | RU61 | -11.73 | ≤0.60  | -1.60 | -13.33 | ≤-1.00 | PASS |
| 11AX40MIMO | total | 6405 | 242Tone | RU61 | -8.71  | ≤-2.66 | 1.66  | -7.05  | ≤-1.00 | PASS |
| 11AX40MIMO | Ant3  | 6405 | 242Tone | RU62 | -11.23 | ≤0.10  | -1.10 | -12.33 | ≤-1.00 | PASS |
| 11AX40MIMO | Ant5  | 6405 | 242Tone | RU62 | -12.02 | ≤0.60  | -1.60 | -13.62 | ≤-1.00 | PASS |
| 11AX40MIMO | total | 6405 | 242Tone | RU62 | -8.60  | ≤-2.66 | 1.66  | -6.94  | ≤-1.00 | PASS |
| 11AX80MIMO | Ant3  | 5985 | 484Tone | RU65 | -12.76 | ≤0.10  | -1.10 | -13.86 | ≤-1.00 | PASS |
| 11AX80MIMO | Ant5  | 5985 | 484Tone | RU65 | -11.97 | ≤0.60  | -1.60 | -13.57 | ≤-1.00 | PASS |
| 11AX80MIMO | total | 5985 | 484Tone | RU65 | -9.34  | ≤-2.66 | 1.66  | -7.68  | ≤-1.00 | PASS |
| 11AX80MIMO | Ant3  | 5985 | 484Tone | RU66 | -12.14 | ≤0.10  | -1.10 | -13.24 | ≤-1.00 | PASS |
| 11AX80MIMO | Ant5  | 5985 | 484Tone | RU66 | -11.11 | ≤0.60  | -1.60 | -12.71 | ≤-1.00 | PASS |
| 11AX80MIMO | total | 5985 | 484Tone | RU66 | -8.58  | ≤-2.66 | 1.66  | -6.92  | ≤-1.00 | PASS |
| 11AX80MIMO | Ant3  | 6145 | 484Tone | RU65 | -11.71 | ≤0.10  | -1.10 | -12.81 | ≤-1.00 | PASS |
| 11AX80MIMO | Ant5  | 6145 | 484Tone | RU65 | -10.99 | ≤0.60  | -1.60 | -12.59 | ≤-1.00 | PASS |
| 11AX80MIMO | total | 6145 | 484Tone | RU65 | -8.32  | ≤-2.66 | 1.66  | -6.66  | ≤-1.00 | PASS |
| 11AX80MIMO | Ant3  | 6145 | 484Tone | RU66 | -11.86 | ≤0.10  | -1.10 | -12.96 | ≤-1.00 | PASS |

BOOMWAVE TEST (SHENZHEN)  
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan  
4th Road, Chiwan Community, Zhaoshang Street,  
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731  
Email:shimin.wang@boomwavelab.com



# Test Report No.: RF260626B009


|             |       |      |         |      |        |        |       |        |        |      |
|-------------|-------|------|---------|------|--------|--------|-------|--------|--------|------|
| 11AX80MIMO  | Ant5  | 6145 | 484Tone | RU66 | -10.66 | ≤0.60  | -1.60 | -12.26 | ≤-1.00 | PASS |
| 11AX80MIMO  | total | 6145 | 484Tone | RU66 | -8.21  | ≤-2.66 | 1.66  | -6.55  | ≤-1.00 | PASS |
| 11AX80MIMO  | Ant3  | 6385 | 484Tone | RU65 | -12.22 | ≤0.10  | -1.10 | -13.32 | ≤-1.00 | PASS |
| 11AX80MIMO  | Ant5  | 6385 | 484Tone | RU65 | -11.53 | ≤0.60  | -1.60 | -13.13 | ≤-1.00 | PASS |
| 11AX80MIMO  | total | 6385 | 484Tone | RU65 | -8.85  | ≤-2.66 | 1.66  | -7.19  | ≤-1.00 | PASS |
| 11AX80MIMO  | Ant3  | 6385 | 484Tone | RU66 | -11.80 | ≤0.10  | -1.10 | -12.90 | ≤-1.00 | PASS |
| 11AX80MIMO  | Ant5  | 6385 | 484Tone | RU66 | -11.72 | ≤0.60  | -1.60 | -13.32 | ≤-1.00 | PASS |
| 11AX80MIMO  | total | 6385 | 484Tone | RU66 | -8.75  | ≤-2.66 | 1.66  | -7.09  | ≤-1.00 | PASS |
| 11AX160MIMO | Ant3  | 6025 | 996Tone | RU67 | -12.66 | ≤0.10  | -1.10 | -13.76 | ≤-1.00 | PASS |
| 11AX160MIMO | Ant5  | 6025 | 996Tone | RU67 | -11.76 | ≤0.60  | -1.60 | -13.36 | ≤-1.00 | PASS |
| 11AX160MIMO | total | 6025 | 996Tone | RU67 | -9.18  | ≤-2.66 | 1.66  | -7.52  | ≤-1.00 | PASS |
| 11AX160MIMO | Ant3  | 6025 | 996Tone | RU68 | -14.05 | ≤0.10  | -1.10 | -15.15 | ≤-1.00 | PASS |
| 11AX160MIMO | Ant5  | 6025 | 996Tone | RU68 | -12.65 | ≤0.60  | -1.60 | -14.25 | ≤-1.00 | PASS |
| 11AX160MIMO | total | 6025 | 996Tone | RU68 | -10.28 | ≤-2.66 | 1.66  | -8.62  | ≤-1.00 | PASS |
| 11AX160MIMO | Ant3  | 6185 | 996Tone | RU67 | -12.59 | ≤0.10  | -1.10 | -13.69 | ≤-1.00 | PASS |
| 11AX160MIMO | Ant5  | 6185 | 996Tone | RU67 | -11.27 | ≤0.60  | -1.60 | -12.87 | ≤-1.00 | PASS |
| 11AX160MIMO | total | 6185 | 996Tone | RU67 | -8.87  | ≤-2.66 | 1.66  | -7.21  | ≤-1.00 | PASS |
| 11AX160MIMO | Ant3  | 6185 | 996Tone | RU68 | -14.06 | ≤0.10  | -1.10 | -15.16 | ≤-1.00 | PASS |
| 11AX160MIMO | Ant5  | 6185 | 996Tone | RU68 | -12.88 | ≤0.60  | -1.60 | -14.48 | ≤-1.00 | PASS |
| 11AX160MIMO | total | 6185 | 996Tone | RU68 | -10.42 | ≤-2.66 | 1.66  | -8.76  | ≤-1.00 | PASS |
| 11AX160MIMO | Ant3  | 6345 | 996Tone | RU67 | -13.58 | ≤0.10  | -1.10 | -14.68 | ≤-1.00 | PASS |
| 11AX160MIMO | Ant5  | 6345 | 996Tone | RU67 | -11.36 | ≤0.60  | -1.60 | -12.96 | ≤-1.00 | PASS |
| 11AX160MIMO | total | 6345 | 996Tone | RU67 | -9.32  | ≤-2.66 | 1.66  | -7.66  | ≤-1.00 | PASS |
| 11AX160MIMO | Ant3  | 6345 | 996Tone | RU68 | -14.21 | ≤0.10  | -1.10 | -15.31 | ≤-1.00 | PASS |
| 11AX160MIMO | Ant5  | 6345 | 996Tone | RU68 | -13.87 | ≤0.60  | -1.60 | -15.47 | ≤-1.00 | PASS |
| 11AX160MIMO | total | 6345 | 996Tone | RU68 | -11.03 | ≤-2.66 | 1.66  | -9.37  | ≤-1.00 | PASS |

Note: 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.




Test Report No.: RF260626B009

## TEST GRAPHS





# Test Report No.: RF260626B009




BOOMWAVE TEST (SHENZHEN)  
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan  
4th Road, Chiwan Community, Zhaoshang Street,  
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731  
Email:shimin.wang@boomwavelab.com




Test Report No.: RF260626B009





# Test Report No.: RF260626B009




BOOMWAVE TEST (SHENZHEN)  
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan  
4th Road, Chiwan Community, Zhaoshang Street,  
Nanshan District, Shenzhen, Guangdong, P.R. CHINA


Mobile: +86 15118052731  
Email:shimin.wang@boomwavelab.com

# Test Report No.: RF260626B009





# Test Report No.: RF260626B009




BOOMWAVE TEST (SHENZHEN)  
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan  
4th Road, Chiwan Community, Zhaoshang Street,  
Nanshan District, Shenzhen, Guangdong, P.R. CHINA


Mobile: +86 15118052731  
Email:shimin.wang@boomwavelab.com

# Test Report No.: RF260626B009





# Test Report No.: RF260626B009




BOOMWAVE TEST (SHENZHEN)  
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan  
4th Road, Chiwan Community, Zhaoshang Street,  
Nanshan District, Shenzhen, Guangdong, P.R. CHINA


Mobile: +86 15118052731  
Email:shimin.wang@boomwavelab.com

# Test Report No.: RF260626B009





# Test Report No.: RF260626B009




BOOMWAVE TEST (SHENZHEN)  
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan  
4th Road, Chiwan Community, Zhaoshang Street,  
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731  
Email:shimin.wang@boomwavelab.com




# Test Report No.: RF260626B009





# Test Report No.: RF260626B009



BOOMWAVE TEST (SHENZHEN)  
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan  
4th Road, Chiwan Community, Zhaoshang Street,  
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731  
Email:shimin.wang@boomwavelab.com