


Test Report No.: RF260626B007



BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260626B007

MAXIMUM CONDUCTED OUTPUT POWER

TEST RESULT PEAK

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Peak Power[dBm]	Conducted Limit[dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant3	2412	26Tone	RU0	17.03	≤30.00	17.73	≤36.00	PASS
11AX20MIMO	Ant5	2412	26Tone	RU0	16.18	≤30.00	16.08	≤36.00	PASS
11AX20MIMO	total	2412	26Tone	RU0	19.64	≤30.00	22.96	≤36.00	PASS
11AX20MIMO	Ant3	2412	26Tone	RU4	16.09	≤30.00	16.79	≤36.00	PASS
11AX20MIMO	Ant5	2412	26Tone	RU4	15.76	≤30.00	15.66	≤36.00	PASS
11AX20MIMO	total	2412	26Tone	RU4	18.94	≤30.00	22.26	≤36.00	PASS
11AX20MIMO	Ant3	2412	26Tone	RU8	17.19	≤30.00	17.89	≤36.00	PASS
11AX20MIMO	Ant5	2412	26Tone	RU8	16.30	≤30.00	16.20	≤36.00	PASS
11AX20MIMO	total	2412	26Tone	RU8	19.78	≤30.00	23.10	≤36.00	PASS
11AX20MIMO	Ant3	2412	52Tone	RU37	18.06	≤30.00	18.76	≤36.00	PASS
11AX20MIMO	Ant5	2412	52Tone	RU37	17.01	≤30.00	16.91	≤36.00	PASS
11AX20MIMO	total	2412	52Tone	RU37	20.58	≤30.00	23.90	≤36.00	PASS
11AX20MIMO	Ant3	2412	52Tone	RU38	18.22	≤30.00	18.92	≤36.00	PASS
11AX20MIMO	Ant5	2412	52Tone	RU38	16.90	≤30.00	16.80	≤36.00	PASS
11AX20MIMO	total	2412	52Tone	RU38	20.62	≤30.00	23.94	≤36.00	PASS
11AX20MIMO	Ant3	2412	52Tone	RU40	17.08	≤30.00	17.78	≤36.00	PASS
11AX20MIMO	Ant5	2412	52Tone	RU40	16.82	≤30.00	16.72	≤36.00	PASS
11AX20MIMO	total	2412	52Tone	RU40	19.96	≤30.00	23.28	≤36.00	PASS
11AX20MIMO	Ant3	2412	106Tone	RU53	18.24	≤30.00	18.94	≤36.00	PASS
11AX20MIMO	Ant5	2412	106Tone	RU53	17.39	≤30.00	17.29	≤36.00	PASS
11AX20MIMO	total	2412	106Tone	RU53	20.85	≤30.00	24.17	≤36.00	PASS
11AX20MIMO	Ant3	2412	106Tone	RU54	18.19	≤30.00	18.89	≤36.00	PASS
11AX20MIMO	Ant5	2412	106Tone	RU54	17.55	≤30.00	17.45	≤36.00	PASS
11AX20MIMO	total	2412	106Tone	RU54	20.89	≤30.00	24.21	≤36.00	PASS
11AX20MIMO	Ant3	2437	26Tone	RU0	16.98	≤30.00	17.68	≤36.00	PASS
11AX20MIMO	Ant5	2437	26Tone	RU0	16.40	≤30.00	16.30	≤36.00	PASS
11AX20MIMO	total	2437	26Tone	RU0	19.71	≤30.00	23.03	≤36.00	PASS
11AX20MIMO	Ant3	2437	26Tone	RU4	16.62	≤30.00	17.32	≤36.00	PASS
11AX20MIMO	Ant5	2437	26Tone	RU4	16.32	≤30.00	16.22	≤36.00	PASS
11AX20MIMO	total	2437	26Tone	RU4	19.48	≤30.00	22.80	≤36.00	PASS
11AX20MIMO	Ant3	2437	26Tone	RU8	17.34	≤30.00	18.04	≤36.00	PASS

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260626B007

11AX20MIMO	Ant5	2437	26Tone	RU8	16.61	≤30.00	16.51	≤36.00	PASS
11AX20MIMO	total	2437	26Tone	RU8	20.00	≤30.00	23.32	≤36.00	PASS
11AX20MIMO	Ant3	2437	52Tone	RU37	18.21	≤30.00	18.91	≤36.00	PASS
11AX20MIMO	Ant5	2437	52Tone	RU37	17.07	≤30.00	16.97	≤36.00	PASS
11AX20MIMO	total	2437	52Tone	RU37	20.69	≤30.00	24.01	≤36.00	PASS
11AX20MIMO	Ant3	2437	52Tone	RU38	17.87	≤30.00	18.57	≤36.00	PASS
11AX20MIMO	Ant5	2437	52Tone	RU38	17.28	≤30.00	17.18	≤36.00	PASS
11AX20MIMO	total	2437	52Tone	RU38	20.60	≤30.00	23.92	≤36.00	PASS
11AX20MIMO	Ant3	2437	52Tone	RU40	17.51	≤30.00	18.21	≤36.00	PASS
11AX20MIMO	Ant5	2437	52Tone	RU40	16.90	≤30.00	16.80	≤36.00	PASS
11AX20MIMO	total	2437	52Tone	RU40	20.23	≤30.00	23.55	≤36.00	PASS
11AX20MIMO	Ant3	2437	106Tone	RU53	18.43	≤30.00	19.13	≤36.00	PASS
11AX20MIMO	Ant5	2437	106Tone	RU53	17.92	≤30.00	17.82	≤36.00	PASS
11AX20MIMO	total	2437	106Tone	RU53	21.19	≤30.00	24.51	≤36.00	PASS
11AX20MIMO	Ant3	2437	106Tone	RU54	18.34	≤30.00	19.04	≤36.00	PASS
11AX20MIMO	Ant5	2437	106Tone	RU54	18.07	≤30.00	17.97	≤36.00	PASS
11AX20MIMO	total	2437	106Tone	RU54	21.22	≤30.00	24.54	≤36.00	PASS
11AX20MIMO	Ant3	2462	26Tone	RU0	17.62	≤30.00	18.32	≤36.00	PASS
11AX20MIMO	Ant5	2462	26Tone	RU0	17.28	≤30.00	17.18	≤36.00	PASS
11AX20MIMO	total	2462	26Tone	RU0	20.46	≤30.00	23.78	≤36.00	PASS
11AX20MIMO	Ant3	2462	26Tone	RU4	17.16	≤30.00	17.86	≤36.00	PASS
11AX20MIMO	Ant5	2462	26Tone	RU4	16.02	≤30.00	15.92	≤36.00	PASS
11AX20MIMO	total	2462	26Tone	RU4	19.64	≤30.00	22.96	≤36.00	PASS
11AX20MIMO	Ant3	2462	26Tone	RU8	16.96	≤30.00	17.66	≤36.00	PASS
11AX20MIMO	Ant5	2462	26Tone	RU8	16.79	≤30.00	16.69	≤36.00	PASS
11AX20MIMO	total	2462	26Tone	RU8	19.89	≤30.00	23.21	≤36.00	PASS
11AX20MIMO	Ant3	2462	52Tone	RU37	18.18	≤30.00	18.88	≤36.00	PASS
11AX20MIMO	Ant5	2462	52Tone	RU37	17.63	≤30.00	17.53	≤36.00	PASS
11AX20MIMO	total	2462	52Tone	RU37	20.92	≤30.00	24.24	≤36.00	PASS
11AX20MIMO	Ant3	2462	52Tone	RU38	17.14	≤30.00	17.84	≤36.00	PASS
11AX20MIMO	Ant5	2462	52Tone	RU38	17.07	≤30.00	16.97	≤36.00	PASS
11AX20MIMO	total	2462	52Tone	RU38	20.12	≤30.00	23.44	≤36.00	PASS
11AX20MIMO	Ant3	2462	52Tone	RU40	17.74	≤30.00	18.44	≤36.00	PASS
11AX20MIMO	Ant5	2462	52Tone	RU40	17.26	≤30.00	17.16	≤36.00	PASS
11AX20MIMO	total	2462	52Tone	RU40	20.52	≤30.00	23.84	≤36.00	PASS
11AX20MIMO	Ant3	2462	106Tone	RU53	18.51	≤30.00	19.21	≤36.00	PASS

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260626B007

11AX20MIMO	Ant5	2462	106Tone	RU53	17.85	≤30.00	17.75	≤36.00	PASS
11AX20MIMO	total	2462	106Tone	RU53	21.20	≤30.00	24.52	≤36.00	PASS
11AX20MIMO	Ant3	2462	106Tone	RU54	17.98	≤30.00	18.68	≤36.00	PASS
11AX20MIMO	Ant5	2462	106Tone	RU54	17.42	≤30.00	17.32	≤36.00	PASS
11AX20MIMO	total	2462	106Tone	RU54	20.72	≤30.00	24.04	≤36.00	PASS



Test Report No.: RF260626B007

TEST RESULT AVERAGE

Test Mode	Antenna	Frequency [MHz]	Ru Size	Ru Index	Peak Power[dBm]	Conducted Limit[dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict	Power setting
11AX20MIMO	Ant3	2412	26Tone	RU0	10.40	≤30.00	11.10	≤36.00	PASS	9
11AX20MIMO	Ant5	2412	26Tone	RU0	9.32	≤30.00	9.22	≤36.00	PASS	9
11AX20MIMO	total	2412	26Tone	RU0	12.90	≤30.00	16.22	≤36.00	PASS	9
11AX20MIMO	Ant3	2412	26Tone	RU4	10.25	≤30.00	10.95	≤36.00	PASS	9
11AX20MIMO	Ant5	2412	26Tone	RU4	9.76	≤30.00	9.66	≤36.00	PASS	9
11AX20MIMO	total	2412	26Tone	RU4	13.02	≤30.00	16.34	≤36.00	PASS	9
11AX20MIMO	Ant3	2412	26Tone	RU8	10.38	≤30.00	11.08	≤36.00	PASS	9
11AX20MIMO	Ant5	2412	26Tone	RU8	9.23	≤30.00	9.13	≤36.00	PASS	9
11AX20MIMO	total	2412	26Tone	RU8	12.85	≤30.00	16.17	≤36.00	PASS	9
11AX20MIMO	Ant3	2412	52Tone	RU37	10.65	≤30.00	11.35	≤36.00	PASS	9
11AX20MIMO	Ant5	2412	52Tone	RU37	9.75	≤30.00	9.65	≤36.00	PASS	9
11AX20MIMO	total	2412	52Tone	RU37	13.23	≤30.00	16.55	≤36.00	PASS	9
11AX20MIMO	Ant3	2412	52Tone	RU38	10.68	≤30.00	11.38	≤36.00	PASS	9
11AX20MIMO	Ant5	2412	52Tone	RU38	9.72	≤30.00	9.62	≤36.00	PASS	9
11AX20MIMO	total	2412	52Tone	RU38	13.24	≤30.00	16.56	≤36.00	PASS	9
11AX20MIMO	Ant3	2412	52Tone	RU40	10.46	≤30.00	11.16	≤36.00	PASS	9
11AX20MIMO	Ant5	2412	52Tone	RU40	9.85	≤30.00	9.75	≤36.00	PASS	9
11AX20MIMO	total	2412	52Tone	RU40	13.18	≤30.00	16.50	≤36.00	PASS	9
11AX20MIMO	Ant3	2412	106Tone	RU53	10.88	≤30.00	11.58	≤36.00	PASS	9
11AX20MIMO	Ant5	2412	106Tone	RU53	9.85	≤30.00	9.75	≤36.00	PASS	9
11AX20MIMO	total	2412	106Tone	RU53	13.41	≤30.00	16.73	≤36.00	PASS	9
11AX20MIMO	Ant3	2412	106Tone	RU54	10.78	≤30.00	11.48	≤36.00	PASS	9
11AX20MIMO	Ant5	2412	106Tone	RU54	10.02	≤30.00	9.92	≤36.00	PASS	9
11AX20MIMO	total	2412	106Tone	RU54	13.43	≤30.00	16.75	≤36.00	PASS	9
11AX20MIMO	Ant3	2437	26Tone	RU0	10.83	≤30.00	11.53	≤36.00	PASS	9
11AX20MIMO	Ant5	2437	26Tone	RU0	10.49	≤30.00	10.39	≤36.00	PASS	9
11AX20MIMO	total	2437	26Tone	RU0	13.67	≤30.00	16.99	≤36.00	PASS	9
11AX20MIMO	Ant3	2437	26Tone	RU4	10.44	≤30.00	11.14	≤36.00	PASS	9
11AX20MIMO	Ant5	2437	26Tone	RU4	9.92	≤30.00	9.82	≤36.00	PASS	9
11AX20MIMO	total	2437	26Tone	RU4	13.20	≤30.00	16.52	≤36.00	PASS	9
11AX20MIMO	Ant3	2437	26Tone	RU8	11.07	≤30.00	11.77	≤36.00	PASS	9
11AX20MIMO	Ant5	2437	26Tone	RU8	10.50	≤30.00	10.40	≤36.00	PASS	9

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



Test Report No.: RF260626B007

11AX20MIMO	total	2437	26Tone	RU8	13.80	≤30.00	17.12	≤36.00	PASS	9
11AX20MIMO	Ant3	2437	52Tone	RU37	10.59	≤30.00	11.29	≤36.00	PASS	9
11AX20MIMO	Ant5	2437	52Tone	RU37	10.09	≤30.00	9.99	≤36.00	PASS	9
11AX20MIMO	total	2437	52Tone	RU37	13.36	≤30.00	16.68	≤36.00	PASS	9
11AX20MIMO	Ant3	2437	52Tone	RU38	10.64	≤30.00	11.34	≤36.00	PASS	9
11AX20MIMO	Ant5	2437	52Tone	RU38	10.08	≤30.00	9.98	≤36.00	PASS	9
11AX20MIMO	total	2437	52Tone	RU38	13.38	≤30.00	16.70	≤36.00	PASS	9
11AX20MIMO	Ant3	2437	52Tone	RU40	10.84	≤30.00	11.54	≤36.00	PASS	9
11AX20MIMO	Ant5	2437	52Tone	RU40	10.53	≤30.00	10.43	≤36.00	PASS	9
11AX20MIMO	total	2437	52Tone	RU40	13.70	≤30.00	17.02	≤36.00	PASS	9
11AX20MIMO	Ant3	2437	106Tone	RU53	10.81	≤30.00	11.51	≤36.00	PASS	9
11AX20MIMO	Ant5	2437	106Tone	RU53	10.14	≤30.00	10.04	≤36.00	PASS	9
11AX20MIMO	total	2437	106Tone	RU53	13.50	≤30.00	16.82	≤36.00	PASS	9
11AX20MIMO	Ant3	2437	106Tone	RU54	10.94	≤30.00	11.64	≤36.00	PASS	9
11AX20MIMO	Ant5	2437	106Tone	RU54	10.31	≤30.00	10.21	≤36.00	PASS	9
11AX20MIMO	total	2437	106Tone	RU54	13.65	≤30.00	16.97	≤36.00	PASS	9
11AX20MIMO	Ant3	2462	26Tone	RU0	11.22	≤30.00	11.92	≤36.00	PASS	9
11AX20MIMO	Ant5	2462	26Tone	RU0	10.77	≤30.00	10.67	≤36.00	PASS	9
11AX20MIMO	total	2462	26Tone	RU0	14.01	≤30.00	17.33	≤36.00	PASS	9
11AX20MIMO	Ant3	2462	26Tone	RU4	10.28	≤30.00	10.98	≤36.00	PASS	9
11AX20MIMO	Ant5	2462	26Tone	RU4	9.84	≤30.00	9.74	≤36.00	PASS	9
11AX20MIMO	total	2462	26Tone	RU4	13.08	≤30.00	16.40	≤36.00	PASS	9
11AX20MIMO	Ant3	2462	26Tone	RU8	10.92	≤30.00	11.62	≤36.00	PASS	9
11AX20MIMO	Ant5	2462	26Tone	RU8	9.94	≤30.00	9.84	≤36.00	PASS	9
11AX20MIMO	total	2462	26Tone	RU8	13.47	≤30.00	16.79	≤36.00	PASS	9
11AX20MIMO	Ant3	2462	52Tone	RU37	10.94	≤30.00	11.64	≤36.00	PASS	9
11AX20MIMO	Ant5	2462	52Tone	RU37	10.85	≤30.00	10.75	≤36.00	PASS	9
11AX20MIMO	total	2462	52Tone	RU37	13.91	≤30.00	17.23	≤36.00	PASS	9
11AX20MIMO	Ant3	2462	52Tone	RU38	10.54	≤30.00	11.24	≤36.00	PASS	9
11AX20MIMO	Ant5	2462	52Tone	RU38	10.09	≤30.00	9.99	≤36.00	PASS	9
11AX20MIMO	total	2462	52Tone	RU38	13.33	≤30.00	16.65	≤36.00	PASS	9
11AX20MIMO	Ant3	2462	52Tone	RU40	10.35	≤30.00	11.05	≤36.00	PASS	9
11AX20MIMO	Ant5	2462	52Tone	RU40	10.01	≤30.00	9.91	≤36.00	PASS	9
11AX20MIMO	total	2462	52Tone	RU40	13.19	≤30.00	16.51	≤36.00	PASS	9
11AX20MIMO	Ant3	2462	106Tone	RU53	11.03	≤30.00	11.73	≤36.00	PASS	9
11AX20MIMO	Ant5	2462	106Tone	RU53	10.58	≤30.00	10.48	≤36.00	PASS	9

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com

Test Report No.: RF260626B007

11AX20MIMO	total	2462	106Tone	RU53	13.82	≤30.00	17.14	≤36.00	PASS	9
11AX20MIMO	Ant3	2462	106Tone	RU54	10.80	≤30.00	11.50	≤36.00	PASS	9
11AX20MIMO	Ant5	2462	106Tone	RU54	9.93	≤30.00	9.83	≤36.00	PASS	9
11AX20MIMO	total	2462	106Tone	RU54	13.40	≤30.00	16.72	≤36.00	PASS	9

MAXIMUM POWER SPECTRAL DENSITY

TEST RESULT

TestMode	Antenna	Frequency[MHz]	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant3	2412	26Tone	RU0	-6.70	≤8.00	PASS
11AX20MIMO	Ant5	2412	26Tone	RU0	-7.05	≤8.00	PASS
11AX20MIMO	total	2412	26Tone	RU0	-3.86	≤8.00	PASS
11AX20MIMO	Ant3	2412	26Tone	RU4	-6.10	≤8.00	PASS
11AX20MIMO	Ant5	2412	26Tone	RU4	-7.81	≤8.00	PASS
11AX20MIMO	total	2412	26Tone	RU4	-3.86	≤8.00	PASS
11AX20MIMO	Ant3	2412	26Tone	RU8	-5.85	≤8.00	PASS
11AX20MIMO	Ant5	2412	26Tone	RU8	-6.55	≤8.00	PASS
11AX20MIMO	total	2412	26Tone	RU8	-3.18	≤8.00	PASS
11AX20MIMO	Ant3	2412	52Tone	RU37	-9.48	≤8.00	PASS
11AX20MIMO	Ant5	2412	52Tone	RU37	-9.42	≤8.00	PASS
11AX20MIMO	total	2412	52Tone	RU37	-6.44	≤8.00	PASS
11AX20MIMO	Ant3	2412	52Tone	RU38	-8.75	≤8.00	PASS
11AX20MIMO	Ant5	2412	52Tone	RU38	-9.89	≤8.00	PASS
11AX20MIMO	total	2412	52Tone	RU38	-6.27	≤8.00	PASS
11AX20MIMO	Ant3	2412	52Tone	RU40	-8.71	≤8.00	PASS
11AX20MIMO	Ant5	2412	52Tone	RU40	-9.49	≤8.00	PASS
11AX20MIMO	total	2412	52Tone	RU40	-6.07	≤8.00	PASS
11AX20MIMO	Ant3	2412	106Tone	RU53	-10.97	≤8.00	PASS
11AX20MIMO	Ant5	2412	106Tone	RU53	-11.97	≤8.00	PASS
11AX20MIMO	total	2412	106Tone	RU53	-8.43	≤8.00	PASS
11AX20MIMO	Ant3	2412	106Tone	RU54	-12.35	≤8.00	PASS
11AX20MIMO	Ant5	2412	106Tone	RU54	-12.89	≤8.00	PASS
11AX20MIMO	total	2412	106Tone	RU54	-9.60	≤8.00	PASS
11AX20MIMO	Ant3	2437	26Tone	RU0	-7.06	≤8.00	PASS
11AX20MIMO	Ant5	2437	26Tone	RU0	-6.79	≤8.00	PASS
11AX20MIMO	total	2437	26Tone	RU0	-3.91	≤8.00	PASS
11AX20MIMO	Ant3	2437	26Tone	RU4	-5.97	≤8.00	PASS
11AX20MIMO	Ant5	2437	26Tone	RU4	-7.54	≤8.00	PASS
11AX20MIMO	total	2437	26Tone	RU4	-3.67	≤8.00	PASS
11AX20MIMO	Ant3	2437	26Tone	RU8	-5.59	≤8.00	PASS

Test Report No.: RF260626B007

11AX20MIMO	Ant5	2437	26Tone	RU8	-7.62	≤8.00	PASS
11AX20MIMO	total	2437	26Tone	RU8	-3.48	≤8.00	PASS
11AX20MIMO	Ant3	2437	52Tone	RU37	-9.63	≤8.00	PASS
11AX20MIMO	Ant5	2437	52Tone	RU37	-9.90	≤8.00	PASS
11AX20MIMO	total	2437	52Tone	RU37	-6.75	≤8.00	PASS
11AX20MIMO	Ant3	2437	52Tone	RU38	-10.46	≤8.00	PASS
11AX20MIMO	Ant5	2437	52Tone	RU38	-10.04	≤8.00	PASS
11AX20MIMO	total	2437	52Tone	RU38	-7.23	≤8.00	PASS
11AX20MIMO	Ant3	2437	52Tone	RU40	-8.35	≤8.00	PASS
11AX20MIMO	Ant5	2437	52Tone	RU40	-9.95	≤8.00	PASS
11AX20MIMO	total	2437	52Tone	RU40	-6.07	≤8.00	PASS
11AX20MIMO	Ant3	2437	106Tone	RU53	-12.20	≤8.00	PASS
11AX20MIMO	Ant5	2437	106Tone	RU53	-12.71	≤8.00	PASS
11AX20MIMO	total	2437	106Tone	RU53	-9.44	≤8.00	PASS
11AX20MIMO	Ant3	2437	106Tone	RU54	-11.49	≤8.00	PASS
11AX20MIMO	Ant5	2437	106Tone	RU54	-12.46	≤8.00	PASS
11AX20MIMO	total	2437	106Tone	RU54	-8.94	≤8.00	PASS
11AX20MIMO	Ant3	2462	26Tone	RU0	-6.22	≤8.00	PASS
11AX20MIMO	Ant5	2462	26Tone	RU0	-6.02	≤8.00	PASS
11AX20MIMO	total	2462	26Tone	RU0	-3.11	≤8.00	PASS
11AX20MIMO	Ant3	2462	26Tone	RU4	-6.13	≤8.00	PASS
11AX20MIMO	Ant5	2462	26Tone	RU4	-6.36	≤8.00	PASS
11AX20MIMO	total	2462	26Tone	RU4	-3.23	≤8.00	PASS
11AX20MIMO	Ant3	2462	26Tone	RU8	-5.68	≤8.00	PASS
11AX20MIMO	Ant5	2462	26Tone	RU8	-6.34	≤8.00	PASS
11AX20MIMO	total	2462	26Tone	RU8	-2.99	≤8.00	PASS
11AX20MIMO	Ant3	2462	52Tone	RU37	-8.40	≤8.00	PASS
11AX20MIMO	Ant5	2462	52Tone	RU37	-9.75	≤8.00	PASS
11AX20MIMO	total	2462	52Tone	RU37	-6.01	≤8.00	PASS
11AX20MIMO	Ant3	2462	52Tone	RU38	-8.91	≤8.00	PASS
11AX20MIMO	Ant5	2462	52Tone	RU38	-9.42	≤8.00	PASS
11AX20MIMO	total	2462	52Tone	RU38	-6.15	≤8.00	PASS
11AX20MIMO	Ant3	2462	52Tone	RU40	-9.08	≤8.00	PASS
11AX20MIMO	Ant5	2462	52Tone	RU40	-9.50	≤8.00	PASS
11AX20MIMO	total	2462	52Tone	RU40	-6.27	≤8.00	PASS
11AX20MIMO	Ant3	2462	106Tone	RU53	-12.46	≤8.00	PASS




Test Report No.: RF260626B007

11AX20MIMO	Ant5	2462	106Tone	RU53	-12.46	≤8.00	PASS
11AX20MIMO	total	2462	106Tone	RU53	-9.45	≤8.00	PASS
11AX20MIMO	Ant3	2462	106Tone	RU54	-12.26	≤8.00	PASS
11AX20MIMO	Ant5	2462	106Tone	RU54	-12.50	≤8.00	PASS
11AX20MIMO	total	2462	106Tone	RU54	-9.37	≤8.00	PASS



Test Report No.: RF260626B007


TEST GRAPHS





BOOMWAVE TEST (SHENZHEN)
CO., LTD.


Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA


Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com































Test Report No.: RF260626B007

BAND EDGE MEASUREMENTS

TEST RESULT

TestMode	Antenna	ChName	Frequency[MHz]	Ru Size	Ru Index	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant3	Low	2412	26Tone	RU0	5.32	-30.14	≤-14.68	PASS
11AX20MIMO	Ant5	Low	2412	26Tone	RU0	4.60	-30.52	≤-15.4	PASS
11AX20MIMO	Ant3	Low	2412	26Tone	RU4	4.90	-41.26	≤-15.11	PASS
11AX20MIMO	Ant5	Low	2412	26Tone	RU4	4.40	-43.33	≤-15.6	PASS
11AX20MIMO	Ant3	Low	2412	26Tone	RU8	5.00	-38.8	≤-15	PASS
11AX20MIMO	Ant5	Low	2412	26Tone	RU8	4.11	-42.74	≤-15.9	PASS
11AX20MIMO	Ant3	Low	2412	52Tone	RU37	2.50	-30.18	≤-17.5	PASS
11AX20MIMO	Ant5	Low	2412	52Tone	RU37	2.08	-33.23	≤-17.92	PASS
11AX20MIMO	Ant3	Low	2412	52Tone	RU38	2.17	-41.31	≤-17.83	PASS
11AX20MIMO	Ant5	Low	2412	52Tone	RU38	1.90	-39.35	≤-18.11	PASS
11AX20MIMO	Ant3	Low	2412	52Tone	RU40	2.27	-43.57	≤-17.73	PASS
11AX20MIMO	Ant5	Low	2412	52Tone	RU40	1.29	-40.5	≤-18.71	PASS
11AX20MIMO	Ant3	Low	2412	106Tone	RU53	0.11	-34.41	≤-19.89	PASS
11AX20MIMO	Ant5	Low	2412	106Tone	RU53	-1.08	-33.93	≤-21.08	PASS
11AX20MIMO	Ant3	Low	2412	106Tone	RU54	1.10	-41.06	≤-18.9	PASS
11AX20MIMO	Ant5	Low	2412	106Tone	RU54	-1.08	-41.1	≤-21.08	PASS
11AX20MIMO	Ant3	High	2462	26Tone	RU0	6.46	-44.13	≤-13.54	PASS
11AX20MIMO	Ant5	High	2462	26Tone	RU0	5.41	-44.49	≤-14.59	PASS
11AX20MIMO	Ant3	High	2462	26Tone	RU4	4.42	-44.07	≤-15.58	PASS
11AX20MIMO	Ant5	High	2462	26Tone	RU4	3.99	-43.23	≤-16.01	PASS
11AX20MIMO	Ant3	High	2462	26Tone	RU8	4.55	-44.55	≤-15.45	PASS
11AX20MIMO	Ant5	High	2462	26Tone	RU8	5.09	-44.28	≤-14.91	PASS
11AX20MIMO	Ant3	High	2462	52Tone	RU37	2.45	-44.06	≤-17.55	PASS
11AX20MIMO	Ant5	High	2462	52Tone	RU37	2.50	-43.67	≤-17.5	PASS
11AX20MIMO	Ant3	High	2462	52Tone	RU38	2.44	-44.73	≤-17.56	PASS
11AX20MIMO	Ant5	High	2462	52Tone	RU38	1.70	-44.26	≤-18.31	PASS
11AX20MIMO	Ant3	High	2462	52Tone	RU40	1.87	-43.97	≤-18.13	PASS
11AX20MIMO	Ant5	High	2462	52Tone	RU40	1.59	-44.82	≤-18.41	PASS
11AX20MIMO	Ant3	High	2462	106Tone	RU53	-0.28	-43.9	≤-20.28	PASS
11AX20MIMO	Ant5	High	2462	106Tone	RU53	0.54	-44.02	≤-19.46	PASS
11AX20MIMO	Ant3	High	2462	106Tone	RU54	0.56	-43.57	≤-19.44	PASS

BOOMWAVE TEST (SHENZHEN)
CO., LTD.

Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com




Test Report No.: RF260626B007

11AX20MIMO	Ant5	High	2462	106Tone	RU54	-1.02	-44.44	≤-21.02	PASS
------------	------	------	------	---------	------	-------	--------	---------	------



Test Report No.: RF260626B007

TEST GRAPHS




BOOMWAVE TEST (SHENZHEN)
CO., LTD.


Room B38, Warehouse A5(Chiwan No.1), No.3 Chiwan
4th Road, Chiwan Community, Zhaoshang Street,
Nanshan District, Shenzhen, Guangdong, P.R. CHINA

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com


Test Report No.: RF260626B007




Test Report No.: RF260626B007




Test Report No.: RF260626B007





Test Report No.: RF260626B007



Test Report No.: RF260626B007

