



Mode	31																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																									
ANT	8																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-11-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.62</td><td>52.77</td><td>68.30</td><td>-15.53</td><td>38.32</td><td>36.39</td><td>10.86</td><td>32.80</td><td>111 356 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.62	52.77	68.30	-15.53	38.32	36.39	10.86	32.80	111 356 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	5745.62	52.77	68.30	-15.53	38.32	36.39	10.86	32.80	111 356 PEAK																																	





Mode	31																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																											
ANT	8																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-11-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.36</td><td>60.77</td><td>74.00</td><td>-13.23</td><td>46.94</td><td>35.98</td><td>10.54</td><td>32.69</td><td>112 8 PEAK</td></tr><tr><td>2</td><td>5466.48</td><td>63.82</td><td>68.30</td><td>-4.48</td><td>49.97</td><td>35.99</td><td>10.55</td><td>32.69</td><td>112 8 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5453.36	60.77	74.00	-13.23	46.94	35.98	10.54	32.69	112 8 PEAK	2	5466.48	63.82	68.30	-4.48	49.97	35.99	10.55	32.69	112 8 PEAK	Level (dBuV/m) Date: 2025-11-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>100.06</td><td>-----</td><td>86.15</td><td>36.02</td><td>10.59</td><td>32.70</td><td>112</td><td>8 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.06	-----	86.15	36.02	10.59	32.70	112	8 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5453.36	60.77	74.00	-13.23	46.94	35.98	10.54	32.69	112 8 PEAK																																																																																			
2	5466.48	63.82	68.30	-4.48	49.97	35.99	10.55	32.69	112 8 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5510.00	100.06	-----	86.15	36.02	10.59	32.70	112	8 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-11-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>45.95</td><td>54.00</td><td>-8.05</td><td>32.12</td><td>35.98</td><td>10.54</td><td>32.69</td><td>112 8 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	45.95	54.00	-8.05	32.12	35.98	10.54	32.69	112 8 AVERAGE	Level (dBuV/m) Date: 2025-11-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>93.29</td><td>-----</td><td>79.38</td><td>36.02</td><td>10.59</td><td>32.70</td><td>112</td><td>8 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.29	-----	79.38	36.02	10.59	32.70	112	8 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5459.92	45.95	54.00	-8.05	32.12	35.98	10.54	32.69	112 8 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5510.00	93.29	-----	79.38	36.02	10.59	32.70	112	8 AVERAGE																																																																																			






Mode	31																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																										
ANT	8																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2025-11-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.96</td><td>52.54</td><td>68.30</td><td>-15.76</td><td>38.09</td><td>36.40</td><td>10.85</td><td>32.80</td><td>112</td><td>8 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5749.96	52.54	68.30	-15.76	38.09	36.40	10.85	32.80	112	8 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5749.96	52.54	68.30	-15.76	38.09	36.40	10.85	32.80	112	8 PEAK																																	




Mode	31																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																	
ANT	8																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11020.00</td><td>47.23</td><td>74.00</td><td>-26.77</td><td>45.57</td><td>37.91</td><td>14.63</td></tr><tr><td>2</td><td>16530.00</td><td>47.89</td><td>68.30</td><td>-20.41</td><td>41.21</td><td>42.05</td><td>17.69</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11020.00	47.23	74.00	-26.77	45.57	37.91	14.63	2	16530.00	47.89	68.30	-20.41	41.21	42.05	17.69	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11020.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>46.14</td><td>37.91</td><td>14.63</td></tr><tr><td>2</td><td>16530.00</td><td>48.23</td><td>68.30</td><td>-20.07</td><td>41.55</td><td>42.05</td><td>17.69</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11020.00	47.80	74.00	-26.20	46.14	37.91	14.63	2	16530.00	48.23	68.30	-20.07	41.55	42.05	17.69
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	11020.00	47.23	74.00	-26.77	45.57	37.91	14.63																																																																											
2	16530.00	47.89	68.30	-20.41	41.21	42.05	17.69																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																											
1	11020.00	47.80	74.00	-26.20	46.14	37.91	14.63																																																																											
2	16530.00	48.23	68.30	-20.07	41.55	42.05	17.69																																																																											






Co-location

	32																																																																																																														
Mode	Band Edge - L																																																																																																														
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																														
ANT	8																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.04</td><td>58.77</td><td>74.00</td><td>-15.23</td><td>44.94</td><td>35.98</td><td>10.54</td><td>32.69</td><td>255</td><td>30 Peak</td></tr><tr><td>2</td><td>5469.76</td><td>64.79</td><td>68.30</td><td>-3.51</td><td>50.94</td><td>35.99</td><td>10.55</td><td>32.69</td><td>255</td><td>30 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.04	58.77	74.00	-15.23	44.94	35.98	10.54	32.69	255	30 Peak	2	5469.76	64.79	68.30	-3.51	50.94	35.99	10.55	32.69	255	30 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>100.61</td><td>68.30</td><td>32.31</td><td>86.70</td><td>36.02</td><td>10.59</td><td>32.70</td><td>255</td><td>30 Peak</td></tr><tr><td>2</td><td>5510.00</td><td>94.13</td><td>-----</td><td>-----</td><td>80.22</td><td>36.02</td><td>10.59</td><td>32.70</td><td>255</td><td>30 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.61	68.30	32.31	86.70	36.02	10.59	32.70	255	30 Peak	2	5510.00	94.13	-----	-----	80.22	36.02	10.59	32.70	255	30 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.04	58.77	74.00	-15.23	44.94	35.98	10.54	32.69	255	30 Peak																																																																																																					
2	5469.76	64.79	68.30	-3.51	50.94	35.99	10.55	32.69	255	30 Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	100.61	68.30	32.31	86.70	36.02	10.59	32.70	255	30 Peak																																																																																																					
2	5510.00	94.13	-----	-----	80.22	36.02	10.59	32.70	255	30 Average																																																																																																					
Avg							Blank																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.76</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>31.86</td><td>35.98</td><td>10.54</td><td>32.69</td><td>255</td><td>30 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.76	45.69	54.00	-8.31	31.86	35.98	10.54	32.69	255	30 Average																																																																		
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.76	45.69	54.00	-8.31	31.86	35.98	10.54	32.69	255	30 Average																																																																																																					




Mode	32																																															
	Band Edge - R																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																															
ANT	8																																															
Pol.	Horizontal						Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5759.02</td><td>52.59</td><td>68.30</td><td>-15.71</td><td>38.13</td><td>36.41</td><td>10.85</td><td>32.80</td><td>255</td><td>30</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5759.02	52.59	68.30	-15.71	38.13	36.41	10.85	32.80	255	30	Peak	Blank					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																									
1	5759.02	52.59	68.30	-15.71	38.13	36.41	10.85	32.80	255	30	Peak																																					







Mode	32																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																																															
ANT	8																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5445.04</td><td>52.79</td><td>74.00</td><td>-21.21</td><td>38.97</td><td>35.98</td><td>10.53</td><td>32.69</td><td>309</td><td>54</td><td>Peak</td></tr><tr><td>2</td><td>5470.00</td><td>60.50</td><td>68.30</td><td>-7.80</td><td>46.65</td><td>35.99</td><td>10.55</td><td>32.69</td><td>309</td><td>54</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5445.04	52.79	74.00	-21.21	38.97	35.98	10.53	32.69	309	54	Peak	2	5470.00	60.50	68.30	-7.80	46.65	35.99	10.55	32.69	309	54	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5510.00</td><td>93.63</td><td>68.30</td><td>25.33</td><td>79.72</td><td>36.02</td><td>10.59</td><td>32.70</td><td>309</td><td>54</td><td>Peak</td></tr><tr><td>2</td><td>5510.00</td><td>86.75</td><td>-----</td><td>-----</td><td>72.84</td><td>36.02</td><td>10.59</td><td>32.70</td><td>309</td><td>54</td><td>Average</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5510.00	93.63	68.30	25.33	79.72	36.02	10.59	32.70	309	54	Peak	2	5510.00	86.75	-----	-----	72.84	36.02	10.59	32.70	309	54
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5445.04	52.79	74.00	-21.21	38.97	35.98	10.53	32.69	309	54	Peak																																																																																																																					
2	5470.00	60.50	68.30	-7.80	46.65	35.99	10.55	32.69	309	54	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5510.00	93.63	68.30	25.33	79.72	36.02	10.59	32.70	309	54	Peak																																																																																																																					
2	5510.00	86.75	-----	-----	72.84	36.02	10.59	32.70	309	54	Average																																																																																																																					
Avg							Blank																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5458.96</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>29.50</td><td>35.98</td><td>10.54</td><td>32.69</td><td>309</td><td>54</td><td>Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5458.96	43.33	54.00	-10.67	29.50	35.98	10.54	32.69	309	54	Average																																																																											
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5458.96	43.33	54.00	-10.67	29.50	35.98	10.54	32.69	309	54	Average																																																																																																																					







Mode	32																																				
	Band Edge - R																																				
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																				
ANT	8																																				
Pol.	Vertical	Fundamental																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5733.82</td><td>51.77</td><td>68.30</td><td>-16.53</td><td>37.32</td><td>36.37</td><td>10.87</td><td>32.79</td><td>309</td><td>54 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5733.82	51.77	68.30	-16.53	37.32	36.37	10.87	32.79	309	54 Peak	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5733.82	51.77	68.30	-16.53	37.32	36.37	10.87	32.79	309	54 Peak																											





Mode	32																																																																																										
	Band Edge																																																																																										
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																										
ANT	6																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.24</td><td>46.12</td><td>74.00</td><td>-27.88</td><td>41.23</td><td>30.50</td><td>6.99</td><td>32.60</td><td>321</td><td>228</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2498.24	46.12	74.00	-27.88	41.23	30.50	6.99	32.60	321	228	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>92.10</td><td>-----</td><td>-----</td><td>87.26</td><td>30.48</td><td>6.97</td><td>32.61</td><td>321</td><td>228</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	92.10	-----	-----	87.26	30.48	6.97	32.61	321	228
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2498.24	46.12	74.00	-27.88	41.23	30.50	6.99	32.60	321	228	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2478.00	92.10	-----	-----	87.26	30.48	6.97	32.61	321	228	Peak																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.04</td><td>39.56</td><td>54.00</td><td>-14.44</td><td>34.67</td><td>30.50</td><td>6.99</td><td>32.60</td><td>321</td><td>228</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2498.04	39.56	54.00	-14.44	34.67	30.50	6.99	32.60	321	228	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>90.33</td><td>-----</td><td>-----</td><td>85.49</td><td>30.48</td><td>6.97</td><td>32.61</td><td>321</td><td>228</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	90.33	-----	-----	85.49	30.48	6.97	32.61	321	228
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2498.04	39.56	54.00	-14.44	34.67	30.50	6.99	32.60	321	228	Average																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2478.00	90.33	-----	-----	85.49	30.48	6.97	32.61	321	228	Average																																																																																



Mode	32																																																																																										
	Band Edge																																																																																										
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																										
ANT	6																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.44</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>42.83</td><td>30.50</td><td>6.99</td><td>32.60</td><td>100</td><td>232</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2497.44	47.72	74.00	-26.28	42.83	30.50	6.99	32.60	100	232	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>93.64</td><td>-----</td><td>-----</td><td>88.80</td><td>30.48</td><td>6.97</td><td>32.61</td><td>100</td><td>232</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	93.64	-----	-----	88.80	30.48	6.97	32.61	100	232
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2497.44	47.72	74.00	-26.28	42.83	30.50	6.99	32.60	100	232	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2478.00	93.64	-----	-----	88.80	30.48	6.97	32.61	100	232	Peak																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.08</td><td>40.89</td><td>54.00</td><td>-13.11</td><td>36.00</td><td>30.50</td><td>6.99</td><td>32.60</td><td>100</td><td>232</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2498.08	40.89	54.00	-13.11	36.00	30.50	6.99	32.60	100	232	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>91.97</td><td>-----</td><td>-----</td><td>87.13</td><td>30.48</td><td>6.97</td><td>32.61</td><td>100</td><td>232</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	91.97	-----	-----	87.13	30.48	6.97	32.61	100	232
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2498.08	40.89	54.00	-13.11	36.00	30.50	6.99	32.60	100	232	Average																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2478.00	91.97	-----	-----	87.13	30.48	6.97	32.61	100	232	Average																																																																																



Mode	32																																																																																														
	Harmonic																																																																																														
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																														
ANT	8																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4956.00</td><td>44.33</td><td>74.00</td><td>-29.67</td><td>50.97</td><td>35.70</td><td>10.33</td><td>52.67</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>49.19</td><td>36.62</td><td>12.00</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11020.00</td><td>46.58</td><td>74.00</td><td>-27.42</td><td>44.92</td><td>37.91</td><td>14.63</td><td>50.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>16530.00</td><td>46.84</td><td>68.30</td><td>-21.46</td><td>40.16</td><td>42.05</td><td>17.69</td><td>53.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4956.00	44.33	74.00	-29.67	50.97	35.70	10.33	52.67	---	---	Peak	2	7434.00	45.54	74.00	-28.46	49.19	36.62	12.00	52.27	---	---	Peak	3	11020.00	46.58	74.00	-27.42	44.92	37.91	14.63	50.88	---	---	Peak	4	16530.00	46.84	68.30	-21.46	40.16	42.05	17.69	53.06	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	4956.00	44.33	74.00	-29.67	50.97	35.70	10.33	52.67	---	---	Peak																																																																																				
2	7434.00	45.54	74.00	-28.46	49.19	36.62	12.00	52.27	---	---	Peak																																																																																				
3	11020.00	46.58	74.00	-27.42	44.92	37.91	14.63	50.88	---	---	Peak																																																																																				
4	16530.00	46.84	68.30	-21.46	40.16	42.05	17.69	53.06	---	---	Peak																																																																																				
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4956.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>50.76</td><td>35.70</td><td>10.33</td><td>52.67</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>45.00</td><td>74.00</td><td>-29.00</td><td>48.65</td><td>36.62</td><td>12.00</td><td>52.27</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11020.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>44.62</td><td>37.91</td><td>14.63</td><td>50.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>16530.00</td><td>47.64</td><td>68.30</td><td>-20.66</td><td>40.96</td><td>42.05</td><td>17.69</td><td>53.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4956.00	44.12	74.00	-29.88	50.76	35.70	10.33	52.67	---	---	Peak	2	7434.00	45.00	74.00	-29.00	48.65	36.62	12.00	52.27	---	---	Peak	3	11020.00	46.28	74.00	-27.72	44.62	37.91	14.63	50.88	---	---	Peak	4	16530.00	47.64	68.30	-20.66	40.96	42.05	17.69	53.06	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4956.00	44.12	74.00	-29.88	50.76	35.70	10.33	52.67	---	---	Peak																																																																																				
2	7434.00	45.00	74.00	-29.00	48.65	36.62	12.00	52.27	---	---	Peak																																																																																				
3	11020.00	46.28	74.00	-27.72	44.62	37.91	14.63	50.88	---	---	Peak																																																																																				
4	16530.00	47.64	68.30	-20.66	40.96	42.05	17.69	53.06	---	---	Peak																																																																																				

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.




Appendix D. Duty Cycle Plots

Sample	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Sample 1	802.11a	97.90	1.4	0.714	1KHz
Sample 1	802.11n HT20	97.74	1.3	0.769	1KHz
Sample 1	802.11n HT40	95.59	0.65	1.538	3KHz
Sample 1	802.11ac VHT80	91.67	0.33	3.030	10KHZ
Sample 2	802.11n HT40	94.74	0.648	1.543	3KHz


<For Sample 1>

802.11a







802.11n HT20



802.11n HT40



802.11ac VHT80



<For Sample 2>

802.11n HT40

