



RADIATION SCIENCES INC.



TEST REPORT NO. RSI-2881E, REV. A
ELECTROMAGNETIC EMISSION EVALUATION
OF THE
LUTRON ELECTRONICS
MODEL #: HRT-3LD
FCC PART 15, SUBPART B AND C
9 AUGUST 2006


PREPARED FOR:

Lutron Electronics
7200 Suter Road
Coopersburg, PA 18036

SUBMITTED BY:

Radiation Sciences Inc.
3131 Detwiler Road
Harleysville, PA 19438
A wholly owned subsidiary of
Retlif Testing Laboratories

PREPARED BY:


John Kavalusky
EMC Test Technician
Radiation Sciences Inc.

REVIEWED BY:


Cathy J. Lattieri
EMI Test Technician
Radiation Sciences Inc.

DOC/DWG NO. RSI-2881E

Rev. 5/00
RSI-QF9814



TABLE OF CONTENTS

<u>SECTION</u>	<u>TITLE</u>	<u>PAGE</u>
	Table of Contents	i
	List of Figures	ii-iii
	Administrative Data	iv
	Summary of Test Results	v
1.0	INTRODUCTION	1
2.0	DESCRIPTION OF THE EQUIPMENT UNDER TEST (EUT)	2
3.0	TEST INSTRUMENTATION	3
4.0	TEST RESULTS	4
4.1	Conducted Emissions Test Results	4
4.2	Radiated Emissions Test Results (CW Mode)	27
4.3	Bandwidth Measurements (CW Mode)	41
4.4	Radiated Emissions Test Results (FM Mode)	50
4.5	Bandwidth Measurement (FM Mode)	57
5.0	Conclusions	64

**LIST OF FIGURES**

<u>FIGURE</u>	<u>TITLE</u>	<u>PAGE</u>
FIGURE 1	Conducted Emissions Test Setup Diagram	5
FIGURE 2	Conducted Emissions Test Setup Photographs	6
FIGURE 3	Conducted Emissions Test Results Phase Line, Rx431MHz	7
FIGURE 4	Conducted Emissions Test Results Neutral Line, Rx431MHz	8
FIGURE 5	Conducted Emissions Test Results Phase/ Neutral Line, Rx431MHz	9
FIGURE 6	Conducted Emissions Test Results Phase Line, Rx431MHz	10
FIGURE 7	Conducted Emissions Test Results Neutral Line, Rx431MHz	11
FIGURE 8	Conducted Emissions Test Results Phase Line, Rx437MHz	12
FIGURE 9	Conducted Emissions Test Results Neutral Line, Rx437MHz	13
FIGURE 10	Conducted Emissions Test Results Phase/ Neutral Line, Rx437MHz	14
FIGURE 11	Conducted Emissions Test Results Phase Line, Rx437MHz	15
FIGURE 12	Conducted Emissions Test Results Neutral Line, Rx437MHz	16
FIGURE 13	Conducted Emissions Test Results Phase Line, Tx431MHz	17
FIGURE 14	Conducted Emissions Test Results Neutral Line, Tx431MHz	18
FIGURE 15	Conducted Emissions Test Results Phase/ Neutral Line, Tx431MHz	19
FIGURE 16	Conducted Emissions Test Results Phase Line, Tx431MHz	20
FIGURE 17	Conducted Emissions Test Results Neutral Line, Tx431MHz	21
FIGURE 18	Conducted Emissions Test Results Phase Line, Tx437MHz	22
FIGURE 19	Conducted Emissions Test Results Neutral Line, Tx437MHz	33
FIGURE 20	Conducted Emissions Test Results Phase/ Neutral Line, Tx437MHz	24
FIGURE 21	Conducted Emissions Test Results Phase Line, Tx437MHz	25
FIGURE 22	Conducted Emissions Test Results Neutral Line, Tx437MHz	26
FIGURE 23	Duty Cycle Correction Factor	28
FIGURE 24	Radiated Emissions Test Setup Diagram	29
FIGURE 25	Radiated Emissions Test Setup Photographs	30
FIGURE 26	Radiated Emissions Test Results Data, Rx, Mode, 431MHz	31
FIGURE 27	Radiated Emissions Test Results Graph, Rx, Mode, 431MHz	32
FIGURE 28	Radiated Emissions Test Results Data, Rx, Mode, 437MHz	33
FIGURE 29	Radiated Emissions Test Results Graph, Rx, Mode, 437MHz	34
FIGURE 30	Radiated Emissions Test Results Data, CW, Tx Mode, 431MHz, Vert.	35
FIGURE 31	Radiated Emissions Test Results Data, CW, Tx Mode, 431MHz, Horiz	36
FIGURE 32	Radiated Emissions Test Results Data, CW, Tx Mode, 437MHz, Vert.	37
FIGURE 33	Radiated Emissions Test Results Data, CW, Tx Mode, 437MHz, Horiz	38
FIGURE 34	Intentional Radiator Test Results Data, CW, Tx Mode, 431MHz, V / H	39
FIGURE 35	Intentional Radiator Test Results Data, CW, Tx Mode, 437MHz, V / H	40
FIGURE 36	Bandwidth Test Results Data, CW, Tx Mode, 431MHz	42
FIGURE 37	Bandwidth Test Results Waveform, CW, Tx Mode, 431MHz	43
FIGURE 38	Bandwidth Test Results Waveform, CW, Tx Mode, 431MHz	44

**LIST OF FIGURES continued**

<u>FIGURE</u>	<u>TITLE</u>	<u>PAGE</u>
FIGURE 39	Bandwidth Test Results Waveform, CW, Tx Mode, 431MHz	45
FIGURE 40	Bandwidth Test Results Data, CW, Tx Mode, 437MHz	46
FIGURE 41	Bandwidth Test Results Waveform, CW, Tx Mode, 437MHz	47
FIGURE 42	Bandwidth Test Results Waveform, CW, Tx Mode, 437MHz	48
FIGURE 43	Bandwidth Test Results Waveform, CW, Tx Mode, 437MHz	49
FIGURE 44	Unintentional Radiated Emissions Test Results Data, FM Tx Mode, 431MHz, Vertical	51
FIGURE 45	Unintentional Radiated Emissions Test Results Data, FM Tx Mode, 431MHz, Horizontal	52
FIGURE 46	Unintentional Radiated Emissions Test Results Data, FM Tx Mode, 437MHz, Vertical	53
FIGURE 47	Unintentional Radiated Emissions Test Results Data, FM Tx Mode, 437MHz, Horizontal	54
FIGURE 48	Intentional Radiated Emissions Test Results Data, FM Tx Mode, 431MHz	55
FIGURE 49	Intentional Radiated Emissions Test Results Data FM Tx Mode, 437MHz	56
FIGURE 50-52	Bandwidth Test Results Data, FM Tx Mode, 431MHz	58-60
FIGURE 53-55	Bandwidth Test Results Data, FM Tx Mode, 437MHz	61-63



ADMINISTRATIVE DATA

TEST PERFORMED:

Measurements of Radiated RF and Conducted Emissions.

PURPOSE OF TEST:

To evaluate the ElectroMagnetic Emissions (EME) characteristics of the Equipment Under Test (EUT) with respect to Subpart B and C of Part 15 of the Federal Communications Commission (FCC) rules for intentional and unintentional radiators.

EQUIPMENT UNDER TEST:

Model Number: **HRT-3LD**

Serial Number: **030071303095**

CONTRACT:

Purchase Order Number: NP-56455

TEST PERIOD:

25, 26 April 2006 and 24 July, 1 August 2006

TEST FACILITY:

Radiation Sciences Incorporated (RSI), EMC Test Laboratory, located at: 3131 Detwiler Road, Harleysville, Pennsylvania 19438.

TEST PERSONNEL AND COORDINATORS:

Radiation Sciences Inc.

John Kavalusky

Lutron Electronics

Mark Clouser



SUMMARY OF TEST RESULTS

The **Model #: HRT-3LD**, configured as described herein, **FULLY COMPLIES WITH THE REQUIREMENTS SET FORTH IN SUBPART B AND C OF PART 15 OF THE FEDERAL COMMUNICATIONS COMMISSION (FCC) RULES FOR INTENTIONAL AND UNINTENTIONAL RADIATORS.**

The test results contained in this report represent emission and/or immunity characteristics of only the product(s) (model and serial no.) tested. Radiation Sciences Inc. makes no claim that identical test results will be obtained for future tests of the same model/equipment or that the test results contained herein could be duplicated after the tested product leaves the possession of the Radiation Sciences Inc. test laboratory.



1.0 INTRODUCTION

This document is a report to determine the EME characteristics of the **Model #: HRT-3LD**, presented by **Lutron Electronics** of Coopersburg, Pennsylvania.

The purpose of the testing was to evaluate the EMC characteristics of the test sample with respect to Subpart B and C of Part 15 of the **FCC** Rules for intentional and unintentional radiators.

All test procedures used meet the requirements of the American National Standards Institute Procedure C63.4: "**Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9kHz to 40GHz**", 2003.



2.0 DESCRIPTION OF THE EQUIPMENT UNDER TEST (EUT)

The **Model # HRT-3LD**, manufactured by **Lutron Electronics** of Coopersburg Pennsylvania is a Home Works table-top radio frequency controlled Lamp Dimmer.

Hereinafter, the **Model # HRT-3LD**, will be referred to as the **EUT** (Equipment Under Test).



**3.0 TEST INSTRUMENTATION**

<u>RSI INV #</u>	<u>DESCRIPTION</u>	<u>MANUFACTURER</u>	<u>MODEL #</u>	<u>SERIAL #</u>	<u>CAL DUE DATE</u>
31	SPEC ANALYZER	ADVANTEST	R3271	J003583	11/12/2006
32.1	SPEC. ANALY:	H.P.	8566B	3638A08767	8/13/2006
33.1	SPEC. A.DISPLY	H.P	85662B	3701A22258	8/13/2006
52	ANTENNA	EMCO	3115	2425	6/10/2007
75	ANTENNA	TENSOR	4108	204	6/11/2007
80	ANTENNA	AMP.RES.ASSOC.	AT1000	4094-025	6/14/2007
391	RECEIVER	R & S	ESVP	861744/015	2/1/2007
501	MINI MAST	EMCO	2075-2	0002-2278	
502	TURNTABLE	EMCO	2065-1.21	0001-2156	
503	CONTROLLER	EMCO	2090	0001-1489	
708	40ft Cable RG-223	PASTERNAK	BNC TO BNC	N/A	10/26/2006
712	20ft Cable RG-223	PASTERNAK	BNC TO BNC	N/A	10/26/2006

IF CAL DUE DATE = BLANK FIELD

Calibration is not required. This equipment is not used to obtain a final reading.

EXAMPLE: Transmitting antenna



4.0 TEST RESULTS

4.1 Conducted Power Line Measurements, Paragraph 15.107

Conducted power line measurements were recorded for the EUT.


Initial scans were performed with an HP "Peak Reading" Spectrum Analyzer. A retest was performed with a Rohde & Schwarz receiver with a quasi peak and average detector in areas that showed emissions above the limit with the "peak" scan.

The test setup diagram is shown in Figure 1 and test setup photographs are shown in Figure 2.


The EUT was tested while operated at two transmit frequencies of 431 and 437MHz.

The results of the line-to-ground radio noise voltage measurements are shown on data sheets and graphs in Figures 3 through 22 for transmit and receive modes on each operating frequency.


THE LEVELS ARE BELOW THE APPLICABLE LIMITS AS SPECIFIED BY THE FCC IN PARAGRAPH 15.107.



Conducted Emissions Test Setup Diagram (Top View)
Figure 1



EUT 80cm
From LISN



EUT 40cm from
vertical ground
plane

**Conducted Emissions Test Setup Photographs
Figure 2**

RADIATION SCIENCES INC.
EMISSION LEVEL [dBuV]

26 Apr 2006 11:41:43




FIGURE 3

RADIATION SCIENCES INC.
EMISSION LEVEL [dBuV]

26 Apr 2006 11:14:00




FIGURE 4

[illegible]

Figure 5



RADIATION SCIENCES INC.

FCC CONDUCTED EMISSIONS CLASS B (PHASE 431MHz. RX)




Figure 6