

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5558.50	58.66	14.77	43.89	68.20	-9.54	104	293 Peak	Horizontal	
2	5699.00	58.83	14.11	43.92	104.46	-46.43	104	293 Peak	Horizontal	
3	5719.50	68.39	24.30	44.09	110.66	-42.27	104	293 Peak	Horizontal	
4	5725.00	75.93	31.79	44.14	135.00	-59.07	104	293 Peak	Horizontal	
5	5745.00	107.25	62.94	44.31	135.00	-27.75	104	293 Peak	Horizontal	
6	5850.00	58.87	13.74	44.33	135.00	-76.93	104	293 Peak	Horizontal	
7	5873.50	57.82	13.42	44.40	105.62	-47.80	104	293 Peak	Horizontal	
8	5918.00	58.30	13.81	44.49	73.36	-15.06	104	293 Peak	Horizontal	
9	5999.00	58.79	13.95	44.84	68.20	-9.41	104	293 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5558.00	58.82	14.87	43.85	68.20	-9.38	323	113 Peak	Vertical	
2	5657.50	57.94	14.06	43.88	73.77	-15.83	323	113 Peak	Vertical	
3	5719.00	67.00	22.92	44.08	110.52	-43.52	323	113 Peak	Vertical	
4	5725.00	75.59	31.45	44.14	135.00	-59.41	323	113 Peak	Vertical	
5	5745.00	109.30	64.99	44.31	135.00	-25.70	323	113 Peak	Vertical	
6	5850.00	58.79	14.46	44.33	125.32	-66.53	323	113 Peak	Vertical	
7	5857.00	58.47	14.12	44.35	110.24	-51.77	323	113 Peak	Vertical	
8	5878.00	58.54	14.13	44.41	102.97	-44.43	323	113 Peak	Vertical	
9	5985.00	59.26	14.51	44.75	68.20	-8.94	323	113 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5579.50	58.92	15.06	43.86	68.20	-9.28	107	114 Peak	Horizontal	
2	5659.50	59.02	15.14	43.88	75.26	-16.24	107	114 Peak	Horizontal	
3	5711.50	59.03	15.02	44.01	108.42	-49.39	107	114 Peak	Horizontal	
4	5722.00	58.38	14.27	44.11	120.48	-62.10	107	114 Peak	Horizontal	
5	5785.00	107.30	62.99	44.31	135.00	-27.70	107	114 Peak	Horizontal	
6	5851.50	58.65	14.32	44.33	127.74	-69.09	107	114 Peak	Horizontal	
7	5856.00	59.38	15.03	44.35	110.52	-51.14	107	114 Peak	Horizontal	
8	5884.00	60.00	15.57	44.43	98.52	-38.52	107	114 Peak	Horizontal	
9	5938.50	60.18	15.68	44.50	68.20	-8.02	107	114 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5549.00	58.12	14.22	43.90	68.20	-10.08	318	113 Peak	Vertical	
2	5665.50	57.70	13.81	43.89	79.70	-22.00	318	113 Peak	Vertical	
3	5718.00	57.19	13.12	44.07	110.24	-53.05	318	113 Peak	Vertical	
4	5721.00	56.71	12.61	44.10	115.64	-58.93	318	113 Peak	Vertical	
5	5785.00	109.57	65.26	44.31	135.00	-25.43	318	113 Peak	Vertical	
6	5852.50	57.77	13.44	44.33	122.90	-65.13	318	113 Peak	Vertical	
7	5868.50	58.97	14.58	44.39	107.02	-48.05	318	113 Peak	Vertical	
8	5893.00	58.90	14.44	44.46	91.84	-32.94	318	113 Peak	Vertical	
9	5995.00	59.37	14.55	44.82	68.20	-8.83	318	113 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5648.50	57.65	13.77	43.88	68.20	-10.55	340	40 Peak	Horizontal	
2	5657.50	58.29	14.41	43.88	73.77	-15.48	340	40 Peak	Horizontal	
3	5707.00	57.34	13.36	43.98	107.16	-49.82	340	40 Peak	Horizontal	
4	5723.50	56.64	12.52	44.12	127.74	-71.10	340	40 Peak	Horizontal	
5	5825.00	108.01	63.70	44.31	135.00	-26.99	340	40 Peak	Horizontal	
6	5850.00	67.15	22.82	44.33	135.00	-67.85	340	40 Peak	Horizontal	
7	5855.00	63.30	18.95	44.35	110.80	-47.50	340	40 Peak	Horizontal	
8	5879.50	58.85	14.43	44.42	101.86	-43.01	340	40 Peak	Horizontal	
9	5942.00	58.98	14.48	44.50	68.20	-9.22	340	40 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5554.50	58.21	14.32	43.89	68.20	-9.99	313	112 Peak	Vertical	
2	5684.50	57.70	13.80	43.90	93.76	-36.06	313	112 Peak	Vertical	
3	5718.00	57.26	13.19	44.07	110.24	-52.98	313	112 Peak	Vertical	
4	5723.00	57.28	13.17	44.11	125.32	-60.04	313	112 Peak	Vertical	
5	5825.00	109.51	65.20	44.31	135.00	-25.49	313	112 Peak	Vertical	
6	5850.00	69.25	24.92	44.33	135.00	-65.75	313	112 Peak	Vertical	
7	5856.00	66.54	22.19	44.35	110.52	-43.98	313	112 Peak	Vertical	
8	5886.50	58.38	13.95	44.43	96.66	-38.28	313	112 Peak	Vertical	
9	5943.50	58.69	14.18	44.51	68.20	-9.51	313	112 Peak	Vertical	

802.11ac VHT20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5544.00	59.09	15.18	43.91	68.20	-9.11	103	294 Peak	Horizontal	
2	5700.00	59.26	15.34	43.92	105.20	-45.94	103	294 Peak	Horizontal	
3	5720.00	69.41	25.32	44.09	110.80	-41.39	103	294 Peak	Horizontal	
4	5725.00	76.14	32.00	44.14	135.00	-58.86	103	294 Peak	Horizontal	
5	5745.00	107.46	63.15	44.31	135.00	-27.54	103	294 Peak	Horizontal	
6	5851.50	58.80	14.47	44.33	127.74	-68.94	103	294 Peak	Horizontal	
7	5871.50	58.55	14.16	44.39	106.18	-47.63	103	294 Peak	Horizontal	
8	5913.00	59.51	15.03	44.48	77.05	-17.54	103	294 Peak	Horizontal	
9	5958.50	59.00	15.23	44.57	68.20	-8.40	103	294 Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5544.00	58.27	14.38	43.89	68.20	-9.93	258	105 Peak	Vertical	
2	5681.00	57.75	13.85	43.90	91.18	-33.43	258	105 Peak	Vertical	
3	5719.50	68.37	24.28	44.09	110.66	-42.29	258	105 Peak	Vertical	
4	5725.00	73.91	29.77	44.14	135.00	-61.09	258	105 Peak	Vertical	
5	5745.00	109.16	64.85	44.31	135.00	-25.84	258	105 Peak	Vertical	
6	5855.00	58.51	14.16	44.35	110.80	-52.29	258	105 Peak	Vertical	
7	5855.00	58.51	14.16	44.35	110.80	-52.29	258	105 Peak	Vertical	
8	5891.00	59.11	14.67	44.44	93.33	-34.22	258	105 Peak	Vertical	
9	5955.50	58.21	13.39	44.82	68.20	-9.99	258	105 Peak	Vertical	

802.11ac VHT20

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5549.00	58.83	14.93	43.90	68.20	-9.37	100	114 Peak	Horizontal	
2	5662.50	58.67	14.78	43.89	77.48	-18.81	100	114 Peak	Horizontal	
3	5712.00	57.37	13.34	44.03	108.56	-51.19	100	114 Peak	Horizontal	
4	5722.00	57.48	13.37	44.11	120.48	-63.00	100	114 Peak	Horizontal	
5	5785.00	107.40	63.09	44.31	135.00	-27.60	100	114 Peak	Horizontal	
6	5855.00	58.56	14.21	44.35	110.80	-52.24	100	114 Peak	Horizontal	
7	5855.00	58.56	14.21	44.35	110.80	-52.24	100	114 Peak	Horizontal	
8	5882.00	59.90	15.48	44.42	100.00	-40.10	100	114 Peak	Horizontal	
9	5934.50	59.07	14.57	44.50	68.20	-9.13	100	114 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5685.50	58.37	14.53	43.84	68.20	-9.83	318	114 Peak	Vertical	
2	5676.50	58.98	15.08	43.90	87.85	-28.87	318	114 Peak	Vertical	
3	5702.50	57.90	13.96	43.94	105.90	-48.00	318	114 Peak	Vertical	
4	5720.50	56.97	12.88	44.09	113.22	-56.25	318	114 Peak	Vertical	
5	5785.00	110.09	65.78	44.31	135.00	-24.91	318	114 Peak	Vertical	
6	5852.00	57.72	13.39	44.33	125.32	-67.60	318	114 Peak	Vertical	
7	5868.00	59.04	14.65	44.39	107.16	-48.12	318	114 Peak	Vertical	
8	5886.50	58.55	14.12	44.43	96.66	-38.11	318	114 Peak	Vertical	
9	5999.00	58.47	13.63	44.84	68.20	-9.73	318	114 Peak	Vertical	

802.11ac VHT20

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5645.00	57.77	13.90	43.87	68.20	-10.43	340	39 Peak	Horizontal	
2	5659.50	58.03	14.15	43.88	75.26	-17.23	340	39 Peak	Horizontal	
3	5717.00	57.60	13.53	44.07	109.96	-52.36	340	39 Peak	Horizontal	
4	5722.00	57.68	13.57	44.11	120.48	-62.80	340	39 Peak	Horizontal	
5	5825.00	108.36	64.05	44.31	135.00	-26.64	340	39 Peak	Horizontal	
6	5850.00	68.97	24.64	44.33	135.00	-66.03	340	39 Peak	Horizontal	
7	5855.00	61.00	16.65	44.35	110.80	-49.80	340	39 Peak	Horizontal	
8	5893.50	58.56	14.10	44.46	91.47	-32.91	340	39 Peak	Horizontal	
9	5993.00	58.05	14.05	44.80	68.20	-9.35	340	39 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5547.50	58.80	14.17	43.91	68.20	-10.12	328	114 Peak	Vertical	
2	5696.50	58.13	14.22	43.91	102.62	-44.49	328	114 Peak	Vertical	
3	5718.00	58.76	14.69	44.07	110.24	-51.48	328	114 Peak	Vertical	
4	5720.50	57.24	13.15	44.09	113.22	-55.98	328	114 Peak	Vertical	
5	5825.00	108.50	64.19	44.31	135.00	-26.50	328	114 Peak	Vertical	
6	5850.00	71.32	26.99	44.33	135.00	-63.68	328	114 Peak	Vertical	
7	5856.00	63.80	19.53	44.35	110.52	-46.64	328	114 Peak	Vertical	
8	5924.00	59.57	15.88	44.49	68.94	-9.37	328	114 Peak	Vertical	
9	5929.00	59.03	14.54	44.49	68.20	-9.17	328	114 Peak	Vertical	


802.11ac VHT40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5557.50	58.24	14.35	43.89	68.20	-9.96	100	293 Peak	Horizontal	
2	5699.50	64.91	20.09	43.92	104.83	-40.82	100	293 Peak	Horizontal	
3	5720.00	75.37	31.28	44.09	110.80	-35.43	100	293 Peak	Horizontal	
4	5721.00	76.07	31.97	44.10	115.64	-39.57	100	293 Peak	Horizontal	
5	5755.00	103.64	59.29	44.35	135.00	-31.36	100	293 Peak	Horizontal	
6	5854.50	57.42	13.07	44.35	113.22	-55.00	100	293 Peak	Horizontal	
7	5871.50	59.20	14.81	44.39	106.18	-46.98	100	293 Peak	Horizontal	
8	5920.50	58.62	14.13	44.49	71.52	-12.90	100	293 Peak	Horizontal	
9	5928.50	58.59	14.10	44.49	68.20	-9.61	100	293 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5559.50	58.91	15.02	43.89	68.20	-9.29	284	106 Peak	Vertical	
2	5699.50	63.73	19.82	43.91	100.41	-36.68	284	106 Peak	Vertical	
3	5720.00	75.51	31.42	44.09	110.80	-35.29	284	106 Peak	Vertical	
4	5724.00	76.49	32.37	44.12	130.16	-53.67	284	106 Peak	Vertical	
5	5755.00	105.13	60.78	44.35	135.00	-29.87	284	106 Peak	Vertical	
6	5854.00	57.87	13.52	44.35	115.64	-57.77	284	106 Peak	Vertical	
7	5860.00	58.29	13.93	44.36	109.40	-51.11	284	106 Peak	Vertical	
8	5909.00	59.19	14.71	44.48	80.01	-20.82	284	106 Peak	Vertical	
9	5953.50	59.03	14.50	44.53	68.20	-9.17	284	106 Peak	Vertical	


802.11ac VHT40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5581.50	57.77	13.91	43.86	68.20	-10.43	100	293 Peak	Horizontal	
2	5660.00	57.75	13.86	43.89	81.56	-23.81	100	293 Peak	Horizontal	
3	5703.00	59.91	15.97	43.94	106.04	-46.13	100	293 Peak	Horizontal	
4	5725.00	59.90	15.76	44.14	135.00	-75.10	100	293 Peak	Horizontal	
5	5795.00	103.12	58.82	44.30	135.00	-31.88	100	293 Peak	Horizontal	
6	5853.00	62.50	18.15	44.35	120.48	-57.08	100	293 Peak	Horizontal	
7	5865.00	60.94	16.47	44.37	108.00	-47.16	100	293 Peak	Horizontal	
8	5889.50	58.45	14.01	44.44	94.44	-35.99	100	293 Peak	Horizontal	
9	5999.00	58.54	13.70	44.84	68.20	-9.66	100	293 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5583.00	57.79	13.91	43.88	68.20	-10.41	302	110 Peak	Vertical	
2	5699.00	57.84	13.92	43.92	104.46	-46.62	302	110 Peak	Vertical	
3	5709.50	59.33	15.33	44.00	107.86	-48.53	302	110 Peak	Vertical	
4	5724.50	58.04	13.90	44.14	132.58	-74.54	302	110 Peak	Vertical	
5	5795.00	106.76	62.46	44.30	135.00	-28.24	302	110 Peak	Vertical	
6	5850.00	61.69	17.36	44.33	135.00	-73.31	302	110 Peak	Vertical	
7	5857.00	61.03	16.68	44.35	110.24	-49.21	302	110 Peak	Vertical	
8	5886.00	58.83	14.40	44.43	97.03	-38.20	302	110 Peak	Vertical	
9	5941.50	58.34	13.84	44.50	68.20	-9.06	302	110 Peak	Vertical	


802.11ac VHT80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.50	68.54	16.66	43.88	68.20	-7.66	104	293 Peak	Horizontal	
2	5699.00	69.88	25.96	43.92	104.46	-34.58	104	293 Peak	Horizontal	
3	5717.00	74.54	38.47	44.07	109.96	-35.42	104	293 Peak	Horizontal	
4	5722.00	73.46	29.35	44.11	120.48	-47.02	104	293 Peak	Horizontal	
5	5775.00	101.73	57.41	44.32	135.00	-33.27	104	293 Peak	Horizontal	
6	5851.00	71.07	26.74	44.33	130.16	-59.09	104	293 Peak	Horizontal	
7	5855.00	71.05	26.70	44.35	110.00	-39.75	104	293 Peak	Horizontal	
8	5875.00	62.28	17.88	44.40	105.20	-42.92	104	293 Peak	Horizontal	
9	5944.00	58.55	14.04	44.51	68.20	-9.65	104	293 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.50	68.13	16.28	43.87	68.20	-8.05	266	104 Peak	Vertical	
2	5697.50	65.72	21.81	43.91	103.36	-37.64	266	104 Peak	Vertical	
3	5717.50	69.09	25.02	44.07	110.10	-41.01	266	104 Peak	Vertical	
4	5720.50	67.62	23.53	44.09	113.22	-45.60	266	104 Peak	Vertical	
5	5775.00	103.90	59.58	44.32	135.00	-31.10	266	104 Peak	Vertical	
6	5850.50	69.28	24.95	44.33	132.50	-63.30	266	104 Peak	Vertical	
7	5855.00	67.86	23.51	44.35	110.00	-42.94	266	104 Peak	Vertical	
8	5876.00	59.77	15.37	44.40	104.46	-44.69	266	104 Peak	Vertical	
9	5930.00	58.89	14.39	44.50	68.20	-9.31	266	104 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-1


802.11a

CH 36(Open) (9kHz ~ 150kHz)

CH 36(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	56.90	38.78	18.12	127.60	-78.78	100	182 Peak	Open	
2	0.03	44.42	24.41	20.01	118.89	-73.67	100	176 Peak	Open	
3	0.05	37.99	18.99	19.00	113.58	-75.59	100	6 Peak	Open	
4	0.06	40.07	22.02	18.05	111.72	-71.65	100	62 Peak	Open	
5	0.11	27.77	9.69	18.08	106.91	-79.14	100	145 Peak	Open	
6	0.12	29.42	11.24	18.18	105.70	-76.28	100	253 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.15	41.28	22.94	18.34	104.88	-62.88	100	38 Peak	Open	
2	0.48	35.02	16.28	18.74	94.01	-58.99	100	347 Peak	Open	
3	5.52	33.14	12.91	20.23	69.50	-36.36	100	0 Peak	Open	
4	12.30	35.71	14.00	21.71	69.50	-33.79	100	38 Peak	Open	
5	19.07	36.58	13.80	22.78	69.50	-32.92	100	175 Peak	Open	
6	25.10	37.21	13.93	23.28	69.50	-32.29	100	359 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	62.81	23.13	29.72	-6.59	40.00	-16.87	297	0 Peak	Horizontal	
2	289.45	29.27	37.49	-8.22	43.50	-14.23	280	4 Peak	Horizontal	
3 !	296.75	40.29	45.10	-4.81	46.00	-5.71	100	182 QP	Horizontal	
4 !	494.63	43.39	44.30	-0.91	46.00	-2.61	198	258 QP	Horizontal	
5	844.80	37.00	31.93	5.07	46.00	-9.00	300	241 Peak	Horizontal	
6 !	891.36	42.58	36.60	5.98	46.00	-3.42	100	216 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	98.87	25.05	36.15	-11.10	43.50	-18.45	100	333 Peak	Vertical	
2	296.75	32.03	36.84	-4.81	46.00	-13.97	400	105 Peak	Vertical	
3	437.40	30.64	32.36	-1.72	46.00	-15.36	100	123 Peak	Vertical	
4 !	494.63	40.70	41.61	-0.91	46.00	-5.30	100	342 Peak	Vertical	
5	693.48	35.33	32.28	3.05	46.00	-10.67	200	280 Peak	Vertical	
6	891.36	38.98	33.00	5.98	46.00	-7.02	100	360 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10360.00	59.80	62.55	-2.75	68.20	-8.40	220	293	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10360.00	60.95	63.70	-2.75	68.20	-7.25	100	88	Peak	Vertical		


802.11a

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10480.00	61.87	64.27	-2.40	68.20	-6.33	270	354	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10480.00	65.16	67.56	-2.40	68.20	-3.04	180	4	Peak	Vertical	


802.11ac VHT20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10360.00	58.44	61.19	-2.75	68.20	-9.76	100	265	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10360.00	60.54	63.29	-2.75	68.20	-7.66	100	90	Peak	Vertical		


802.11ac VHT20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	10400.00	59.12	61.79	-2.67	68.20	-9.08	100	267	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	10400.00	61.40	64.07	-2.67	68.20	-6.80	102	87	Peak	Vertical	


802.11ac VHT20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	61.96	64.36	-2.40	68.20	-6.24	100	266	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	64.90	67.30	-2.40	68.20	-3.30	100	4	Peak	Vertical		


802.11ac VHT40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10380.00	49.96	52.67	-2.71	68.20	+18.24	363	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10380.00	51.84	54.55	-2.71	68.20	-16.36	100	91	Peak	Vertical		


802.11ac VHT40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10460.00	58.85	61.32	-2.47	68.20	-9.35	225	307	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10460.00	61.01	63.48	-2.47	68.20	-7.19	232	336	Peak	Vertical		


802.11ac VHT80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10420.00	49.18	51.78	-2.60	68.20	-19.02	200	302	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10420.00	49.71	52.31	-2.60	68.20	-18.49	290	0	Peak	Vertical		

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	36.97	37.70	-0.73	54.00	-17.03	100	83 Average	Horizontal	
2	11490.00	49.22	49.95	-0.73	74.00	-24.78	100	83 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	37.53	38.26	-0.73	54.00	-16.47	285	22 Average	Vertical	
2	11490.00	52.89	53.62	-0.73	74.00	-21.11	285	22 Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	36.54	37.18	-0.64	54.00	-17.46	100	81 Average	Horizontal	
2	11570.00	49.38	50.02	-0.64	74.00	-24.62	100	81 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	37.28	37.92	-0.64	54.00	-16.72	211	20 Average	Vertical	
2	11570.00	50.77	51.41	-0.64	74.00	-23.23	211	20 Peak	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	35.91	36.38	-0.47	54.00	-18.09	100	84 Average	Horizontal	
2	11650.00	48.46	48.93	-0.47	74.00	-25.54	100	84 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	36.84	37.31	-0.47	54.00	-17.16	222	23 Average	Vertical	
2	11650.00	50.80	51.27	-0.47	74.00	-23.20	222	23 Peak	Vertical	


802.11ac VHT20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	37.26	37.99	-0.73	54.00	-16.74	100	82	Average	Horizontal	
2	11490.00	48.90	49.63	-0.73	74.00	-25.10	100	82	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	37.95	38.68	-0.73	54.00	-16.05	218	23	Average	Vertical	
2	11490.00	49.09	49.82	-0.73	74.00	-24.91	218	23	Peak	Vertical	


802.11ac VHT20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	36.92	37.56	-0.64	54.00	-17.08	100	77	Average	Horizontal	
2	11570.00	49.52	50.16	-0.64	74.00	-24.48	100	77	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	37.97	38.61	-0.64	54.00	-16.03	216	21	Average	Vertical	
2	11570.00	50.62	51.26	-0.64	74.00	-23.38	216	21	Peak	Vertical	


802.11ac VHT20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	36.49	36.96	-0.47	54.00	-17.51	100	83	Average	Horizontal	
2	11650.00	48.01	48.48	-0.47	74.00	-25.99	100	83	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	37.44	37.91	-0.47	54.00	-16.56	223	24	Average	Vertical	
2	11650.00	50.69	51.16	-0.47	74.00	-23.31	223	24	Peak	Vertical	


802.11ac VHT40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	35.83	36.54	-0.71	54.00	-18.17	400	360	Average	Horizontal	
2	11510.00	47.93	48.64	-0.71	74.00	-26.07	400	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	36.18	36.89	-0.71	54.00	-17.82	294	0	Average	Vertical	
2	11510.00	48.89	49.60	-0.71	74.00	-25.11	294	0	Peak	Vertical	


802.11ac VHT40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	34.71	35.34	-0.63	54.00	-19.29	300	96	Average	Horizontal	
2	11590.00	47.51	48.14	-0.63	74.00	-26.49	300	96	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	36.37	37.00	-0.63	54.00	-17.63	352	360	Average	Vertical	
2	11590.00	48.38	49.01	-0.63	74.00	-25.62	352	360	Peak	Vertical	


802.11ac VHT80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	35.30	35.96	-0.66	54.00	-18.70	246	0	Average	Horizontal	
2	11550.00	47.28	47.94	-0.66	74.00	-26.72	246	0	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	34.93	35.59	-0.66	54.00	-19.07	200	2	Average	Vertical	
2	11550.00	47.43	48.09	-0.66	74.00	-26.57	200	2	Peak	Vertical	

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Level Factor	Line	Limit			
		dBuV	dB	dBuV	dB			
1	0.18	7.93	-1.69	9.62	54.47	-46.54	Average	line1
2	0.18	20.68	11.06	9.62	64.47	-43.79	QP	line1
3	0.27	6.56	-3.06	9.62	51.16	-44.60	Average	line1
4	0.27	12.75	3.13	9.62	61.16	-48.41	QP	line1
5	1.05	5.89	-3.75	9.64	46.00	-40.11	Average	line1
6	1.05	9.04	-0.60	9.64	56.00	-46.96	QP	line1
7	3.47	5.05	-4.63	9.68	46.00	-40.95	Average	line1
8	3.47	9.63	-0.05	9.68	56.00	-46.37	QP	line1
9	8.17	6.00	-3.73	9.73	50.00	-44.00	Average	line1
10	8.17	10.63	0.90	9.73	60.00	-49.37	QP	line1
11	26.35	36.85	27.15	9.70	50.00	-13.15	Average	line1
12	26.35	42.22	32.52	9.70	60.00	-17.78	QP	line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Level Factor	Line	Limit			
		dBuV	dB	dBuV	dB			
1	0.18	8.05	-1.57	9.62	54.34	-46.29	Average	neutral
2	0.18	21.20	11.58	9.62	64.34	-43.14	QP	neutral
3	0.22	7.47	-2.15	9.62	52.81	-45.34	Average	neutral
4	0.22	17.38	7.76	9.62	62.81	-45.43	QP	neutral
5	0.55	6.34	-3.29	9.63	46.00	-39.66	Average	neutral
6	0.55	9.57	-0.06	9.63	56.00	-46.43	QP	neutral
7	3.74	4.95	-4.74	9.69	46.00	-41.05	Average	neutral
8	3.74	9.54	-0.15	9.69	56.00	-46.46	QP	neutral
9	8.59	5.87	-3.89	9.76	50.00	-44.13	Average	neutral
10	8.59	10.50	0.74	9.76	60.00	-49.50	QP	neutral
11	25.83	36.22	26.38	9.84	50.00	-13.78	Average	neutral
12	25.83	41.47	31.63	9.84	60.00	-18.53	QP	neutral