

1	2	3	4		
TOLERANCE (C)		SYMBOL	REVISION No.	ISSUED	DATE
~ 6 ±0.15		X -	-	-	20 - -
6 ~ 30 ±0.20					
30 ~ 80 ±0.30					
80 ~250 ±0.40					
250~500 ±0.55					

25

KENWOOD

TH-D74A

144/220/430MHz TRIBANDER DC 7.4V

JVCKENWOOD Corporation

FCC ID K44440900 | IC:282F-440900

WARNING:MODIFICATION OF THIS DEVICE TO RECEIVE CELLULAR RADIOTELEPHONE SERVICE SIGNALS IS PRIHIBITED UNDER FCC RULES AND FEDERAL LAW.

Bar Code

S/No. *****

Bar Code

Made in Malaysia

46

4 - R2

KENWOOD

TH-D74A

144/220/430MHz TRIBANDER DC 7.4V

JVCKENWOOD Corporation

FCC ID K44440900 | IC:282F-440900

WARNING:MODIFICATION OF THIS DEVICE TO RECEIVE CELLULAR RADIOTELEPHONE SERVICE SIGNALS IS PRIHIBITED UNDER FCC RULES AND FEDERAL LAW.

Bar Code

S/No. *****

Bar Code

Made in Malaysia

SCALE 1 : 1

SCALE 2 : 1


-	-	-	-	-	-
QTY	No.	PART NUMBER	PART NAME / NOTE	MATERIAL	FINISH
	GROUP No.	APPROVED	MATERIAL	PART NAME	SCALE
		CHECKED	LINTEC FNS MATTS100 PAT1 (AL EVAPORATION PLATE to.1 FROSED SILVER)	MODEL NAME PLATE	NT:S
	MODEL	DESIGNED	FINISH	DRAWING NUMBER	REL.
			STORONG TACKIFIER ON BACK SIDE	00	mm
				DATE	SHEET No.
				JIS Z8310	1/1

JVCKENWOOD Corporation

1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CORD
~ 6 ±0.15	-	△ x ALL	43048 NEW ADDITION
6 ~ 30 ±0.20		△ x 1	43379 E3
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION. 70700

(1:1)



FOR DETAILS ON PRINTING, REFER TO THE ORIGINAL FILM.
 COLORS SHALL BE AS FOLLOWS:
 LETTERS: FROSTED SILVER, BACKGROUND: BLACK


-	-	-	-	AL EVAPORATION PLATE t0.1 FROSTED SILVER	SEAL PRINTING STRONG TACKIFIER LAMINATE (FROSTING)	Y50-5520-00	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE NT:S		DESIGNED	CHECKED	APPROVED	PART NAME STANDARD LABEL		-
UNIT : mm							-
		DATE			DRAWING NUMBER MMV-		-
JIS Z8310-84					PART NO. B42-7070-04		-
					SHEET NO. 1/1		01
					REL.		-
							S

CAD PLOT #

1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ xALL	XXXXX NEW ADDITION
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~250 ±0.40			
250~500 ±0.55			

TO THE USER IN CANADA : A RADIO LICENCE MUST BE OBTAINED
PRIOR TO POSSESSION AND USE OF THIS SCANNER RECEIVER.
FOR DETAILS, ASK INDUSTRY CANADA. 95050

(1:1)



FOR DETAILS ON PRINTING,REFER TO THE ORIGINAL FILM.
COLORS SHALL BE AS FOLLOWS:
LETTERS:BLACK,BACKGROUND:FROSTED SILVER

-	-	-	-	AL EVAPORATION PLATE t0.1 FROSTED SILVER	SEAL PRINTING STRONG TACKIFIER LAMINATE (FROSTING)	Y50-6590-00	-
NO.	PART NUMBER	NOTE		MATERIAL	FINISH	MODEL	QTY.
SCALE NT : S		DESIGNED	CHECKED	APPROVED	PART NAME	STANDARD LABEL	-
UNIT : mm							-
							-
		DATE			DRAWING NUMBER	MMV -	-
JIS Z8310-84					PART NO.	SHEET NO.	REL.
					B42-9505-04	1/1	01
							S

#

TH-D74A
FCC ID: K44440900
IC: 282F-440900

