




|               |  |        |  |             |  |        |  |        |  |
|---------------|--|--------|--|-------------|--|--------|--|--------|--|
| 1             |  | 2      |  | 3           |  | 4      |  |        |  |
| TOLERANCE (C) |  | SYMBOL |  | REVISION NO |  | ISSUED |  | DATE   |  |
| ~ 6 ±0.15     |  | x -    |  | -           |  | -      |  | 20 - - |  |
| 6 ~ 30 ±0.20  |  |        |  |             |  |        |  |        |  |
| 30 ~ 80 ±0.30 |  |        |  |             |  |        |  |        |  |
| 80 ~250 ±0.40 |  |        |  |             |  |        |  |        |  |
| 250~500 ±0.55 |  |        |  |             |  |        |  |        |  |

ATTENTION:  
FOR THE FPRO SOFTWARE  
USE VERSIONS 6.00 OR LATER.  
FOR THE KFL SOFTWARE,  
USE VERSIONS 1.10 OR LATER.  
THIS DEVICE COMPLIES WITH PART 15 OF  
THE FCC RULES. OPERATION IS SUBJECT  
TO THE FOLLOWING TWO CONDITIONS;  
(1) THIS DEVICE MAY NOT CAUSE HARMFUL  
INTERFERENCE, AND (2) THIS DEVICE MUST  
ACCEPT ANY INTERFERENCE RECEIVED,  
INCLUDING INTERFERENCE THAT MAY  
CAUSE UNDESIRABLE OPERATION.

01890

ATTENTION:  
FOR THE FPRO SOFTWARE  
USE VERSIONS 6.00 OR LATER.  
FOR THE KFL SOFTWARE,  
USE VERSIONS 1.10 OR LATER.  
THIS DEVICE COMPLIES WITH PART 15 OF  
THE FCC RULES. OPERATION IS SUBJECT  
TO THE FOLLOWING TWO CONDITIONS;  
(1) THIS DEVICE MAY NOT CAUSE HARMFUL  
INTERFERENCE, AND (2) THIS DEVICE MUST  
ACCEPT ANY INTERFERENCE RECEIVED,  
INCLUDING INTERFERENCE THAT MAY  
CAUSE UNDESIRABLE OPERATION.

01890

(1:1)

LAMINATE  
PRINTING  
LINTEC  
STRONG TACKIFIER

34.5

25.5

10.5

6.5

1.5

1.5

|    |           |                                                                                       |                    |                  |
|----|-----------|---------------------------------------------------------------------------------------|--------------------|------------------|
| 00 | GROUP No. | MATERIAL<br>LINTEC FNS MATT S100 PAT1<br>(AL EVAPORATION PLATE 10.1<br>FROSED SILVER) | PART NAME<br>LABEL | SCALE<br>2:1     |
|    | MODEL     | FINISH<br>SEAL PRITING<br>LAMINATE(BRIGHT) (10.016)                                   | REL.<br>00         | mm               |
|    |           |                                                                                       | JIS Z8310          | SHEET No.<br>1/1 |

JVCKENWOOD Corporation

KPG-36X, KPG-46X  
FCC ID: K44463500

