





(2:1)



(1:1)

MATERIAL
LINTEC FNS MATTS100 PAT1
(AL EVAPORATION PLATE t0.1/FROSTED SILVER)

	DESIGN	DATE		Document Name
				NX-3210R K3 NAME PLATE
		JVCKENWOOD Corporation		

1	2	3	4
TOLERANCE (C)		SYMBOL	REVISION NO
~ 6 ±0.15		x -	-
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~250 ±0.40			
250~500 ±0.55			

29.4^{+0.1}_{-0.2}

4-R1

25.4^{+0.1}_{-0.2}

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRED OPERATION.

CAUTION:
DEVICE MUST BE RESTRICTED TO OCCUPATIONAL USE TO SATISFY FCC RF EXPOSURE. SEE INSTRUCTION MANUAL FOR SPECIFIC OPERATING REQUIREMENTS.

00060

NOTES :

COLORS SHALL BE AS FOLLOWS:
LETTERS AND LINE:BLACK BACKGROUND:SILVER

PRINT USING THE DATA(ai) PROVIDED BY JVCKENWOOD.

DELIVERY FORM SHOULD BE SHEET.

PER SHEET QTY: MULTIPLES 10PCS.

PRESSURE-SENSITIVE ADHESIVE MUST NOT CAUSED ISCOLORATION.

QTY	No.	PART NUMBER	PART NAME / NOTE	MATERIAL	FINISH
-	-	-	-	-	-
00	GROUP No.	APPROVED	MATERIAL	PART NAME	SCALE
		CHECKED	LINTEC FNS MATTS100 PAT1 (AL EVAPORATION PLATE 10.1 FROSTED SILVER)	CAUTION STICKER	2:1
YC1-0021-80	MODEL	DESIGNED	FINISH	DRAWING NUMBER	REL.
			SEAL PRINTING(TOKA UV161BlackS) /LAMINATE(LINTEC PP MATT25N NPL /FROSTING)	B4B-0006	00
				DATE	JIS Z8310

mm

SHEET No.

1/1

JVCKENWOOD Corporation

