



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8

Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:57:18

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4

Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:51:18

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9

Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:57:30

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2026/7/9

Temperature:27.7 °C

0.0 dBm

Time: 上午 10:51:30

Humidity:55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10

Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:57:42

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2026/7/8

Temperature: 27.7 °C

Time: 下午 02:42:30

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	190.1202	-86.86	peak	22.48	-64.38	-13.00	150	145	-51.38	
	198.2966	-87.26	peak	22.74	-64.52	-13.00	150	125	-51.52	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #2

Date: 2026/7/8

Temperature: 27.7 °C

Time: 下午 03:00:36

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-89.83	peak	21.70	-68.13	-13.00	150	235	-55.13	
	190.1202	-91.43	peak	22.90	-68.53	-13.00	150	45	-55.53	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2026/7/13

Temperature: 27.7 °C

0.0 dBm

Time: 上午 09:21:22

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	538.2766	-60.13	peak	-8.54	-68.67	-13.00	150	265	-55.67	
*	568.7375	-59.23	peak	-7.55	-66.78	-13.00	150	195	-53.78	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2026/7/13

Temperature: 27.7 °C

0.0 dBm

Time: 上午 09:18:05

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	361.9238	-57.73	peak	-11.37	-69.10	-13.00	150	235	-56.10	
	482.1643	-60.95	peak	-8.48	-69.43	-13.00	150	95	-56.43	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:18:21

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1414.830	-57.86	peak	-0.16	-58.02	-13.00	150	285	-45.02	
*	1949.900	-49.58	peak	4.04	-45.54	-13.00	150	120	-32.54	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:52:08

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1769.539	-50.30	peak	3.39	-46.91	-13.00	150	215	-33.91	
	2112.224	-57.72	peak	4.64	-53.08	-13.00	150	220	-40.08	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:19:09

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2026/7/9

Temperature: 27.7 °C

Time: 下午 01:54:14

Humidity: 55.9 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:20:21

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6

Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:55:07

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2026/7/8

Temperature: 27.7 °C

Time: 下午 02:40:28

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	190.1202	-87.20	peak	22.48	-64.72	-13.00	150	95	-51.72	
	198.2966	-87.53	peak	22.74	-64.79	-13.00	150	125	-51.79	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #2

Date: 2026/7/8

Temperature: 27.7 °C

Time: 下午 02:58:32

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-89.76	peak	21.70	-68.06	-13.00	150	245	-55.06	
	190.1202	-91.87	peak	22.90	-68.97	-13.00	150	285	-55.97	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2026/7/13

Temperature: 27.7 °C

0.0 dBm

Time: 上午 09:11:32

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	413.2265	-59.84	peak	-10.72	-70.56	-13.00	150	125	-57.56	
*	482.1643	-58.34	peak	-9.97	-68.31	-13.00	150	195	-55.31	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2026/7/13

Temperature: 27.7 °C

0.0 dBm

Time: 上午 09:14:16

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	361.9238	-57.76	peak	-11.37	-69.13	-13.00	150	225	-56.13	
	474.1483	-61.64	peak	-8.90	-70.54	-13.00	150	300	-57.54	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:22:40

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1937.876	-55.79	peak	3.93	-51.86	-13.00	150	165	-38.86	
*	3140.281	-56.48	peak	8.32	-48.16	-13.00	150	80	-35.16	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:47:38

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1763.527	-52.43	peak	3.36	-49.07	-13.00	150	255	-36.07	
*	2593.186	-51.67	peak	5.12	-46.55	-13.00	150	10	-33.55	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:23:29

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:48:42

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:24:16

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2026/7/9

Temperature:27.7 °C

0.0 dBm

Time: 下午 01:49:49

Humidity:55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2026/7/8

Temperature: 27.7 °C

Time: 下午 02:44:56

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	190.1202	-86.87	peak	22.48	-64.39	-13.00	150	145	-51.39	
*	198.2966	-86.31	peak	22.74	-63.57	-13.00	150	110	-50.57	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #2

Date: 2026/7/8

Temperature: 27.7 °C

Time: 下午 02:56:08

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-89.14	peak	21.70	-67.44	-13.00	150	325	-54.44	
	190.1202	-91.53	peak	22.90	-68.63	-13.00	150	270	-55.63	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2026/7/13

Temperature: 27.7 °C

0.0 dBm

Time: 上午 09:00:13

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	482.1643	-60.07	peak	-9.97	-70.04	-13.00	150	135	-57.04	
*	836.4730	-58.05	peak	-3.52	-61.57	-13.00	150	250	-48.57	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2026/7/13

Temperature: 27.7 °C

0.0 dBm

Time: 上午 09:02:24

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	365.1303	-58.96	peak	-11.49	-70.45	-13.00	150	355	-57.45	
	477.3547	-62.81	peak	-8.73	-71.54	-13.00	150	250	-58.54	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 11:49:41

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1937.876	-52.76	peak	3.93	-48.83	-13.00	150	115	-35.83	
	2052.104	-57.70	peak	4.45	-53.25	-13.00	150	255	-40.25	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:12:22

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1811.623	-54.01	peak	3.62	-50.39	-13.00	150	255	-37.39	
*	2418.838	-53.15	peak	4.60	-48.55	-13.00	150	195	-35.55	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 11:50:34

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2026/7/9

Temperature: 27.7 °C

Time: 下午 01:13:10

Humidity: 55.9 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2026/7/9

Temperature:27.7 °C

Time: 上午 11:51:53

Humidity:55.9 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6

Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:13:59

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2026/7/8

Temperature: 27.7 °C

Time: 下午 02:49:20

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	190.1202	-87.13	peak	22.48	-64.65	-13.00	150	155	-51.65	
*	194.2084	-86.99	peak	22.61	-64.38	-13.00	150	125	-51.38	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #2

Date: 2026/7/8

Temperature: 27.7 °C

Time: 下午 02:53:19

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	98.1363	-89.83	peak	21.70	-68.13	-13.00	150	225	-55.13	
	190.1202	-91.66	peak	22.90	-68.76	-13.00	150	290	-55.76	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2026/7/13

Temperature: 27.7 °C

0.0 dBm

Time: 上午 09:07:57

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	422.8457	-55.38	peak	-10.61	-65.99	-13.00	150	135	-52.99	
	498.1964	-61.18	peak	-9.80	-70.98	-13.00	150	75	-57.98	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2

Date: 2026/7/13

Temperature: 27.7 °C

0.0 dBm

Time: 上午 09:05:39

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	365.1302	-60.01	peak	-11.49	-71.50	-13.00	150	320	-58.50	
	482.1643	-63.84	peak	-8.48	-72.32	-13.00	150	285	-59.32	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2026/7/9

Temperature: 27.7 °C

Time: 上午 11:54:37

Humidity: 55.9 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1949.900	-47.35	peak	4.04	-43.31	-13.00	150	155	-30.31	
	3194.389	-58.03	peak	8.41	-49.62	-13.00	150	90	-36.62	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2026/7/9

Temperature: 27.7 °C

Time: 下午 01:07:38

Humidity: 55.9 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2334.669	-53.91	peak	4.61	-49.30	-13.00	150	95	-36.30	
	3200.401	-57.26	peak	7.41	-49.85	-13.00	150	205	-36.85	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 11:56:04

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:08:27

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3

Date: 2026/7/9

Temperature: 27.7 °C

Time: 上午 11:56:53

Humidity: 55.9 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:09:15

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2026/7/8

Temperature: 27.7 °C

Time: 下午 01:50:06

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	190.1202	-86.20	peak	24.63	-61.57	-13.00	150	120	-48.57	
	194.2084	-86.53	peak	24.76	-61.77	-13.00	150	130	-48.77	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1

Data : #2


Date: 2026/7/8

Temperature: 27.7 °C

0.0 dBm

Time: 下午 01:52:16

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	78.0361	-92.54	peak	23.70	-68.84	-13.00	150	230	-55.84	
*	117.8958	-90.42	peak	22.74	-67.68	-13.00	150	320	-54.68	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2026/7/13

Temperature: 27.7 °C

0.0 dBm

Time: 上午 08:12:55

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	421.2425	-57.98	peak	-8.48	-66.46	-13.00	150	150	-53.46	
*	459.7194	-55.28	peak	-8.06	-63.34	-13.00	150	120	-50.34	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2

Date: 2026/7/13

Temperature: 27.7 °C

0.0 dBm

Time: 上午 08:22:32

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	361.9238	-55.96	peak	-9.22	-65.18	-13.00	150	250	-52.18	
	474.1483	-59.18	peak	-6.75	-65.93	-13.00	150	305	-52.93	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 09:44:30

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3513.026	-60.41	peak	11.12	-49.29	-13.00	150	65	-36.29	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:15:24

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #2

Date: 2026/7/9

Temperature: 27.7 °C

Time: 上午 09:47:41

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	7022.044	-62.04	peak	14.80	-47.24	-13.00	150	135	-34.24	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:17:02

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5218.437	-60.65	peak	11.87	-48.78	-13.00	150	70	-35.78	
*	7022.044	-58.89	peak	15.67	-43.22	-13.00	150	255	-30.22	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3

Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 09:48:43

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8

Date: 2026/7/9

Temperature:27.7 °C

0.0 dBm

Time: 上午 10:18:09

Humidity:55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4

Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 09:48:55

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:18:22

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5

Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 09:49:07

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:18:34

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132422

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #1

Date: 2026/7/8

Temperature: 27.7 °C

Time: 下午 01:47:57

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	190.1202	-86.12	peak	24.63	-61.49	-13.00	150	125	-48.49	
	198.2966	-87.03	peak	24.89	-62.14	-13.00	150	110	-49.14	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 1


Data : #2

Date: 2026/7/8

Temperature: 27.7 °C

Time: 下午 02:03:24

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	97.7956	-89.95	peak	23.85	-66.10	-13.00	150	220	-53.10	
*	190.1202	-90.48	peak	25.05	-65.43	-13.00	150	195	-52.43	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2026/7/13

Temperature: 27.7 °C

0.0 dBm

Time: 上午 08:15:06

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	467.7355	-47.11	peak	-7.98	-55.09	-13.00	150	120	-42.09	
	849.2986	-61.94	peak	-0.66	-62.60	-13.00	150	235	-49.60	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2026/7/13

Temperature: 27.7 °C

0.0 dBm

Time: 上午 08:18:35

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	467.7355	-51.69	peak	-7.09	-58.78	-13.00	150	300	-45.78	
	583.1663	-60.86	peak	-4.60	-65.46	-13.00	150	85	-52.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:02:24

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:08:42

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3494.990	-59.90	peak	9.55	-50.35	-13.00	150	115	-37.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:04:03

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5218.437	-60.97	peak	10.85	-50.12	-13.00	150	105	-37.12	
*	6981.964	-56.71	peak	14.84	-41.87	-13.00	150	60	-28.87	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:10:16

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5218.437	-61.25	peak	11.87	-49.38	-13.00	150	225	-36.38	
*	6989.980	-57.55	peak	15.73	-41.82	-13.00	150	300	-28.82	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2026/7/9

Temperature:27.7 °C

Time: 上午 10:05:20

Humidity:55.9 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2026/7/9

Temperature:27.7 °C

0.0 dBm

Time: 上午 10:11:10

Humidity:55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:05:32

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:11:23

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2026/7/9

Temperature: 27.7 °C

0.0 dBm

Time: 上午 10:05:44

Humidity: 55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2026/7/9

Temperature:27.7 °C

0.0 dBm

Time: 上午 10:11:35

Humidity:55.9 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22606-25211

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132422

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Hung

File :1

Data :#1


Date: 2026/7/1

Temperature: 29.7 °C

80.0 dBuV/m

Time: 下午 03:37:16

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	53.2800	39.58	QP	-12.66	26.92	40.00	100	171	-13.08	
	97.9000	43.94	QP	-17.46	26.48	43.50	100	105	-17.02	
	193.9300	44.04	QP	-15.08	28.96	43.50	100	94	-14.54	
	289.9600	42.84	QP	-12.06	30.78	46.00	100	227	-15.22	
	314.2100	42.77	QP	-11.46	31.31	46.00	100	66	-14.69	
	446.1300	39.24	QP	-8.04	31.20	46.00	100	210	-14.80	



Radiated Emission Measurement

Operator: Hung

File :1

Data :#2


Date: 2026/7/1

Temperature: 29.7 °C

80.0 dBuV/m

Time: 下午 03:37:59

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	87.2300	54.08	QP	-17.91	36.17	40.00	100	86	-3.83	
*	92.0800	58.06	QP	-18.00	40.06	43.50	100	86	-3.44	
	138.6400	45.42	QP	-12.97	32.45	43.50	100	92	-11.05	
	163.8600	44.62	QP	-12.30	32.32	43.50	100	81	-11.18	
	521.7900	39.25	QP	-6.41	32.84	46.00	100	359	-13.16	
	634.3100	36.19	QP	-4.02	32.17	46.00	100	304	-13.83	



Radiated Emission Measurement

Operator: Hung

File : 3

Data : #1


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 05:02:11

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2596.000	35.10	peak	-3.22	31.88	74.00	100	128	-42.12	
	2596.000	27.34	AVG	-3.22	24.12	54.00	100	128	-29.88	
	3345.000	35.91	peak	-1.36	34.55	74.00	100	65	-39.45	
	3345.000	27.59	AVG	-1.36	26.23	54.00	100	65	-27.77	
	4073.000	34.69	peak	2.09	36.78	74.00	100	84	-37.22	
*	4073.000	26.59	AVG	2.09	28.68	54.00	100	84	-25.32	



Radiated Emission Measurement

Operator: Hung

File : 3

Data : #5


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 05:04:45

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2953.000	35.56	peak	-1.79	33.77	74.00	100	165	-40.23	
	2953.000	27.29	AVG	-1.79	25.50	54.00	100	165	-28.50	
	3828.000	35.40	peak	1.47	36.87	74.00	100	303	-37.13	
	3828.000	27.38	AVG	1.47	28.85	54.00	100	303	-25.15	
	4661.000	33.73	peak	4.61	38.34	74.00	100	48	-35.66	
*	4661.000	25.62	AVG	4.61	30.23	54.00	100	48	-23.77	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Hung

File : 3

Data : #2


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 05:03:00

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Hung

File : 3

Data : #6

Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 05:05:28

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Hung

File : 3

Data : #3


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 05:03:51

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Hung

File : 3

Data : #7

Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 05:06:18

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Hung

File : 3

Data : #4


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 05:04:01

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Hung

File : 3

Data : #8


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 05:06:29

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Hung

File :1

Data :#1


Date: 2026/7/1

Temperature: 29.7 °C

80.0 dBuV/m

Time: 下午 03:41:14

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	53.2800	40.36	QP	-12.66	27.70	40.00	100	288	-12.30	
	97.9000	42.80	QP	-17.46	25.34	43.50	100	78	-18.16	
	193.9300	44.00	QP	-15.08	28.92	43.50	100	294	-14.58	
	309.3600	42.89	QP	-11.57	31.32	46.00	100	250	-14.68	
	519.8500	38.21	QP	-6.43	31.78	46.00	100	28	-14.22	
	610.0600	36.27	QP	-4.63	31.64	46.00	100	344	-14.36	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Hung

File :1

Data :#2


Date: 2026/7/1

Temperature: 29.7 °C

80.0 dBuV/m

Time: 下午 03:41:57

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	87.2300	55.12	QP	-17.91	37.21	40.00	100	50	-2.79	
	92.0800	57.30	QP	-18.00	39.30	43.50	100	7	-4.20	
	160.9500	41.45	QP	-12.04	29.41	43.50	100	105	-14.09	
	193.9300	44.30	peak	-15.08	29.22	43.50	100	359	-14.28	
	517.9100	39.36	QP	-6.51	32.85	46.00	100	342	-13.15	
	626.5500	37.22	QP	-4.21	33.01	46.00	100	314	-12.99	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:35:02

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2204.000	35.13	peak	-3.88	31.25	74.00	100	354	-42.75	
	2204.000	27.20	AVG	-3.88	23.32	54.00	100	354	-30.68	
	3597.000	34.31	peak	0.10	34.41	74.00	100	255	-39.59	
	3597.000	26.33	AVG	0.10	26.43	54.00	100	255	-27.57	
	4731.000	33.81	peak	4.75	38.56	74.00	100	15	-35.44	
*	4731.000	25.85	AVG	4.75	30.60	54.00	100	15	-23.40	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #5


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:37:37

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2295.000	35.04	peak	-3.74	31.30	74.00	100	175	-42.70	
	2295.000	27.08	AVG	-3.74	23.34	54.00	100	175	-30.66	
	3576.000	34.96	peak	-0.07	34.89	74.00	100	186	-39.11	
	3576.000	26.99	AVG	-0.07	26.92	54.00	100	186	-27.08	
	4598.000	34.03	peak	4.58	38.61	74.00	100	15	-35.39	
*	4598.000	26.10	AVG	4.58	30.68	54.00	100	15	-23.32	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #2

Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:35:51

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #6

Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:38:19

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #3

Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:36:42

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #7


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:39:09

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #4


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:36:53

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #8


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:39:20

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Hung

File :1

Data :#1


Date: 2026/7/1

Temperature: 29.7 °C

80.0 dBuV/m

Time: 下午 03:44:07

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	62.0100	39.19	QP	-13.25	25.94	40.00	100	17	-14.06	
	193.9300	44.71	QP	-15.08	29.63	43.50	100	311	-13.87	
	314.2100	43.44	QP	-11.46	31.98	46.00	100	244	-14.02	
	446.1300	38.15	QP	-8.04	30.11	46.00	100	200	-15.89	
	529.5500	36.77	QP	-6.39	30.38	46.00	100	339	-15.62	
*	742.9500	35.15	QP	-2.24	32.91	46.00	100	300	-13.09	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Hung

File :1

Data :#2


Date: 2026/7/1

Temperature: 29.7 °C

80.0 dBuV/m

Time: 下午 03:44:50

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	87.2300	54.21	QP	-17.91	36.30	40.00	100	10	-3.70	
	92.0800	56.42	QP	-18.00	38.42	43.50	100	271	-5.08	
	161.9200	41.47	QP	-12.12	29.35	43.50	100	359	-14.15	
	193.9300	43.95	QP	-15.08	28.87	43.50	100	1	-14.63	
	514.0300	40.18	QP	-6.66	33.52	46.00	100	165	-12.48	
	649.8300	36.62	QP	-3.62	33.00	46.00	100	298	-13.00	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:09:18

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2225.000	35.16	peak	-3.85	31.31	74.00	100	359	-42.69	
	2225.000	27.20	AVG	-3.85	23.35	54.00	100	359	-30.65	
	3583.000	34.78	peak	-0.02	34.76	74.00	100	4	-39.24	
	3583.000	26.85	AVG	-0.02	26.83	54.00	100	4	-27.17	
	4857.000	34.17	peak	5.15	39.32	74.00	100	22	-34.68	
*	4857.000	26.20	AVG	5.15	31.35	54.00	100	22	-22.65	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #3


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:10:45

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2246.000	35.36	peak	-3.82	31.54	74.00	100	352	-42.46	
	2246.000	27.40	AVG	-3.82	23.58	54.00	100	352	-30.42	
	3597.000	34.46	peak	0.10	34.56	74.00	100	120	-39.44	
	3597.000	26.51	AVG	0.10	26.61	54.00	100	120	-27.39	
	7258.000	35.29	peak	11.79	47.08	74.00	100	259	-26.92	
*	7258.000	27.33	AVG	11.79	39.12	54.00	100	259	-14.88	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #2

Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:09:59

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #4

Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:11:27

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Hung

File :1

Data :#1


Date: 2026/7/1

Temperature: 29.7 °C

80.0 dBuV/m

Time: 下午 03:47:16

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	62.0100	41.28	QP	-13.25	28.03	40.00	100	244	-11.97	
	97.9000	44.02	QP	-17.46	26.56	43.50	100	94	-16.94	
	205.5700	45.57	QP	-15.61	29.96	43.50	100	299	-13.54	
	293.8400	43.56	QP	-11.96	31.60	46.00	100	250	-14.40	
	414.1200	39.90	QP	-9.10	30.80	46.00	100	199	-15.20	
	742.9500	36.02	QP	-2.24	33.78	46.00	100	322	-12.22	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Hung

File :1

Data :#2


Date: 2026/7/1

Temperature: 29.7 °C

80.0 dBuV/m

Time: 下午 03:48:00

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	87.2300	54.29	QP	-17.91	36.38	40.00	100	276	-3.62	
	92.0800	57.16	QP	-18.00	39.16	43.50	100	133	-4.34	
	163.8600	42.51	QP	-12.30	30.21	43.50	100	321	-13.29	
	517.9100	40.19	QP	-6.51	33.68	46.00	100	166	-12.32	
	626.5500	37.29	QP	-4.21	33.08	46.00	100	326	-12.92	
	742.9500	36.16	QP	-2.24	33.92	46.00	100	349	-12.08	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:40:05

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2253.000	35.99	peak	-3.81	32.18	74.00	100	327	-41.82	
	2253.000	28.06	AVG	-3.81	24.25	54.00	100	327	-29.75	
	3562.000	35.23	peak	-0.19	35.04	74.00	100	179	-38.96	
	3562.000	27.30	AVG	-0.19	27.11	54.00	100	179	-26.89	
	5053.000	34.63	peak	5.75	40.38	74.00	100	8	-33.62	
*	5053.000	26.66	AVG	5.75	32.41	54.00	100	8	-21.59	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #5


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:42:40

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2225.000	35.12	peak	-3.85	31.27	74.00	100	236	-42.73	
	2225.000	27.15	AVG	-3.85	23.30	54.00	100	236	-30.70	
	3590.000	34.82	peak	0.04	34.86	74.00	100	158	-39.14	
	3590.000	26.90	AVG	0.04	26.94	54.00	100	158	-27.06	
	4542.000	34.53	peak	4.19	38.72	74.00	100	14	-35.28	
*	4542.000	26.55	AVG	4.19	30.74	54.00	100	14	-23.26	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #2


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:40:54

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #6

Date: 2026/7/1

Temperature: 29.7 °C

Time: 下午 11:43:22

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #3

Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:41:45

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #7


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:44:13

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #4


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:41:56

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #8


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:44:24

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Hung

File : 1

Data : #1


Date: 2026/7/1

Temperature: 29.7 °C

80.0 dBuV/m

Time: 下午 03:51:31

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	53.2800	41.78	QP	-12.66	29.12	40.00	100	200	-10.88	
	83.3500	45.12	QP	-17.53	27.59	40.00	100	206	-12.41	
	193.9300	44.02	QP	-15.08	28.94	43.50	100	306	-14.56	
	309.3600	42.33	QP	-11.57	30.76	46.00	100	250	-15.24	
	397.6300	40.03	QP	-9.59	30.44	46.00	100	211	-15.56	
	502.3900	36.90	QP	-7.14	29.76	46.00	100	344	-16.24	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Hung

File :1

Data :#2


Date: 2026/7/1

Temperature: 29.7 °C

80.0 dBuV/m

Time: 下午 03:52:15

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.5900	52.61	QP	-16.29	36.32	40.00	100	144	-3.68	
	95.9600	53.70	QP	-17.64	36.06	43.50	100	299	-7.44	
	193.9300	45.01	QP	-15.08	29.93	43.50	100	166	-13.57	
	410.2400	37.67	QP	-9.23	28.44	46.00	100	84	-17.56	
	510.1500	40.16	QP	-6.82	33.34	46.00	100	337	-12.66	
	621.7000	38.62	QP	-4.33	34.29	46.00	100	326	-11.71	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:12:13

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2190.000	35.26	peak	-3.96	31.30	74.00	100	1	-42.70	
	2190.000	27.45	AVG	-3.96	23.49	54.00	100	1	-30.51	
	3597.000	34.20	peak	0.10	34.30	74.00	100	125	-39.70	
	3597.000	26.58	AVG	0.10	26.68	54.00	100	125	-27.32	
	7265.000	35.31	peak	11.80	47.11	74.00	100	97	-26.89	
*	7265.000	27.94	AVG	11.80	39.74	54.00	100	97	-14.26	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2026/7/1

Temperature:29.7 °C

90.0 dBuV/m

Time: 下午 11:13:41

Humidity:37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2274.000	34.88	peak	-3.77	31.11	74.00	100	17	-42.89	
	2274.000	26.89	AVG	-3.77	23.12	54.00	100	17	-30.88	
	3457.000	35.35	peak	-0.94	34.41	74.00	100	1	-39.59	
	3457.000	27.44	AVG	-0.94	26.50	54.00	100	1	-27.50	
	4850.000	34.07	peak	5.13	39.20	74.00	100	156	-34.80	
*	4850.000	26.10	AVG	5.13	31.23	54.00	100	156	-22.77	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #2

Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:12:55

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #4

Date: 2026/7/1

Temperature: 29.7 °C

Time: 下午 11:14:22

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Hung

File :1

Data :#1


Date: 2026/7/1

Temperature: 29.7 °C

80.0 dBuV/m

Time: 下午 03:54:33

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	53.2800	42.02	QP	-12.66	29.36	40.00	100	259	-10.64	
	83.3500	45.45	QP	-17.53	27.92	40.00	100	254	-12.08	
	193.9300	44.30	QP	-15.08	29.22	43.50	100	310	-14.28	
	305.4800	42.51	QP	-11.66	30.85	46.00	100	259	-15.15	
	453.8900	37.42	QP	-7.86	29.56	46.00	100	193	-16.44	
	742.9500	35.44	QP	-2.24	33.20	46.00	100	193	-12.80	



Radiated Emission Measurement

Operator: Hung

File :1

Data :#2


Date: 2026/7/1

Temperature: 29.7 °C

80.0 dBuV/m

Time: 下午 03:55:17

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.5900	52.80	QP	-16.29	36.51	40.00	100	175	-3.49	
	95.9600	53.73	QP	-17.64	36.09	43.50	100	49	-7.41	
	193.9300	45.08	QP	-15.08	30.00	43.50	100	331	-13.50	
	461.6500	38.94	QP	-7.72	31.22	46.00	100	22	-14.78	
	517.9100	40.28	QP	-6.51	33.77	46.00	100	359	-12.23	
	626.5500	37.75	QP	-4.21	33.54	46.00	100	325	-12.46	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:15:09

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2225.000	35.19	peak	-3.85	31.34	74.00	100	17	-42.66	
	2225.000	27.26	AVG	-3.85	23.41	54.00	100	17	-30.59	
	3590.000	34.62	peak	0.04	34.66	74.00	100	253	-39.34	
	3590.000	26.70	AVG	0.04	26.74	54.00	100	253	-27.26	
	5095.000	33.80	peak	5.85	39.65	74.00	100	2	-34.35	
*	5095.000	25.84	AVG	5.85	31.69	54.00	100	2	-22.31	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #3


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:16:37

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2134.000	36.21	peak	-4.35	31.86	74.00	100	0	-42.14	
	2134.000	28.25	AVG	-4.35	23.90	54.00	100	0	-30.10	
	3569.000	34.80	peak	-0.13	34.67	74.00	100	269	-39.33	
	3569.000	26.81	AVG	-0.13	26.68	54.00	100	269	-27.32	
	4640.000	34.09	peak	4.61	38.70	74.00	100	155	-35.30	
*	4640.000	26.16	AVG	4.61	30.77	54.00	100	155	-23.23	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #2


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:15:51

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #4

Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:17:19

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Hung

File :1

Data :#1


Date: 2026/7/1

Temperature: 29.7 °C

80.0 dBuV/m

Time: 下午 04:01:23

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 66 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	62.0420	43.60	QP	-13.26	30.34	40.00	100	102	-9.66	
	87.2873	45.88	QP	-17.92	27.96	40.00	100	302	-12.04	
	201.8620	44.52	QP	-15.64	28.88	43.50	100	318	-14.62	
	305.7558	42.93	QP	-11.65	31.28	46.00	100	252	-14.72	
	414.5045	38.68	QP	-9.09	29.59	46.00	100	208	-16.41	
	520.3403	38.04	QP	-6.42	31.62	46.00	100	241	-14.38	



Radiated Emission Measurement

Operator: Hung

File :1

Data :#2


Date: 2026/7/1

Temperature:29.7 °C

80.0 dBuV/m

Time: 下午 04:02:06

Humidity:37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 66 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.5900	52.54	QP	-16.29	36.25	40.00	100	169	-3.75	
	95.9600	54.11	QP	-17.64	36.47	43.50	100	325	-7.03	
	193.9300	43.80	QP	-15.08	28.72	43.50	100	5	-14.78	
	506.2700	39.27	QP	-6.98	32.29	46.00	100	342	-13.71	
	617.8200	37.20	QP	-4.43	32.77	46.00	100	309	-13.23	
	742.9500	35.95	QP	-2.24	33.71	46.00	100	331	-12.29	



Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:58:38

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 66 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2260.000	35.49	peak	-3.79	31.70	74.00	100	234	-42.30	
	2260.000	27.50	AVG	-3.79	23.71	54.00	100	234	-30.29	
	3555.000	35.37	peak	-0.24	35.13	74.00	100	86	-38.87	
	3555.000	27.44	AVG	-0.24	27.20	54.00	100	86	-26.80	
	4927.000	34.26	peak	5.35	39.61	74.00	100	333	-34.39	
*	4927.000	26.30	AVG	5.35	31.65	54.00	100	333	-22.35	



Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2026/7/2

Temperature:28.5 °C

90.0 dBuV/m

Time: 上午 12:01:13

Humidity:40.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 66 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2281.000	34.98	peak	-3.76	31.22	74.00	100	20	-42.78	
	2281.000	27.05	AVG	-3.76	23.29	54.00	100	20	-30.71	
	3583.000	34.79	peak	-0.02	34.77	74.00	100	181	-39.23	
	3583.000	26.85	AVG	-0.02	26.83	54.00	100	181	-27.17	
	4661.000	34.13	peak	4.61	38.74	74.00	100	13	-35.26	
*	4661.000	26.20	AVG	4.61	30.81	54.00	100	13	-23.19	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #2

Date: 2026/7/1

Temperature: 29.7 °C

90.0 dBuV/m

Time: 下午 11:59:27

Humidity: 37.5 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 66 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #6

Date: 2026/7/2

Temperature: 28.5 °C

90.0 dBuV/m

Time: 上午 12:01:55

Humidity: 40.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 66 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #3


Date: 2026/7/2

Temperature: 28.5 °C

90.0 dBuV/m

Time: 上午 12:00:18

Humidity: 40.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 66 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #7

Date: 2026/7/2

Temperature: 28.5 °C

90.0 dBuV/m

Time: 上午 12:02:46

Humidity: 40.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 66 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #4


Date: 2026/7/2

Temperature: 28.5 °C

90.0 dBuV/m

Time: 上午 12:00:29

Humidity: 40.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 66 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #8


Date: 2026/7/2

Temperature: 28.5 °C

90.0 dBuV/m

Time: 上午 12:02:57

Humidity: 40.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22606-25211

M/N:

Test Mode : LTE Band 66 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin