

TEST REPORT

For

Bluetooth Adapter Unit

In conformity with

FCC Part 15C / RSS-247 Issue 2

Model Name: BU-4
FCC ID: K660C354X10
ISED Cert No.: 511B-0C354X10
Report No.: WE201012BC3-13
Issue Date: 12 Mar. 2021

Prepared for

YAESU MUSEN CO.,LTD.

Tennozu Parkside Building 2-5-8 Higashi-Shinagawa,
Shinagawa-ku, Tokyo 140-0002 Japan

Prepared by

SGS Japan Inc.

3-5-23, Kitayamata, Tsuzuki-ku, Yokohama, 224-0021, Japan
Telephone: +81+(0)45- 550-3520
FAX: +81+(0)45- 592-7506

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Table of Contents

1	General information.....	3
1.1	Product description from supplier.....	3
1.2	Test(s) performed/ Summary of test result.....	3
1.3	Test facility	4
1.4	Measurement uncertainty.....	4
1.5	Summary of test results.....	5
1.6	Setup of equipment under test (EUT)	6
1.6.1	Test configuration of EUT	6
1.6.2	Operating condition:	6
1.6.3	Setup diagram of tested system.....	7
1.7	Equipment modifications.....	7
1.8	Deviation from the standard.....	7
2	Test procedure and test data	8
2.1	Occupied Bandwidth (20 dB)	8
2.1.1	Occupied Bandwidth (99 %).....	10
2.2	Hopping Carrier Frequency Separation	12
2.3	Number of Hopping Channel.....	14
2.4	Average Time of Occupancy	16
2.5	Peak Output Power	18
2.6	Conducted Spurious Emissions.....	20
2.7	Radiated emissions (for restricted frequency band).....	27
2.8	AC power line conducted emissions.....	59
2.9	Radiated emissions (Receiver).....	64
2.10	AC power line conducted emissions (Receiver)	73
3	Test setup photographs.....	76
3.1	Radiated emissions	76
3.2	AC power line conducted emissions.....	78
3.3	RF conducted test.....	78
4	List of utilized test equipment / calibration	79

History

Report No.	Date	Revisions	Issued By
WE201012BC3-11	10 Feb. 2021	Initial Issue	T. Kato
WE201012BC3-12	22 Feb. 2021	Revise the limit of frequency separation test (Sec. 2.2) Revise the limit of output power test (Sec. 2.5)	T. Kato
WE201012BC3-13	12 Mar. 2021	Add the comment about output power setting (Sec. 1.1)	T. Kato

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

1 General information

1.1 Product description from supplier

Test item : Bluetooth Adapter Unit
Manufacturer : YAESU MUSEN CO., LTD.
Address : 43 Utsuroda, Morijuku, Sukagawa-shi, Fukushima-ken 962-0001 Japan
Model : BU-4
FCC ID : K660C354X10
ISED No. : 511B-0C354X10
Serial number : 001 (for radiated test)
002 (for conducted test)
Hardware version : SPP2
Software version : V02
Operating frequency : 2402 - 2480 MHz
Modulation : GFSK, $\pi/4$ -DQPSK, 8DPSK (Bluetooth BDR/EDR)
Antenna Gain : +2.14 dBi (Manufacturer's declare)
Output power setting : Default and the power setting is not adjustable (Manufacturer's declare)
Receipt date of EUT : 29 Jan. 2021
Nominal power source voltages : DC 13.8 V

1.2 Test(s) performed/ Summary of test result

Test specification(s) : FCC CFR 47 Part 15 Subpart C
RSS-247 Issue 2
Test method(s) : ANSI C63.10: 2013
Test(s) started : 01 Feb. 2021
Test(s) completed : 05 Feb. 2021

Summary of test result : Complied

Note: The above judgment is only based on the measurement data and it does not include the measurement uncertainty. Accordingly, the statement below is applied to the test result.

The EUT complies with the limit required in the standard in case that the margin is not less than the measurement uncertainty in the Laboratory.

Compliance of the EUT is more probable than non-compliance is case that the margin is less than the measurement uncertainty in the Laboratory.

Test engineer

: 
T. Kato (Testing engineer, RF/EMC Lab.)

Reviewer

: 
K. Onishi (Testing leader, RF/EMC Lab.)

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

1.3 Test facility

The Federal Communications Commission has reviewed the technical characteristics of the test facilities at SGS Japan Inc., located in 472, Nippa-cho, Kohoku-ku, Yokohama, 223-0057, Japan, and has found these test facilities to be in compliance with the requirements of 47 CFR Part 15, section 2.948. The description of the test facilities has been filed under registration number 319924 at the Office of the Federal Communications Commission. The facility has been added to the list of laboratories performing these test services for the public on a fee basis.

The list of all public test facilities is available on the Internet at <http://www.fcc.gov>.

Registered by Innovation, Science and Economic Development Canada (ISED):
The registered CAB identifier is JP0009.

Accredited by **National Voluntary Laboratory Accreditation Program (NVLAP)** for the emission tests stated in the scope of the certificate under Certificate Number 200780-0

This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.



1.4 Measurement uncertainty

The treatment of uncertainty is based on the general matters on the definition of uncertainty in “Guide to the expression of uncertainty in measurement (GUM)” published by ISO. The Lab’s uncertainty is determined by referring ETSI TR 100 028-1 V1.4.1.

The uncertainty of the measurement result in the level of confidence of approximately 95% (k=2) is as follows;

AC Conducted emission	: ± 3.3 dB (150 kHz - 30 MHz)
Radiated emission	: ± 6.7 dB (9 kHz - 30 MHz)
	: ± 5.2 dB (30 MHz - 1000 MHz)
	: ± 4.3 dB (1 GHz - 6 GHz)
	: ± 4.4 dB (6 GHz - 18 GHz)
	: ± 4.5 dB (18 GHz - 26 GHz)

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

1.5 Summary of test results

Requirement	Section in FCC	Section in RSS-247	Result	Section in this report
Occupied Bandwidth (20 dB)	15.247 (a)(1)	6.7 (RSS-Gen)	Complied	2.1
Occupied Bandwidth (99 %)	-	6.7 (RSS-Gen)	Complied	2.1.1
Hopping Carrier Frequency Separation	15.247 (a)(1)	5.1 (b)	Complied	2.2
Number of Hopping Channel	15.247 (a)(1)(iii)	5.1 (d)	Complied	2.3
Average Time of Occupancy	15.247 (a)(1)(iii)	5.1 (d)	Complied	2.4
Peak Output Power	15.247 (b)(1)	5.4 (b)	Complied	2.5
Conducted Spurious Emissions	15.247(d)	5.5	Complied	2.6
Transmitter Radiated Spurious Emissions	15.205(b)/15.209	8.9/8.10 (RSS-Gen)	Complied	2.7
AC power line conducted emissions	15.207	8.8 (RSS-Gen)	Complied	2.8
Radiated Emissions (Receiver)	-	7.3 (RSS-Gen)	Complied	2.9
AC power line conducted emissions (Receiver)	-	7.2 (RSS-Gen)	Complied	2.10

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

1.6 Setup of equipment under test (EUT)

1.6.1 Test configuration of EUT

Equipment(s) under test

No.	Item	Manufacture	Model No.	Serial No.
A1	Bluetooth Adapter Unit (for Radiated test)	YAESU MUSEN	BU-4	001
A2	Bluetooth Adapter Unit (for Conducted test) (*)	YAESU MUSEN	BU-4	002

(*) The antenna cable loss information with this sample was applied from the manufacturer.

Support Equipment(s)

No.	Item	Manufacture	Model No.	Serial No.
B	AC adapter	POWERNET Technologies Corp.	PS30W-14J1	-
-	-	-	-	-

Connected cable(s)

No.	Item	From	To	Cable Shielded	Ferrite Core	Length [m]
1	DC Cable 1	A	DC	No	No	1.5
2	DC Cable 2	A	B	No	No	1.0

1.6.2 Operating condition:


- Tx (2402MHz): The EUT is in normal transmission mode at 2402MHz (DH5/2DH5/3DH5)
- Tx (2441MHz): The EUT is in normal transmission mode at 2441MHz (DH5/2DH5/3DH5)
- Tx (2480MHz): The EUT is in normal transmission mode at 2480MHz (DH5/2DH5/3DH5)
- Rx (2402MHz): The EUT is in normal receiving mode at 2402MHz
- Rx (2441MHz): The EUT is in normal receiving mode at 2441MHz
- Rx (2480MHz): The EUT is in normal receiving mode at 2480MHz

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

1.6.3 Setup diagram of tested system

[Configuration 1]



[Configuration 2]



1.7 Equipment modifications

No modifications have been made to the equipment in order to achieve compliance with the applicable standards described in clause 1.2.

1.8 Deviation from the standard

No deviations from the standards described in clause 1.2.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

2 Test procedure and test data

2.1 Occupied Bandwidth (20 dB)

Test setup

Test setup is the following drawing. The antenna port of EUT was connected to the spectrum analyzer.



Test procedure

Spectrum analyzer is set as below according to ANSI C63.10 clause 6.9.2

- RBW : 1 to 5 % of OBW
- VBW > 3 x RBW
- Span : OBW x 2 to 5
- Trace : Max hold

Limitation

There are no limitations.

The measurement value is used for the emission designator.

Test equipment used (refer to List of utilized test equipment)

TR06	CL31	-
------	------	---

Test results

Tested sample: A2

Configuration: 1


Transmission Frequency [MHz]	Occupied Bandwidth [MHz] DH5	Occupied Bandwidth [MHz] 2DH5	Occupied Bandwidth [MHz] 3DH5
2402	0.899	1.245	1.269
2441	0.894	1.245	1.264
2480	0.899	1.245	1.269

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Chart]

Operating condition: Tx 2402 MHz DH5



Tested Date: 03 Feb. 2021
Humidity: 41 %

Temperature: 18 degC
Atmos. Press: 1016 hPa


This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

2.1.1 Occupied Bandwidth (99 %)

Test setup

Test setup is the following drawing. The antenna port of EUT was connected to the spectrum analyzer.



Test procedure

Spectrum analyzer is set as below according to ANSI C63.10 clause 6.9.3

- RBW : 1 to 5 % of OBW
- VBW > 3 x RBW
- Span : OBW x 1.5 to 5
- Trace : Max hold

Limitation

There are no limitations.

The measurement value is used for the emission designator.

Test equipment used (refer to List of utilized test equipment)

TR06	CL31	-
------	------	---

Test results

Tested sample: A2

Configuration: 1


Transmission Frequency [MHz]	Occupied Bandwidth [MHz] DH5	Occupied Bandwidth [MHz] 2DH5	Occupied Bandwidth [MHz] 3DH5
2402	0.870	1.168	1.159
2441	0.870	1.168	1.159
2480	0.870	1.173	1.163

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Chart]

Operating condition: Tx 2402 MHz DH5



Tested Date: 03 Feb. 2021
Humidity: 41 %

Temperature: 18 degC
Atmos. Press: 1016 hPa


This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

2.2 Hopping Carrier Frequency Separation

Test setup

Test setup is the following drawing. The antenna port of EUT was connected to the spectrum analyzer.



Test procedure

Spectrum analyzer is set as below according to ANSI C63.10 clause 7.8.2

- RBW: about 30% of OBW
- VBW > RBW
- Trace : Max hold

Applicable rule and limitation

FCC 15.247 (a)(1)
RSS-247 Sec. 5.1 (b)

Frequency hopping systems operating in the 2400 - 2483.5 MHz band may have hopping channel carrier frequencies that are separated by 25 kHz or two-thirds of the 20 dB bandwidth of the hopping channel, whichever is greater.

Limit: more than 846 kHz (2/3 of 20 dB OBW)

Test equipment used (refer to List of utilized test equipment)

TR06	CL31	
------	------	--

Test results - Complied with requirement

Test Data

Tested sample: A2


Configuration: 1

Frequency Separation [kHz]	Result
1000	Pass

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Chart]

Tested Date: 03 Feb. 2021
Humidity: 41 %Temperature: 18 degC
Atmos. Press: 1016 hPa


This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

2.3 Number of Hopping Channel

Test setup

Test setup is the following drawing. The antenna port of EUT was connected to the spectrum analyzer.



Test procedure

Spectrum analyzer is set as below according to ANSI C63.10 clause 7.8.3

- RBW: about 30% of OBW
- VBW > RBW
- Trace : Max hold

Applicable rule and limitation

FCC 15.247 (a)(1)(iii)

RSS-247 Sec. 5.1 (d)

Frequency hopping systems in the 2400 - 2483.5 MHz band shall use at least 15 channels.

Test equipment used (refer to List of utilized test equipment)

TR06	CL31	
------	------	--

Test results - Complied with requirement

Test Data

Tested sample: A2





Configuration: 1

Number of channel	Result
79	Pass

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Chart]

Tested Date: 03 Feb. 2021
Humidity: 41 %Temperature: 18 degC
Atmos. Press: 1016 hPa


This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

2.4 Average Time of Occupancy

Test setup

Test setup is the following drawing. The antenna port of EUT was connected to the spectrum analyzer.



Test procedure

Spectrum analyzer is set as below according to ANSI C63.10 clause 7.8.4

- RBW < Channel separation
- Trace : Max hold

Applicable rule and limitation

FCC 15.247 (a)(1)(iii)

RSS-247 Sec. 5.1 (d)

The average time of occupancy on any channel shall not be greater than 0.4 seconds within a period of 0.4 seconds multiplied by the number of hopping channels employed.

Test equipment used (refer to List of utilized test equipment)

TR06	CL31	
------	------	--

Test results - Complied with requirement

Test Data

Tested sample: A2

Configuration: 1

Observed Frequency	Pulse width [ms]	Observation Time [s]	The number of pulse (*)	Time of occupancy [s]	Result
2441 MHz (DH1)	0.378	31.6	66	0.249 (*)	Pass
2441 MHz (DH3)	1.628	31.6	21	0.342 (*)	Pass
2441 MHz (DH5)	2.885	31.6	12	0.346 (*)	Pass

- (*) The number of pulse was captured within a period of 10% observation time.
The test result was calculated as below



Average time of occupancy

$$= (\text{The number of captured pulse}) \times (\text{Single Pulse width}) \times (100\% / 10\%)$$

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Chart] DH5

Tested Date: 03 Feb. 2021
Humidity: 41 %Temperature: 18 degC
Atmos. Press: 1016 hPa


This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

2.5 Peak Output Power

Test setup

Test setup is the following drawing. The antenna port of EUT was connected to the spectrum analyzer.



Test procedure

Spectrum analyzer is set as below according to ANSI C63.10 clause 7.8.5

- RBW > OBW
- VBW > RBW
- Span: about 5 times of OBW
- Trace : Max hold

Applicable rule and limitation

FCC 15.247(b)(1)

RSS-247 Sec. 5.4 (b)

For frequency hopping systems operating in the 2400 - 2483.5 MHz band employing at least 75 non-overlapping hopping channels : 1 w (+30 dBm)

For all other frequency hopping systems in the 2400 -2483.5 MHz band : 0.125 w (+21 dBm)

Test equipment used (refer to List of utilized test equipment)

TR06	CL31	
------	------	--

Test results - Complied with requirement

Test Data

Tested sample: A2

Configuration: 1


Transmission Frequency [MHz]	Output Power DH5 [dBm]	Output Power 2DH5 [dBm]	Output Power 3DH5 [dBm]	Limit [dBm]	Result
2402	6.7	5.0	5.5	21	Pass
2441	6.9	5.8	6.2	21	Pass
2480	7.4	6.6	6.9	21	Pass

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Chart]

Operating condition: Tx 2402 MHz DH5

Tested Date: 03 Feb. 2021
Humidity: 41 %Temperature: 18 degC
Atmos. Press: 1016 hPa


This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

2.6 Conducted Spurious Emissions

Test setup

Test setup is the following drawing. The antenna port of EUT was connected to the spectrum analyzer.



Test procedure

Spectrum analyzer is set as below according to ANSI C63.10 clause 7.8.8

- RBW : 100 kHz
- VBW : 300 kHz
- Detector : Peak
- Trace : Max hold

Limitation

FCC 15.247(d)
RSS-247 Sec. 5.5

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits.

Test equipment used (refer to List of utilized test equipment)

TR06	CL31	
------	------	--

Test results - Complied with requirement

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Test Data

Tested sample: A2

Configuration: 1

Operating mode: Tx 2402 MHz (DH5)

Frequency [MHz]	Spurious level [dBm]	Carrier level [dBm]	20dB below [dBm]
-	-	-	-
-	-	-	-

Note: All emissions have more than 20 dB margin.

Operating mode: Tx 2402 MHz (2DH5)

Frequency [MHz]	Spurious level [dBm]	Carrier level [dBm]	20dB below [dBm]
2399.498	-34.46	3.88	-16.21
2399.996	-33.39	3.88	-16.21

Note: All other emissions have more than 20 dB margin.

Operating mode: Tx 2402 MHz (3DH5)

Frequency [MHz]	Spurious level [dBm]	Carrier level [dBm]	20dB below [dBm]
2399.473	-34.07	3.58	-16.42
2399.986	-33.34	3.58	-16.42

Note: All other emissions have more than 20 dB margin.

Operating mode: Tx 2441 MHz (DH5)

Frequency [MHz]	Spurious level [dBm]	Carrier level [dBm]	20dB below [dBm]
-	-	-	-
-	-	-	-

Note: All emissions have more than 20 dB margin.

Operating mode: Tx 2441 MHz (2DH5)

Frequency [MHz]	Spurious level [dBm]	Carrier level [dBm]	20dB below [dBm]
-	-	-	-
-	-	-	-

Note: All emissions have more than 20 dB margin.

Operating mode: Tx 2441 MHz (3DH5)

Frequency [MHz]	Spurious level [dBm]	Carrier level [dBm]	20dB below [dBm]
-	-	-	-
-	-	-	-

Note: All emissions have more than 20 dB margin.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2480 MHz (DH5)

Frequency [MHz]	Spurious level [dBm]	Carrier level [dBm]	20dB below [dBm]
-	-	-	-
-	-	-	-

Note: All emissions have more than 20 dB margin.

Operating mode: Tx 2480 MHz (2DH5)

Frequency [MHz]	Spurious level [dBm]	Carrier level [dBm]	20dB below [dBm]
-	-	-	-
-	-	-	-



Note: All emissions have more than 20 dB margin.

Operating mode: Tx 2480 MHz (3DH5)

Frequency [MHz]	Spurious level [dBm]	Carrier level [dBm]	20dB below [dBm]
-	-	-	-
-	-	-	-







Note: All emissions have more than 20 dB margin.

[Chart] Tx 2402MHz (3DH5)








This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。



This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。




This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Band edge]


Tx 2402 MHz DH5




Tx 2480MHz DH5



Tx 2402 MHz 2DH5




Tx 2480MHz 2DH5




This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Tx 2402 MHz 3DH5



Tx 2480MHz 3DH5



Tested Date: 03 Feb. 2021
Humidity: 41 %

Temperature: 18 degC
Atmos. Press: 1016 hPa

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

2.7 Radiated emissions (for restricted frequency band)

Test setup

Test setup was implemented according to the method of ANSI C63.10 clause 6.

Test procedure

Measurement procedures were implemented according to the method of ANSI C63.10 clauses 6.
The test receiver is set as below

[9 - 150 kHz]

RBW: 200 Hz, Detector: QP

[150 kHz - 30 MHz]

RBW: 9 kHz, Detector: QP

[30 - 1000 MHz]

RBW: 120 kHz, Detector: QP

[above 1000 MHz]

RBW: 1 MHz, Detector: Ave/PK

Applicable rule and limitation

RSS-Gen Sec. 8.10

FCC 15.205 restricted bands of operation

Except as shown in paragraph 15.205 (d) of this section, only spurious emissions are permitted in any of the frequency bands listed below:

MHz	MHz	MHz	GHz
0.090 - 0.110	16.42 - 16.423	399.9 - 410	4.5 - 5.15
0.490 - 0.510	16.69475 - 16.69525	608 - 614	5.35 - 5.46
2.1735 - 2.1905	16.80425 - 16.80475	960 - 1240	7.25 - 7.75
4.125 - 4.128	25.5 - 25.67	1300 - 1427	8.025 - 8.5
4.17725 - 4.17775	37.5 - 38.25	1435 - 1626.5	9.0 - 9.2
4.20725 - 4.20775	73 - 74.6	1645.5 - 1646.5	9.3 - 9.5
6.215 - 6.218	74.8 - 75.2	1660 - 1710	10.6 - 12.7
6.26775 - 6.26825	108 - 121.94	1718.8 - 1722.2	13.25 - 13.4
6.31175 - 6.31225	123 - 138	2200 - 2300	14.47 - 14.5
8.291 - 8.294	149.9 - 150.05	2310 - 2390	15.35 - 16.2
8.362 - 8.366	156.52475 - 156.52525	2483.5 - 2500	17.7 - 21.4
8.37625 - 8.38675	156.7 - 156.9	2690 - 2900	22.01 - 23.12
8.41425 - 8.41475	162.0125 - 167.17	3260 - 3267	23.6 - 24.0
12.29 - 12.293	167.72 - 173.2	3332 - 3339	31.2 - 31.8
12.51975 - 12.52025	240 - 285	3345.8 - 3358	36.43 - 36.5
12.57675 - 12.57725	322 - 335.4	3600 - 4400	38.6 -

The field strength of emissions appearing within these frequency bands shall not exceed the limits shown in FCC 15.209. At frequencies equal to or less than 1000 MHz, compliance with the limits in FCC 15.209 shall be demonstrated using measurement instrumentation employing a CISPR quasi-peak detector. Above 1000 MHz, compliance with the emission limits in Section 15.209 shall be demonstrated based on the average value of the measured emissions.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

FCC 15.209 / RSS-Gen Sec. 8.9 Field strength limits

Frequency [MHz]	Field Strength [μV/m]	Measurement Distance [m]	Field Strength [dBμV/m]
30 – 88	100	3	40.0
88 – 216	150	3	43.5
216 – 960	200	3	46.0
Above 960	500	3	53.9

In the emission table above, the tighter limit applies at the band edges.

The emission limits shown in the above table are based on measurements employing a quasi-peak detector.

Test results - Complied with requirement

Test equipment used (refer to List of utilized test equipment)

AC01	CL11	TR06	PR21	BA07	CL38	CL39	PR12
DH06	SH05	SH01	LP06	LPF1	HPF11	AT33	

Test software used

EMI1 Ver. 6.1

Calculation method

The Correction Factor and Result are calculated as followings.

Correction Factor [dB/m] = Ant. Factor [dB/m] + Loss [dB] – Gain [dB]

Result [dBμV/m] = Reading [dBμV] + Correction Factor [dB/m]

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Test Data (below 30MHz)

Tested sample: A1


Configuration: 1

Worst operating mode: Tx 2441MHz DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-

Note: All emissions were under noise floor.

[Chart]

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Test Data (30 - 1000MHz)

Tested sample: A1

Configuration: 1

Operating mode: Tx 2402MHz DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	232.000	28.0	12.3	9.1	30.2	19.2	46.0	26.8	Vert.
2	300.000	29.9	13.4	9.7	30.2	22.8	46.0	23.2	Vert.
3	524.000	27.4	17.6	11.3	30.1	26.2	46.0	19.8	Vert.
4	960.000	20.7	21.1	13.6	28.6	26.8	46.0	19.2	Vert.

Note: All other emissions are under noise floor.

Operating mode: Tx 2402MHz DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	220.000	30.2	12.1	9.0	30.1	21.2	46.0	24.8	Vert.
2	244.000	29.6	12.6	9.2	30.2	21.2	46.0	24.8	Vert.
3	296.000	29.7	13.3	9.7	30.2	22.5	46.0	23.5	Vert.
4	960.000	20.8	21.1	13.6	28.6	26.9	46.0	19.1	Vert.

Note: All other emissions are under noise floor.

Operating mode: Tx 2402MHz DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	220.000	31.3	12.1	9.0	30.1	22.3	46.0	23.7	Vert.
2	304.000	28.5	13.5	9.7	30.2	21.5	46.0	24.5	Vert.
3	348.000	27.7	14.8	10.1	30.2	22.4	46.0	23.6	Vert.
4	960.000	20.7	21.1	13.6	28.6	26.8	46.0	19.2	Vert.

Note: All other emissions are under noise floor.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2441MHz DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	304.000	30.4	13.5	9.7	30.2	23.4	46.0	22.6	Hori.
2	228.000	32.9	12.2	9.1	30.2	24.0	46.0	22.0	Vert.
3	252.000	32.7	12.7	9.3	30.2	24.5	46.0	21.5	Vert.
4	548.000	29.8	17.9	11.4	30.1	29.0	46.0	17.0	Vert.
5	960.000	20.7	21.1	13.6	28.6	26.8	46.0	19.2	Vert.

Note: All other emissions are under noise floor.

Operating mode: Tx 2441MHz DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	232.000	31.9	12.3	9.1	30.2	23.1	46.0	22.9	Vert.
2	304.000	32.8	13.5	9.7	30.2	25.8	46.0	20.2	Vert.
3	424.000	29.2	16.4	10.7	30.2	26.1	46.0	19.9	Vert.
4	508.000	32.4	17.3	11.2	30.1	30.8	46.0	15.2	Vert.
5	536.000	31.6	17.7	11.4	30.1	30.6	46.0	15.4	Vert.
6	960.000	20.8	21.1	13.6	28.6	26.9	46.0	19.1	Vert.

Operating mode: Tx 2441MHz DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	140.000	26.5	12.5	8.2	30.2	17.0	43.5	26.5	Vert.
2	252.000	35.7	12.7	9.3	30.2	27.5	46.0	18.5	Vert.
3	388.000	29.8	15.8	10.4	30.3	25.7	46.0	20.3	Vert.
4	508.000	31.0	17.3	11.2	30.1	29.4	46.0	16.6	Vert.
5	536.000	30.3	17.7	11.4	30.1	29.3	46.0	16.7	Vert.
6	960.000	20.8	21.1	13.6	28.6	26.9	46.0	19.1	Vert.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2480MHz DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	228.000	34.2	12.2	9.1	30.2	25.3	46.0	20.7	Vert.
2	296.000	32.2	13.3	9.7	30.2	25.0	46.0	21.0	Vert.
3	380.000	27.6	15.6	10.4	30.3	23.3	46.0	22.7	Vert.
4	520.000	30.3	17.5	11.3	30.1	29.0	46.0	17.0	Vert.
5	528.000	30.3	17.6	11.3	30.1	29.1	46.0	16.9	Vert.
6	960.000	20.7	21.1	13.6	28.6	26.8	46.0	19.2	Vert.

Operating mode: Tx 2480MHz DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	200.000	29.9	11.6	8.8	30.1	20.2	43.5	23.3	Vert.
2	228.000	30.7	12.2	9.1	30.2	21.8	46.0	24.2	Vert.
3	248.000	34.6	12.6	9.3	30.2	26.3	46.0	19.7	Vert.
4	276.000	32.4	13.1	9.5	30.2	24.8	46.0	21.2	Vert.
5	536.000	29.4	17.7	11.4	30.1	28.4	46.0	17.6	Vert.
6	960.000	20.7	21.1	13.6	28.6	26.8	46.0	19.2	Vert.

Operating mode: Tx 2480MHz DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	296.000	33.7	13.3	9.7	30.2	26.5	46.0	19.5	Hori.
2	228.000	37.8	12.2	9.1	30.2	28.9	46.0	17.1	Vert.
3	252.000	39.3	12.7	9.3	30.2	31.1	46.0	14.9	Vert.
4	536.000	31.7	17.7	11.4	30.1	30.7	46.0	15.3	Vert.
5	960.000	20.8	21.1	13.6	28.6	26.9	46.0	19.1	Vert.

Note: All other emissions are under noise floor.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2402MHz 2DH5 X-plane
[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	350.000	28.2	14.8	10.1	30.3	22.8	46.0	23.2	Hori.
2	536.000	30.1	17.7	11.4	30.1	29.1	46.0	16.9	Hori.
3	220.000	34.1	12.1	9.0	30.1	25.1	46.0	20.9	Vert.
4	240.000	29.6	12.5	9.2	30.2	21.1	46.0	24.9	Vert.
5	516.000	30.9	17.4	11.3	30.1	29.5	46.0	16.5	Vert.
6	960.000	20.7	21.1	13.6	28.6	26.8	46.0	19.2	Vert.

Operating mode: Tx 2402MHz 2DH5 Y-plane
[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	216.000	31.3	12.0	9.0	30.1	22.2	43.5	21.3	Vert.
2	240.000	34.3	12.5	9.2	30.2	25.8	46.0	20.2	Vert.
3	248.000	33.7	12.6	9.3	30.2	25.4	46.0	20.6	Vert.
4	416.000	30.8	16.3	10.6	30.3	27.4	46.0	18.6	Vert.
5	524.000	31.6	17.6	11.3	30.1	30.4	46.0	15.6	Vert.
6	568.000	27.2	18.1	11.5	30.1	26.7	46.0	19.3	Vert.

Operating mode: Tx 2402MHz 2DH5 Y-plane
[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	220.000	31.3	12.1	9.0	30.1	22.3	46.0	23.7	Vert.
2	248.000	41.4	12.6	9.3	30.2	33.1	46.0	12.9	Vert.
3	496.000	29.5	17.2	11.2	30.1	27.8	46.0	18.2	Vert.
4	532.000	30.9	17.7	11.3	30.1	29.8	46.0	16.2	Vert.
5	960.000	20.7	21.1	13.6	28.6	26.8	46.0	19.2	Vert.

Note: All other emissions are under noise floor.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2441MHz 2DH5 X-plane
[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	216.000	32.3	12.0	9.0	30.1	23.2	43.5	20.3	Vert.
2	220.000	36.4	12.1	9.0	30.1	27.4	46.0	18.6	Vert.
3	248.000	30.4	12.6	9.3	30.2	22.1	46.0	23.9	Vert.
4	284.000	29.5	13.2	9.6	30.2	22.1	46.0	23.9	Vert.
5	516.000	30.9	17.4	11.3	30.1	29.5	46.0	16.5	Vert.
6	536.000	30.3	17.7	11.4	30.1	29.3	46.0	16.7	Vert.

Operating mode: Tx 2441MHz 2DH5 Y-plane
[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	144.000	30.7	12.1	8.2	30.2	20.8	43.5	22.7	Vert.
2	216.000	31.1	12.0	9.0	30.1	22.0	43.5	21.5	Vert.
3	220.000	35.6	12.1	9.0	30.1	26.6	46.0	19.4	Vert.
4	248.000	32.5	12.6	9.3	30.2	24.2	46.0	21.8	Vert.
5	276.000	32.7	13.1	9.5	30.2	25.1	46.0	20.9	Vert.
6	516.000	31.3	17.4	11.3	30.1	29.9	46.0	16.1	Vert.
7	688.000	26.6	18.9	12.0	30.2	27.3	46.0	18.7	Vert.

Operating mode: Tx 2441MHz 2DH5 Z-plane
[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	136.000	26.7	12.6	8.2	30.2	17.3	43.5	26.2	Vert.
2	220.000	34.1	12.1	9.0	30.1	25.1	46.0	20.9	Vert.
3	248.000	31.2	12.6	9.3	30.2	22.9	46.0	23.1	Vert.
4	396.000	29.0	16.0	10.5	30.3	25.2	46.0	20.8	Vert.
5	516.000	29.3	17.4	11.3	30.1	27.9	46.0	18.1	Vert.
6	960.000	20.8	21.1	13.6	28.6	26.9	46.0	19.1	Vert.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2480MHz 2DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	536.000	30.2	17.7	11.4	30.1	29.2	46.0	16.8	Hori.
2	220.000	33.8	12.1	9.0	30.1	24.8	46.0	21.2	Vert.
3	228.000	35.0	12.2	9.1	30.2	26.1	46.0	19.9	Vert.
4	240.000	34.8	12.5	9.2	30.2	26.3	46.0	19.7	Vert.
5	248.000	36.7	12.6	9.3	30.2	28.4	46.0	17.6	Vert.
6	960.000	20.8	21.1	13.6	28.6	26.9	46.0	19.1	Vert.

Operating mode: Tx 2480MHz 2DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	144.000	29.1	12.1	8.2	30.2	19.2	43.5	24.3	Vert.
2	228.000	34.4	12.2	9.1	30.2	25.5	46.0	20.5	Vert.
3	276.000	30.4	13.1	9.5	30.2	22.8	46.0	23.2	Vert.
4	524.000	29.9	17.6	11.3	30.1	28.7	46.0	17.3	Vert.
5	960.000	20.8	21.1	13.6	28.6	26.9	46.0	19.1	Vert.

Note: All other emissions are under noise floor.

Operating mode: Tx 2480MHz 2DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	144.000	29.0	12.1	8.2	30.2	19.1	43.5	24.4	Vert.
2	228.000	39.0	12.2	9.1	30.2	30.1	46.0	15.9	Vert.
3	248.000	32.3	12.6	9.3	30.2	24.0	46.0	22.0	Vert.
4	524.000	30.1	17.6	11.3	30.1	28.9	46.0	17.1	Vert.
5	960.000	20.8	21.1	13.6	28.6	26.9	46.0	19.1	Vert.

Note: All other emissions are under noise floor.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2402MHz 3DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	536.000	30.0	17.7	11.4	30.1	29.0	46.0	17.0	Hori.
2	136.000	28.4	12.6	8.2	30.2	19.0	43.5	24.5	Vert.
3	216.000	29.1	12.0	9.0	30.1	20.0	43.5	23.5	Vert.
4	220.000	33.9	12.1	9.0	30.1	24.9	46.0	21.1	Vert.
5	228.000	35.4	12.2	9.1	30.2	26.5	46.0	19.5	Vert.
6	416.000	29.4	16.3	10.6	30.3	26.0	46.0	20.0	Vert.

Operating mode: Tx 2402MHz 3DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	220.000	33.9	12.1	9.0	30.1	24.9	46.0	21.1	Vert.
2	228.000	33.6	12.2	9.1	30.2	24.7	46.0	21.3	Vert.
3	256.000	32.2	12.8	9.3	30.2	24.1	46.0	21.9	Vert.
4	276.000	32.0	13.1	9.5	30.2	24.4	46.0	21.6	Vert.
5	508.000	30.5	17.3	11.2	30.1	28.9	46.0	17.1	Vert.
6	528.000	29.4	17.6	11.3	30.1	28.2	46.0	17.8	Vert.

Operating mode: Tx 2402MHz 3DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	136.000	28.9	12.6	8.2	30.2	19.5	43.5	24.0	Vert.
2	240.000	35.5	12.5	9.2	30.2	27.0	46.0	19.0	Vert.
3	412.000	26.6	16.2	10.6	30.3	23.1	46.0	22.9	Vert.
4	524.000	28.6	17.6	11.3	30.1	27.4	46.0	18.6	Vert.
5	528.000	25.8	17.6	11.3	30.1	24.6	46.0	21.4	Vert.
6	960.000	20.8	21.1	13.6	28.6	26.9	46.0	19.1	Vert.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2441MHz 3DH5 X-plane
[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	536.000	31.0	17.7	11.4	30.1	30.0	46.0	16.0	Hori.
2	220.000	33.0	12.1	9.0	30.1	24.0	46.0	22.0	Vert.
3	224.000	33.5	12.2	9.1	30.2	24.6	46.0	21.4	Vert.
4	228.000	35.4	12.2	9.1	30.2	26.5	46.0	19.5	Vert.
5	284.000	31.2	13.2	9.6	30.2	23.8	46.0	22.2	Vert.
6	516.000	30.4	17.4	11.3	30.1	29.0	46.0	17.0	Vert.

Operating mode: Tx 2441MHz 3DH5 Y-plane
[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	220.000	35.5	12.1	9.0	30.1	26.5	46.0	19.5	Vert.
2	228.000	32.9	12.2	9.1	30.2	24.0	46.0	22.0	Vert.
3	276.000	30.6	13.1	9.5	30.2	23.0	46.0	23.0	Vert.
4	508.000	32.0	17.3	11.2	30.1	30.4	46.0	15.6	Vert.
5	516.000	31.6	17.4	11.3	30.1	30.2	46.0	15.8	Vert.
6	524.000	31.6	17.6	11.3	30.1	30.4	46.0	15.6	Vert.

Operating mode: Tx 2441MHz 3DH5 Z-plane
[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	232.000	34.2	12.3	9.1	30.2	25.4	46.0	20.6	Vert.
2	236.000	35.4	12.4	9.2	30.2	26.8	46.0	19.2	Vert.
3	240.000	40.0	12.5	9.2	30.2	31.5	46.0	14.5	Vert.
4	244.000	37.2	12.6	9.2	30.2	28.8	46.0	17.2	Vert.
5	248.000	38.8	12.6	9.3	30.2	30.5	46.0	15.5	Vert.
6	960.000	20.8	21.1	13.6	28.6	26.9	46.0	19.1	Vert.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2480MHz 3DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	536.000	31.0	17.7	11.4	30.1	30.0	46.0	16.0	Hori.
2	544.000	32.1	17.8	11.4	30.1	31.2	46.0	14.8	Hori.
3	220.000	37.5	12.1	9.0	30.1	28.5	46.0	17.5	Vert.
4	228.000	36.5	12.2	9.1	30.2	27.6	46.0	18.4	Vert.
5	516.000	31.6	17.4	11.3	30.1	30.2	46.0	15.8	Vert.
6	524.000	31.5	17.6	11.3	30.1	30.3	46.0	15.7	Vert.

Operating mode: Tx 2480MHz 3DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	536.000	29.7	17.7	11.4	30.1	28.7	46.0	17.3	Hori.
2	220.000	35.8	12.1	9.0	30.1	26.8	46.0	19.2	Vert.
3	224.000	35.9	12.2	9.1	30.2	27.0	46.0	19.0	Vert.
4	228.000	37.8	12.2	9.1	30.2	28.9	46.0	17.1	Vert.
5	516.000	29.6	17.4	11.3	30.1	28.2	46.0	17.8	Vert.
6	524.000	31.1	17.6	11.3	30.1	29.9	46.0	16.1	Vert.

Operating mode: Tx 2480MHz 3DH5 Z-plane


[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	144.000	27.8	12.1	8.2	30.2	17.9	43.5	25.6	Vert.
2	236.000	35.4	12.4	9.2	30.2	26.8	46.0	19.2	Vert.
3	240.000	40.1	12.5	9.2	30.2	31.6	46.0	14.4	Vert.
4	244.000	35.9	12.6	9.2	30.2	27.5	46.0	18.5	Vert.
5	248.000	36.6	12.6	9.3	30.2	28.3	46.0	17.7	Vert.
6	960.000	21.0	21.1	13.6	28.6	27.1	46.0	18.9	Vert.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Chart] Tx 2402MHz 2DH5 Z-plane



This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Test Data (1 – 12.4GHz)

Tested sample: A1

Configuration: 1

Operating mode: Tx 2402MHz DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4804.000	49.4	44.1	2.1	51.5	46.9	73.9	53.9	22.4	7.0	Hori.
2	4804.000	48.0	41.9	2.1	50.1	44.7	73.9	53.9	23.8	9.2	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2402MHz DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4804.000	52.8	48.8	2.1	54.9	51.6	73.9	53.9	19.0	2.3	Hori.
2	4804.000	50.4	45.8	2.1	52.5	48.6	73.9	53.9	21.4	5.3	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2402MHz DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4804.000	49.5	44.3	2.1	51.6	47.1	73.9	53.9	22.3	6.8	Hori.
2	4804.000	52.8	48.9	2.1	54.9	51.7	73.9	53.9	19.0	2.2	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2441MHz DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4882.000	51.1	47.0	2.6	53.7	50.3	73.9	53.9	20.2	3.6	Hori.
2	7323.000	42.0	30.1	6.7	48.7	37.5	73.9	53.9	25.2	16.4	Hori.
3	4882.000	48.0	41.7	2.6	50.6	45.0	73.9	53.9	23.3	8.9	Vert.
4	7323.000	42.7	30.6	6.7	49.4	38.0	73.9	53.9	24.5	15.9	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2441MHz DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4882.000	54.0	50.3	2.6	56.6	53.6	73.9	53.9	17.3	0.3	Hori.
2	7323.000	42.6	31.4	6.7	49.3	38.8	73.9	53.9	24.6	15.1	Hori.
3	4882.000	48.1	42.8	2.6	50.7	46.1	73.9	53.9	23.2	7.8	Vert.
4	7323.000	41.9	29.4	6.7	48.6	36.8	73.9	53.9	25.3	17.1	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2441MHz DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4882.000	50.6	46.2	2.6	53.2	49.5	73.9	53.9	20.7	4.4	Hori.
2	7323.000	41.9	30.3	6.7	48.6	37.7	73.9	53.9	25.3	16.2	Hori.
3	4882.000	52.3	48.9	2.6	54.9	52.2	73.9	53.9	19.0	1.7	Vert.
4	7323.000	41.7	29.6	6.7	48.4	37.0	73.9	53.9	25.5	16.9	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2480MHz DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4960.000	51.1	46.9	2.8	53.9	50.4	73.9	53.9	20.0	3.5	Hori.
2	7440.000	42.3	30.3	6.5	48.8	37.5	73.9	53.9	25.1	16.4	Hori.
3	4960.000	49.7	45.1	2.8	52.5	48.6	73.9	53.9	21.4	5.3	Vert.
4	7440.000	43.5	31.7	6.5	50.0	38.9	73.9	53.9	23.9	15.0	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2480MHz DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4960.000	51.9	47.7	2.8	54.7	51.2	73.9	53.9	19.2	2.7	Hori.
2	7440.000	44.0	30.9	6.5	50.5	38.1	73.9	53.9	23.4	15.8	Hori.
3	4960.000	50.4	46.0	2.8	53.2	49.5	73.9	53.9	20.7	4.4	Vert.
4	7440.000	42.7	30.4	6.5	49.2	37.6	73.9	53.9	24.7	16.3	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2480MHz DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4960.000	50.9	46.4	2.8	53.7	49.9	73.9	53.9	20.2	4.0	Hori.
2	7440.000	43.3	30.7	6.5	49.8	37.9	73.9	53.9	24.1	16.0	Hori.
3	4960.000	52.7	49.0	2.8	55.5	52.5	73.9	53.9	18.4	1.4	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2402MHz 2DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4804.000	47.2	38.7	2.1	49.3	41.5	73.9	53.9	24.6	12.4	Hori.
2	4804.000	47.6	39.2	2.1	49.7	42.0	73.9	53.9	24.2	11.9	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2402MHz 2DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4804.000	47.9	39.1	2.1	50.0	41.9	73.9	53.9	23.9	12.0	Hori.
2	4804.000	48.9	40.8	2.1	51.0	43.6	73.9	53.9	22.9	10.3	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2402MHz 2DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4804.000	45.9	36.4	2.1	48.0	39.2	73.9	53.9	25.9	14.7	Hori.
2	4804.000	50.5	43.4	2.1	52.6	46.2	73.9	53.9	21.3	7.7	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2441MHz 2DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4882.000	47.5	39.6	2.6	50.1	42.9	73.9	53.9	23.8	11.0	Hori.
2	4882.000	46.9	38.4	2.6	49.5	41.7	73.9	53.9	24.4	12.2	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2441MHz 2DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4882.000	49.0	41.4	2.6	51.6	44.7	73.9	53.9	22.3	9.2	Hori.
2	4882.000	49.1	41.8	2.6	51.7	45.1	73.9	53.9	22.2	8.8	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2441MHz 2DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4882.000	46.0	36.9	2.6	48.6	40.2	73.9	53.9	25.3	13.7	Hori.
2	4882.000	49.7	42.3	2.6	52.3	45.6	73.9	53.9	21.6	8.3	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2480MHz 2DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4960.000	47.5	39.2	2.8	50.3	42.7	73.9	53.9	23.6	11.2	Hori.
2	4960.000	48.2	40.5	2.8	51.0	44.0	73.9	53.9	22.9	9.9	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2480MHz 2DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4960.000	53.6	47.1	2.8	56.4	50.6	73.9	53.9	17.5	3.3	Hori.
2	4960.000	46.4	37.8	2.8	49.2	41.3	73.9	53.9	24.7	12.6	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2480MHz 2DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4960.000	47.1	38.1	2.8	49.9	41.6	73.9	53.9	24.0	12.3	Hori.
2	4960.000	52.0	45.4	2.8	54.8	48.9	73.9	53.9	19.1	5.0	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2402MHz 3DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4804.000	48.6	40.7	2.1	50.7	43.5	73.9	53.9	23.2	10.4	Hori.
2	4804.000	48.1	39.7	2.1	50.2	42.5	73.9	53.9	23.7	11.4	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2402MHz 3DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4804.000	50.8	43.0	2.1	52.9	45.8	73.9	53.9	21.0	8.1	Hori.
2	4804.000	49.3	40.8	2.1	51.4	43.6	73.9	53.9	22.5	10.3	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2402MHz 3DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4804.000	48.1	39.6	2.1	50.2	42.4	73.9	53.9	23.7	11.5	Hori.
2	4804.000	50.7	42.8	2.1	52.8	45.6	73.9	53.9	21.1	8.3	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2441MHz 3DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4882.000	49.0	41.1	2.6	51.6	44.4	73.9	53.9	22.3	9.5	Hori.
2	4882.000	48.3	40.2	2.6	50.9	43.5	73.9	53.9	23.0	10.4	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2441MHz 3DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4882.000	49.9	42.2	2.6	52.5	45.5	73.9	53.9	21.4	8.4	Hori.
2	4882.000	48.6	40.5	2.6	51.2	43.8	73.9	53.9	22.7	10.1	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2441MHz 3DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4882.000	47.0	38.6	2.6	49.6	41.9	73.9	53.9	24.3	12.0	Hori.
2	4882.000	51.2	43.7	2.6	53.8	47.0	73.9	53.9	20.1	6.9	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2480MHz 3DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4960.000	48.9	39.4	2.8	51.7	42.9	73.9	53.9	22.2	11.0	Hori.
2	4960.000	47.8	39.1	2.8	50.6	42.6	73.9	53.9	23.3	11.3	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2480MHz 3DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4960.000	51.2	43.8	2.8	54.0	47.3	73.9	53.9	19.9	6.6	Hori.
2	4960.000	46.8	36.4	2.8	49.6	39.9	73.9	53.9	24.3	14.0	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2480MHz 3DH5 Z-plane


[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	4960.000	46.8	38.1	2.8	49.6	41.6	73.9	53.9	24.3	12.3	Hori.
2	4960.000	52.1	45.0	2.8	54.9	48.5	73.9	53.9	19.0	5.4	Vert.

Note: All other emissions are under noise floor.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

[Chart] TX 2441MHz DH5 Y-plane



This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Test Data (above 12.4GHz)

Tested sample: A1

Configuration: 1


Worst operating mode: Tx 2402MHz DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-

Note: All emissions were under noise floor.

[Chart]



This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Restricted bandedge measurement

Tested sample: A1

Configuration: 1

Operating mode: Tx 2402MHz DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2390.000	43.9	30.5	4.6	48.5	35.8	73.9	53.9	25.4	18.1	Hori.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2402MHz DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2390.000	43.6	30.5	4.6	48.2	35.8	73.9	53.9	25.7	18.1	Hori.
2	2390.000	44.1	30.4	4.6	48.7	35.7	73.9	53.9	25.2	18.2	Vert.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2402MHz DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2390.000	43.4	30.5	4.6	48.0	35.8	73.9	53.9	25.9	18.1	Vert.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2402MHz 2DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2390.000	43.3	30.4	4.6	47.9	35.7	73.9	53.9	26.0	18.2	Hori.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2402MHz 2DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2390.000	43.6	30.4	4.6	48.2	35.7	73.9	53.9	25.7	18.2	Vert.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2402MHz 2DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2390.000	43.8	30.4	4.6	48.4	35.7	73.9	53.9	25.5	18.2	Vert.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2402MHz 3DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2390.000	44.3	30.5	4.6	48.9	35.8	73.9	53.9	25.0	18.1	Hori.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2402MHz 3DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2390.000	44.0	30.5	4.6	48.6	35.8	73.9	53.9	25.3	18.1	Hori.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2402MHz 3DH5 X-plane

[Emission level]


No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2390.000	43.4	30.4	4.6	48.0	35.7	73.9	53.9	25.9	18.2	Hori.
2	2390.000	43.9	30.4	4.6	48.5	35.7	73.9	53.9	25.4	18.2	Vert.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Chart] Tx 2402MHz DH5 Z-plane



This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Tested sample: A1

Configuration: 1

Operating mode: Tx 2480MHz DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2483.500	44.7	31.1	5.5	50.2	37.3	73.9	53.9	23.7	16.6	Hori.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2480MHz DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2483.500	44.4	31.2	5.5	49.9	37.4	73.9	53.9	24.0	16.5	Hori.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2480MHz DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2483.500	44.9	31.1	5.5	50.4	37.3	73.9	53.9	23.5	16.6	Vert.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2480MHz 2DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2483.500	44.9	31.0	5.5	50.4	37.2	73.9	53.9	23.5	16.7	Hori.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2480MHz 2DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2483.500	44.7	31.1	5.5	50.2	37.3	73.9	53.9	23.7	16.6	Hori.
2	2483.500	44.8	31.0	5.5	50.3	37.2	73.9	53.9	23.6	16.7	Vert.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2480MHz 2DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2483.500	45.3	31.2	5.5	50.8	37.4	73.9	53.9	23.1	16.5	Vert.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2480MHz 3DH5 X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2483.500	44.3	31.0	5.5	49.8	37.2	73.9	53.9	24.1	16.7	Hori.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

Operating mode: Tx 2480MHz 3DH5 Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2483.500	44.6	30.8	5.5	50.1	37.0	73.9	53.9	23.8	16.9	Hori.
2	2483.500	44.5	30.9	5.5	50.0	37.1	73.9	53.9	23.9	16.8	Vert.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.


Operating mode: Tx 2480MHz 3DH5 Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
1	2483.500	44.5	30.9	5.5	50.0	37.1	73.9	53.9	23.9	16.8	Vert.

Note: Duty cycle compensation (92.3% = 0.7 dB) is added to the average result.

[Chart] Tx 2480MHz 2DH5 Z-plane



[Test Day1]

Tested Date: 01 Feb. 2021 Temperature: 15 degC
Humidity: 40 % Atmos. Press: 1028 hPa

[Test Day2]

Tested Date: 02 Feb. 2021 Temperature: 15 degC
Humidity: 52 % Atmos. Press: 1007 hPa

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

2.8 AC power line conducted emissions

Test setup

Test setup was implemented according to the method of ANSI C63.10 clause 6.2 .

Test procedure

Measurement procedures were implemented according to the method of ANSI C63.10 clause 6.2.

Applicable rule and limitation

FCC 15.207

RSS-Gen Sec. 8.8

AC power line conducted emissions limits

Frequency of Emission [MHz]	Conducted emissions Limit [dBμV]	
	Quasi-peak	Average
0.15 - 0.5	66 to 56 *	56 to 46 *
0.5 - 5	56	46
5 - 30	60	50

* Decreases with the logarithm of the frequency. The lower limit applies at the band edges.

Test equipment used (refer to List of utilized test equipment)

TR06	CL18	LN05
------	------	------

Test software used

EMI Ver. 6.1

Calculation method

The Correction Factor and Result are calculated as followings.

Correction Factor [dB] = ISN Factor [dB] + Loss [dB]

Result [dBμV] = Reading [dBμV] + Correction Factor [dB]

Test results – Complied with requirement

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Test Data

Tested sample: A1

Configuration: 2

Operating mode: Tx 2402MHz DH5

[Emission level]

	Freq. [MHz]	Reading QP [dBμV]	Reading Ave [dBμV]	Factor [dB]	Result QP [dBμV]	Result Ave [dBμV]	Limit QP [dBμV]	Limit Ave [dBμV]	Margin QP [dB]	Margin Ave [dB]	Line
1	0.19130	26.6	8.0	10.2	36.8	18.2	64.0	54.0	27.2	35.8	Va
2	0.20456	28.2	9.2	10.1	38.3	19.3	63.4	53.4	25.1	34.1	Va
3	0.41277	26.0	7.7	10.0	36.0	17.7	57.6	47.6	21.6	29.9	Va
4	0.47447	27.0	8.5	10.0	37.0	18.5	56.4	46.4	19.4	27.9	Va
5	0.15153	19.4	3.3	10.2	29.6	13.5	65.9	55.9	36.3	42.4	Vb
6	0.19895	28.3	9.8	10.2	38.5	20.0	63.7	53.7	25.2	33.7	Vb
7	0.41124	27.7	9.1	10.1	37.8	19.2	57.6	47.6	19.8	28.4	Vb
8	0.45713	29.5	11.5	10.1	39.6	21.6	56.7	46.7	17.1	25.1	Vb
9	0.46971	29.0	10.0	10.1	39.1	20.1	56.5	46.5	17.4	26.4	Vb
10	0.48568	27.1	8.0	10.1	37.2	18.1	56.2	46.2	19.0	28.1	Vb

Operating mode: Tx 2441MHz DH5

[Emission level]

	Freq. [MHz]	Reading QP [dBμV]	Reading Ave [dBμV]	Factor [dB]	Result QP [dBμV]	Result Ave [dBμV]	Limit QP [dBμV]	Limit Ave [dBμV]	Margin QP [dB]	Margin Ave [dB]	Line
1	0.19504	28.6	9.6	10.1	38.7	19.7	63.8	53.8	25.1	34.1	Va
2	0.46104	29.4	11.6	10.0	39.4	21.6	56.7	46.7	17.3	25.1	Va
3	0.20439	27.4	8.4	10.2	37.6	18.6	63.4	53.4	25.8	34.8	Vb
4	0.45815	30.0	11.9	10.1	40.1	22.0	56.7	46.7	16.6	24.7	Vb
5	0.46886	28.9	10.1	10.1	39.0	20.2	56.5	46.5	17.5	26.3	Vb
6	0.49061	26.3	6.9	10.1	36.4	17.0	56.2	46.2	19.8	29.2	Vb

Operating mode: Tx 2480MHz DH5

[Emission level]

	Freq. [MHz]	Reading QP [dBμV]	Reading Ave [dBμV]	Factor [dB]	Result QP [dBμV]	Result Ave [dBμV]	Limit QP [dBμV]	Limit Ave [dBμV]	Margin QP [dB]	Margin Ave [dB]	Line
1	0.20252	28.8	10.1	10.1	38.9	20.2	63.5	53.5	24.6	33.3	Va
2	0.26558	26.4	8.1	10.1	36.5	18.2	61.3	51.3	24.8	33.1	Va
3	0.47769	27.1	8.3	10.0	37.1	18.3	56.4	46.4	19.3	28.1	Va
4	0.40461	28.4	9.4	10.1	38.5	19.5	57.8	47.8	19.3	28.3	Vb
5	0.45713	29.5	11.5	10.1	39.6	21.6	56.7	46.7	17.1	25.1	Vb
6	0.47905	27.8	8.7	10.1	37.9	18.8	56.4	46.4	18.5	27.6	Vb

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2402MHz 2DH5

[Emission level]

	Freq. [MHz]	Reading QP [dBμV]	Reading Ave [dBμV]	Factor [dB]	Result QP [dBμV]	Result Ave [dBμV]	Limit QP [dBμV]	Limit Ave [dBμV]	Margin QP [dB]	Margin Ave [dB]	Line
1	0.42365	25.3	7.0	10.0	35.3	17.0	57.4	47.4	22.1	30.4	Va
2	0.46087	29.9	12.0	10.0	39.9	22.0	56.7	46.7	16.8	24.7	Va
3	0.39475	28.0	8.7	10.1	38.1	18.8	58.0	48.0	19.9	29.2	Vb
4	0.46223	29.7	12.1	10.1	39.8	22.2	56.7	46.7	16.9	24.5	Vb
5	0.47548	27.8	9.0	10.1	37.9	19.1	56.4	46.4	18.5	27.3	Vb
6	0.48330	27.4	8.4	10.1	37.5	18.5	56.3	46.3	18.8	27.8	Vb

Operating mode: Tx 2441MHz 2DH5

[Emission level]

	Freq. [MHz]	Reading QP [dBμV]	Reading Ave [dBμV]	Factor [dB]	Result QP [dBμV]	Result Ave [dBμV]	Limit QP [dBμV]	Limit Ave [dBμV]	Margin QP [dB]	Margin Ave [dB]	Line
1	0.27068	27.3	8.6	10.1	37.4	18.7	61.1	51.1	23.7	32.4	Va
2	0.45781	29.5	11.5	10.0	39.5	21.5	56.7	46.7	17.2	25.2	Va
3	0.47141	28.4	9.3	10.0	38.4	19.3	56.5	46.5	18.1	27.2	Va
4	0.40529	28.3	9.3	10.1	38.4	19.4	57.7	47.7	19.3	28.3	Vb
5	0.46988	29.0	9.8	10.1	39.1	19.9	56.5	46.5	17.4	26.6	Vb
6	0.47548	27.8	9.0	10.1	37.9	19.1	56.4	46.4	18.5	27.3	Vb

Operating mode: Tx 2480MHz 2DH5

[Emission level]

	Freq. [MHz]	Reading QP [dBμV]	Reading Ave [dBμV]	Factor [dB]	Result QP [dBμV]	Result Ave [dBμV]	Limit QP [dBμV]	Limit Ave [dBμV]	Margin QP [dB]	Margin Ave [dB]	Line
1	0.45713	28.5	10.7	10.0	38.5	20.7	56.7	46.7	18.2	26.0	Va
2	0.46818	28.2	9.6	10.0	38.2	19.6	56.5	46.5	18.3	26.9	Va
3	0.49044	25.5	6.2	10.0	35.5	16.2	56.2	46.2	20.7	30.0	Va
4	0.42823	23.7	6.2	10.1	33.8	16.3	57.3	47.3	23.5	31.0	Vb
5	0.45543	28.4	10.7	10.1	38.5	20.8	56.8	46.8	18.3	26.0	Vb
6	0.46767	28.9	10.5	10.1	39.0	20.6	56.6	46.6	17.6	26.0	Vb

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Tx 2402MHz 3DH5

[Emission level]

	Freq. [MHz]	Reading QP [dBμV]	Reading Ave [dBμV]	Factor [dB]	Result QP [dBμV]	Result Ave [dBμV]	Limit QP [dBμV]	Limit Ave [dBμV]	Margin QP [dB]	Margin Ave [dB]	Line
1	0.26422	26.1	7.9	10.1	36.2	18.0	61.3	51.3	25.1	33.3	Va
2	0.45866	29.2	11.2	10.0	39.2	21.2	56.7	46.7	17.5	25.5	Va
3	0.48568	26.4	7.3	10.0	36.4	17.3	56.2	46.2	19.8	28.9	Va
4	0.39662	28.1	9.0	10.1	38.2	19.1	57.9	47.9	19.7	28.8	Vb
5	0.41328	27.7	9.0	10.1	37.8	19.1	57.6	47.6	19.8	28.5	Vb
6	0.45645	29.1	11.3	10.1	39.2	21.4	56.8	46.8	17.6	25.4	Vb
7	0.47667	27.6	8.9	10.1	37.7	19.0	56.4	46.4	18.7	27.4	Vb
8	0.48772	27.1	7.6	10.1	37.2	17.7	56.2	46.2	19.0	28.5	Vb

Operating mode: Tx 2441MHz 3DH5

[Emission level]

	Freq. [MHz]	Reading QP [dBμV]	Reading Ave [dBμV]	Factor [dB]	Result QP [dBμV]	Result Ave [dBμV]	Limit QP [dBμV]	Limit Ave [dBμV]	Margin QP [dB]	Margin Ave [dB]	Line
1	0.26184	25.7	7.5	10.1	35.8	17.6	61.4	51.4	25.6	33.8	Va
2	0.47888	27.2	8.1	10.0	37.2	18.1	56.4	46.4	19.2	28.3	Va
3	0.26558	26.2	8.0	10.1	36.3	18.1	61.3	51.3	25.0	33.2	Vb
4	0.45543	28.4	10.7	10.1	38.5	20.8	56.8	46.8	18.3	26.0	Vb
5	0.47192	28.3	9.4	10.1	38.4	19.5	56.5	46.5	18.1	27.0	Vb
6	0.49027	26.5	6.9	10.1	36.6	17.0	56.2	46.2	19.6	29.2	Vb

Operating mode: Tx 2480MHz 3DH5

[Emission level]


	Freq. [MHz]	Reading QP [dBμV]	Reading Ave [dBμV]	Factor [dB]	Result QP [dBμV]	Result Ave [dBμV]	Limit QP [dBμV]	Limit Ave [dBμV]	Margin QP [dB]	Margin Ave [dB]	Line
1	0.45645	28.2	10.5	10.0	38.2	20.5	56.8	46.8	18.6	26.3	Va
2	0.48959	26.0	6.5	10.0	36.0	16.5	56.2	46.2	20.2	29.7	Va
3	0.40886	27.8	9.1	10.1	37.9	19.2	57.7	47.7	19.8	28.5	Vb
4	0.45968	30.3	12.2	10.1	40.4	22.3	56.7	46.7	16.3	24.4	Vb
5	0.47311	28.0	9.3	10.1	38.1	19.4	56.5	46.5	18.4	27.1	Vb
6	0.48432	27.3	8.2	10.1	37.4	18.3	56.3	46.3	18.9	28.0	Vb

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Chart]

Operating mode: Tx 2480MHz 3DH5

Tested Date: 03 Feb. 2021
Humidity: 41 %Temperature: 18 degC
Atmos. Press: 1016 hPa

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

2.9 Radiated emissions (Receiver)

Test setup

Test setup was implemented according to the method of ANSI C63.4 clause 6 “General requirements for EUT equipment arrangements and operation”, clause 8.2 and Annex H.3 “Radiated emission measurements setup”.

Test procedure

Measurement procedures were implemented according to the method of ANSI C63.4 clauses 8.2.

The EUT is placed on a non-conducted table which is 0.8 m height from a ground plane and the measurement antenna to EUT distance is 3 meters. The turn table is rotated for 360 degrees to determine the maximum emission level.

The antenna height scanned between 1 m and 4 m, and the antenna rotated to repeat the measurements for both the horizontal and vertical antenna polarizations.

The spectrum analyzer and receiver are set to the followings;

RBW=100 kHz (up to 1000 MHz) or 1 MHz (above 1000 MHz) ,

VBW= 300 kHz (up to 1000 MHz) or 3 MHz (above 1000 MHz)

Final measurement is carried out with a receiver RBW of 120 kHz (up to 1000 MHz), or 1 MHz (above 1000 MHz).

Applicable rule and limitation

RSS-Gen Sec.7.3 Radiated emissions limits

Frequency [MHz]	Field Strength [μV/m]	Measurement Distance [m]	Field Strength [dBμV/m]
30 – 88	100	3	40.0
88 – 216	150	3	43.5
216 – 960	200	3	46.0
Above 960	500	3	53.9

In the emission table above, the tighter limit applies at the band edges.

The emission limits shown in the above table are based on measurements employing a QP detector (up to 1000 MHz) or AVE/PEAK detector (above 1000 MHz).

Test results - Complied with requirement

Test equipment used (refer to List of utilized test equipment)

AC01	TR06	CL11	PR21	BA07	CL38	CL39	PR12
DH06							

Test software used

EMI1 Ver. 6.1

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Calculation method

The Correction Factor and Result are calculated as followings.

$$\text{Correction Factor [dB/m]} = \text{Ant. Factor [dB/m]} + \text{Loss [dB]} - \text{Gain [dB]}$$

$$\text{Result [dB}\mu\text{V/m]} = \text{Reading [dB}\mu\text{V]} + \text{Correction Factor [dB/m]}$$

Test Data (below 1GHz)

Tested sample: A1

Configuration: 1

Operating mode: Rx 2402MHz X-plane

[Emission level]

No.	Frequency [MHz]	Reading [dB μ V]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]	Ant.
1	304.000	30.3	13.5	9.7	30.2	23.3	46.0	22.7	Hori.
2	228.000	32.7	12.2	9.1	30.2	23.8	46.0	22.2	Vert.
3	252.000	32.6	12.7	9.3	30.2	24.4	46.0	21.6	Vert.
4	548.000	29.7	17.9	11.4	30.1	28.9	46.0	17.1	Vert.
5	672.000	28.3	18.8	12.0	30.2	28.9	46.0	17.1	Vert.
6	960.000	20.7	21.1	13.6	28.6	26.8	46.0	19.2	Vert.

Operating mode: Rx 2402MHz Y-plane

[Emission level]

No.	Frequency [MHz]	Reading [dB μ V]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]	Ant.
1	200.000	29.7	11.6	8.8	30.1	20.0	43.5	23.5	Vert.
2	228.000	32.1	12.2	9.1	30.2	23.2	46.0	22.8	Vert.
3	248.000	34.5	12.6	9.3	30.2	26.2	46.0	19.8	Vert.
4	276.000	32.5	13.1	9.5	30.2	24.9	46.0	21.1	Vert.
5	536.000	29.6	17.7	11.4	30.1	28.6	46.0	17.4	Vert.
6	620.000	29.6	18.6	11.7	30.2	29.7	46.0	16.3	Vert.

Operating mode: Rx 2402MHz Z-plane

[Emission level]

No.	Frequency [MHz]	Reading [dB μ V]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]	Ant.
1	596.000	28.7	18.5	11.6	30.1	28.7	46.0	17.3	Hori.
2	220.000	32.3	12.1	9.0	30.1	23.3	46.0	22.7	Vert.
3	304.000	28.9	13.5	9.7	30.2	21.9	46.0	24.1	Vert.
4	348.000	28.8	14.8	10.1	30.2	23.5	46.0	22.5	Vert.
5	600.000	28.2	18.5	11.6	30.1	28.2	46.0	17.8	Vert.
6	960.000	20.7	21.1	13.6	28.6	26.8	46.0	19.2	Vert.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Rx 2441MHz X-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	536.000	30.0	17.7	11.4	30.1	29.0	46.0	17.0	Hori.
2	220.000	33.7	12.1	9.0	30.1	24.7	46.0	21.3	Vert.
3	228.000	34.7	12.2	9.1	30.2	25.8	46.0	20.2	Vert.
4	240.000	34.2	12.5	9.2	30.2	25.7	46.0	20.3	Vert.
5	248.000	36.3	12.6	9.3	30.2	28.0	46.0	18.0	Vert.
6	960.000	20.7	21.1	13.6	28.6	26.8	46.0	19.2	Vert.

Operating mode: Rx 2441MHz Y-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	216.000	31.2	12.0	9.0	30.1	22.1	43.5	21.4	Vert.
2	240.000	34.1	12.5	9.2	30.2	25.6	46.0	20.4	Vert.
3	248.000	33.8	12.6	9.3	30.2	25.5	46.0	20.5	Vert.
4	416.000	30.7	16.3	10.6	30.3	27.3	46.0	18.7	Vert.
5	524.000	32.3	17.6	11.3	30.1	31.1	46.0	14.9	Vert.
6	568.000	28.2	18.1	11.5	30.1	27.7	46.0	18.3	Vert.

Operating mode: Rx 2441MHz Z-plane

[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	524.000	30.0	17.6	11.3	30.1	28.8	46.0	17.2	Hori.
2	136.000	26.5	12.6	8.2	30.2	17.1	43.5	26.4	Vert.
3	220.000	34.3	12.1	9.0	30.1	25.3	46.0	20.7	Vert.
4	248.000	31.1	12.6	9.3	30.2	22.8	46.0	23.2	Vert.
5	396.000	29.1	16.0	10.5	30.3	25.3	46.0	20.7	Vert.
6	516.000	30.0	17.4	11.3	30.1	28.6	46.0	17.4	Vert.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Rx 2480MHz X-plane
[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	536.000	30.1	17.7	11.4	30.1	29.1	46.0	16.9	Hori.
2	136.000	29.1	12.6	8.2	30.2	19.7	43.5	23.8	Vert.
3	216.000	29.2	12.0	9.0	30.1	20.1	43.5	23.4	Vert.
4	220.000	33.7	12.1	9.0	30.1	24.7	46.0	21.3	Vert.
5	228.000	35.1	12.2	9.1	30.2	26.2	46.0	19.8	Vert.
6	416.000	29.7	16.3	10.6	30.3	26.3	46.0	19.7	Vert.

Operating mode: Rx 2480MHz Y-plane
[Emission level]

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	220.000	35.3	12.1	9.0	30.1	26.3	46.0	19.7	Vert.
2	228.000	33.1	12.2	9.1	30.2	24.2	46.0	21.8	Vert.
3	276.000	30.7	13.1	9.5	30.2	23.1	46.0	22.9	Vert.
4	508.000	32.1	17.3	11.2	30.1	30.5	46.0	15.5	Vert.
5	516.000	31.4	17.4	11.3	30.1	30.0	46.0	16.0	Vert.
6	524.000	31.3	17.6	11.3	30.1	30.1	46.0	15.9	Vert.

Operating mode: Rx 2480MHz Z-plane
[Emission level]


No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	764.000	27.0	19.6	12.4	30.1	28.9	46.0	17.1	Hori.
2	144.000	29.8	12.1	8.2	30.2	19.9	43.5	23.6	Vert.
3	236.000	36.2	12.4	9.2	30.2	27.6	46.0	18.4	Vert.
4	240.000	38.8	12.5	9.2	30.2	30.3	46.0	15.7	Vert.
5	244.000	35.7	12.6	9.2	30.2	27.3	46.0	18.7	Vert.
6	248.000	36.7	12.6	9.3	30.2	28.4	46.0	17.6	Vert.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Chart]

Rx 2441MHz Y-plane



This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Test Data (1 – 12.4 GHz)

Tested sample: A1

Configuration: 1

Operating mode: Rx 2402MHz X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-

Note: All emissions are under noise floor.

Operating mode: Rx 2402MHz Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-

Note: All emissions are under noise floor.

Operating mode: Rx 2402MHz Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-

Note: All emissions are under noise floor.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Rx 2441MHz X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-

Note: All emissions are under noise floor.

Operating mode: Rx 2441MHz Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-

Note: All emissions are under noise floor.

Operating mode: Rx 2441MHz Z-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-

Note: All emissions are under noise floor.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Rx 2480MHz X-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-

Note: All emissions are under noise floor.

Operating mode: Rx 2480MHz Y-plane

[Emission level]

No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-

Note: All emissions are under noise floor.

Operating mode: Rx 2480MHz Z-plane

[Emission level]


No.	Frequency [MHz]	Reading PK [dBμV]	Reading Ave [dBμV]	C.Factor [dB]	Result PK [dBμV/m]	Result Ave [dBμV/m]	Limit PK [dBμV/m]	Limit Ave [dBμV/m]	Margin PK [dB]	Margin Ave [dB]	Ant.
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-

Note: All emissions are under noise floor.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Chart] Rx 2402MHz Z-plane



Tested Date: 05 Feb. 2021
Humidity: 42 %

Temperature: 15 degC
Atmos. Press: 1020 hPa

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご注意ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

2.10 AC power line conducted emissions (Receiver)

Test setup

Test setup was implemented according to the method of ANSI C63.4 clause 6 “General requirements for EUT equipment arrangements and operation” and Annex H.1 “AC power line conducted emission measurements setup”.

Test procedure

Measurement procedures were implemented according to the method of ANSI C63.4 clauses 7, clause 13.1.3 and Annex H.2 “AC power line conducted emission measurements”.

Exploratory measurements were used the spectrum analyzer to identify the frequency of the emission that has the highest amplitude relative to the limit by operating the EUT in a range of typical modes of operation, cable positions, and with a typical system equipment configuration and arrangement.

Final ac power line conducted emission measurements were performed based on the exploratory tests.

The EUT cable configuration and arrangement and mode of operation that produced the emission with the highest amplitude relative to the limit are selected for the final measurement.

When the measurement value is greater than average limitation the average detection measurements were performed.

Applicable rule and limitation

RSS-Gen Sec.7.3 AC power line conducted emissions limits

Frequency of Emission [MHz]	Conducted emissions Limit [dBμV]	
	Quasi-peak	Average
0.15 - 0.5	66 to 56 *	56 to 46 *
0.5 - 5	56	46
5 - 30	60	50

* Decreases with the logarithm of the frequency. The lower limit applies at the band edges.

Test equipment used (refer to List of utilized test equipment)

TR06	CL18	LN05
------	------	------

Test software used

EMI Ver. 6.1

Calculation method

The Correction Factor and Result are calculated as followings.

Correction Factor [dB] = ISN Factor [dB] + Loss [dB]

Result [dBμV] = Reading [dBμV] + Correction Factor [dB]

Test results – Complied with requirement

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Test Data

Tested sample: A1
Configuration: 2

Operating mode: Rx 2402MHz
[Emission level]

	Freq. [MHz]	Reading QP [dBμV]	Reading Ave [dBμV]	Factor [dB]	Result QP [dBμV]	Result Ave [dBμV]	Limit QP [dBμV]	Limit Ave [dBμV]	Margin QP [dB]	Margin Ave [dB]	Line
1	0.19501	28.5	9.3	10.1	38.6	19.4	63.8	53.8	25.2	34.4	Va
2	0.46106	29.3	11.2	10.0	39.3	21.2	56.7	46.7	17.4	25.5	Va
3	0.20434	27.2	8.5	10.2	37.4	18.7	63.4	53.4	26.0	34.7	Vb
4	0.45813	30.1	11.7	10.1	40.2	21.8	56.7	46.7	16.5	24.9	Vb
5	0.46888	29.1	10.2	10.1	39.2	20.3	56.5	46.5	17.3	26.2	Vb
6	0.49062	26.2	6.6	10.1	36.3	16.7	56.2	46.2	19.9	29.5	Vb

Operating mode: Rx 2441MHz
[Emission level]

	Freq. [MHz]	Reading QP [dBμV]	Reading Ave [dBμV]	Factor [dB]	Result QP [dBμV]	Result Ave [dBμV]	Limit QP [dBμV]	Limit Ave [dBμV]	Margin QP [dB]	Margin Ave [dB]	Line
1	0.45711	28.6	10.6	10.0	38.6	20.6	56.7	46.7	18.1	26.1	Va
2	0.46815	28.3	9.7	10.0	38.3	19.7	56.5	46.5	18.2	26.8	Va
3	0.49048	25.6	6.3	10.0	35.6	16.3	56.2	46.2	20.6	29.9	Va
4	0.42825	23.8	6.1	10.1	33.9	16.2	57.3	47.3	23.4	31.1	Vb
5	0.45541	28.3	10.9	10.1	38.4	21.0	56.8	46.8	18.4	25.8	Vb
6	0.46764	28.7	10.6	10.1	38.8	20.7	56.6	46.6	17.8	25.9	Vb


Operating mode: Rx 2480MHz
[Emission level]

	Freq. [MHz]	Reading QP [dBμV]	Reading Ave [dBμV]	Factor [dB]	Result QP [dBμV]	Result Ave [dBμV]	Limit QP [dBμV]	Limit Ave [dBμV]	Margin QP [dB]	Margin Ave [dB]	Line
1	0.45864	29.3	11.1	10.0	39.3	21.1	56.7	46.7	17.4	25.6	Va
2	0.39664	28.2	9.2	10.1	38.3	19.3	57.9	47.9	19.6	28.6	Vb
3	0.41327	27.6	9.3	10.1	37.7	19.4	57.6	47.6	19.9	28.2	Vb
4	0.45647	29.0	11.2	10.1	39.1	21.3	56.8	46.8	17.7	25.5	Vb
5	0.47666	27.4	8.8	10.1	37.5	18.9	56.4	46.4	18.9	27.5	Vb
6	0.48773	27.0	7.8	10.1	37.1	17.9	56.2	46.2	19.1	28.3	Vb

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Chart]

Tested Date: 05 Feb. 2021
Humidity: 41 %Temperature: 16 degC
Atmos. Press: 1022 hPa

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

4 List of utilized test equipment / calibration

ID No.	Kind of Equipment	Manufacturer	Model No.	Serial Number	Cal. Date	Cal. until
AC01(EM)	Anechoic Chamber (1st test room)	JSE	203397C	-	2020/4/17	2021/4/30
AC01(EG)	Anechoic Chamber (1st test room)	JSE	203397C	-	2020/3/28	2021/3/31
BA07	Biological Antenna	TESEQ	CBL6143A	26670	2020/12/14	2021/12/31
CL11	RF Cable for RE	RFT	-	-	2020/3/25	2021/3/31
CL18	RF Cable for CE	RFT	-	-	2020/3/25	2021/3/31
CL31	RF Cable 1 m	Junkosha	MWX221	1303S118	2021/1/27	2022/1/31
CL38	RF Cable 2 m	Junkosha	MWX221	1603S626	2021/1/27	2022/1/31
CL39	RF Cable 5 m	SUHNER	SUCOFLEX126E	523222	2021/1/27	2022/1/31
DH06	DRG Horn Antenna	A.H. Systems	SAS-571	1339	2020/6/27	2022/6/30
HPF11	High Pass Filter (3500MHz)	Wainwright	6-2765-3500-2650	2	2020/4/28	2021/4/30
LN05	LISN	Kyoritsu	KNW-407F	8-1773-2	2020/5/19	2021/5/31
LP06	Loop Antenna	ETS-Lindgren	6502	00164299	2020/4/13	2021/4/30
LPF1	Low Pass Filter (1000MHz)	M-City	LPF1000-04	RF0012-01	2020/3/25	2021/3/31
PR12	Pre. Amplifier (1-26G)	Agilent Technologies	8449B	3008A02513	2021/1/27	2022/1/31
PR21	Pre. Amplifier	Anritsu	MH648A	6200467119	2020/12/15	2021/12/31
SH01	Standard Horn Antenna (18-26G)	A.H. Systems	SAS-572	208	2020/7/4	2022/7/31
SH05	Standard Horn Antenna (12-18G)	A.H. Systems	SAS-586	214	2020/7/23	2022/7/31
TR06	Test Receiver (F/W : 4.73 SP4)	Rohde & Schwarz	ESU26	100002	2020/10/21	2021/10/31
AT33	Attenuator 10dB 26GHz	INMET	26A-10	-	2020/7/8	2021/7/31

The measuring equipment, which was utilized in performing the tests documented herein, has been calibrated in accordance with the manufacturer's recommendations for utilizing calibration equipment, which is traceable to recognized national standards.

This document is issued by the Company subject to its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は裏面に記載された、もしくは<http://www.sgs.com>で入手が可能なサービスに関する一般の条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご確認ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。