


SSM-BT30



Bluetooth SP/MIC




When connecting to a radio for the first time -Pairing-

It is necessary to register (pair) this product to the transceiver. Before it will operate with it.

Press and hold for 2 seconds to turn ON.


Blinks red and blue



Pair the "SSM-BT30" with the connected radio. For the pairing procedure, refer to the Transceiver Operating Manual.




Connection is complete when SSM-BT30 LED blinks blue.



How to communicate

Press and hold the PTT switch, and speak into the front panel microphone.



To return to the receive mode, release the PTT switch.

List of typical operations

To	Do this	LED	Announce
Turn ON.	Press and hold the [Power] for 2 seconds.	Blinks RED and Blue	Power ON Pairing
Turn OFF.	Press and hold the [Power] for 5 seconds.	Glow RED	Power OFF
Connect with transceiver (First time).	1. Press and hold the [Power] for 2 seconds. 2. Perform pairing operation with the transceiver.	Blinks RED and Blue (connecting) Blinks Blue (After connection)	Connected (When connected)
Connect with transceiver (Second and subsequent times).	Press and hold the [Power] for 2 seconds.	Blinks RED and Blue (connecting) Blinks Blue (After connection)	Connected (When connected)
Adjusting the Volume level.	Rotate the VOL knob to adjust the volume to a comfortable level.	-	-
PTT transmit by [PTT].	Press and hold the [PTT].	-	-
Receive by [PTT].	Release the [PTT].	-	-
Automatic transmission by VOX function.	Speak into the microphone.	-	-
Automatic receive by VOX function.	Stop talking.	-	-
Battery Low level warning.	-	Blinks RED	Battery Low
Power OFF due to voltage drop.	Automatically turns OFF.	-	-

Restoring to Defaults (Reset)

Press and hold the Power key during charging until a "pu-pu" sounds ia heard.

Specifications

Communication System: Bluetooth specification Ver 5.3
Output: Bluetooth specification Power Class 1

YAESU MUSEN CO., LTD.

Omori Bellport Building D-3F
6-26-3 Minami-Oi, Shinagawa-ku, Tokyo, 140-0013, Japan

YAESU USA

6125 Phyllis Drive, Cypress, CA 90630, U.S.A.

YAESU UK

Unit 4, Concorde Park, Concorde Way, Segensworth North,
Fareham, Hampshire PO15 5FG, United Kingdom

NOTE: This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- ☐ Reorient or relocate the receiving antenna.
- ☐ Increase the separation between the equipment and receiver.
- ☐ Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- ☐ Consult the dealer or an experienced radio/TV technician for help.

FCC SAR statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The portable device is designed to meet the requirements for exposure to radio waves established by the Federal Communications Commission (USA). These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body.

ISED compliance statement

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- (1) L'appareil ne doit pas produire de brouillage;
- (2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

IC SAR statement

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The portable device is designed to meet the requirements for exposure to radio waves established by the ISED. These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body.

Cet équipement est conforme aux limites d'exposition aux rayonnements ISED établies pour un environnement non contrôlé. L'utilisateur final doit suivre les instructions spécifiques pour satisfaire les normes. Cet émetteur ne doit pas être co-implanté ou fonctionner en conjonction avec toute autre antenne ou transmetteur.

Le dispositif portatif est conçu pour répondre aux exigences d'exposition aux ondes radio établie par le développement énergétique DURABLE. Ces exigences un SAR limite de 1,6 W/kg en moyenne pour un gramme de tissu. La valeur SAR la plus élevée signalée en vertu de cette norme lors de la certification de produit à utiliser lorsqu'il est correctement porté sur le corps.

YAESU MUSEN CO., LTD.

Omori Bellport Building D-3F

6-26-3 Minami-Oi, Shinagawa-ku, Tokyo, 140-0013, Japan