



ORIGINALFORMAT A3						REVISION		ECO NO.		ISSUED		APP'D		DATE	
						AB		RTC		PC-AA		EMe		2245	
FLEX CONTROLLED FIELDS						DESCRIPTION									
						1208 MAIN LABEL									
NO.	FIELD	SITE	PART NO.	MARKING FORMAT	EXAMPLE FORMAT										
A	MODEL	ALL	-FLEX	<MODEL>	1208XX										

FLEX CONTROLLED FIELDS

NO.	FIELD	SITE	PART NO.	MARKING FORMAT	EXAMPLE FORMAT
A	MODEL	ALL	-FLEX	<MODEL>	1208XX
B	SERIAL NO.	ALL	-FLEX	<YYAABC1234567>	22BKRL0011234
C	PRODUCTION DATE	ALL	-FLEX	<MM-YYYY>	03-2022
D	QR CODE LINKED TO MY ASSETS	ALL	-FLEX	<QR-CODE>	


STRING CONTROLLED FIELDS

NO.	FIELD	MODEL	PART NO.	PART. REV.	MARKING FORMAT	LANGUAGE
1.	BASE LAYER	1208A,1208C	-0001	AA	According to base layer artwork illustration	English
		1208C	-0002	AA	According to base layer artwork illustration	Chinese
2.	CONNECTION DIAGRAM	1208A	-0201	AA		All
		1208C	-0202	AA		All
3.	WARNING	1208C	-0301	AA	SUBSTITUTION OF COMPONENTS MAY IMPAIR INTRINSIC SAFETY. TO PREVENT IGNITION OF FLAMMABLE OR COMBUSTIBLE ATMOSPHERES, DISCONNECT POWER BEFORE SERVICING. INSTALL PER CONTROL DRAWING LA SUBSTITUTION DE COMPOSANTS PEUT COMPROMETTRE LA SÉCURITÉ INTRINÈQUE. POUR ÉVITER L'ALLUMAGE DE PRODUITS INFLAMMABLES OU ATMOSPHERES COMBUSTIBLES, DÉBRANCHEZ L'ALIMENTATION AVANT L'ENTRÉRIEN INSTALLER SELON LE SCHEMA DE CONTRÔLE	All
4.	LOGOS	1208C	-0401	AA		All
5.	LOGOS	1208A	-0501	AA		All
		1208C	-0502	AA		All
6.	SUPPLY	1208A	-0601	AA	18-30 VDC 3.6W	All
		1208C	-0602	AB	HART® 4-20 mA 14-35 VDC 22.5mA	All
7.	MADE IN	1208C	-0703	AB	泰国制造	Chinese
		1208A,1208C	-0704	AB	Made in Thailand	English
8.	RADIO OUT.	1208A BT	-0901	AA	K8C1208LB 2827A-1208LB 1208LB1	All
		1208A	-0902	AA	K8C1208L 2827A-1208L 1208L1	All
		1208C BT	-0903	AA	K8C1208CLB 2827A-1208CLB 1208CLB1	All
		1208C	-0904	AA	K8C1208CL 2827A-1208CL 1208CL1	All

Description product variant	Model	Language	Part Number	Model string
Rosemount™ 1208A Level and Flow Transmitter	1208A	English	7000007-395	1208AG
Rosemount™ 1208A Level and Flow Transmitter	1208A	English	7000007-396	1208AN
Rosemount™ 1208C Level and Flow Transmitter	1208C	English	7000007-428	1208CG
Rosemount™ 1208C Level and Flow Transmitter	1208C	English	7000007-429	1208CN
Rosemount™ 1208CG Level and Flow Transmitter	1208C	Chinese	7000007-430	1208CGC
Rosemount™ 1208CN Level and Flow Transmitter	1208C	Chinese	7000007-431	1208CNC

7. THE PRODUCT IS NOT FOR USE WITH FLAMMABLE LIQUIDS
6. OUTLINES NOT TO BE PRINTED.
5. DO NOT PRINT BORDERS.
4. LABEL TO BE CUSTOMIZED ACCORDING TO FLEX CONTROLLED FIELDS
3. ALL APPROVAL LOGOS IN ACC. WITH RESP. LOGOTYPE.
2. TEXT TYPE: ARIAL NARROW BOLD & ARIAL BOLD
1. LASER ETCHED.

CERTIFIED PRODUCT
No modification permitted without approval from the Authorized Person(s).

01208-6000	ISSUED BY PC-AA		DRAWN WEEK 2220		PRODUCT CODE 1208		 EMERSON™ LAYOUTVÄGEN 1, 435 33 MÖLNLYCKE , SWEDEN				
	APPROVED BY			APP'D WEEK		DOC TYPE 0		TITLE			
	UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN MILLIMETERS. REMOVE ALL BURRS AND SHARP EDGES.						ROSEMOUNT 1208 Main Label				
	- GENERAL TOLERANCES -										
	MACHINING: ISO 2768 CASTING: ISO 8062 WELDING: EN-ISO 13920			FINISH: ✓ ANGLES:			DRAWING NO. 01208-6000				
	1 ST ANGLE 		SCALE 1:1		SIZE A3		Adobe Illustrator DO NOT SCALE PRINT		ISSUE AB		
								SHEET 1/3			
THE COPYRIGHT/OWNERSHIP OF THIS DOCUMENT IS AND WILL REMAIN OURS. THE DOCUMENT MUST NOT BE USED WITHOUT AUTHORIZATION OR BROUGHT TO THE KNOWLEDGE OF A THIRD PARTY. CONTRAVENTION WILL BE PROSECUTED. ROSEMOUNT TANK RADAR AB, SWEDEN											

ORIGINALFORMAT A3

1

2

3

REVISION	ECO NO.	ISSUED	APP'D	DATE
AB	RTC	PC-AA	EMe	2245
DESCRIPTION				
1208 MAIN LABEL				

7

6

5

4

3

2

1

8

7

6

5

4

3

2

1

117.941 mm

238.917 mm

45 mm

EMERSON | ROSEMOUNT

Level & Flow Transmitter

MODEL

SERIAL

DATE MFG:

FCC ID:

IC:

HVIN:

SUPPLY:

ENCL. TYPE: 4X/6P, IP66/68, IK07

MWP: 3 BAR

Certificate Holder

Mölnlycke, Sweden

Rosemount Tank Radar AB

Layoutvägen 1, 435 33 Mölnlycke, SWE

EMERSON

ROSEMOUNT™

1208

Level and Flow Transmitter

BASE LAYER ARTWORK -0001 REV AA

7

6

5

4

3

2

1

8

7

6

5

4

3

2

1

117.941 mm

238.917 mm

45 mm

EMERSON | ROSEMOUNT

液位 & 流量变送器

型号

出厂编号

制造日期

FCC ID:

IC:

HVIN:

电源电压:

ENCL. TYPE: 4X/6P, IP66/68, IK07

MWP: 3 BAR

证书持有者

Mölnlycke, Sweden

Rosemount Tank Radar AB

Layoutvägen 1, 435 33 Mölnlycke, SWE

EMERSON

ROSEMOUNT™

1208

Level and Flow Transmitter

液位/流量变送器

BASE LAYER ARTWORK -0002 REV AA

7. THE PRODUCT IS NOT FOR USE WITH FLAMMABLE LIQUIDS

6. OUTLINES NOT TO BE PRINTED.

5. DO NOT PRINT BORDERS.

4. LABEL TO BE CUSTOMIZED ACCORDING TO FLEX CONTROLLED FIELDS

3. ALL APPROVAL LOGOS IN ACC. WITH RESP. LOGOTYPE.

2. TEXT TYPE: ARIAL NARROW BOLD & ARIAL BOLD

1. LASER ETCHED.

CERTIFIED PRODUCT

No modification permitted without approval from the Authorized Person(s).

01208-6000

ISSUED BY	PC-AA	DRAWN WEEK	2220	PRODUCT CODE	1208
APPROVED BY		APP'D WEEK		DOC TYPE	0
UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN MILLIMETERS. REMOVE ALL BURRS AND SHARP EDGES.					
- GENERAL TOLERANCES -					
MACHINING:	ISO 2768	FINISH:	✓		
CASTING:	ISO 8062	ANGLES:			
WELDING:	EN-ISO 13920				
1 ST ANGLE	SCALE	SIZE	A3	Adobe Illustrator	DO NOT SCALE PRINT
1:1		THE COPYRIGHT/OWNERSHIP OF THIS DOCUMENT IS AND WILL REMAIN OURS. THE DOCUMENT MUST NOT BE USED WITHOUT AUTHORIZATION OR BROUGHT TO THE KNOWLEDGE OF A THIRD PARTY. CONTRAVENTION WILL BE PROSECUTED. ROSEMOUNT TANK RADAR AB, SWEDEN			

DRAWING NO.		ISSUE	SHEET
01208-6000		AB	2/3

1

▼ 2

3

ORIGINALFORMAT A3

REVISION

ECO NO.

ISSUED

APP'D

DATE

AB

RTC

PC-AA

EMe


2245

DESCRIPTION

1208 MAIN LABEL

EMERSON | ROSEMOUNT
MODEL 1208XX
SERIAL 22BKRL0011234
DATE MFG: 03-2022
FCC ID: K8C1208L
IC: 2827A-1208L
HVIN: 1208L1

Level & Flow Transmitter
Made in Thailand
SUPPLY: ---18-30 Vdc 3.6W
ENCL. TYPE: 4X/6P, IP66/68, IK07
MWP: 3 BAR



ROSEMOUNT™

1208

Level and Flow Transmitter

EXAMPLE LABEL 1208A Radar

7. THE PRODUCT IS NOT FOR USE WITH FLAMMABLE LIQUIDS

6. OUTLINES NOT TO BE PRINTED.

5. DO NOT PRINT BORDERS.

4. LABEL TO BE CUSTOMIZED ACCORDING TO FLEX CONTROLLED FIELDS

3. ALL APPROVAL LOGOS IN ACC. WITH RESP. LOGOTYPE.

2. TEXT TYPE: ARIAL NARROW BOLD & ARIAL BOLD

1. LASER ETCHED.

CERTIFIED PRODUCT
No modification permitted without
approval from the Authorized
Person(s).

01208-6000

ISSUED BY PC-AA		DRAWN WEEK 2220		PRODUCT CODE 1208		 EMERSON™ LAYOUTVÄGEN 1, 435 33 MÖLNLYCKE , SWEDEN			
APPROVED BY		APP'D WEEK		DOC TYPE 0		TITLE			
UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN MILLIMETERS. REMOVE ALL BURRS AND SHARP EDGES.						ROSEMOUNT 1208 Main Label			
- GENERAL TOLERANCES -									
MACHINING: ISO 2768		FINISH: ✓		ANGLES:		DRAWING NO. 01208-6000		ISSUE AB	SHEET 3/3
CASTING: ISO 8062									
WELDING: EN-ISO 13920									
1 ST ANGLE		SCALE		SIZE A3		Adobe Illustrator DO NOT SCALE PRINT			
		1:1							
THE COPYRIGHT/OWNERSHIP OF THIS DOCUMENT IS AND WILL REMAIN OURS. THE DOCUMENT MUST NOT BE USED WITHOUT AUTHORIZATION OR BROUGHT TO THE KNOWLEDGE OF A THIRD PARTY. CONTRAVENTION WILL BE PROSECUTED. ROSEMOUNT TANK RADAR AB, SWEDEN									

1

▲ 2

3