


Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_6445MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 12890.000 | 48.11  | 88.20  | -40.09 | 52.68 | -4.57  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_6445MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 12890.000 | 48.85  | 88.20  | -39.35 | 53.42 | -4.57  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_6485MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 12970.000 | 49.67  | 88.20  | -38.53 | 54.07 | -4.40  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_6485MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 12970.000 | 48.54  | 88.20  | -39.66 | 52.94 | -4.40  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_6525MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13050.000 | 49.00  | 88.20  | -39.20 | 53.34 | -4.34  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_6525MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13050.000 | 48.87  | 88.20  | -39.33 | 53.21 | -4.34  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_6565MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13130.000 | 48.94  | 88.20  | -39.26 | 53.27 | -4.33  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_6565MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13130.000 | 49.63  | 88.20  | -38.57 | 53.96 | -4.33  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_6725MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 13450.000 | 49.27  | 88.20  | -38.93 | 53.56 | -4.29  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_6725MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 13450.000 | 50.11  | 88.20  | -38.09 | 54.40 | -4.29  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_6845MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 13690.000 | 51.67  | 88.20  | -36.53 | 55.62 | -3.95  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_6845MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 13690.000 | 51.30  | 88.20  | -36.90 | 55.25 | -3.95  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_6885MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13770.000 | 48.91  | 88.20  | -39.29 | 52.72 | -3.81  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_6885MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13770.000 | 49.58  | 88.20  | -38.62 | 53.39 | -3.81  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_6925MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13850.000 | 49.44  | 88.20  | -38.76 | 53.11 | -3.67  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_6925MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13850.000 | 48.76  | 88.20  | -39.44 | 52.43 | -3.67  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_7085MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 14010.000 | 49.39  | 88.20  | -38.81 | 52.80 | -3.41  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_7085MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 14010.000 | 50.31  | 88.20  | -37.89 | 53.72 | -3.41  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_7085MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 7081.063  | 99.24  | -----  | -----  | 73.01 | 26.23  | Peak   |
| 2   | 7228.063  | 56.36  | 88.20  | -31.84 | 29.84 | 26.52  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3  
Mode :be40\_TX\_7085MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 7078.813  | 87.82  | -----  | -----  | 61.59 | 26.23  | Average |
| 2   | 7246.813  | 45.37  | 68.20  | -22.83 | 18.82 | 26.55  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_7085MHz  
Test By :Ling Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 7089.500  | 97.30  | 88.20  | -30.57 | 71.05 | 26.25  | Peak   |
| 2   | 7247.750  | 57.63  | 88.20  | -30.57 | 31.08 | 26.55  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3  
Mode :be40\_TX\_7085MHz  
Test By :Ling Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 7098.688  | 85.06  | 68.20  | -22.70 | 58.79 | 26.27  | Average |
| 2   | 7248.313  | 45.50  | 68.20  | -22.70 | 18.95 | 26.55  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_7085MHz  
Test By :Cyril Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 14170.000 | 50.47  | 88.20  | -37.73 | 53.69 | -3.22  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_7085MHz  
Test By :Cyril Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 14170.000 | 51.12  | 88.20  | -37.08 | 54.34 | -3.22  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_5985MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5827.400  | 55.94  | 88.20  | -32.26 | 33.38 | 22.56  | Peak   |
| 2   | 5972.600  | 100.34 | -----  | -----  | 77.36 | 22.98  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3  
Mode :be80\_TX\_5985MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5924.900  | 43.83  | 68.20  | -24.37 | 21.00 | 22.83  | Average |
| 2   | 6021.200  | 87.45  | -----  | -----  | 64.29 | 23.16  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_5985MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5844.800  | 55.54  | 88.20  | -32.66 | 32.93 | 22.61  | Peak   |
| 2   | 5969.300  | 98.41  | -----  | -----  | 75.44 | 22.97  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3  
Mode :be80\_TX\_5985MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5895.800  | 47.77  | 68.20  | -20.43 | 25.01 | 22.76  | Average |
| 2   | 5969.300  | 85.52  | -----  | -----  | 62.55 | 22.97  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_5985MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 11970.000        | 46.44           | 74.00                   | -27.56              | 52.29                 | -5.85        | Peak   |
| 2   | 17955.000        | 51.14           | 74.00                   | -22.86              | 53.31                 | -2.17        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_5985MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 11970.000        | 47.05           | 74.00                   | -26.95              | 52.90                 | -5.85        | Peak   |
| 2   | 17955.000        | 50.78           | 74.00                   | -23.22              | 52.95                 | -2.17        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_6225MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 12450.000        | 47.32           | 74.00                   | -26.68              | 52.70                 | -5.38        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_6225MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 12450.000        | 47.73           | 74.00                   | -26.27              | 53.11                 | -5.38        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_6385MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 12770.000 | 48.93  | 88.20  | -39.27 | 53.73 | -4.80  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_6385MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 12770.000 | 48.89  | 88.20  | -39.31 | 53.69 | -4.80  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_6465MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 12930.000 | 48.28  | 88.20  | -39.92 | 52.78 | -4.50  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_6465MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 12930.000 | 49.38  | 88.20  | -38.82 | 53.88 | -4.50  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_6545MHz  
Test By :Cyril Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13090.000 | 48.99  | 88.20  | -39.21 | 53.33 | -4.34  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_6545MHz  
Test By :Cyril Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13090.000 | 48.21  | 88.20  | -39.99 | 52.55 | -4.34  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_6625MHz  
Test By :Cyril Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13250.000 | 48.92  | 74.00  | -25.08 | 53.23 | -4.31  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_6625MHz  
Test By :Cyril Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13250.000 | 48.49  | 74.00  | -25.51 | 52.80 | -4.31  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_6705MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 13410.000 | 48.34  | 88.20  | -39.86 | 52.62 | -4.28  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_6705MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 13410.000 | 49.42  | 88.20  | -38.78 | 53.70 | -4.28  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_6785MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 13570.000 | 49.32  | 88.20  | -38.88 | 53.47 | -4.15  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_6785MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 13570.000 | 49.90  | 88.20  | -38.30 | 54.05 | -4.15  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_6865MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 13730.000 | 48.72  | 88.20  | -39.48 | 52.61 | -3.89  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_6865MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 13730.000 | 50.10  | 88.20  | -38.10 | 53.99 | -3.89  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_6945MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 13890.000 | 50.18  | 88.20  | -38.02 | 53.79 | -3.61  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_6945MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 13890.000 | 49.56  | 88.20  | -38.64 | 53.17 | -3.61  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_7025MHz  
Test By :Ling Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 7036.438         | 98.63           | -----                   | -----               | 72.48                 | 26.15        | Peak   |
| 2   | 7238.000         | 56.65           | 88.20                   | -31.55              | 30.12                 | 26.53        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3  
Mode :be80\_TX\_7025MHz  
Test By :Ling Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark  |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|---------|
| 1   | 6988.063         | 86.66           | -----                   | -----               | 60.59                 | 26.07        | Average |
| 2   | 7136.188         | 47.29           | 68.20                   | -20.91              | 20.95                 | 26.34        | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_7025MHz  
Test By :Ling Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 7058.938         | 95.19           | -----                   | -----               | 69.00                 | 26.19        | Peak   |
| 2   | 7203.125         | 56.25           | 88.20                   | -31.95              | 29.78                 | 26.47        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3  
Mode :be80\_TX\_7025MHz  
Test By :Ling Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark  |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|---------|
| 1   | 6992.188         | 82.36           | -----                   | -----               | 56.29                 | 26.07        | Average |
| 2   | 7132.250         | 45.60           | 68.20                   | -22.60              | 19.27                 | 26.33        | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_7025MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 14050.000 | 50.86  | 88.20  | -37.34 | 54.22 | -3.36  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_7025MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 14050.000 | 50.21  | 88.20  | -37.99 | 53.57 | -3.36  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be160\_TX\_6025MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 5886.000  | 58.69  | 88.20  | -29.51 | 35.95 | 22.74  | Peak   |
| 2   | 6029.300  | 97.24  | -----  | -----  | 74.03 | 23.21  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3  
Mode :be160\_TX\_6025MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |         |
| 1   | 5878.100  | 46.76  | 68.20  | -21.44 | 24.06 | 22.70  | Average |
| 2   | 6090.900  | 84.13  | -----  | -----  | 60.57 | 23.56  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be160\_TX\_6025MHz  
Test By :Ling Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 5881.400         | 60.20           | 88.20                   | -28.00              | 37.48                 | 22.72        | Peak   |
| 2   | 6048.800         | 94.31           | -----                   | -----               | 71.00                 | 23.31        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3  
Mode :be160\_TX\_6025MHz  
Test By :Ling Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark  |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|---------|
| 1   | 5882.900         | 44.01           | 68.20                   | -24.19              | 21.29                 | 22.72        | Average |
| 2   | 6046.700         | 82.24           | -----                   | -----               | 58.95                 | 23.29        | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be160\_TX\_6025MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 12050.000        | 48.03           | 74.00                   | -25.97              | 53.82                 | -5.79        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be160\_TX\_6025MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 12050.000        | 47.27           | 74.00                   | -26.73              | 53.06                 | -5.79        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be160\_TX\_6185MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 12370.000 | 47.48  | 74.00  | -26.52 | 52.95 | -5.47  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be160\_TX\_6185MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 12370.000 | 47.68  | 74.00  | -26.32 | 53.15 | -5.47  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be160\_TX\_6345MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 12690.000 | 48.18  | 74.00  | -25.82 | 53.14 | -4.96  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be160\_TX\_6345MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 12690.000 | 46.97  | 74.00  | -27.03 | 51.93 | -4.96  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be160\_TX\_6585MHz  
Test By :Cyril Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13010.000 | 48.64  | 88.20  | -39.56 | 52.99 | -4.35  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be160\_TX\_6585MHz  
Test By :Cyril Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13010.000 | 49.01  | 88.20  | -39.19 | 53.36 | -4.35  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be160\_TX\_6665MHz  
Test By :Cyril Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13330.000 | 49.63  | 74.00  | -24.37 | 53.93 | -4.30  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be160\_TX\_6665MHz  
Test By :Cyril Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13330.000 | 49.40  | 74.00  | -24.60 | 53.70 | -4.30  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be160\_TX\_6825MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13650.000 | 50.09  | 88.20  | -38.11 | 54.11 | -4.02  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be160\_TX\_6825MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 13650.000 | 49.87  | 88.20  | -38.33 | 53.89 | -4.02  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be160\_TX\_6985MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 6922.813  | 95.92  | -----  | -----  | 69.92 | 26.00  | Peak   |
| 2   | 7133.375  | 62.69  | 88.20  | -25.51 | 36.36 | 26.33  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3  
Mode :be160\_TX\_6985MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |         |
| 1   | 6917.938  | 83.54  | -----  | -----  | 57.54 | 26.00  | Average |
| 2   | 7154.188  | 47.49  | 68.20  | -20.71 | 21.12 | 26.37  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be160\_TX\_6985MHz  
Test By :Ling Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-----------------|---------------------|-----------------------|--------------|--------|
| 1   | 6920.750         | 94.52           | 88.20           | -30.16              | 68.52                 | 26.00        | Peak   |
| 2   | 7139.375         | 58.04           | 88.20           | -30.16              | 31.70                 | 26.34        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3  
Mode :be160\_TX\_6985MHz  
Test By :Ling Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark  |
|-----|------------------|-----------------|-----------------|---------------------|-----------------------|--------------|---------|
| 1   | 6912.688         | 81.08           | 88.20           | -19.93              | 55.10                 | 25.98        | Average |
| 2   | 7136.188         | 48.27           | 88.20           | -19.93              | 21.93                 | 26.34        | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be160\_TX\_6985MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-----------------|---------------------|-----------------------|--------------|--------|
| 1   | 13970.000        | 49.07           | 88.20           | -39.13              | 52.53                 | -3.46        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be160\_TX\_6985MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-----------------|---------------------|-----------------------|--------------|--------|
| 1   | 13970.000        | 48.58           | 88.20           | -39.62              | 52.04                 | -3.46        | Peak   |


Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


## Appendix F. Test Result of In-Band Emission (Mask)




## 802.11be/20MHz/MCS0/6435MHz/Ch97/Ant.1




## 802.11be/20MHz/MCS0/6435MHz/Ch97/Ant.2




## 802.11be/20MHz/MCS0/6475MHz/Ch105/Ant.1




## 802.11be/20MHz/MCS0/6475MHz/Ch105/Ant.2




## 802.11be/20MHz/MCS0/6515MHz/Ch113/Ant.1




## 802.11be/20MHz/MCS0/6515MHz/Ch113/Ant.2




## 802.11be/20MHz/MCS0/6535MHz/Ch117/Ant.1




## 802.11be/20MHz/MCS0/6535MHz/Ch117/Ant.2




## 802.11be/20MHz/MCS0/6695MHz/Ch149/Ant.1




## 802.11be/20MHz/MCS0/6695MHz/Ch149/Ant.2




## 802.11be/20MHz/MCS0/6855MHz/Ch181/Ant.1




## 802.11be/20MHz/MCS0/6855MHz/Ch181/Ant.2




## 802.11be/20MHz/MCS0/6875MHz/Ch185/Ant.1




## 802.11be/20MHz/MCS0/6875MHz/Ch185/Ant.2




## 802.11be/20MHz/MCS0/6895MHz/Ch189/Ant.1



## 802.11be/20MHz/MCS0/6895MHz/Ch189/Ant.2



## 802.11be/20MHz/MCS0/7015MHz/Ch213/Ant.1



## 802.11be/20MHz/MCS0/7015MHz/Ch213/Ant.2

