



Spectrum plot of value


802.11be/80MHz/MCS0/5530MHz/Ch106




802.11be/80MHz/MCS0/5610MHz/Ch122




802.11be/80MHz/MCS0/5690MHz/Ch138




802.11be/160MHz/MCS0/5250MHz/Ch50



802.11be/160MHz/MCS0/5570MHz/Ch114




For DTS Bandwidth:




Spectrum plot of value


802.11be/20MHz/MCS0/5785MHz/Ch157




802.11be/20MHz/MCS0/5825MHz/Ch165




802.11be/40MHz/MCS0/5710MHz/Ch142




802.11be/40MHz/MCS0/5755MHz/Ch151




802.11be/40MHz/MCS0/5795MHz/Ch159



802.11be/80MHz/MCS0/5690MHz/Ch138





Appendix C. Test Result of Maximum Conducted Output Power

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)				Antenna Gain (dBi)	E.I.R.P Power (dBm)	E.I.R.P Limit (dBm)
		Ant. 1	Ant. 2	Total	Limit			
802.11a	5180	15.030	14.860	17.956	24.000	1.800	19.756	30.000
	5220	15.010	14.860	17.946	24.000	1.800	19.746	30.000
	5240	15.100	14.870	17.997	24.000	1.800	19.797	30.000
	5260	14.740	14.900	17.831	23.533	1.800	19.631	29.533
	5300	14.430	14.850	17.655	23.524	1.800	19.455	29.524
	5320	14.440	14.900	17.686	23.533	1.800	19.486	29.533
	5500	13.820	13.980	16.911	23.524	1.800	18.711	29.524
	5580	13.380	13.950	16.685	23.533	1.800	18.485	29.533
	5700	13.500	13.950	16.741	23.553	1.800	18.541	29.553
	5720 (UNII-2C)	11.250	12.060	15.039	22.411	1.800	16.839	28.411
	5720 (UNII-3)	3.620	4.050	7.206	30.000	1.700	8.906	36.000
	5745	12.980	13.340	16.174	30.000	1.700	17.874	36.000
	5785	13.050	13.400	16.239	30.000	1.700	17.939	36.000
	5825	12.780	13.350	16.085	30.000	1.700	17.785	36.000
802.11be (20 MHz)	5180	14.920	14.850	17.895	24.000	1.800	19.695	30.000
	5220	14.930	14.800	17.876	24.000	1.800	19.676	30.000
	5240	15.030	14.790	17.922	24.000	1.800	19.722	30.000
	5260	14.910	14.990	17.960	24.000	1.800	19.760	30.000
	5300	14.570	14.950	17.774	24.000	1.800	19.574	30.000
	5320	14.430	14.850	17.655	24.000	1.800	19.455	30.000
	5500	13.600	13.910	16.768	23.993	1.800	18.568	30.000
	5580	13.600	13.950	16.789	24.000	1.800	18.589	30.000
	5700	13.440	13.920	16.697	23.993	1.800	18.497	30.000
	5720 (UNII-2C)	10.460	11.110	14.218	22.772	1.800	16.018	28.772
	5720 (UNII-3)	3.860	3.990	7.346	30.000	1.700	9.046	36.000
	5745	13.090	13.420	16.268	30.000	1.700	17.968	36.000
	5785	13.060	13.390	16.238	30.000	1.700	17.938	36.000
	5825	12.950	13.420	16.202	30.000	1.700	17.902	36.000

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)				Antenna Gain (dBi)	E.I.R.P Power (dBm)	E.I.R.P Limit (dBm)
		Ant. 1	Ant. 2	Total	Limit			
802.11be (40 MHz)	5190	15.110	14.980	18.056	24.000	1.800	19.856	30.000
	5230	15.110	14.970	18.051	24.000	1.800	19.851	30.000
	5270	14.840	14.970	17.916	24.000	1.800	19.716	30.000
	5310	14.430	14.980	17.724	24.000	1.800	19.524	30.000
	5510	13.730	13.910	16.831	24.000	1.800	18.631	30.000
	5550	13.690	13.970	16.843	24.000	1.800	18.643	30.000
	5670	13.760	13.980	16.882	24.000	1.800	18.682	30.000
	5710 (UNII-2C)	10.910	11.600	15.023	24.000	1.800	16.823	30.000
	5710 (UNII-3)	-0.670	0.560	3.743	30.000	1.700	5.443	36.000
	5755	13.010	13.440	16.241	30.000	1.700	17.941	36.000
	5795	13.070	13.380	16.238	30.000	1.700	17.938	36.000
802.11be (80 MHz)	5210	15.020	14.860	17.951	24.000	1.800	19.751	30.000
	5290	14.690	14.870	17.791	24.000	1.800	19.591	30.000
	5530	13.800	13.980	16.901	24.000	1.800	18.701	30.000
	5610	13.570	13.980	16.790	24.000	1.800	18.590	30.000
	5690 (UNII-2C)	10.450	11.040	14.950	24.000	1.800	16.750	30.000
	5690 (UNII-3)	-4.830	0.700	2.956	30.000	1.700	4.656	36.000
	5775	12.980	13.370	16.190	30.000	1.700	17.890	36.000
802.11be (160 MHz)	5250 (UNII-1)	10.630	9.730	14.115	24.000	1.800	15.915	30.000
	5250 (UNII-2A)	7.480	9.200	12.337	24.000	1.800	14.137	30.000
	5570	13.450	13.910	16.696	24.000	1.800	18.496	30.000

Note: For straddle channels, the total power = conducted output power + duty factor, and the duty factor refer to section 2.3.

Appendix D. Test Result of Maximum Power Spectral Density

Modulation	Frequency (MHz)	Power Spectral Density (dBm/MHz)			Limit (dBm/MHz)	Result
		Ant. 1	Ant. 2	Total		
802.11a	5180	4.45	4.43	7.22	11.00	Pass
	5220	4.97	4.20	7.26	11.00	Pass
	5240	4.46	4.00	7.23	11.00	Pass
	5260	3.81	4.44	7.02	11.00	Pass
	5300	3.64	4.64	7.01	11.00	Pass
	5320	3.77	4.35	7.04	11.00	Pass
	5500	3.04	3.71	6.18	11.00	Pass
	5580	3.06	3.14	5.78	11.00	Pass
	5700	2.75	2.86	5.81	11.00	Pass
	5720 (UNII-2C)	4.16	3.81	7.00	11.00	Pass
Modulation	Frequency (MHz)	Power Spectral Density (dBm/500kHz)			Limit (dBm/500kHz)	Result
		Ant. 1	Ant. 2	Total		
802.11a	5720 (UNII-3)	-0.51	-1.71	1.86	30.00	Pass
	5745	-0.17	-0.26	2.63	30.00	Pass
	5785	-0.04	-0.26	2.78	30.00	Pass
	5825	-0.32	0.07	2.72	30.00	Pass

Modulation	Frequency (MHz)	Power Spectral Density (dBm/MHz)			Limit (dBm/MHz)	Result
		Ant. 1	Ant. 2	Total		
802.11be (20 MHz)	5180	4.02	4.80	7.44	11.00	Pass
	5220	4.39	3.98	7.07	11.00	Pass
	5240	3.95	4.38	7.15	11.00	Pass
	5260	4.03	4.30	6.91	11.00	Pass
	5300	4.09	3.91	6.71	11.00	Pass
	5320	4.07	3.83	6.87	11.00	Pass
	5500	2.68	3.25	5.98	11.00	Pass
	5580	3.06	3.28	6.14	11.00	Pass
	5700	3.01	3.06	5.88	11.00	Pass
	5720 (UNII-2C)	4.15	3.64	6.85	11.00	Pass
Modulation	Frequency (MHz)	Power Spectral Density (dBm/500kHz)			Limit (dBm/500kHz)	Result
		Ant. 1	Ant. 2	Total		
802.11be (20 MHz)	5720 (UNII-3)	-0.48	-1.32	2.13	30.00	Pass
	5745	-0.30	-0.56	2.56	30.00	Pass
	5785	-0.59	-0.72	2.33	30.00	Pass
	5825	-0.38	-0.50	2.27	30.00	Pass


Modulation	Frequency (MHz)	Power Spectral Density (dBm/MHz)			Limit (dBm/MHz)	Result
		Ant. 1	Ant. 2	Total		
802.11be (40 MHz)	5190	1.33	1.39	4.19	11.00	Pass
	5230	1.07	1.53	4.01	11.00	Pass
	5270	1.30	1.08	3.76	11.00	Pass
	5310	0.33	0.44	3.17	11.00	Pass
	5510	-0.05	-0.24	2.86	11.00	Pass
	5550	-0.08	-0.41	2.65	11.00	Pass
	5670	-0.44	0.01	2.40	11.00	Pass
	5710 (UNII-2C)	-0.10	-0.33	2.78	11.00	Pass
Modulation	Frequency (MHz)	Power Spectral Density (dBm/500kHz)			Limit (dBm/500kHz)	Result
		Ant. 1	Ant. 2	Total		
802.11be (40 MHz)	5710 (UNII-3)	-6.11	-5.64	-3.01	30.00	Pass
	5755	-3.52	-3.62	-0.61	30.00	Pass
	5795	-2.85	-4.05	-0.69	30.00	Pass

Modulation	Frequency (MHz)	Power Spectral Density (dBm/MHz)			Limit (dBm/MHz)	Result
		Ant. 1	Ant. 2	Total		
802.11be (80 MHz)	5210	-2.57	-2.33	0.23	11.00	Pass
	5290	-2.70	-2.68	0.09	11.00	Pass
	5530	-2.97	-3.43	-0.77	11.00	Pass
	5610	-3.55	-3.48	-0.55	11.00	Pass
	5690 (UNII-2C)	-3.28	-3.75	-0.73	11.00	Pass
Modulation	Frequency (MHz)	Power Spectral Density (dBm/500kHz)			Limit (dBm/500kHz)	Result
		Ant. 1	Ant. 2	Total		
802.11be (80 MHz)	5690 (UNII-3)	-10.06	-9.68	-7.21	30.00	Pass
	5775	-7.14	-6.90	-4.52	30.00	Pass


Modulation	Frequency (MHz)	Power Spectral Density (dBm/MHz)			Limit (dBm/MHz)	Result
		Ant. 1	Ant. 2	Total		
802.11be (160 MHz)	5250 (UNII-1)	-0.96	-1.78	1.09	11.00	Pass
	5250 (UNII-2A)	-1.57	-2.02	0.92	11.00	Pass
	5570	-5.76	-6.42	-3.33	11.00	Pass

Spectrum plot of value


802.11a/20MHz/6M/5180MHz/Ch36




802.11a/20MHz/6M/5220MHz/Ch44




802.11a/20MHz/6M/5240MHz/Ch48




802.11a/20MHz/6M/5260MHz/Ch52





802.11a/20MHz/6M/5300MHz/Ch60




802.11a/20MHz/6M/5320MHz/Ch64











Spectrum plot of value


802.11be/40MHz/MCS0/5510MHz/Ch102




802.11be/40MHz/MCS0/5550MHz/Ch110




802.11be/40MHz/MCS0/5670MHz/Ch134



802.11be/40MHz/MCS0/5710MHz/Ch142 (UNII-2C)



802.11be/80MHz/MCS0/5210MHz/Ch42



802.11be/80MHz/MCS0/5290MHz/Ch58

